

Mission:

To protect, promote & improve the health of all people in Florida through integrated state, county & community efforts.



Vision: To be the **Healthiest State** in the Nation

Rick Scott
Governor

Celeste Phillip, MD, MPH
Surgeon General and Secretary

FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
HIV/AIDS SURVEILLANCE
MONTHLY HIV/AIDS SURVEILLANCE REPORT

OCTOBER 2016

AIDS CASES (EXCLUDING DEPARTMENT OF CORRECTION [DOC] CASES) *(AIDS Worksheet)*

- AIDS cases by age group and gender (Excluding Department of Correction - DOC).
- AIDS cases by age group, race/ethnicity & gender, showing Haitians separated (Excluding DOC)
- AIDS cases by year of report and gender (Excluding DOC)
- Adult & pediatric AIDS cases by race/ethnicity and gender (Excluding DOC)
- AIDS cases by exposure category and gender among Adult and Pediatric (Excluding DOC)
- Adult AIDS cases by exposure category, race/ethnicity and gender (Excluding DOC)
- Pediatric AIDS cases by exposure category, race/ethnicity and gender.
- Adult Hispanic/Latino AIDS cases by country of origin and gender (Excluding DOC)
- Adult Hispanic/Latino AIDS cases by country of origin, exposure category and gender (Excluding DOC)
- Haitian born adult AIDS cases by exposure category and gender (Excluding DOC)
- Department of Correction [DOC] Adult AIDS cases by race/ethnicity and gender.

HIV CASES (EXCLUDING DEPARTMENT OF CORRECTION [DOC] CASES) *(HIV Worksheet)*

- HIV (not AIDS) cases by age group and gender (Excluding Department of Correction - DOC)
- HIV (not AIDS) cases by age group, race/ethnicity & gender, showing Haitians separated (Excluding DOC)
- HIV (not AIDS) cases by year of report and gender (Excluding DOC)
- Adult & pediatric HIV (not AIDS) cases by race/ethnicity and gender (Excluding DOC)
- HIV (not AIDS) cases by exposure category and gender among Adult and Pediatric (Excluding DOC)
- Adult HIV (not AIDS) cases by exposure category, race/ethnicity and gender (Excluding DOC)
- Pediatric HIV (not AIDS) cases by exposure category, race/ethnicity and gender.
- Adult Hispanic/Latino HIV (not AIDS) cases by country of origin and gender (Excluding DOC)

(Continue next Page)

Florida Department of Health

In Miami-Dade County

Epidemiology, Disease Control, and Immunization Services

8600 NW 17th Street, suite 200, Miami, Florida 33126

PHONE: 305/470-5660 - FAX 305/470-5533

FloridaHealth.gov



Accredited Health Department
Public Health Accreditation Board

Mission:

To protect, promote & improve the health of all people in Florida through integrated state, county & community efforts.



Rick Scott
Governor

Celeste Phillip, MD, MPH
Surgeon General and Secretary

Vision: To be the **Healthiest State** in the Nation

Adult Hispanic/Latino HIV (not AIDS) cases by country of origin, exposure category and gender (Excluding DOC)
Haitian born adult HIV (not AIDS) cases by country of origin, exposure category and gender (Excluding DOC)
Department of Correction [DOC] Adult HIV (not AIDS) cases by race/ethnicity and gender.

PERINATAL EXPOSED CASES REPORTED SINCE NOVEMBER 20th, 2006 (*PERINATAL EXPOSED Worksheet*)

All EXPOSED perinatal pediatric cases born in Miami-Dade by year of birth and diagnosis status since November 20th, 2006.
All EXPOSED perinatal pediatric cases born in Miami-Dade by year of birth and race/ethnicity since November 20th, 2006.
All EXPOSED perinatal pediatric cases born in Miami-Dade by year of birth and Mother HIV status since November 20th, 2006.
All EXPOSED perinatal pediatric cases born in Miami-Dade by diagnosis and Mother HIV status since November 20th, 2006.
All EXPOSED perinatal pediatric cases born in Miami-Dade by diagnosis status and HIV category since November 20th, 2006.
CONFIRMED infected perinatal cases born in Miami-Dade, known HIV or AIDS by year of birth, 2000-2016.
All EXPOSED perinatal pediatric cases born in Miami-Dade by hospital of birth and diagnosis status since November 20th, 2006.

LIVING CASES WITH HIV DISEASE THROUGH DECEMBER 2015 (*PLWHA Worksheet*)

Total prevalence by diagnosis category (Excluding DOC)
Total living cases including Department of Corrections [DOC]
Total prevalence by gender (Excluding DOC)
Total prevalence by race/ethnicity (Excluding DOC)
Total prevalence by current age group (Excluding DOC)
Total prevalence by exposure category (Excluding DOC)

ONE-IN STATEMENTS (*ONE-IN STATEMENTS Worksheet*)

One-in statements for adult (≥ 13) persons living with HIV or AIDS through 2015 in Miami-Dade & Florida.
One-in statements for persons (all ages) living with HIV or AIDS through 2015 in Miami-Dade & Florida.

USEFUL WEBSITES LINKS (*WEBSITE Worksheet*)

Useful websites for HIV/AIDS related information.

Florida Department of Health

In Miami-Dade County

Epidemiology, Disease Control, and Immunization Services

8600 NW 17th Street, suite 200, Miami, Florida 33126

PHONE: 305/470-5660 - FAX 305/470-5533

FloridaHealth.gov



Accredited Health Department
Public Health Accreditation Board

**FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
HIV/AIDS Surveillance
Cumulative Number of Reported AIDS Cases**

OCTOBER 2016

| <i>AIDS Cases by age group and gender (Excluding Department of Correction - DOC)</i> | | | | | | | <i>AIDS Cases by age group, race/ethnicity & gender, showing Haitians separated (Excluding DOC)</i> | | | | | | | | | | | | |
|--|--------------|-------------|---------------|-------------|---------------|-------------|---|---------------|--------------|--------------|------------|--------------|--------------|--------------|----------------------|------------|--------------|---------------|--|
| AIDS Cases by Age Group & Gender | Female | | Male | | TOTAL AIDS | | Hispanic/Latino | | Black | | White | | Haitian | | Other ⁽¹⁾ | | TOTAL AIDS | | |
| | Cases | Col % | Cases | Col % | Cases | Col % | Female | Male | Female | Male | Female | Male | Female | Male | Female | Male | Female | Male | |
| Under 5 | 210 | 2.2% | 196 | 0.7% | 406 | 1.1% | 29 | 29 | 168 | 151 | 5 | 7 | 6 | 8 | 2 | 1 | 210 | 196 | |
| 5-12 | 53 | 0.5% | 55 | 0.2% | 108 | 0.3% | 10 | 11 | 33 | 36 | 4 | 2 | 5 | 5 | 1 | 1 | 53 | 55 | |
| 13-19 | 171 | 1.8% | 136 | 0.5% | 307 | 0.9% | 20 | 42 | 127 | 85 | 5 | 2 | 15 | 6 | 4 | 1 | 171 | 136 | |
| 20-29 | 1,737 | 18.0% | 3,285 | 12.4% | 5,022 | 13.9% | 287 | 1,425 | 1,116 | 1,047 | 77 | 502 | 238 | 263 | 19 | 48 | 1,737 | 3,285 | |
| 30-39 | 3,326 | 34.5% | 9,577 | 36.2% | 12,903 | 35.7% | 544 | 4,157 | 2,012 | 2,698 | 165 | 1,672 | 562 | 896 | 43 | 154 | 3,326 | 9,577 | |
| 40-49 | 2,488 | 25.8% | 7,900 | 29.9% | 10,388 | 28.8% | 463 | 3,222 | 1,432 | 2,536 | 131 | 1,256 | 420 | 773 | 42 | 113 | 2,488 | 7,900 | |
| 50-59 | 1,127 | 11.7% | 3,673 | 13.9% | 4,800 | 13.3% | 248 | 1,491 | 580 | 1,261 | 56 | 485 | 218 | 379 | 25 | 57 | 1,127 | 3,673 | |
| 60-64 | 277 | 2.9% | 873 | 3.3% | 1,150 | 3.2% | 69 | 338 | 126 | 321 | 10 | 113 | 67 | 85 | 5 | 16 | 277 | 873 | |
| 65-69 | 150 | 1.6% | 439 | 1.7% | 589 | 1.6% | 30 | 152 | 77 | 177 | 5 | 58 | 35 | 43 | 3 | 9 | 150 | 439 | |
| >=70 | 113 | 1.2% | 326 | 1.2% | 439 | 1.2% | 33 | 129 | 47 | 119 | 12 | 36 | 17 | 33 | 4 | 9 | 113 | 326 | |
| Unknown | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| Total AIDS | 9,652 | 100% | 26,460 | 100% | 36,112 | 100% | 1,733 | 10,996 | 5,718 | 8,431 | 470 | 4,133 | 1,583 | 2,491 | 148 | 409 | 9,652 | 26,460 | |

⁽¹⁾ Other Includes American Indian/Alaska Native, Asian, Native Hawaiian, Pacific Islander, Legacy Asian & Multi Race

AIDS Cases by year of report and gender (Excluding DOC)

| AIDS Cases by Year Report & Gender | Female | | Male | | TOTAL AIDS | |
|------------------------------------|--------|-------|-------|-------|------------|-------|
| | Cases | Row % | Cases | Row % | Cases | Col % |
| 1981 | 0 | 0.0% | 4 | 100% | 4 | 0.0% |
| 1982 | 7 | 22.6% | 31 | 81.6% | 38 | 0.1% |
| 1983 | 16 | 19.5% | 82 | 83.7% | 98 | 0.3% |
| 1984 | 18 | 13.5% | 133 | 88.1% | 151 | 0.4% |
| 1985 | 29 | 18.0% | 161 | 84.7% | 190 | 0.5% |
| 1986 | 71 | 21.6% | 329 | 82.3% | 400 | 1.1% |
| 1987 | 63 | 15.6% | 405 | 86.5% | 468 | 1.3% |
| 1988 | 109 | 19.7% | 554 | 83.6% | 663 | 1.8% |
| 1989 | 195 | 24.9% | 784 | 80.1% | 979 | 2.7% |
| 1990 | 171 | 23.4% | 730 | 81.0% | 901 | 2.5% |
| 1991 | 362 | 23.6% | 1,536 | 80.9% | 1,898 | 5.3% |
| 1992 | 304 | 25.7% | 1,185 | 79.6% | 1,489 | 4.1% |
| 1993 | 443 | 26.4% | 1,679 | 79.1% | 2,122 | 5.9% |
| 1994 | 748 | 31.0% | 2,414 | 76.3% | 3,162 | 8.8% |
| 1995 | 668 | 38.8% | 1,722 | 72.1% | 2,390 | 6.6% |
| 1996 | 579 | 37.1% | 1,560 | 72.9% | 2,139 | 5.9% |
| 1997 | 432 | 39.6% | 1,092 | 71.7% | 1,524 | 4.2% |
| 1998 | 475 | 46.1% | 1,030 | 68.4% | 1,505 | 4.2% |
| 1999 | 356 | 40.9% | 870 | 71.0% | 1,226 | 3.4% |

| AIDS Cases by Year & Gender (Cont.) | Female | | Male | | TOTAL AIDS | |
|-------------------------------------|--------------|--------------|---------------|--------------|---------------|-------------|
| | Cases | Row % | Cases | Row % | Cases | Col % |
| 2000 | 379 | 46.6% | 814 | 68.2% | 1,193 | 3.3% |
| 2001 | 372 | 48.7% | 764 | 67.3% | 1,136 | 3.1% |
| 2002 | 323 | 40.9% | 789 | 71.0% | 1,112 | 3.1% |
| 2003 | 304 | 42.8% | 710 | 70.0% | 1,014 | 2.8% |
| 2004 | 409 | 46.0% | 890 | 68.5% | 1,299 | 3.6% |
| 2005 | 392 | 49.7% | 789 | 66.8% | 1,181 | 3.3% |
| 2006 | 395 | 53.7% | 735 | 65.0% | 1,130 | 3.1% |
| 2007 | 275 | 53.1% | 518 | 65.3% | 793 | 2.2% |
| 2008 | 324 | 45.1% | 719 | 68.9% | 1,043 | 2.9% |
| 2009 | 255 | 44.5% | 573 | 69.2% | 828 | 2.3% |
| 2010 | 198 | 43.2% | 458 | 69.8% | 656 | 1.8% |
| 2011 | 233 | 48.9% | 476 | 67.1% | 709 | 2.0% |
| 2012 | 158 | 36.0% | 439 | 73.5% | 597 | 1.7% |
| 2013 | 189 | 40.3% | 469 | 71.3% | 658 | 1.8% |
| 2014 | 144 | 39.5% | 365 | 71.7% | 509 | 1.4% |
| 2015 | 146 | 45.3% | 322 | 68.8% | 468 | 1.3% |
| 2016 | 110 | 33.4% | 329 | 74.9% | 439 | 1.2% |
| Total Adult AIDS | 9,652 | 36.5% | 26,460 | 73.3% | 36,112 | 100% |

(Continue next Page)

FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
HIV/AIDS Surveillance
Cumulative Number of Reported AIDS Cases

OCTOBER 2016

Adult & Pediatric AIDS cases by race/ethnicity and gender (Excluding DOC)

| AIDS by Race/ Ethnicity * | Adult AIDS | | | | | | Pediatric AIDS | | | | | | TOTAL AIDS CASES | | | | | |
|----------------------------------|--------------|-------------|---------------|-------------|---------------|-------------|----------------|-------------|------------|-------------|-----------------|-------------|------------------|-------------|---------------|-------------|---------------|-------------|
| | Female | | Male | | Total Adult | | Female | | Male | | Total Pediatric | | Total Female | | Total Male | | Total Cases | |
| | Cases | Col % | Cases | Col % | Cases | Col % | Cases | Col % | Cases | Col % | Cases | Col % | Cases | Col % | Cases | Col % | Cases | Col % |
| Hispanic/Latino (All Races) | 1,711 | 18.2% | 10,984 | 41.9% | 12,695 | 35.7% | 39 | 14.8% | 40 | 15.9% | 79 | 15.4% | 1,750 | 18.1% | 11,024 | 41.7% | 12,774 | 35.4% |
| American Indian/Alaska Native | 1 | 0.0% | 2 | 0.0% | 3 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 1 | 0.0% | 2 | 0.0% | 3 | 0.0% |
| Asian | 2 | 0.0% | 23 | 0.1% | 25 | 0.1% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 2 | 0.0% | 23 | 0.1% | 25 | 0.1% |
| Black or African American | 7,052 | 75.1% | 10,669 | 40.7% | 17,721 | 49.8% | 212 | 80.6% | 200 | 79.7% | 412 | 80.2% | 7,264 | 75.3% | 10,869 | 41.1% | 18,133 | 50.2% |
| Native Hawaiian/Pacific Islander | 1 | 0.0% | 1 | 0.0% | 2 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 1 | 0.0% | 1 | 0.0% | 2 | 0.0% |
| White | 461 | 4.9% | 4,128 | 15.8% | 4,589 | 12.9% | 9 | 3.4% | 9 | 3.6% | 18 | 3.5% | 470 | 4.9% | 4,137 | 15.6% | 4,607 | 12.8% |
| Legacy Asian | 2 | 0.0% | 12 | 0.0% | 14 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 2 | 0.0% | 12 | 0.0% | 14 | 0.0% |
| Multi-Race | 159 | 1.7% | 390 | 1.5% | 549 | 1.5% | 3 | 1.1% | 2 | 0.8% | 5 | 1.0% | 162 | 1.7% | 392 | 1.5% | 554 | 1.5% |
| Unknown | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| Total AIDS | 9,389 | 100% | 26,209 | 100% | 35,598 | 100% | 263 | 100% | 251 | 100% | 514 | 100% | 9,652 | 100% | 26,460 | 100% | 36,112 | 100% |

* This new category created by CDC, is to support the ability to record an ethnicity and multiple races for an individual, necessitated by new federal OMB guidelines for reporting race and ethnicity.

AIDS Cases by exposure category and gender among Adult and Pediatric (Excluding DOC)

| Exposure Category among adult AIDS | Adult AIDS | | | | | |
|---|--------------|-------------|---------------|-------------|---------------|-------------|
| | Female | | Male | | Total Adult | |
| | Cases | Col % | Cases | Col % | Cases | Col % |
| Adult male-to-male sexual contact [MSM] | | | 14,652 | 55.9% | 14,652 | 41.2% |
| Adult injection drug use [IDU] | 2,064 | 22.0% | 3,197 | 12.2% | 5,261 | 14.8% |
| Adult MSM & IDU | | | 1,413 | 5.4% | 1,413 | 4.0% |
| Adult heterosexual contact [HTRSX] | 6,296 | 67.1% | 4,170 | 15.9% | 10,466 | 29.4% |
| Adult other risk* | 170 | 1.8% | 193 | 0.7% | 363 | 1.0% |
| Adult no risk factor reported [NRR] | 859 | 9.1% | 2,584 | 9.9% | 3,443 | 9.7% |
| Total adult AIDS | 9,389 | 100% | 26,209 | 100% | 35,598 | 100% |

* Other risk includes: Adult receiving clotting factor, Hemophiliac, Perinatal exposure w/HIV age at 13+ years

| Exposure Category among Pediatric AIDS | Pediatric AIDS | | | | | |
|--|----------------|-------------|------------|-------------|-----------------|-------------|
| | Female | | Male | | Total Pediatric | |
| | Cases | Col % | Cases | Col % | Cases | Col % |
| Perinatal exposure [PERINATAL] | 260 | 98.9% | 243 | 96.8% | 503 | 97.9% |
| Child receiving clotting factor [HEMOPH] | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| Child receiving transfusion/transplant | 2 | 0.8% | 5 | 2.0% | 7 | 1.4% |
| Child other risk confirmed [OTHER] | 0 | 0.0% | 1 | 0.4% | 1 | 0.2% |
| Child no risk factor reported [NRR] | 1 | 0.4% | 2 | 0.8% | 3 | 0.6% |
| Total Pediatric AIDS | 263 | 100% | 251 | 100% | 514 | 100% |

(Continue next Page)

FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
HIV/AIDS Surveillance
Cumulative Number of Reported AIDS Cases

OCTOBER 2016

Adult AIDS cases by exposure category, race/ethnicity and gender (Excluding DOC)

| ADULT FEMALE AIDS CASES | | | | | | | | | | | | | | |
|--------------------------------------|--------------------------------|-------|-----------------------------|-------------|-----------|-------|-------------------------|-------------|----------------|-------------|---------------------------|-------------|-----------------------|-------------|
| Exposure Category/ Race/Ethnicity | MALE-TO-MALE SEXUAL CONTACT | | INJECTION DRUG USE [IDU] | | MSM & IDU | | HETEROSEXUAL CONTACT | | OTHER* RISK | | NO REPORTED RISK [NRR] | | TOTAL ADULT FEMALE | |
| | Cases | Col % | Cases | Col % | Cases | Col % | Cases | Col % | Cases | Col % | Cases | Col % | Cases | Col % |
| | Hispanic/Latino (All Races) | | | 249 | 12.1% | | | 1,313 | 20.9% | 33 | 19.4% | 116 | 13.5% | 1,711 |
| American Indian/Alaska Native | | | 0 | 0.0% | | | 1 | 0.0% | 0 | 0.0% | 0 | 0.0% | 1 | 0.0% |
| Asian | | | 0 | 0.0% | | | 2 | 0.0% | 0 | 0.0% | 0 | 0.0% | 2 | 0.0% |
| Black or African American | | | 1,564 | 75.8% | | | 4,669 | 74.2% | 118 | 69.4% | 701 | 81.6% | 7,052 | 75.1% |
| Native Hawaiian/Pacific Islander | | | 0 | 0.0% | | | 1 | 0.0% | 0 | 0.0% | 0 | 0.0% | 1 | 0.0% |
| White | | | 206 | 10.0% | | | 209 | 3.3% | 14 | 8.2% | 32 | 3.7% | 461 | 4.9% |
| Legacy Asian | | | 0 | 0.0% | | | 2 | 0.0% | 0 | 0.0% | 0 | 0.0% | 2 | 0.0% |
| Multi-Race | | | 45 | 2.2% | | | 99 | 1.6% | 5 | 2.9% | 10 | 1.2% | 159 | 1.7% |
| Adult Female AIDS | | | 2,064 | 100% | | | 6,296 | 100% | 170 | 100% | 859 | 100% | 9,389 | 100% |

* OTHER includes Adult receiving clotting factor, Hemophilic, Perinatal exposure w/HIV age at 13+ years

| ADULT MALE AIDS CASES | | | | | | | | | | | | | | |
|--------------------------------------|--------------------------------|-------------|-----------------------------|-------------|--------------|-------------|-------------------------|-------------|----------------|------------|---------------------------|-------------|---------------------|-------------|
| Exposure Category/ Race/Ethnicity | MALE-TO-MALE SEXUAL CONTACT | | INJECTION DRUG USE [IDU] | | MSM & IDU | | HETEROSEXUAL CONTACT | | OTHER* RISK | | NO REPORTED RISK [NRR] | | TOTAL ADULT MALE | |
| | Cases | Col % | Cases | Col % | Cases | Col % | 1010 | Col % | Cases | Col % | Cases | Col % | Cases | Col % |
| | Hispanic/Latino (All Races) | 8,032 | 54.8% | 709 | 22.2% | 507 | 35.9% | 1,060 | 25.4% | 61 | 31.6% | 615 | 23.8% | 10,984 |
| American Indian/Alaska Native | 0 | 0.0% | 1 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 1 | 0.0% | 2 | 0.0% |
| Asian | 16 | 0.1% | 0 | 0.0% | 0 | 0.0% | 4 | 0.1% | 0 | 0.0% | 3 | 0.1% | 23 | 0.1% |
| Black or African American | 3,059 | 20.9% | 2,199 | 68.8% | 603 | 42.7% | 2,935 | 70.4% | 83 | 43.0% | 1,790 | 69.3% | 10,669 | 40.7% |
| Native Hawaiian/Pacific Islander | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 1 | 0.0% | 1 | 0.0% |
| White | 3,317 | 22.6% | 239 | 7.5% | 276 | 19.5% | 103 | 2.5% | 45 | 5.0% | 148 | 5.7% | 4,128 | 15.8% |
| Legacy Asian | 7 | 0.0% | 0 | 0.0% | 0 | 0.0% | 4 | 0.1% | 0 | 0.0% | 1 | 0.0% | 12 | 0.0% |
| Multi-Race | 221 | 1.5% | 49 | 1.5% | 27 | 1.9% | 64 | 1.5% | 4 | 2.1% | 25 | 1.0% | 390 | 1.5% |
| Adult Male AIDS | 14,652 | 100% | 3,197 | 100% | 1,413 | 100% | 4,170 | 100% | 193 | 82% | 2,584 | 100% | 26,209 | 100% |

| | Cases | Row % | Cases | Row % | Cases | Row % | Cases | Row % | Cases | Row % | Cases | Row % | Cases | Row % |
|-------------------------|---------------|--------------|--------------|--------------|--------------|-------------|---------------|--------------|------------|-------------|--------------|-------------|---------------|-------------|
| TOTAL ADULT AIDS | 14,652 | 41.2% | 5,261 | 14.8% | 1,413 | 4.0% | 10,466 | 29.4% | 363 | 1.0% | 3,443 | 9.7% | 35,598 | 100% |

(Continue next Page)

FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
HIV/AIDS Surveillance
Cumulative Number of Reported AIDS Cases

OCTOBER 2016

Pediatric AIDS cases by exposure category, race/ethnicity and gender (Excluding DOC)

| PEDIATRIC FEMALE AIDS CASES | | | | | | | | | | | | |
|--------------------------------------|------------|-------------|-------------|----------------|-------------|-------------|------------|----------------|-------------|-------------|--------------|-------------|
| Exposure Category/ Race/Ethnicity | PERINATAL | | HEMOPHILIAC | | TRANSFUSION | | OTHER RISK | | NO REPORTED | | TOTAL FEMALE | |
| | Cases | Col % | Cases | Col % | Cases | Col % | Cases | Col % | Cases | Col % | Cases | Col % |
| Hispanic/Latino (All Races) | 37 | 14.2% | 0 | #DIV/0! | 1 | 50.0% | 0 | #DIV/0! | 1 | 100.0% | 39 | 14.8% |
| Black or African American | 211 | 81.2% | 0 | #DIV/0! | 1 | 50.0% | 0 | #DIV/0! | 0 | 0.0% | 212 | 80.6% |
| White | 9 | 3.5% | 0 | #DIV/0! | 0 | 0.0% | 0 | #DIV/0! | 0 | 0.0% | 9 | 3.4% |
| Multi-Race | 3 | 1.2% | 0 | #DIV/0! | 0 | 0.0% | 0 | #DIV/0! | 0 | 0.0% | 3 | 1.1% |
| Pediatric Female AIDS | 260 | 100% | 0 | #DIV/0! | 2 | 100% | 0 | #DIV/0! | 1 | 100% | 263 | 100% |

| PEDIATRIC MALE AIDS CASES | | | | | | | | | | | | |
|--------------------------------------|------------|-------------|-------------|----------------|-------------|-------------|------------|-------------|-------------|-------------|------------|-------------|
| Exposure Category/ Race/Ethnicity | PERINATAL | | HEMOPHILIAC | | TRANSFUSION | | OTHER RISK | | NO REPORTED | | TOTAL MALE | |
| | Cases | Col % | Cases | Col % | Cases | Col % | Cases | Col % | Cases | Col % | Cases | Col % |
| Hispanic/Latino (All Races) | 35 | 14.4% | 0 | #DIV/0! | 4 | 80.0% | 0 | 0.0% | 1 | 50.0% | 40 | 15.9% |
| Black or African American | 197 | 81.1% | 0 | #DIV/0! | 1 | 20.0% | 1 | 100.0% | 1 | 50.0% | 200 | 79.7% |
| White | 9 | 3.7% | 0 | #DIV/0! | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 9 | 3.6% |
| Multi-Race | 2 | 0.8% | 0 | #DIV/0! | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 2 | 0.8% |
| Pediatric Male AIDS | 243 | 100% | 0 | #DIV/0! | 5 | 100% | 1 | 100% | 2 | 100% | 251 | 100% |

| | Cases | Row % | Cases | Row % | Cases | Row % | Cases | Row % | Cases | Row % | Cases | Row % |
|-----------------------------|------------|--------------|----------|-------------|----------|-------------|----------|-------------|----------|-------------|------------|-------------|
| TOTAL PEDIATRIC AIDS | 503 | 97.9% | 0 | 0.0% | 7 | 1.4% | 1 | 0.2% | 3 | 0.6% | 514 | 100% |

Adult Hispanic/Latino AIDS cases by country of origin and gender (Excluding DOC)

| Country of Origin | ADULT FEMALE AIDS | | | ADULT MALE AIDS | | | TOTAL HISPANIC/LATINO | | |
|------------------------------------|-------------------|-------------|--------------|-----------------|-------------|--------------|-----------------------|-------------|-------------|
| | Cases | Col % | Row % | Cases | Col % | Row % | Cases | Col % | Row % |
| Argentina | 24 | 1.4% | 12.5% | 168 | 1.5% | 87.5% | 192 | 1.5% | 100% |
| Brazil | 12 | 0.7% | 8.6% | 127 | 1.2% | 91.4% | 139 | 1.1% | 100% |
| Colombia | 73 | 4.3% | 12.4% | 517 | 4.7% | 87.6% | 590 | 4.6% | 100% |
| Cuba | 411 | 24.0% | 7.8% | 4,877 | 44.4% | 92.2% | 5,288 | 41.7% | 100% |
| Dominican Republic | 75 | 4.4% | 31.9% | 160 | 1.5% | 68.1% | 235 | 1.9% | 100% |
| Guatemala | 20 | 1.2% | 16.0% | 105 | 1.0% | 84.0% | 125 | 1.0% | 100% |
| Honduras | 139 | 8.1% | 29.3% | 335 | 3.0% | 70.7% | 474 | 3.7% | 100% |
| Mexico | 21 | 1.2% | 8.0% | 243 | 2.2% | 92.0% | 264 | 2.1% | 100% |
| Nicaragua | 83 | 4.9% | 18.3% | 371 | 3.4% | 81.7% | 454 | 3.6% | 100% |
| Peru | 26 | 1.5% | 13.1% | 172 | 1.6% | 86.9% | 198 | 1.6% | 100% |
| Puerto Rico | 188 | 11.0% | 17.6% | 883 | 8.0% | 82.4% | 1,071 | 8.4% | 100% |
| United States | 403 | 23.6% | 20.9% | 1,527 | 13.9% | 79.1% | 1,930 | 15.2% | 100% |
| Venezuela | 17 | 1.0% | 5.9% | 269 | 2.4% | 94.1% | 286 | 2.3% | 100% |
| Other/Unknown Countries | 219 | 12.8% | 15.1% | 1,230 | 11.2% | 84.9% | 1,449 | 11.4% | 100% |
| Total Adult Hispanic/Latino | 1,711 | 100% | 13.5% | 10,984 | 100% | 86.5% | 12,695 | 100% | 100% |

(Continue next Page)

FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
HIV/AIDS Surveillance
Cumulative Number of Reported AIDS Cases

OCTOBER 2016

Adult Hispanic/Latino AIDS cases by country of origin, exposure category and gender (Excluding DOC)

| ADULT HISPANIC/LATINO FEMALE AIDS CASES | | | | | | | | | | | | | | | |
|--|-----------------------------|--------------|--------------------------|--------------|------------|-------------|----------------------|--------------|--------------|-------------|------------------------|-------------|---|-------------|-------------|
| Country of Origin | MALE-TO-MALE SEXUAL CONTACT | | INJECTION DRUG USE [IDU] | | MSM & IDU | | HETEROSEXUAL CONTACT | | OTHER * RISK | | NO REPORTED RISK [NRR] | | Total Hispanic/Latino Female by Country of Origin | | |
| | Cases | Row % | Cases | Row % | Number | Row % | Cases | Row % | Cases | Row % | Cases | Row % | Cases | Col % | Row % |
| Argentina | | | 3 | 12.5% | | | 20 | 83.3% | 0 | 0.0% | 1 | 4.2% | 24 | 1.4% | 100% |
| Brazil | | | 2 | 16.7% | | | 10 | 83.3% | 0 | 0.0% | 0 | 0.0% | 12 | 0.7% | 100% |
| Colombia | | | 8 | 11.0% | | | 54 | 74.0% | 2 | 2.7% | 9 | 12.3% | 73 | 4.3% | 100% |
| Cuba | | | 55 | 13.4% | | | 308 | 74.9% | 8 | 1.9% | 40 | 9.7% | 411 | 24.0% | 100% |
| Dominican Republic | | | 3 | 4.0% | | | 65 | 86.7% | 0 | 0.0% | 7 | 9.3% | 75 | 4.4% | 100% |
| Guatemala | | | 0 | 0.0% | | | 20 | 100.0% | 0 | 0.0% | 0 | 0.0% | 20 | 1.2% | 100% |
| Honduras | | | 8 | 5.8% | | | 123 | 88.5% | 1 | 0.7% | 7 | 5.0% | 139 | 8.1% | 100% |
| Mexico | | | 3 | 14.3% | | | 16 | 76.2% | 1 | 4.8% | 1 | 4.8% | 21 | 1.2% | 100% |
| Nicaragua | | | 5 | 6.0% | | | 67 | 80.7% | 1 | 1.2% | 10 | 12.0% | 83 | 4.9% | 100% |
| Peru | | | 1 | 3.8% | | | 25 | 96.2% | 0 | 0.0% | 0 | 0.0% | 26 | 1.5% | 100% |
| Puerto Rico | | | 50 | 26.6% | | | 126 | 67.0% | 3 | 1.6% | 9 | 4.8% | 188 | 11.0% | 100% |
| United States | | | 85 | 21.1% | | | 287 | 71.2% | 15 | 3.7% | 16 | 4.0% | 403 | 23.6% | 100% |
| Venezuela | | | 3 | 17.6% | | | 13 | 76.5% | 0 | 0.0% | 1 | 5.9% | 17 | 1.0% | 100% |
| Other/Unknown Countries | | | 23 | 10.5% | | | 179 | 81.7% | 2 | 0.9% | 15 | 6.8% | 219 | 12.8% | 100% |
| Total adult Hispanic/Latino Female | | | 249 | 14.6% | | | 1,313 | 76.7% | 33 | 1.9% | 116 | 6.8% | 1,711 | 100% | 100% |
| ADULT HISPANIC/LATINO MALE AIDS CASES | | | | | | | | | | | | | | | |
| Country of Origin | MALE-TO-MALE SEXUAL CONTACT | | INJECTION DRUG USE [IDU] | | MSM & IDU | | HETEROSEXUAL CONTACT | | OTHER * RISK | | NO REPORTED RISK [NRR] | | Total Hispanic/Latino Male by Country of Origin | | |
| | Cases | Row % | Cases | Row % | Cases | Row % | Cases | Row % | Cases | Row % | Cases | Row % | Cases | Col % | Row % |
| Argentina | 140 | 83.3% | 4 | 2.4% | 7 | 4.2% | 14 | 8.3% | 0 | 0.0% | 3 | 1.8% | 168 | 1.5% | 100% |
| Brazil | 105 | 82.7% | 7 | 5.5% | 5 | 3.9% | 6 | 4.7% | 2 | 1.6% | 2 | 1.6% | 127 | 1.2% | 100% |
| Colombia | 420 | 81.2% | 15 | 2.9% | 18 | 3.5% | 41 | 7.9% | 3 | 0.6% | 20 | 3.9% | 517 | 4.7% | 100% |
| Cuba | 3,775 | 77.4% | 212 | 4.3% | 195 | 4.0% | 396 | 8.1% | 26 | 0.5% | 273 | 5.6% | 4,877 | 44.4% | 100% |
| Dominican Republic | 87 | 54.4% | 8 | 5.0% | 6 | 3.8% | 43 | 26.9% | 1 | 0.6% | 15 | 9.4% | 160 | 1.5% | 100% |
| Guatemala | 57 | 54.3% | 5 | 4.8% | 2 | 1.9% | 29 | 27.6% | 0 | 0.0% | 12 | 11.4% | 105 | 1.0% | 100% |
| Honduras | 215 | 64.2% | 18 | 5.4% | 6 | 1.8% | 70 | 20.9% | 4 | 1.2% | 22 | 6.6% | 335 | 3.0% | 100% |
| Mexico | 166 | 68.3% | 11 | 4.5% | 7 | 2.9% | 40 | 16.5% | 0 | 0.0% | 19 | 7.8% | 243 | 2.2% | 100% |
| Nicaragua | 272 | 73.3% | 10 | 2.7% | 13 | 3.5% | 54 | 14.6% | 1 | 0.3% | 21 | 5.7% | 371 | 3.4% | 100% |
| Peru | 138 | 80.2% | 2 | 1.2% | 2 | 1.2% | 19 | 11.0% | 0 | 0.0% | 11 | 6.4% | 172 | 1.6% | 100% |
| Puerto Rico | 438 | 49.6% | 215 | 24.3% | 105 | 11.9% | 72 | 8.2% | 3 | 0.3% | 50 | 5.7% | 883 | 8.0% | 100% |
| United States | 1,053 | 69.0% | 157 | 10.3% | 111 | 7.3% | 133 | 8.7% | 14 | 0.9% | 59 | 3.9% | 1,527 | 13.9% | 100% |
| Venezuela | 235 | 87.4% | 3 | 1.1% | 3 | 1.1% | 18 | 6.7% | 2 | 0.7% | 8 | 3.0% | 269 | 2.4% | 100% |
| Other/Unknown Countries | 931 | 75.7% | 42 | 3.4% | 27 | 2.2% | 125 | 10.2% | 5 | 0.4% | 100 | 8.1% | 1,230 | 11.2% | 100% |
| Total adult Hispanic/Latino Male | 8,032 | 73.1% | 709 | 6.5% | 507 | 4.6% | 1,060 | 9.7% | 61 | 0.6% | 615 | 5.6% | 10,984 | 100% | 100% |
| TOTAL ADULT HISPANIC/LATINO | 8,032 | 63.3% | 958 | 7.5% | 507 | 4.0% | 2,373 | 18.7% | 94 | 0.7% | 731 | 5.8% | 12,695 | 100% | |

(Continue next Page)

FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
HIV/AIDS Surveillance
Cumulative Number of Reported AIDS Cases

OCTOBER 2016

Haitian born adult AIDS cases by exposure category and gender (Excluding DOC)

| ADULT HAITIAN BORN AIDS CASES | | | | | | | | | | | | | | |
|--------------------------------------|--------------------------------|--------------|-----------------------------|-------------|-----------|-------------|-------------------------|--------------|-----------|-------------|---------------------------|--------------|----------------------------|-------------|
| Exposure Category GENDER | MALE-TO-MALE SEXUAL CONTACT | | INJECTION DRUG USE [IDU] | | MSM & IDU | | HETEROSEXUAL CONTACT | | OTHER * | | NO REPORTED RISK [NRR] | | Total Haitian by Gender | |
| | Cases | Row % | Cases | Row % | Cases | Row % | Cases | Row % | Cases | Row % | Cases | Row % | Cases | Row % |
| | Haitian born Adult Females | | | 56 | 3.6% | | | 1,184 | 75.3% | 26 | 1.7% | 306 | 19.5% | 1,572 |
| Haitian born Adult Males | 552 | 22.3% | 77 | 3.1% | 29 | 1.2% | 917 | 37.0% | 12 | 0.5% | 891 | 36.0% | 2,478 | 100% |
| Total Haitian born | 552 | 13.6% | 133 | 3.3% | 29 | 0.7% | 2,101 | 51.9% | 38 | 0.9% | 1,197 | 29.6% | 4,050 | 100% |

* OTHER includes Adult receiving clotting factor, Hemophilia, Perinatal exposure w/HIV age at 13+ years

Department of Correction [DOC] Adult AIDS cases by race/ethnicity and gender.

| AIDS Cases by Race/Ethnicity & Gender | DOC AIDS Cases | | | | | |
|--|-----------------------|-------------|------------|-------------|------------|-------------|
| | Female | | Male | | Total | |
| | Cases | Col % | Cases | Col % | Cases | Col % |
| Hispanic/Latino (All Races) | 0 | 0.0% | 93 | 13.8% | 93 | 13.2% |
| Black or African American | 21 | 77.8% | 481 | 71.2% | 502 | 71.4% |
| White | 4 | 14.8% | 70 | 10.4% | 74 | 10.5% |
| Haitian | 1 | 3.7% | 19 | 2.8% | 20 | 2.8% |
| Other (1) | 1 | 3.7% | 13 | 1.9% | 14 | 2.0% |
| Total AIDS | 27 | 100% | 676 | 100% | 703 | 100% |

(1) Other Includes American Indian/Alaska Native, Asian, Native Hawaiian, Pacific Islander, Legacy Asian & Multi Race

Adjustments are performed on a monthly basis to compensate for duplicate reports state and nation wide and case validation projects.

**FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
HIV/AIDS Surveillance
Cumulative Number of Reported HIV (Not AIDS) Cases**

OCTOBER 2016

| <i>HIV (not AIDS) cases by age group and gender (Excluding Department of Correction - DOC)</i> | | | | | | | <i>HIV (not AIDS) Cases by age group, race/ethnicity & gender, showing Haitians separated (Excluding DOC)</i> | | | | | | | | | | | | |
|--|--------------|-------------|---------------|-------------|---------------|-------------|---|--------------|--------------|--------------|------------|--------------|------------|------------|----------------------|------------|--------------|---------------|--|
| HIV Cases by Age Group & Gender | Female | | Male | | TOTAL HIV | | Hispanic/Latino | | Black | | White | | Haitian | | Other ⁽¹⁾ | | TOTAL HIV | | |
| | Cases | Col % | Cases | Col % | Cases | Col % | Female | Male | Female | Male | Female | Male | Female | Male | Female | Male | Female | Male | |
| Under 5 | 61 | 1.5% | 46 | 0.4% | 107 | 0.7% | 13 | 8 | 46 | 34 | 1 | 0 | 1 | 2 | 0 | 2 | 61 | 46 | |
| 5-12 | 34 | 0.8% | 18 | 0.2% | 52 | 0.3% | 5 | 5 | 23 | 10 | 0 | 0 | 6 | 3 | 0 | 0 | 34 | 18 | |
| 13-19 | 221 | 5.5% | 321 | 2.7% | 542 | 3.4% | 44 | 133 | 163 | 164 | 6 | 10 | 7 | 11 | 1 | 3 | 221 | 321 | |
| 20-29 | 974 | 24.1% | 2,965 | 24.9% | 3,939 | 24.7% | 227 | 1,637 | 580 | 857 | 51 | 343 | 103 | 85 | 13 | 43 | 974 | 2,965 | |
| 30-39 | 1,096 | 27.1% | 3,723 | 31.3% | 4,819 | 30.2% | 267 | 2,153 | 553 | 732 | 75 | 639 | 191 | 156 | 10 | 43 | 1,096 | 3,723 | |
| 40-49 | 930 | 23.0% | 2,925 | 24.6% | 3,855 | 24.2% | 231 | 1,551 | 480 | 670 | 63 | 502 | 141 | 166 | 15 | 36 | 930 | 2,925 | |
| 50-59 | 516 | 12.8% | 1,321 | 11.1% | 1,837 | 11.5% | 139 | 562 | 249 | 413 | 21 | 228 | 101 | 102 | 6 | 16 | 516 | 1,321 | |
| 60-64 | 98 | 2.4% | 279 | 2.3% | 377 | 2.4% | 25 | 104 | 41 | 94 | 5 | 47 | 27 | 28 | 0 | 6 | 98 | 279 | |
| 65-69 | 76 | 1.9% | 170 | 1.4% | 246 | 1.5% | 24 | 75 | 35 | 58 | 4 | 23 | 12 | 14 | 1 | 0 | 76 | 170 | |
| >=70 | 37 | 0.9% | 129 | 1.1% | 166 | 1.0% | 7 | 46 | 11 | 53 | 3 | 15 | 15 | 12 | 1 | 3 | 37 | 129 | |
| Unknown | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| Total HIV | 4,043 | 100% | 11,897 | 100% | 15,940 | 100% | 982 | 6,274 | 2,181 | 3,085 | 229 | 1,807 | 604 | 579 | 47 | 152 | 4,043 | 11,897 | |

⁽¹⁾ Other Includes American Indian/Alaska Native, Asian, Native Hawaiian, Pacific Islander, Legacy Asian & Multi Race

HIV (Not AIDS) Cases by year of report and gender (Excluding DOC) HIV start reporting in Florida in July 1997.

| HIV Cases by Year Report & Gender | Female | | Male | | TOTAL HIV | |
|-----------------------------------|--------|-------|-------|-------|-----------|-------|
| | Cases | Row % | Cases | Row % | Cases | Col % |
| July-December 1997 | 121 | 36.9% | 207 | 63.1% | 328 | 2.1% |
| 1998 | 266 | 30.9% | 596 | 69.1% | 862 | 5.4% |
| 1999 | 251 | 30.8% | 564 | 69.2% | 815 | 5.1% |
| 2000 | 225 | 30.3% | 517 | 69.7% | 742 | 4.7% |
| 2001 | 234 | 30.2% | 541 | 69.8% | 775 | 4.9% |
| 2002 | 284 | 30.4% | 650 | 69.6% | 934 | 5.9% |
| 2003 | 232 | 28.2% | 590 | 71.8% | 822 | 5.2% |
| 2004 | 220 | 27.1% | 591 | 72.9% | 811 | 5.1% |
| 2005 | 219 | 31.2% | 483 | 68.8% | 702 | 4.4% |
| 2006 | 177 | 27.8% | 459 | 72.2% | 636 | 4.0% |
| 2007 | 216 | 26.5% | 598 | 73.5% | 814 | 5.1% |
| 2008 | 224 | 25.0% | 673 | 75.0% | 897 | 5.6% |
| 2009 | 175 | 24.2% | 547 | 75.8% | 722 | 4.5% |
| 2010 | 165 | 22.7% | 562 | 77.3% | 727 | 4.6% |
| 2011 | 176 | 22.1% | 622 | 77.9% | 798 | 5.0% |
| 2012 | 155 | 22.1% | 547 | 77.9% | 702 | 4.4% |

| HIV Cases by Year & Gender (Cont.) | Female | | Male | | TOTAL HIV | |
|------------------------------------|--------------|--------------|---------------|--------------|---------------|-------------|
| | Cases | Row % | Cases | Row % | Cases | Col % |
| 2013 | 193 | 22.9% | 651 | 77.1% | 844 | 5.3% |
| 2014 | 157 | 16.9% | 770 | 83.1% | 927 | 5.8% |
| 2015 | 183 | 17.2% | 879 | 82.8% | 1,062 | 6.7% |
| 2016 | 170 | 16.7% | 850 | 83.3% | 1,020 | 6.4% |
| Total HIV | 4,043 | 25.4% | 11,897 | 74.6% | 15,940 | 100% |

(Continue next Page)

**FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
HIV/AIDS Surveillance
Cumulative Number of Reported HIV (Not AIDS) Cases**

OCTOBER 2016

Adult & Pediatric HIV (not AIDS) cases by race/ethnicity and gender (Excluding DOC)

| HIV by Race/ Ethnicity * | Adult HIV | | | | | | Pediatric HIV | | | | | | TOTAL HIV CASES | | | | | |
|----------------------------------|--------------|-------------|---------------|-------------|---------------|-------------|---------------|-------------|-----------|-------------|-----------------|-------------|-----------------|-------------|---------------|-------------|---------------|-------------|
| | Female | | Male | | Total Adult | | Female | | Male | | Total Pediatric | | Total Female | | Total Male | | Total Cases | |
| | Cases | Col % | Cases | Col % | Cases | Col % | Cases | Col % | Cases | Col % | Cases | Col % | Cases | Col % | Cases | Col % | Cases | Col % |
| Hispanic/Latino (All Races) | 969 | 24.5% | 6,266 | 53.0% | 7,235 | 45.8% | 18 | 18.9% | 13 | 20.3% | 31 | 19.5% | 987 | 24.4% | 6,279 | 52.8% | 7,266 | 45.6% |
| American Indian/Alaska Native | 3 | 0.1% | 5 | 0.0% | 8 | 0.1% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 3 | 0.1% | 5 | 0.0% | 8 | 0.1% |
| Asian | 4 | 0.1% | 32 | 0.3% | 36 | 0.2% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 4 | 0.1% | 32 | 0.3% | 36 | 0.2% |
| Black or African American | 2,702 | 68.4% | 3,605 | 30.5% | 6,307 | 40.0% | 75 | 78.9% | 50 | 78.1% | 125 | 78.6% | 2,777 | 68.7% | 3,655 | 30.7% | 6,432 | 40.4% |
| Native Hawaiian/Pacific Islander | 1 | 0.0% | 5 | 0.0% | 6 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 1 | 0.0% | 5 | 0.0% | 6 | 0.0% |
| White | 229 | 5.8% | 1,808 | 15.3% | 2,037 | 12.9% | 1 | 1.1% | 0 | 0.0% | 1 | 0.6% | 230 | 5.7% | 1,808 | 15.2% | 2,038 | 12.8% |
| Legacy Asian | 1 | 0.0% | 6 | 0.1% | 7 | 0.0% | 0 | 0.0% | 1 | 1.6% | 1 | 0.6% | 1 | 0.0% | 7 | 0.1% | 8 | 0.1% |
| Multi-Race | 39 | 1.0% | 106 | 0.9% | 145 | 0.9% | 1 | 1.1% | 0 | 0.0% | 1 | 0.6% | 40 | 1.0% | 106 | 0.9% | 146 | 0.9% |
| Unknown | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| Total HIV | 3,948 | 100% | 11,833 | 100% | 15,781 | 100% | 95 | 100% | 64 | 100% | 159 | 100% | 4,043 | 100% | 11,897 | 100% | 15,940 | 100% |

* This new category created by CDC, is to support the ability to record an ethnicity and multiple races for an individual, necessitated by new federal OMB guidelines for reporting race and ethnicity.

HIV (not AIDS) Cases by exposure category and gender among Adult and Pediatric (Excluding DOC)

| Exposure Category among adult HIV cases | Adult HIV | | | | | |
|---|--------------|-------------|---------------|-------------|---------------|-------------|
| | Female | | Male | | Total Adult | |
| | Cases | Col % | Cases | Col % | Cases | Col % |
| Adult male-to-male sexual contact [MSM] | | | 8,293 | 70.1% | 8,293 | 52.6% |
| Adult injection drug use [IDU] | 281 | 7.1% | 331 | 2.8% | 612 | 3.9% |
| Adult MSM & IDU | | | 262 | 2.2% | 262 | 1.7% |
| Adult heterosexual contact [HTRSX] | 3,142 | 79.6% | 1,759 | 14.9% | 4,901 | 31.1% |
| Adult other risk* | 6 | 0.2% | 4 | 0.0% | 10 | 0.1% |
| Adult no risk factor reported [NRR] | 519 | 13.1% | 1,184 | 10.0% | 1,703 | 10.8% |
| Total adult HIV | 3,948 | 100% | 11,833 | 100% | 15,781 | 100% |

* Other risk includes: Adult receiving clotting factor, Hemophiliac, Perinatal exposure w/HIV age at 13+ years

| Exposure Category among Pediatric HIV cases | Pediatric HIV | | | | | |
|---|---------------|-------------|-----------|-------------|-----------------|-------------|
| | Female | | Male | | Total Pediatric | |
| | Cases | Col % | Cases | Col % | Cases | Col % |
| Perinatal exposure [PERINATAL] | 92 | 96.8% | 63 | 98.4% | 155 | 97.5% |
| Child receiving clotting factor [HEMOPH] | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| Child receiving transfusion/transplant | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| Child other risk confirmed [OTHER] | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| Child no risk factor reported [NRR] | 3 | 3.2% | 1 | 1.6% | 4 | 2.5% |
| Total Pediatric HIV | 95 | 100% | 64 | 100% | 159 | 100% |

(Continue next Page)

**FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
HIV/AIDS Surveillance
Cumulative Number of Reported HIV (Not AIDS) Cases**

OCTOBER 2016

Adult HIV (not AIDS) cases by exposure category, race/ethnicity and gender (Excluding DOC)

| ADULT FEMALE HIV CASES | | | | | | | | | | | | | | |
|--------------------------------------|--------------------------------|-------|-----------------------------|-------------|-----------|-------|-------------------------|-------------|-----------------|-------------|---------------------------|-------------|-----------------------|-------------|
| Exposure Category/ Race/Ethnicity | MALE-TO-MALE SEXUAL CONTACT | | INJECTION DRUG USE [IDU] | | MSM & IDU | | HETEROSEXUAL CONTACT | | OTHER * RISK | | NO REPORTED RISK [NRR] | | TOTAL ADULT FEMALE | |
| | Cases | Col % | Cases | Col % | Cases | Col % | Cases | Col % | Cases | Col % | Cases | Col % | Cases | Col % |
| | Hispanic/Latino (All Races) | | | 69 | 24.6% | | | 739 | 23.5% | 2 | 33.3% | 159 | 30.6% | 969 |
| American Indian/Alaska Native | | | 0 | 0.0% | | | 3 | 0.1% | 0 | 0.0% | 0 | 0.0% | 3 | 0.1% |
| Asian | | | 0 | 0.0% | | | 3 | 0.1% | 0 | 0.0% | 1 | 0.2% | 4 | 0.1% |
| Black or African American | | | 163 | 58.0% | | | 2,214 | 70.5% | 2 | 33.3% | 323 | 62.2% | 2,702 | 68.4% |
| Native Hawaiian/Pacific Islander | | | 0 | 0.0% | | | 0 | 0.0% | 0 | 0.0% | 1 | 0.2% | 1 | 0.0% |
| White | | | 42 | 14.9% | | | 155 | 4.9% | 1 | 16.7% | 31 | 6.0% | 229 | 5.8% |
| Legacy Asian | | | 0 | 0.0% | | | 0 | 0.0% | 0 | 0.0% | 1 | 0.2% | 1 | 0.0% |
| Multi-Race | | | 7 | 2.5% | | | 28 | 0.9% | 1 | 16.7% | 3 | 0.6% | 39 | 1.0% |
| Adult Female HIV | | | 281 | 100% | | | 3,142 | 100% | 6 | 100% | 519 | 100% | 3,948 | 100% |

* OTHER includes Adult receiving clotting factor, Hemophiliac, Perinatal exposure w/HIV age at 13+ years

| ADULT MALE HIV CASES | | | | | | | | | | | | | | |
|--------------------------------------|--------------------------------|-------------|-----------------------------|-------------|------------|-------------|-------------------------|-------------|-----------------|-------------|---------------------------|-------------|---------------------|-------------|
| Exposure Category/ Race/Ethnicity | MALE-TO-MALE SEXUAL CONTACT | | INJECTION DRUG USE [IDU] | | MSM & IDU | | HETEROSEXUAL CONTACT | | OTHER * RISK | | NO REPORTED RISK [NRR] | | TOTAL ADULT MALE | |
| | Cases | Col % | Cases | Col % | Cases | Col % | Cases | Col % | Cases | Col % | Cases | Col % | Cases | Col % |
| | Hispanic/Latino (All Races) | 5,085 | 61.3% | 99 | 29.9% | 126 | 48.1% | 501 | 28.5% | 0 | 0.0% | 455 | 38.4% | 6,266 |
| American Indian/Alaska Native | 4 | 0.0% | 0 | 0.0% | 0 | 0.0% | 1 | 0.1% | 0 | 0.0% | 0 | 0.0% | 5 | 0.0% |
| Asian | 27 | 0.3% | 0 | 0.0% | 1 | 0.4% | 2 | 0.1% | 0 | 0.0% | 2 | 0.2% | 32 | 0.3% |
| Black or African American | 1,555 | 18.8% | 190 | 57.4% | 78 | 29.8% | 1,166 | 66.3% | 2 | 50.0% | 614 | 51.9% | 3,605 | 30.5% |
| Native Hawaiian/Pacific Islander | 5 | 0.1% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 5 | 0.0% |
| White | 1,545 | 18.6% | 39 | 11.8% | 51 | 19.5% | 66 | 3.8% | 2 | 50.0% | 105 | 8.9% | 1,808 | 15.3% |
| Legacy Asian | 5 | 0.1% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 1 | 0.1% | 6 | 0.1% |
| Multi-Race | 67 | 0.8% | 3 | 0.9% | 6 | 2.3% | 23 | 1.3% | 0 | 0.0% | 7 | 0.6% | 106 | 0.9% |
| Adult Male HIV | 8,293 | 100% | 331 | 100% | 262 | 100% | 1,759 | 100% | 4 | 100% | 1,184 | 100% | 11,833 | 100% |

| | Cases | Row % | Cases | Row % | Cases | Row % | Cases | Row % | Cases | Row % | Cases | Row % | Cases | Row % |
|------------------------|--------------|--------------|------------|-------------|------------|-------------|--------------|--------------|-----------|-------------|--------------|--------------|---------------|-------------|
| TOTAL ADULT HIV | 8,293 | 52.6% | 612 | 3.9% | 262 | 1.7% | 4,901 | 31.1% | 10 | 0.1% | 1,703 | 10.8% | 15,781 | 100% |

(Continue next Page)

**FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
HIV/AIDS Surveillance
Cumulative Number of Reported HIV (Not AIDS) Cases**

OCTOBER 2016

Pediatric HIV (not AIDS) cases by exposure category, race/ethnicity and gender (Excluding DOC)

| PEDIATRIC FEMALE HIV CASES | | | | | | | | | | | | |
|--------------------------------------|-----------|-------------|-------------|----------------|-------------|----------------|------------|----------------|-------------|-------------|--------------|-------------|
| Exposure Category/ Race/Ethnicity | PERINATAL | | HEMOPHILIAC | | TRANSFUSION | | OTHER RISK | | NO REPORTED | | TOTAL FEMALE | |
| | Cases | Col % | Cases | Col % | Cases | Col % | Cases | Col % | Cases | Col % | Cases | Col % |
| Hispanic/Latino (All Races) | 16 | 17.4% | 0 | #DIV/0! | 0 | #DIV/0! | 0 | #DIV/0! | 2 | 66.7% | 18 | 18.9% |
| Black or African American | 74 | 80.4% | 0 | #DIV/0! | 0 | #DIV/0! | 0 | #DIV/0! | 1 | 33.3% | 75 | 78.9% |
| White | 1 | 1.1% | 0 | #DIV/0! | 0 | #DIV/0! | 0 | #DIV/0! | 0 | 0.0% | 1 | 1.1% |
| Legacy Asian/Pacific Isl. | 0 | 0.0% | 0 | #DIV/0! | 0 | #DIV/0! | 0 | #DIV/0! | 0 | 0.0% | 0 | 0.0% |
| Multi-Race | 1 | 1.1% | 0 | #DIV/0! | 0 | #DIV/0! | 0 | #DIV/0! | 0 | 0.0% | 1 | 1.1% |
| Pediatric Female HIV | 92 | 100% | 0 | #DIV/0! | 0 | #DIV/0! | 0 | #DIV/0! | 3 | 100% | 95 | 100% |

| PEDIATRIC MALE HIV CASES | | | | | | | | | | | | |
|--------------------------------------|-----------|-------------|-------------|----------------|-------------|----------------|------------|----------------|-------------|-------------|------------|-------------|
| Exposure Category/ Race/Ethnicity | PERINATAL | | HEMOPHILIAC | | TRANSFUSION | | OTHER RISK | | NO REPORTED | | TOTAL MALE | |
| | Cases | Col % | Cases | Col % | Cases | Col % | Cases | Col % | Cases | Col % | Cases | Col % |
| Hispanic/Latino (All Races) | 13 | 20.6% | 0 | #DIV/0! | 0 | #DIV/0! | 0 | #DIV/0! | 0 | 0.0% | 13 | 20.3% |
| Black or African American | 49 | 77.8% | 0 | #DIV/0! | 0 | #DIV/0! | 0 | #DIV/0! | 1 | 100.0% | 50 | 78.1% |
| White | 0 | 0.0% | 0 | #DIV/0! | 0 | #DIV/0! | 0 | #DIV/0! | 0 | 0.0% | 0 | 0.0% |
| Legacy Asian/Pacific Isl. | 1 | 1.6% | 0 | #DIV/0! | 0 | #DIV/0! | 0 | #DIV/0! | 0 | 0.0% | 1 | 1.6% |
| Multi-Race | 0 | 0.0% | 0 | #DIV/0! | 0 | #DIV/0! | 0 | #DIV/0! | 0 | 0.0% | 0 | 0.0% |
| Pediatric Male HIV | 63 | 100% | 0 | #DIV/0! | 0 | #DIV/0! | 0 | #DIV/0! | 1 | 100% | 64 | 100% |

| | Cases | Row % | Cases | Row % | Cases | Row % | Cases | Row % | Cases | Row % | Cases | Row % |
|----------------------------|------------|--------------|----------|-------------|----------|-------------|----------|-------------|----------|-------------|------------|-------------|
| TOTAL PEDIATRIC HIV | 155 | 97.5% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 4 | 2.5% | 159 | 100% |

Adult Hispanic/Latino HIV (not AIDS) cases by country of origin and gender (Excluding DOC)

| Country of Origin | ADULT FEMALE HIV | | | ADULT MALE HIV | | | TOTAL HISPANIC/LATINO | | |
|--|------------------|-------------|--------------|----------------|-------------|--------------|-----------------------|-------------|-------------|
| | Cases | Col % | Row % | Cases | Col % | Row % | Cases | Col % | Row % |
| Argentina | 21 | 2.2% | 12.4% | 148 | 2.4% | 87.6% | 169 | 2.3% | 100% |
| Brazil | 16 | 1.7% | 10.6% | 135 | 2.2% | 89.4% | 151 | 2.1% | 100% |
| Colombia | 38 | 3.9% | 11.4% | 296 | 4.7% | 88.6% | 334 | 4.6% | 100% |
| Cuba | 178 | 18.4% | 7.9% | 2,069 | 33.0% | 92.1% | 2,247 | 31.1% | 100% |
| Dominican Republic | 35 | 3.6% | 29.2% | 85 | 1.4% | 70.8% | 120 | 1.7% | 100% |
| Honduras | 68 | 7.0% | 29.8% | 160 | 2.6% | 70.2% | 228 | 3.2% | 100% |
| Mexico | 8 | 0.8% | 5.1% | 149 | 2.4% | 94.9% | 157 | 2.2% | 100% |
| Nicaragua | 35 | 3.6% | 19.4% | 145 | 2.3% | 80.6% | 180 | 2.5% | 100% |
| Peru | 14 | 1.4% | 13.0% | 94 | 1.5% | 87.0% | 108 | 1.5% | 100% |
| Puerto Rico | 59 | 6.1% | 18.9% | 253 | 4.0% | 81.1% | 312 | 4.3% | 100% |
| United States | 244 | 25.2% | 16.0% | 1,277 | 20.4% | 84.0% | 1,521 | 21.0% | 100% |
| Venezuela | 25 | 2.6% | 5.9% | 400 | 6.4% | 94.1% | 425 | 5.9% | 100% |
| Other/Unknown Countries | 228 | 23.5% | 17.8% | 1,055 | 16.8% | 82.2% | 1,283 | 17.7% | 100% |
| Total Adult Hispanic/Latino HIV | 969 | 100% | 13.4% | 6,266 | 100% | 86.6% | 7,235 | 100% | 100% |

(Continue next Page)

FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
HIV/AIDS Surveillance
Cumulative Number of Reported HIV (Not AIDS) Cases

OCTOBER 2016

Adult Hispanic/Latino HIV (not AIDS) cases by country of origin, exposure category and gender (Excluding DOC)

| ADULT HISPANIC/LATINO FEMALE HIV CASES | | | | | | | | | | | | | | | |
|---|-----------------------------|-------|--------------------------|-------------|-----------|-------|----------------------|--------------|--------------|-------------|------------------------|--------------|---|-------------|-------------|
| Country of Origin | MALE-TO-MALE SEXUAL CONTACT | | INJECTION DRUG USE [IDU] | | MSM & IDU | | HETEROSEXUAL CONTACT | | OTHER * RISK | | NO REPORTED RISK [NRR] | | Total Hispanic/Latino Female by Country of Origin | | |
| | Cases | Row % | Cases | Row % | Number | Row % | Cases | Row % | Cases | Row % | Cases | Row % | Cases | Col % | Row % |
| | Argentina | | | 3 | 14.3% | | | 16 | 76.2% | 0 | 0.0% | 2 | 9.5% | 21 | 2.2% |
| Brazil | | | 0 | 0.0% | | | 13 | 81.3% | 0 | 0.0% | 3 | 18.8% | 16 | 1.7% | 100% |
| Colombia | | | 2 | 5.3% | | | 31 | 81.6% | 0 | 0.0% | 5 | 13.2% | 38 | 3.9% | 100% |
| Cuba | | | 9 | 5.1% | | | 145 | 81.5% | 0 | 0.0% | 24 | 13.5% | 178 | 18.4% | 100% |
| Dominican Republic | | | 1 | 2.9% | | | 31 | 88.6% | 0 | 0.0% | 3 | 8.6% | 35 | 3.6% | 100% |
| Honduras | | | 1 | 1.5% | | | 60 | 88.2% | 0 | 0.0% | 7 | 10.3% | 68 | 7.0% | 100% |
| Mexico | | | 2 | 25.0% | | | 5 | 62.5% | 0 | 0.0% | 1 | 12.5% | 8 | 0.8% | 100% |
| Nicaragua | | | 0 | 0.0% | | | 28 | 80.0% | 0 | 0.0% | 7 | 20.0% | 35 | 3.6% | 100% |
| Peru | | | 1 | 7.1% | | | 11 | 78.6% | 0 | 0.0% | 2 | 14.3% | 14 | 1.4% | 100% |
| Puerto Rico | | | 10 | 16.9% | | | 38 | 64.4% | 0 | 0.0% | 11 | 18.6% | 59 | 6.1% | 100% |
| United States | | | 32 | 13.1% | | | 179 | 73.4% | 2 | 0.8% | 31 | 12.7% | 244 | 25.2% | 100% |
| Venezuela | | | 1 | 4.0% | | | 22 | 88.0% | 0 | 0.0% | 2 | 8.0% | 25 | 2.6% | 100% |
| Other/Unknown Countries | | | 7 | 3.1% | | | 160 | 70.2% | 0 | 0.0% | 61 | 26.8% | 228 | 23.5% | 100% |
| Total adult Hispanic/Latino Female | | | 69 | 7.1% | | | 739 | 76.3% | 2 | 0.2% | 159 | 16.4% | 969 | 100% | 100% |

| ADULT HISPANIC/LATINO MALE HIV CASES | | | | | | | | | | | | | | | |
|---------------------------------------|-----------------------------|--------------|--------------------------|-------------|------------|-------------|----------------------|-------------|--------------|-------------|------------------------|-------------|---|-------------|-------------|
| Country of Origin | MALE-TO-MALE SEXUAL CONTACT | | INJECTION DRUG USE [IDU] | | MSM & IDU | | HETEROSEXUAL CONTACT | | OTHER * RISK | | NO REPORTED RISK [NRR] | | Total Hispanic/Latino Male by Country of Origin | | |
| | Cases | Row % | Cases | Row % | Cases | Row % | Cases | Row % | Cases | Row % | Cases | Row % | Cases | Col % | Row % |
| | Argentina | 130 | 87.8% | 2 | 1.4% | 2 | 1.4% | 9 | 6.1% | 0 | 0.0% | 5 | 3.4% | 148 | 2.4% |
| Brazil | 125 | 92.6% | 0 | 0.0% | 2 | 1.5% | 5 | 3.7% | 0 | 0.0% | 3 | 2.2% | 135 | 2.2% | 100% |
| Colombia | 255 | 86.1% | 1 | 0.3% | 9 | 3.0% | 17 | 5.7% | 0 | 0.0% | 14 | 4.7% | 296 | 4.7% | 100% |
| Cuba | 1,738 | 84.0% | 21 | 1.0% | 40 | 1.9% | 177 | 8.6% | 0 | 0.0% | 93 | 4.5% | 2,069 | 33.0% | 100% |
| Dominican Republic | 55 | 64.7% | 3 | 3.5% | 3 | 3.5% | 16 | 18.8% | 0 | 0.0% | 8 | 9.4% | 85 | 1.4% | 100% |
| Honduras | 112 | 70.0% | 1 | 0.6% | 3 | 1.9% | 29 | 18.1% | 0 | 0.0% | 15 | 9.4% | 160 | 2.6% | 100% |
| Mexico | 126 | 84.6% | 2 | 1.3% | 1 | 0.7% | 12 | 8.1% | 0 | 0.0% | 8 | 5.4% | 149 | 2.4% | 100% |
| Nicaragua | 113 | 77.9% | 2 | 1.4% | 2 | 1.4% | 16 | 11.0% | 0 | 0.0% | 12 | 8.3% | 145 | 2.3% | 100% |
| Peru | 85 | 90.4% | 1 | 1.1% | 1 | 1.1% | 6 | 6.4% | 0 | 0.0% | 1 | 1.1% | 94 | 1.5% | 100% |
| Puerto Rico | 185 | 73.1% | 29 | 11.5% | 18 | 7.1% | 10 | 4.0% | 0 | 0.0% | 11 | 4.3% | 253 | 4.0% | 100% |
| United States | 1,045 | 81.8% | 25 | 2.0% | 31 | 2.4% | 98 | 7.7% | 0 | 0.0% | 78 | 6.1% | 1,277 | 20.4% | 100% |
| Venezuela | 363 | 90.8% | 0 | 0.0% | 2 | 0.5% | 17 | 4.3% | 0 | 0.0% | 18 | 4.5% | 400 | 6.4% | 100% |
| Other/Unknown Countries | 753 | 71.4% | 12 | 1.1% | 12 | 1.1% | 89 | 8.4% | 0 | 0.0% | 189 | 17.9% | 1,055 | 16.8% | 100% |
| Total adult Hispanic/Latino Ma | 5,085 | 81.2% | 99 | 1.6% | 126 | 2.0% | 501 | 8.0% | 0 | 0.0% | 455 | 7.3% | 6,266 | 100% | 100% |

| | Cases | Row % | Cases | Row % | Cases | Row % | Cases | Row % | Cases | Row % | Cases | Row % | Cases | Row % |
|------------------------------------|--------------|--------------|------------|-------------|------------|-------------|--------------|--------------|----------|-------------|------------|-------------|--------------|-------------|
| TOTAL ADULT HISPANIC/LATINO | 5,085 | 70.3% | 168 | 2.3% | 126 | 1.7% | 1,240 | 17.1% | 2 | 0.0% | 614 | 8.5% | 7,235 | 100% |

(Continue next Page)

**FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
HIV/AIDS Surveillance**

OCTOBER 2016

Cumulative Number of Reported HIV (Not AIDS) Cases

Haitian born adult HIV cases by exposure category and gender (Excluding DOC)

| ADULT HAITIAN BORN HIV CASES | | | | | | | | | | | | | | |
|-------------------------------------|--------------------------------|-------------|-----------------------------|-------------|---------------|-------------|-------------------------|--------------|----------------|-------------|---------------------------|--------------|----------------------------|-------------|
| Exposure Category GENDER | MALE-TO-MALE SEXUAL CONTACT | | INJECTION DRUG USE [IDU] | | [MSM] & [IDU] | | HETEROSEXUAL CONTACT | | OTHER* RISK | | NO REPORTED RISK [NRR] | | Total Haitian by Gender | |
| | Cases | Row % | Cases | Row % | Cases | Row % | Cases | Row % | Cases | Row % | Cases | Row % | Cases | Row % |
| | Haitian born Adult Females | | | 11 | 1.8% | | | 523 | 87.6% | 0 | 0.0% | 63 | 10.6% | 597 |
| Haitian born Adult Males | 116 | 20.2% | 7 | 1.2% | 1 | 0.2% | 316 | 55.1% | 0 | 0.0% | 134 | 23.3% | 574 | 100% |
| Total Haitian born | 116 | 9.9% | 18 | 1.5% | 1 | 0.1% | 839 | 71.6% | 0 | 0.0% | 197 | 16.8% | 1,171 | 100% |

* OTHER includes Adult receiving clotting factor, Hemophiliac, Perinatal exposure w/HIV age at 13+ years

Department of Correction [DOC] Adult HIV (not AIDS) by race/ethnicity and gender.

| HIV Cases by Race/Ethnicity & Gender | DOC HIV Cases | | | | | |
|---|----------------------|-------------|------------|-------------|------------|-------------|
| | Female | | Male | | Total | |
| | Cases | Col % | Cases | Col % | Cases | Col % |
| Hispanic/Latino (All Races) | 6 | 33.3% | 76 | 17.5% | 82 | 18.1% |
| Black or African American | 8 | 44.4% | 275 | 63.4% | 283 | 62.6% |
| White | 4 | 22.2% | 63 | 14.5% | 67 | 14.8% |
| Haitian | 0 | 0.0% | 13 | 3.0% | 13 | 2.9% |
| Other (1) | 0 | 0.0% | 7 | 1.6% | 7 | 1.5% |
| Total HIV | 18 | 100% | 434 | 100% | 452 | 100% |

(1) Other Includes American Indian/Alaska Native, Asian, Native Hawaiian, Pacific Islander, Legacy Asian & Multi Race

Adjustments are performed on a monthly basis to compensate for duplicate reports state and nation wide and case validation projects.

FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
HIV/AIDS Surveillance
Perinatal HIV Exposed Cases

OCTOBER 2016

All EXPOSED Perinatal pediatric cases born in Miami-Dade by year of birth and diagnosis status since November 20th, 2006. ⁽¹⁾

| Year of Birth | Perinatal HIV Exposure | Pediatric HIV | Pediatric AIDS | Pediatric seroreverter | Unknown | TOTAL |
|------------------------------------|------------------------|---------------|----------------|------------------------|----------|--------------|
| >=November 20 th , 2006 | 3 | 0 | 0 | 16 | 0 | 19 |
| 2007 | 32 | 1 | 0 | 106 | 0 | 139 |
| 2008 | 39 | 1 | 1 | 91 | 0 | 132 |
| 2009 | 30 | 2 | 0 | 87 | 0 | 119 |
| 2010 | 39 | 3 | 0 | 83 | 0 | 125 |
| 2011 | 13 | 1 | 0 | 105 | 0 | 119 |
| 2012 | 10 | 1 | 0 | 90 | 0 | 101 |
| 2013 | 11 | 2 | 1 | 82 | 0 | 96 |
| 2014 | 4 | 1 | 0 | 84 | 0 | 89 |
| 2015 | 15 | 5 | 0 | 77 | 0 | 97 |
| 2016 | 26 | 0 | 0 | 41 | 0 | 67 |
| Total | 222 | 17 | 2 | 862 | 0 | 1,103 |

All EXPOSED Perinatal pediatric cases born in Miami-Dade by year of birth and race/ethnicity since November 20th, 2006. ⁽¹⁾

| Year of Birth | Hispanic | Not Hispanic, Black | Not Hispanic, White | Not Hispanic, Other ⁽²⁾ | TOTAL |
|------------------------------------|------------|---------------------|---------------------|------------------------------------|--------------|
| >=November 20 th , 2006 | 3 | 15 | 1 | 0 | 19 |
| 2007 | 22 | 110 | 5 | 2 | 139 |
| 2008 | 19 | 111 | 2 | 0 | 132 |
| 2009 | 24 | 91 | 3 | 1 | 119 |
| 2010 | 31 | 87 | 5 | 2 | 125 |
| 2011 | 21 | 90 | 7 | 1 | 119 |
| 2012 | 23 | 68 | 8 | 2 | 101 |
| 2013 | 17 | 74 | 3 | 2 | 96 |
| 2014 | 15 | 70 | 4 | 0 | 89 |
| 2015 | 18 | 77 | 2 | 0 | 97 |
| 2016 | 10 | 53 | 4 | 0 | 67 |
| Total | 203 | 846 | 44 | 10 | 1,103 |

⁽¹⁾ NOTE: An expanded HIV reporting law was implemented on November 20th, 2006. Expansion included reportability of cases with virologic evidence of HIV infection. Previously, only Western Blot-confirmed (+) cases were reportable. In addition, reporting is retroactive. Previously, only HIV cases diagnosed after July 1st, 1997, were reportable. A detectable viral load (VL) (or equivalent viral test) is reportable, and is considered evidence of HIV. Other reportable virologic test considered to be evidence of HIV are: P24, ANTIGEN, Nucleic Acid test (NAT/NAAT), viral culture. CD4 counts/percents are reportable, but follow-up is conducted only if it is <200 uL, or <14%.

⁽²⁾ Other Includes American Indian/Alaska Native, Asian, Native Hawaiian, Pacific Islander, Legacy Asian & Multi Race

[\(Continue next Page\)](#)

FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
HIV/AIDS Surveillance
Perinatal HIV Exposed Cases

OCTOBER 2016

All EXPOSED Perinatal pediatric cases born in Miami-Dade by year of birth and Mother HIV status since November 20th, 2006. ⁽¹⁾

| Year of Birth | Know HIV (+) before pregnancy | Know HIV (+) during pregnancy | Know HIV (+) at time of delivery | Know HIV (+) sometime before birth | Know HIV (+) sometime after birth | HIV (+) with time unknown | TOTAL |
|------------------------------------|-------------------------------|-------------------------------|----------------------------------|------------------------------------|-----------------------------------|---------------------------|--------------|
| >=November 20 th , 2006 | 16 | 2 | 0 | 0 | 0 | 1 | 19 |
| 2007 | 92 | 34 | 10 | 0 | 3 | 0 | 139 |
| 2008 | 95 | 35 | 2 | 0 | 0 | 0 | 132 |
| 2009 | 87 | 24 | 8 | 0 | 0 | 0 | 119 |
| 2010 | 90 | 25 | 5 | 2 | 1 | 2 | 125 |
| 2011 | 89 | 24 | 3 | 2 | 1 | 0 | 119 |
| 2012 | 75 | 24 | 2 | 0 | 0 | 0 | 101 |
| 2013 | 78 | 12 | 2 | 3 | 0 | 1 | 96 |
| 2014 | 77 | 11 | 0 | 1 | 0 | 0 | 89 |
| 2015 | 80 | 11 | 1 | 1 | 1 | 3 | 97 |
| 2016 | 47 | 14 | 3 | 1 | 1 | 1 | 67 |
| Total | 826 | 216 | 36 | 10 | 7 | 8 | 1,103 |

All EXPOSED Perinatal pediatric cases born in Miami-Dade by diagnosis and Mother HIV status since November 20th, 2006. ⁽¹⁾

| Diagnosis Status | Know HIV (+) before pregnancy | Know HIV (+) during pregnancy | Know HIV (+) at time of delivery | Know HIV (+) sometime before birth | Know HIV (+) sometime after birth | HIV (+) with time unknown | TOTAL |
|------------------------|-------------------------------|-------------------------------|----------------------------------|------------------------------------|-----------------------------------|---------------------------|--------------|
| Perinatal HIV Exposure | 155 | 46 | 13 | 4 | 3 | 1 | 222 |
| Pediatric HIV | 12 | 1 | 3 | 0 | 1 | 0 | 17 |
| Pediatric AIDS | 2 | 0 | 0 | 0 | 0 | 0 | 2 |
| Pediatric Seroreverter | 657 | 169 | 20 | 6 | 3 | 7 | 862 |
| Unknown | 0 | 0 | 0 | 0 | 0 | 0 | - |
| Total | 826 | 216 | 36 | 10 | 7 | 8 | 1,103 |

All EXPOSED Perinatal pediatric cases born in Miami-Dade by diagnosis status and HIV category since November 20th, 2006. ⁽¹⁾

| Diagnosis Status | HIV (+) Definitive | HIV (+) Presumptive | HIV Indeterminate | HIV (-) Definitive | HIV (-) Presumptive | Unknown | TOTAL |
|------------------------|--------------------|---------------------|-------------------|--------------------|---------------------|----------|--------------|
| Perinatal HIV Exposure | 0 | 0 | 222 | 0 | 0 | 0 | 222 |
| Pediatric HIV | 17 | 0 | 0 | 0 | 0 | 0 | 17 |
| Pediatric AIDS | 2 | 0 | 0 | 0 | 0 | 0 | 2 |
| Pediatric Seroreverter | 0 | 0 | 0 | 616 | 246 | 0 | 862 |
| Unknown | 0 | 0 | 0 | 0 | 0 | 0 | - |
| Total | 19 | 0 | 222 | 616 | 246 | 0 | 1,103 |

⁽¹⁾ NOTE: An expanded HIV reporting law was implemented on November 20th, 2006. Expansion included reportability of cases with virologic evidence of HIV infection. Previously, only Western Blot-confirmed (+) cases were reportable. In addition, reporting is retroactive. Previously, only HIV cases diagnosed after July 1st, 1997, were reportable. A detectable viral load (VL) (or equivalent viral test) is reportable, and is considered evidence of HIV. Other reportable virologic test considered to be evidence of HIV are: P24, ANTIGEN, Nucleic Acid test (NAT/NAAT), viral culture. CD4 counts/percents are reportable, but follow-up is conducted only if it is <200 uL, or <14%. (Continue next Page)

FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
HIV/AIDS Surveillance
Perinatal HIV Exposed Cases

OCTOBER 2016

CONFIRMED Infected Perinatal Cases, know HIV or AIDS born in Miami-Dade by year of birth, 2000-2016.

| Perinatal HIV/AIDS Cases by Year of Birth | Pediatric HIV | | Pediatric AIDS | | TOTAL | | |
|--|---------------|------------|----------------|------------|-----------|-------------|-------------|
| | Cases | Row % | Cases | Row % | Cases | Col % | Row % |
| 2000 | 5 | 71.4% | 2 | 28.6% | 7 | 12.5% | 100% |
| 2001 | 6 | 60.0% | 4 | 40.0% | 10 | 17.9% | 100% |
| 2002 | 3 | 50.0% | 3 | 50.0% | 6 | 10.7% | 100% |
| 2003 | 3 | 75.0% | 1 | 25.0% | 4 | 7.1% | 100% |
| 2004 | 1 | 50.0% | 1 | 50.0% | 2 | 3.6% | 100% |
| 2005 | 3 | 60.0% | 2 | 40.0% | 5 | 8.9% | 100% |
| 2006 | 2 | 66.7% | 1 | 33.3% | 3 | 5.4% | 100% |
| 2007 | 1 | 100.0% | 0 | 0.0% | 1 | 1.8% | 100% |
| 2008 | 1 | 50.0% | 1 | 50.0% | 2 | 3.6% | 100% |
| 2009 | 2 | 100.0% | 0 | 0.0% | 2 | 3.6% | 100% |
| 2010 | 3 | 100.0% | 0 | 0.0% | 3 | 5.4% | 100% |
| 2011 | 1 | 100.0% | 0 | 0.0% | 1 | 1.8% | 100% |
| 2012 | 1 | 100.0% | 0 | 0.0% | 1 | 1.8% | 100% |
| 2013 | 2 | 66.7% | 1 | 33.3% | 3 | 5.4% | 100% |
| 2014 | 1 | 100.0% | 0 | 0.0% | 1 | 1.8% | 100% |
| 2015 | 5 | 100.0% | 0 | 0.0% | 5 | 8.9% | 100% |
| 2016 | 0 | #DIV/0! | 0 | #DIV/0! | 0 | 0.0% | #DIV/0! |
| Total Confirmed Perinatal Cases | 40 | 71% | 16 | 29% | 56 | 100% | 100% |

(Continue next Page)

FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
HIV/AIDS Surveillance
Perinatal HIV Exposed Cases

OCTOBER 2016

All EXPOSED Perinatal pediatric cases born in Miami-Dade by hospital of birth and diagnosis status since November 20th, 2006. ⁽¹⁾

| Hospital of Birth | Perinatal HIV Exposure | Pediatric HIV | Pediatric AIDS | Perinatal Seroreverter | Unknown | TOTAL | TOTAL % |
|----------------------------------|------------------------|---------------|----------------|------------------------|----------|--------------|-------------|
| BAPTIST HOSPITAL-MIAMI | 3 | 0 | 0 | 4 | 0 | 7 | 0.6% |
| BROWARD GENERAL MEDICAL CTR. | 2 | 0 | 0 | 2 | 0 | 4 | 0.4% |
| CORAL SPRINGS MEDICAL CTR. | 1 | 0 | 0 | 0 | 0 | 1 | 0.1% |
| HIALEAH HOSPITAL | 2 | 0 | 0 | 1 | 0 | 3 | 0.3% |
| HOMESTEAD HOSPITAL | 8 | 1 | 0 | 2 | 0 | 11 | 1.0% |
| JACKSON N MATERNITY CTR. | 0 | 0 | 0 | 2 | 0 | 2 | 0.2% |
| JACKSON NORTH MEDICAL CTR. | 9 | 3 | 0 | 18 | 0 | 30 | 2.7% |
| JACKSON SOUTH MEDICAL CTR. | 3 | 0 | 0 | 15 | 0 | 18 | 1.6% |
| JACKSON MEMORIAL HOSPITAL | 151 | 7 | 0 | 761 | 0 | 919 | 83.3% |
| KENDALL RMC | 1 | 0 | 0 | 1 | 0 | 2 | 0.2% |
| MEMORIAL HOSPITAL-MIRAMAR | 1 | 0 | 1 | 0 | 0 | 2 | 0.2% |
| MEMORIAL HOSPITAL-SOUTH | 1 | 0 | 0 | 0 | 0 | 1 | 0.1% |
| MEMORIAL HOSPITAL-WEST | 1 | 0 | 0 | 2 | 0 | 3 | 0.3% |
| MEMORIAL HOSPITAL-PEMBROKE PINES | 3 | 0 | 0 | 1 | 0 | 4 | 0.4% |
| MEMORIAL HOSPITAL-HOLLYWOOD | 11 | 0 | 0 | 9 | 0 | 20 | 1.8% |
| MERCY HOSPITAL | 2 | 0 | 0 | 0 | 0 | 2 | 0.2% |
| MIAMI CHILDREN'S HOSPITAL | 1 | 0 | 0 | 0 | 0 | 1 | 0.1% |
| MIAMI-DADE PVT PHYSICIAN-MIAMI | 2 | 0 | 0 | 0 | 0 | 2 | 0.2% |
| MOUNT SINAI MC | 1 | 0 | 0 | 1 | 0 | 2 | 0.2% |
| NORTH SHORE MEDICAL CTR. | 13 | 2 | 0 | 32 | 0 | 47 | 4.3% |
| PLANTATION GENERAL HOSPITAL | 1 | 0 | 0 | 1 | 0 | 2 | 0.2% |
| SOUTH MIAMI HOSPITAL | 1 | 0 | 0 | 0 | 0 | 1 | 0.1% |
| UF HEALTH AT JACKSONVILLE | 1 | 0 | 0 | 0 | 0 | 1 | 0.1% |
| WELLINGTON RMS | 1 | 0 | 0 | 0 | 0 | 1 | 0.1% |
| UNKNOWN | 2 | 4 | 1 | 10 | 0 | 17 | 1.5% |
| TOTAL | 222 | 17 | 2 | 862 | 0 | 1,103 | 100% |

⁽¹⁾ NOTE: An expanded HIV reporting law was implemented on November 20th, 2006. Expansion included reportability of cases with virologic evidence of HIV infection. Previously, only Western Blot-confirmed (+) cases were reportable. In addition, reporting is retroactive. Previously, only HIV cases diagnosed after July 1st, 1997, were reportable. A detectable viral load (VL) (or equivalent viral test) is reportable, and is considered evidence of HIV. Other reportable virologic test considered to be evidence of HIV are: P24, ANTIGEN, Nucleic Acid test (NAT/NAAT), viral culture. CD4 counts/percents are reportable, but follow-up is conducted only if it is <200 uL, or <14%.

**FLORIDA DEPARTMENT OF HEALTH IN MIAMI- DADE COUNTY
HIV/AIDS SURVEILLANCE
LIVING CASES WITH HIV DISEASE THROUGH DECEMBER 2015**

Living cases with HIV disease, excluding Department of Correction [DOC] cases. **Data as of June 2016**

* Living AIDS and HIV (not AIDS) [PLWHA - prevalence] is defined as the number of diagnosed cases in eHARS, as of the date specified. These included cases whose current residence is Miami-Dade County regardless of where they were diagnosed.

| GENDER | * LIVING CASES by DIAGNOSIS | | | | | |
|-------------------------|-----------------------------|-------------|----------------|-------------|------------------|-------------|
| | AIDS | | HIV (Not AIDS) | | Total Prevalence | |
| | Cases | Col % | Cases | Col % | Cases | Col % |
| Female | 3,781 | 29% | 3,344 | 26% | 7,125 | 27% |
| Male | 9,478 | 71% | 9,738 | 74% | 19,216 | 73% |
| Total Prevalence | 13,259 | 100% | 13,082 | 100% | 26,341 | 100% |

| * Living Cases Including DOC | |
|------------------------------|---------------|
| AIDS | 13,639 |
| HIV | 13,427 |
| Total | 27,066 |

| RACE/ETHNICITY | * LIVING CASES by DIAGNOSIS | | | | | | * LIVING CASES by GENDER | | | | | |
|-------------------------|-----------------------------|-------------|----------------|-------------|------------------|-------------|--------------------------|-------------|---------------|-------------|------------------|-------------|
| | AIDS | | HIV (Not AIDS) | | Total Prevalence | | FEMALE | | MALE | | Total Prevalence | |
| | Cases | Col % | Cases | Col % | Cases | Col % | Cases | Col % | Cases | Col % | Cases | Col % |
| Hispanic (All Races) | 5,469 | 41% | 6,114 | 47% | 11,583 | 44% | 1,672 | 23% | 9,911 | 52% | 11,583 | 44% |
| Not Hispanic, Black | 6,261 | 47% | 5,195 | 40% | 11,456 | 43% | 5,024 | 71% | 6,432 | 33% | 11,456 | 43% |
| Not Hispanic, White | 1,317 | 10% | 1,620 | 12% | 2,937 | 11% | 331 | 5% | 2,606 | 14% | 2,937 | 11% |
| Not Hispanic, Other | 212 | 2% | 153 | 1% | 365 | 1% | 98 | 1% | 267 | 1% | 365 | 1% |
| Total Prevalence | 13,259 | 100% | 13,082 | 100% | 26,341 | 100% | 7,125 | 100% | 19,216 | 100% | 26,341 | 100% |

| CURRENT AGE | * LIVING CASES by DIAGNOSIS | | | | | | * LIVING CASES by GENDER | | | | | |
|-------------------------|-----------------------------|-------------|----------------|-------------|------------------|-------------|--------------------------|-------------|---------------|-------------|------------------|-------------|
| | AIDS | | HIV (Not AIDS) | | Total Prevalence | | FEMALE | | MALE | | Total Prevalence | |
| | Cases | Col % | Cases | Col % | Cases | Col % | Cases | Col % | Cases | Col % | Cases | Col % |
| 00-01 years | - | 0% | 5 | 0% | 5 | 0% | 4 | 0% | 1 | 0% | 5 | 0% |
| 02-12 years | 5 | 0% | 19 | 0% | 24 | 0% | 8 | 0% | 16 | 0% | 24 | 0% |
| 13-24 years | 205 | 2% | 606 | 5% | 811 | 3% | 243 | 3% | 568 | 3% | 811 | 3% |
| 25-44 years | 2,991 | 23% | 5,431 | 42% | 8,422 | 32% | 2,326 | 33% | 6,096 | 32% | 8,422 | 32% |
| 45-64 years | 8,524 | 64% | 6,128 | 47% | 14,652 | 56% | 3,876 | 54% | 10,776 | 56% | 14,652 | 56% |
| 65+ years | 1,534 | 12% | 893 | 7% | 2,427 | 9% | 668 | 9% | 1,759 | 9% | 2,427 | 9% |
| Total Prevalence | 13,259 | 100% | 13,082 | 100% | 26,341 | 100% | 7,125 | 100% | 19,216 | 100% | 26,341 | 100% |

(Continue next Page)

**FLORIDA DEPARTMENT OF HEALTH IN MIAMI- DADE COUNTY
HIV/AIDS SURVEILLANCE
LIVING CASES WITH HIV DISEASE THROUGH DECEMBER 2015**

Living cases with HIV disease, excluding Department of Correction [DOC] cases. **Data as of June 2016.**

* Living AIDS and HIV (not AIDS) [PLWHA - prevalence] is defined as the number of diagnosed cases in eHARS, as of the date specified. These included cases whose current residence is Miami-Dade County regardless of where they were diagnosed.

| * LIVING CASES by DIAGNOSIS, RISK CATEGORY and GENDER | | | | | | | |
|---|---------------|-------------|----------------|-------------|------------------|-------------|-------------|
| EXPOSURE CATEGORY ⁽¹⁾ | AIDS | | HIV (Not AIDS) | | Total Prevalence | | |
| | Cases | Col % | Cases | Col % | Cases | Col % | |
| MALE | | | | | | % of Male | % of Total |
| Male-to-male sexual contact [MSM] | 6,282 | 66% | 7,543 | 77% | 13,825 | 72% | 52% |
| Injection drug use [IDU] | 605 | 6% | 283 | 3% | 888 | 5% | 3% |
| MSM & IDU | 434 | 5% | 252 | 3% | 686 | 4% | 3% |
| Heterosexual contact | 2,038 | 22% | 1,598 | 16% | 3,636 | 19% | 14% |
| Other risk | 119 | 1% | 62 | 1% | 181 | 1% | 1% |
| Total Male Prevalence | 9,478 | 100% | 9,738 | 100% | 19,216 | 100% | |
| FEMALE | | | | | | % of Female | |
| Injection drug use [IDU] | 487 | 13% | 233 | 7% | 720 | 10% | 3% |
| Heterosexual contact | 3,169 | 84% | 3,026 | 90% | 6,195 | 87% | 24% |
| Other risk | 125 | 3% | 85 | 3% | 210 | 3% | 1% |
| Total Female Prevalence | 3,781 | 100% | 3,344 | 100% | 7,125 | 100% | 100% |
| TOTAL PREVALENCE | | | | | | | |
| | AIDS | | HIV (Not AIDS) | | Total Prevalence | | |
| | Cases | Row % | Cases | Row % | Cases | Total % | |
| TOTAL PREVALENCE | 13,259 | 50% | 13,082 | 50% | 26,341 | 100% | |

⁽¹⁾ No identified risk redistributed

**FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
ONE-IN STATEMENTS**

* **ONE-IN Statements for Adults (>=13) Living with HIV or AIDS [PLWHA] through 2015 in Miami-Dade & Florida,**

| ADULT MALE LIVING WITH HIV OR AIDS | |
|--|---|
| MIAMI-DADE | FLORIDA |
| • One in 63 White adult male in Miami-Dade is living with HIV or AIDS | • One in 171 White adult male |
| • One in 26 Black adult male in Miami-Dade is living with HIV or AIDS | • One in 38 Black adult male |
| • One in 73 Hispanic adult male in Miami-Dade is living with HIV or AIDS | • One in 97 Hispanic adult male |
| • One in 91 other race adult male in Miami-Dade is living with HIV or AIDS | • One in 199 Other adult male |
| One in 56 adult male in Miami-Dade is living with HIV or AIDS | One in 102 adult male in Florida |

| ADULT FEMALE LIVING WITH HIV OR AIDS | |
|---|---|
| MIAMI-DADE | FLORIDA |
| • One in 472 White adult female in Miami-Dade is living with HIV or AIDS | • One in 1,048 White adult female |
| • One in 38 Black adult female in Miami-Dade is living with HIV or AIDS | • One in 61 Black adult female |
| • One in 474 Hispanic adult female in Miami-Dade is living with HIV or AIDS | • One in 424 Hispanic adult female |
| • One in 272 other race adult female in Miami-Dade is living with HIV or AIDS | • One in 582 Other adult female |
| One in 164 adult female in Miami-Dade is living with HIV or AIDS | One in 277 adult female in Florida |

| TOTAL ADULTS OF ALL SEXES LIVING WITH HIV OR AIDS | |
|--|-----------------------------------|
| MIAMI-DADE | FLORIDA |
| • One in 109 White adult in Miami-Dade is living with HIV or AIDS | • One in 299 White adult |
| • One in 31 Black adult in Miami-Dade is living with HIV or AIDS | • One in 48 Black adult |
| • One in 131 Hispanic adult in Miami-Dade is living with HIV or AIDS | • One in 160 Hispanic adult |
| • One in 140 other race adult in Miami-Dade is living with HIV or AIDS | • One in 307 Other adult race |
| One in 85 adult resident in Miami-Dade is living with HIV or AIDS | One in 152 adult Floridian |

Note: Excluding Department of Correction [DOC] cases at county level. Florida totals include DOC cases.

These statements are updated by the Florida Bureau of Communicable Disease, HIV/AIDS Section, every June of following year.

* Living data now reflects those living on our area regardless of where diagnosed.

You cannot compare this year's data with previous year's since they were run separately

**FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
ONE-IN STATEMENTS**

* **ONE-IN Statements for Total Persons (all ages) Living with HIV or AIDS [PLWHA] through 2015 in Miami-Dade & Florida**

| TOTAL MALE LIVING WITH HIV OR AIDS | |
|---|-----------------------------------|
| MIAMI-DADE | FLORIDA |
| • One in 76 White male in Miami-Dade is living with HIV or AIDS | • One in 193 White male |
| • One in 33 Black male in Miami-Dade is living with HIV or AIDS | • One in 49 Black male |
| • One in 86 Hispanic male in Miami-Dade is living with HIV or AIDS | • One in 120 Hispanic male |
| • One in 112 other race male in Miami-Dade is living with HIV or AIDS | • One in 261 Other male |
| One in 67 male in Miami-Dade is living with HIV or AIDS | One in 121 male in Florida |

| TOTAL FEMALE LIVING WITH HIV OR AIDS | |
|---|-------------------------------------|
| MIAMI-DADE | FLORIDA |
| • One in 564 White female in Miami-Dade is living with HIV or AIDS | • One in 1,173 White female |
| • One in 46 Black female in Miami-Dade is living with HIV or AIDS | • One in 75 Black female |
| • One in 547 Hispanic female in Miami-Dade is living with HIV or AIDS | • One in 517 Hispanic female |
| • One in 325 other race female in Miami-Dade is living with HIV or AIDS | • One in 735 Other female |
| One in 191 female in Miami-Dade is living with HIV or AIDS | One in 322 female in Florida |

| TOTAL ALL SEXES LIVING WITH HIV OR AIDS | |
|--|-----------------------------|
| MIAMI-DADE | FLORIDA |
| • One in 131 White in Miami-Dade is living with HIV or AIDS | • One in 336 White |
| • One in 38 Black in Miami-Dade is living with HIV or AIDS | • One in 60 Black |
| • One in 152 Hispanic in Miami-Dade is living with HIV or AIDS | • One in 196 Hispanic |
| • One in 169 other race in Miami-Dade is living with HIV or AIDS | • One in 395 Other race |
| One in 101 Miami-Dade resident is living with HIV or AIDS | One in 178 Floridian |

Note: Excluding Department of Correction [DOC] cases at county level. Florida totals include DOC cases.

These statements are updated by the Florida Bureau of Communicable Disease, HIV/AIDS Section, every June of following year.

* Living data now reflects those living on our area regardless of where diagnosed.

You cannot compare this year's data with previous year's since they were run separately

**FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
USEFUL WEBSITE LINKS**

Below are several website that may be useful for HIV/AIDS related information.

| USEFUL WEBSITE LINKS | |
|--|---|
| ORGANIZATIONS / SITES | ELECTRONIC ADDRESS |
| Data from the HIV Counseling and Testing (Florida & all Counties) | http://www.floridahealth.gov/diseases-and-conditions/aids/prevention/2013-testing-data.html |
| Center for Disease Control and Prevention [CDC] | http://www.cdc.gov |
| Center for Disease Control and Prevention [CDC] HIV/AIDS Statistics and Surveillance | http://www.cdc.gov/hiv/topics/surveillance/ |
| Center for Disease Control and Prevention [CDC] Morbidity and Mortality Weekly Report [MMWR] | http://www.cdc.gov/mmwr/ |
| Florida Community Health Assessment Resource Tool Set [Florida CHARTS] | http://www.floridacharts.com/charts/default.aspx |
| Florida Department of Health in Miami-Dade County | http://miamidade.floridahealth.gov |
| Florida Department of Health, Bureau of Communicable Disease, HIV/AIDS and Hepatitis Section. | http://www.floridahealth.gov/diseases-and-conditions/aids/index.html |
| <i>Organización Panamericana de la Salud</i> [PAHO] (Pan American Health Organization) | http://www.paho.org |
| The Test Miami Initiative | http://www.testmiami.org/index.aspx |
| United Nations Program on HIV/AIDS [UNAIDS] | http://www.unaids.org/ |
| US Census Bureau. | http://www.census.gov |
| US Census Bureau. HIV/AIDS Surveillance | http://www.census.gov/ipc/www/hivaidn.html |
| World Health Organization [WHO] | http://www.who.int |