





MIAMI-DADE COUNTY PEOPLE LIVING WITH HIV/AIDS BY ZONES


The present surveillance analysis includes demographic profiles for each of the ten zones (neighborhoods) we divided our county. The data shows in each zone, prevalence for diagnosis of people living with HIV infection through December 31, 2015, as of June 2016, by race/ethnicity, current age group and specific risk factors, according to gender, as well as a total people living with HIV or AIDS [PLWHA] through that date in our community.

People living with HIV infection has been updated by the Florida Department of Health, Bureau of Communicable Disease, HIV/AIDS Section, in June 2016, of those living cases in Miami-Dade regardless of where they were diagnosed. The present information excludes Department of Correction cases.




Zone I, which includes Hialeah, Miami Lakes, Hialeah Gardens, Miami Springs, Medley and vicinity, has the sixth highest number of people living with HIV/AIDS [PLWHA]. Analysis through 2015, by race/ethnicity, current age group and risk category according to gender as follow:


ZONE I BY RACE	PEOPLE LIVING WITH HIV/AIDS					
	FEMALE	%	MALE	%	TOTAL	%
HISPANIC	212	67.3%	1,115	77.0%	1,327	75.3%
AFR.AMR.	73	23.2%	228	15.7%	301	17.1%
WHITE	17	5.4%	83	5.7%	100	5.7%
HAITIAN	10	3.2%	9	0.6%	19	1.1%
OTHER ⁽¹⁾	3	1.0%	13	0.9%	16	0.9%
TOTAL	315	100%	1,448	100%	1,763	100%



ZONE I, BY CURRENT AGE						
AGE GROUP	FEMALE	%	MALE	%	TOTAL	%
<= 12 Yrs.	0	0.0%	1	0.1%	1	0.1%
13-19 Yrs.	2	0.6%	13	0.9%	15	0.9%
20-29 Yrs.	21	6.7%	155	10.7%	176	10.0%
30-39 Yrs.	61	19.4%	265	18.3%	326	18.5%
40-49 Yrs.	94	29.8%	370	25.6%	464	26.3%
>=50 Yrs.	137	43.5%	644	44.5%	781	44.3%
TOTAL	315	100%	1,448	100%	1,763	100%



ZONE I, BY RISK CATEGORY						
RISK	FEMALE	%	MALE	%	TOTAL	%
MSM			1,077	74.4%	1,077	61.1%
IDU	34	10.8%	79	5.5%	113	6.4%
MSM-IDU			60	4.1%	60	3.4%
HETSX	275	87.3%	221	15.3%	496	28.1%
OTHER ⁽²⁾	1	0.3%	1	0.1%	2	0.1%
PERINATAL	5	1.6%	10	0.7%	15	0.9%
TOTAL	315	100%	1,448	100%	1,763	100%



(No Identified risk redistributed)


(1) Includes American Indian/Alaska Native, Asian, Native Hawaiian/Pacific Islander, Legacy Asian and Multi-Race.

(2) Transfusion/transplant, received clotting factor, adult case with pediatric risk, perinatal and other pediatric exposure.


Risk Category Legend: MSM=Male-to-male sexual contact. IDU=Injection drug use. HETSX=Heterosexual contact with people infected or at risk for HIV.

Zone II, which includes Opa-Locka, Carol City, Norland and vicinity, has the second highest number of people living with HIV/AIDS [PLWHA]. Analysis through 2015, by race/ethnicity, current age group and risk category according to gender as follow:


ZONE II BY RACE	PEOPLE LIVING WITH HIV/AIDS					
	FEMALE	%	MALE	%	TOTAL	%
HISPANIC	138	10.2%	599	28.9%	737	21.5%
AFR.AMR.	884	65.0%	992	47.9%	1,876	54.7%
WHITE	42	3.1%	197	9.5%	239	7.0%
HAITIAN	285	21.0%	254	12.3%	539	15.7%
OTHER ⁽¹⁾	10	0.7%	28	1.4%	38	1.1%
TOTAL	1,359	100%	2,070	100%	3,429	100%



ZONE II, BY CURRENT AGE						
AGE GROUP	FEMALE	%	MALE	%	TOTAL	%
<=12 Yrs.	4	0.3%	3	0.1%	7	0.2%
13-19 Yrs.	21	1.5%	26	1.3%	47	1.4%
20-29 Yrs.	111	8.2%	239	11.5%	350	10.2%
30-39 Yrs.	226	16.6%	297	14.3%	523	15.3%
40-49 Yrs.	363	26.7%	482	23.3%	845	24.6%
>=50 Yrs.	634	46.7%	1,023	49.4%	1,657	48.3%
TOTAL	1,359	100%	2,070	100%	3,429	100%



ZONE II, BY RISK CATEGORY						
RISK	FEMALE	%	MALE	%	TOTAL	%
MSM			1,296	62.6%	1,296	37.8%
IDU	110	8.1%	105	5.1%	215	6.3%
MSM-IDU			76	3.7%	76	2.2%
HTSX	1,190	87.6%	548	26.5%	1,738	50.7%
OTHER ⁽²⁾	4	0.3%	2	0.1%	6	0.2%
PERINATAL	55	4.0%	43	2.1%	98	2.9%
TOTAL	1,359	100%	2,070	100%	3,429	100%



(No Identified risk redistributed)

(1) Includes American Indian/Alaska Native, Asian, Native Hawaiian/Pacific Islander, Legacy Asian, Multi-Race.

(2) Transfusion/transplant, received clotting factor, adult case with pediatric risk, perinatal and other pediatric exposure.

Risk Legend: MSM=Male-to-male sexual contact. IDU=Injection drug use. HTSX=Heterosexual contact with people infected or at risk for HIV.

Zone III, which includes Miami Beach, South Beach, Surfside and vicinity, has the third highest number of people living with HIV/AIDS [PLWHA]. Analysis through 2015, by race/ethnicity, current age group and risk category according to gender as follow:

ZONE III BY RACE	PEOPLE LIVING WITH HIV/AIDS					
	FEMALE	%	MALE	%	TOTAL	%
HISPANIC	103	44.8%	1,783	57.0%	1,886	56.2%
AFR.AMR.	50	21.7%	284	9.1%	334	10.0%
WHITE	44	19.1%	975	31.2%	1,019	30.4%
HAITIAN	29	12.6%	35	1.1%	64	1.9%
OTHER ⁽¹⁾	4	1.7%	49	1.6%	53	1.6%
TOTAL	230	100%	3,126	100%	3,356	100%

ZONE III, BY AGE GROUP						
AGE GROUP	FEMALE	%	MALE	%	TOTAL	%
<=12 Yrs.	0	0.0%	0	0.0%	0	0.0%
13-19 Yrs.	2	0.9%	8	0.3%	10	0.3%
20-29 Yrs.	10	4.3%	147	4.7%	157	4.7%
30-39 Yrs.	29	12.6%	486	15.5%	515	15.3%
40-49 Yrs.	62	27.0%	932	29.8%	994	29.6%
>=50 Yrs.	127	55.2%	1,553	49.7%	1,680	50.1%
TOTAL	230	100%	3,126	100%	3,356	100%

ZONE III, BY RISK CATEGORY						
RISK	FEMALE	%	MALE	%	TOTAL	%
MSM			2,857	91.4%	2,857	85.1%
IDU	27	11.7%	48	1.5%	75	2.2%
MSM-IDU			90	2.9%	90	2.7%
HTSX	202	87.8%	129	4.1%	331	9.9%
OTHER ⁽²⁾	0	0.0%	0	0.0%	0	0.0%
PERINATAL	1	0.4%	2	0.1%	3	0.1%
TOTAL	230	100%	3,126	100%	3,356	100%




(No Identified risk redistributed)

(1) Includes American Indian/Alaska Native, Asian, Native Hawaiian/Pacific Islander, Legacy Asian, Multi-Race.

(2) Transfusion/transplant, received clotting factor, adult case with pediatric risk, perinatal and other pediatric exposure.

Risk Legend: MSM=Male-to-male sexual contact. IDU=Injection drug use. HTSX=Heterosexual contact with people infected or at risk for HIV.

Source: FDH-MDC, HIV/AIDS Surveillance
Electronic HIV/AIDS Reporting System [e-HARS]
Frozen database on June 2016.



Zone IV, which includes Liberty City, Miami Shores, El Portal and vicinity, has the first highest number of people living with HIV/AIDS [PLWHA]. Analysis through 2015, by race/ethnicity, current age group and risk category according to gender as follow:

ZONE IV BY RACE	PEOPLE LIVING WITH HIV/AIDS					
	FEMALE	%	MALE	%	TOTAL	%
HISPANIC	163	8.4%	822	25.9%	985	19.3%
AFR.AMR.	1,073	55.4%	1,251	39.4%	2,324	45.5%
WHITE	44	2.3%	344	10.8%	388	7.6%
HAITIAN	643	33.2%	709	22.3%	1,352	26.5%
OTHER ⁽¹⁾	14	0.7%	47	1.5%	61	1.2%
TOTAL	1,937	100%	3,173	100%	5,110	100%

ZONE IV, BY CURRENT AGE						
AGE GROUP	FEMALE	%	MALE	%	TOTAL	%
<=12 Yrs.	3	0.2%	6	0.2%	9	0.2%
13-19 Yrs.	28	1.4%	36	1.1%	64	1.3%
20-29 Yrs.	128	6.6%	244	7.7%	372	7.3%
30-39 Yrs.	294	15.2%	377	11.9%	671	13.1%
40-49 Yrs.	444	22.9%	692	21.8%	1,136	22.2%
>=50 Yrs.	1,040	53.7%	1,818	57.3%	2,858	55.9%
TOTAL	1,937	100%	3,173	100%	5,110	100%




ZONE IV, BY RISK CATEGORY						
RISK	FEMALE	%	MALE	%	TOTAL	%
MSM			1,842	58.1%	1,842	36.0%
IDU	184	9.5%	160	5.0%	344	6.7%
MSM-IDU			119	3.8%	119	2.3%
HTSX	1,696	87.6%	1,004	31.6%	2,700	52.8%
OTHER ⁽²⁾	5	0.3%	6	0.2%	11	0.2%
PERINATAL	52	2.7%	42	1.3%	94	1.8%
TOTAL	1,937	100%	3,173	100%	5,110	100%

(No Identified risk redistributed)

(1) Includes American Indian/Alaska Native, Asian, Native Hawaiian/Pacific Islander, Legacy Asian, Multi-Race.

(2) Transfusion/transplant, received clotting factor, adult case with pediatric risk, perinatal and other pediatric exposure.

Risk Legend: MSM=Male-to-male sexual contact. IDU=Injection drug use. HTSX=Heterosexual contact with people infected or at risk for HIV.



Zone V, which includes Little Haiti, Brownsville, part of Liberty City and vicinity, has the fifth highest number of people living with HIV/AIDS [PLWHA]. Analysis through 2015, by race/ethnicity, current age group and risk category according to gender as follow:

ZONE V BY RACE	PEOPLE LIVING WITH HIV/AIDS					
	FEMALE	%	MALE	%	TOTAL	%
HISPANIC	148	14.9%	742	37.3%	890	29.8%
AFR.AMR.	662	66.5%	826	41.5%	1,488	49.9%
WHITE	29	2.9%	182	9.2%	211	7.1%
HAITIAN	137	13.8%	220	11.1%	357	12.0%
OTHER ⁽¹⁾	19	1.9%	19	1.0%	38	1.3%
TOTAL	995	100%	1,989	100%	2,984	100%

ZONE V, BY CURRENT AGE						
AGE GROUP	FEMALE	%	MALE	%	TOTAL	%
<=12 Yrs.	0	0.0%	3	0.2%	3	0.1%
13-19 Yrs.	18	1.8%	13	0.7%	31	1.0%
20-29 Yrs.	71	7.1%	133	6.7%	204	6.8%
30-39 Yrs.	153	15.4%	289	14.5%	442	14.8%
40-49 Yrs.	238	23.9%	455	22.9%	693	23.2%
>=50 Yrs.	515	51.8%	1,096	55.1%	1,611	54.0%
TOTAL	995	100%	1,989	100%	2,984	100%

ZONE V, BY RISK CATEGORY						
RISK	FEMALE	%	MALE	%	TOTAL	%
MSM			1,224	61.5%	1,224	41.0%
IDU	124	12.5%	150	7.5%	274	9.2%
MSM-IDU			82	4.1%	82	2.7%
HTSX	847	85.1%	508	25.5%	1,355	45.4%
OTHER ⁽²⁾	0	0.0%	3	0.2%	3	0.1%
PERINATAL	24	2.4%	22	1.1%	46	1.5%
TOTAL	995	100%	1,989	100%	2,984	100%




(No Identified risk redistributed)

(1) Includes American Indian/Alaska Native, Asian, Native Hawaiian/Pacific Islander, Legacy Asian, Multi-Race.

(2) Transfusion/transplant, received clotting factor, adult case with pediatric risk, perinatal and other pediatric exposure.


Risk Legend: MSM=Male-to-male sexual contact. IDU=Injection drug use. HTSX=Heterosexual contact with people infected or at risk for HIV.

Source: FDH-MDC, HIV/AIDS Surveillance
Electronic HIV/AIDS Reporting System [e-HARS]
Frozen database on June 2016.




Zone VI, which includes Little Havana, Overtown, Key Biscayne and vicinity, has the fourth highest number of people living with HIV/AIDS [PLWHA]. Analysis through 2015, by race/ethnicity, current age group and risk category according to gender as follow:


ZONE VI BY RACE	PEOPLE LIVING WITH HIV/AIDS					
	FEMALE	%	MALE	%	TOTAL	%
HISPANIC	269	47.5%	1,726	67.6%	1,995	63.9%
AFR.AMR.	221	39.0%	470	18.4%	691	22.1%
WHITE	42	7.4%	282	11.0%	324	10.4%
HAITIAN	28	4.9%	51	2.0%	79	2.5%
OTHER ⁽¹⁾	6	1.1%	26	1.0%	32	1.0%
TOTAL	566	100%	2,555	100%	3,121	100%



ZONE VI, BY CURRENT AGE						
AGE GROUP	FEMALE	%	MALE	%	TOTAL	%
<=12 Yrs.	1	0.2%	0	0.0%	1	0.0%
13-19 Yrs.	7	1.2%	15	0.6%	22	0.7%
20-29 Yrs.	34	6.0%	199	7.8%	233	7.5%
30-39 Yrs.	101	17.8%	414	16.2%	515	16.5%
40-49 Yrs.	125	22.1%	650	25.4%	775	24.8%
>=50 Yrs.	298	52.7%	1,277	50.0%	1,575	50.5%
TOTAL	566	100%	2,555	100%	3,121	100%



ZONE VI, BY RISK CATEGORY						
RISK	FEMALE	%	MALE	%	TOTAL	%
MSM			1,929	75.5%	1,929	61.8%
IDU	81	14.3%	138	5.4%	219	7.0%
MSM-IDU			108	4.2%	108	3.5%
HTSX	471	83.2%	367	14.4%	838	26.9%
OTHER ⁽²⁾	1	0.2%	4	0.2%	5	0.2%
PERINATAL	13	2.3%	9	0.4%	22	0.7%
TOTAL	566	100%	2,555	100%	3,121	100%



(No Identified risk redistributed)


(1) Includes American Indian/Alaska Native, Asian, Native Hawaiian/Pacific Islander, Legacy Asian, Multi-Race.

(2) Transfusion/transplant, received clotting factor, adult case with pediatric risk, perinatal and other pediatric exposure.


Risk Legend: MSM=Male-to-male sexual contact. IDU=Injection drug use. HTSX=Heterosexual contact with people infected or at risk for HIV.

Zone VII, which includes Sweetwater, Westchester, Kendal and vicinity, has the ninth highest number of people living with HIV/AIDS [PLWHA]. Analysis through 2015, by race/ethnicity, current age group and risk category according to gender as follow:


ZONE VII BY RACE	PEOPLE LIVING WITH HIV/AIDS					
	FEMALE	%	MALE	%	TOTAL	%
HISPANIC	165	79.3%	992	83.5%	1,157	82.9%
AFR.AMR.	18	8.7%	83	7.0%	101	7.2%
WHITE	13	6.3%	83	7.0%	96	6.9%
HAITIAN	8	3.8%	22	1.9%	30	2.1%
OTHER ⁽¹⁾	4	1.9%	8	0.7%	12	0.9%
TOTAL	208	100%	1,188	100%	1,396	100%



ZONE VII, BY CURRENT AGE						
AGE GROUP	FEMALE	%	MALE	%	TOTAL	%
<=12 Yrs.	0	0.0%	0	0.0%	0	0.0%
13-19 Yrs.	4	1.9%	9	0.8%	13	0.9%
20-29 Yrs.	16	7.7%	104	8.8%	120	8.6%
30-39 Yrs.	24	11.5%	211	17.8%	235	16.8%
40-49 Yrs.	45	21.6%	308	25.9%	353	25.3%
>=50 Yrs.	119	57.2%	556	46.8%	675	48.4%
TOTAL	208	100%	1,188	100%	1,396	100%



ZONE VII, BY RISK CATEGORY						
RISK	FEMALE	%	MALE	%	TOTAL	%
MSM			962	81.0%	962	68.9%
IDU	15	7.2%	37	3.1%	52	3.7%
MSM-IDU			36	3.0%	36	2.6%
HTSX	188	90.4%	147	12.4%	335	24.0%
OTHER ⁽²⁾	0	0.0%	2	0.2%	2	0.1%
PERINATAL	5	2.4%	4	0.3%	9	0.6%
TOTAL	208	100%	1,188	100%	1,396	100%



(No Identified risk redistributed)

(1) Includes American Indian/Alaska Native, Asian, Native Hawaiian/Pacific Islander, Legacy Asian, Multi-Race.

(2) Transfusion/transplant, received clotting factor, adult case with pediatric risk, perinatal and other pediatric exposure.

Risk Legend: MSM=Male-to-male sexual contact. IDU=Injection drug use. HTSX=Heterosexual contact with people infected or at risk for HIV.

Zone VIII, which includes South & West Miami, Coral Gables, Coconut Grove and vicinity, has the eighth highest number of people living with HIV/AIDS [PLWHA]. Analysis through 2015, by race/ethnicity, current age group and risk category according to gender as follow:

ZONE VIII BY RACE	PEOPLE LIVING WITH HIV/AIDS					
	FEMALE	%	MALE	%	TOTAL	%
HISPANIC	127	53.8%	1,012	73.1%	1,139	70.3%
AFR.AMR.	71	30.1%	145	10.5%	216	13.3%
WHITE	27	11.4%	193	13.9%	220	13.6%
HAITIAN	7	3.0%	10	0.7%	17	1.0%
OTHER ⁽¹⁾	4	1.7%	25	1.8%	29	1.8%
TOTAL	236	100%	1,385	100%	1,621	100%

ZONE VIII, BY CURRENT AGE						
AGE GROUP	FEMALE	%	MALE	%	TOTAL	%
<=12 Yrs.	1	0.4%	0	0.0%	1	0.1%
13-19 Yrs.	2	0.8%	7	0.5%	9	0.6%
20-29 Yrs.	10	4.2%	97	7.0%	107	6.6%
30-39 Yrs.	30	12.7%	194	14.0%	224	13.8%
40-49 Yrs.	54	22.9%	332	24.0%	386	23.8%
>=50 Yrs.	139	58.9%	755	54.5%	894	55.2%
TOTAL	236	100%	1,385	100%	1,621	100%




BY RISK CATEGORY						
RISK	FEMALE	%	MALE	%	TOTAL	%
MSM			1,180	85.2%	1,180	72.8%
IDU	14	5.9%	39	2.8%	53	3.3%
MSM-IDU			22	1.6%	22	1.4%
HTSX	214	90.7%	138	10.0%	352	21.7%
OTHER ⁽²⁾	2	0.8%	2	0.1%	4	0.2%
PERINATAL	6	2.5%	4	0.3%	10	0.6%
TOTAL	236	100%	1,385	100%	1,621	100%

(No Identified risk redistributed)

(1) Includes American Indian/Alaska Native, Asian, Native Hawaiian/Pacific Islander, Legacy Asian, Multi-Race.


(2) Transfusion/transplant, received clotting factor, adult case with pediatric risk, perinatal and other pediatric exposure.

Risk Legend: MSM=Male-to-male sexual contact. IDU=Injection drug use. HTSX=Heterosexual contact with people infected or at risk for HIV.




Zone IX, which includes Ferrine, Cutler Ridge and vicinity, has the seventh highest number of people living with HIV/AIDS [PLWHA]. Analysis through 2015, by race/ethnicity, current age group and risk category according to gender as follow:


ZONE IX BY RACE	PEOPLE LIVING WITH HIV/AIDS					
	FEMALE	%	MALE	%	TOTAL	%
HISPANIC	165	31.4%	595	53.7%	760	46.6%
AFR.AMR.	289	55.0%	344	31.1%	633	38.8%
WHITE	31	5.9%	121	10.9%	152	9.3%
HAITIAN	28	5.3%	20	1.8%	48	2.9%
OTHER ⁽¹⁾	12	2.3%	27	2.4%	39	2.4%
TOTAL	525	100%	1,107	100%	1,632	100%



ZONE IX, BY CURRENT AGE						
AGE GROUP	FEMALE	%	MALE	%	TOTAL	%
<=12 Yrs.	1	0.2%	1	0.1%	2	0.1%
13-19 Yrs.	8	1.5%	15	1.4%	23	1.4%
20-29 Yrs.	42	8.0%	129	11.7%	171	10.5%
30-39 Yrs.	89	17.0%	169	15.3%	258	15.8%
40-49 Yrs.	117	22.3%	259	23.4%	376	23.0%
>=50 Yrs.	268	51.0%	534	48.2%	802	49.1%
TOTAL	525	100%	1,107	100%	1,632	100%



ZONE IX, BY RISK CATEGORY						
RISK	FEMALE	%	MALE	%	TOTAL	%
MSM			764	69.0%	764	46.8%
IDU	54	10.3%	46	4.2%	100	6.1%
MSM-IDU			32	2.9%	32	2.0%
HTSX	457	87.0%	256	23.1%	713	43.7%
OTHER ⁽²⁾	1	0.2%	2	0.2%	3	0.2%
PERINATAL	13	2.5%	7	0.6%	20	1.2%
TOTAL	525	100%	1,107	100%	1,632	100%



(No Identified risk redistributed)

(1) Includes American Indian/Alaska Native, Asian, Native Hawaiian/Pacific Islander, Legacy Asian, Multi-Race.

(2) Transfusion/transplant, received clotting factor, adult case with pediatric risk, perinatal and other pediatric exposure.

Risk Legend: MSM=Male-to-male sexual contact. IDU=Injection drug use. HTSX=Heterosexual contact with people infected or at risk for HIV.

Zone X, which includes Homestead, Florida City, Naranja and vicinity, has the tenth highest number of people living with HIV/AIDS [PLWHA]. Analysis through 2015, by race/ethnicity, current age group and risk category according to gender as follow:

ZONE X BY RACE	PEOPLE LIVING WITH HIV/AIDS					
	FEMALE	%	MALE	%	TOTAL	%
HISPANIC	125	22.7%	297	42.2%	422	33.6%
AFR.AMR.	352	63.9%	278	39.5%	630	50.2%
WHITE	25	4.5%	63	8.9%	88	7.0%
HAITIAN	40	7.3%	53	7.5%	93	7.4%
OTHER ⁽¹⁾	9	1.6%	13	1.8%	22	1.8%
TOTAL	551	100%	704	100%	1,255	100%

ZONE X, BY CURRENT AGE						
AGE GROUP	FEMALE	%	MALE	%	TOTAL	%
<=12 Yrs.	1	0.2%	1	0.1%	2	0.2%
13-19 Yrs.	15	2.7%	10	1.4%	25	2.0%
20-29 Yrs.	57	10.3%	60	8.5%	117	9.3%
30-39 Yrs.	99	18.0%	117	16.6%	216	17.2%
40-49 Yrs.	152	27.6%	188	26.7%	340	27.1%
>=50 Yrs.	227	41.2%	328	46.6%	555	44.2%
TOTAL	551	100%	704	100%	1,255	100%




ZONE X, BY RISK CATEGORY						
RISK	FEMALE	%	MALE	%	TOTAL	%
MSM			387	55.0%	387	30.8%
IDU	61	11.1%	59	8.4%	120	9.6%
MSM-IDU			29	4.1%	29	2.3%
HTSX	470	85.3%	218	31.0%	688	54.8%
OTHER ⁽²⁾	2	0.4%	0	0.0%	2	0.2%
PERINATAL	18	3.3%	11	1.6%	29	2.3%
TOTAL	551	100%	704	100%	1,255	100%

(No Identified risk redistributed)

(1) Includes American Indian/Alaska Native, Asian, Native Hawaiian/Pacific Islander, Legacy Asian, Multi-Race.

(2) Transfusion/transplant, received clotting factor, adult case with pediatric risk, perinatal and other pediatric exposure.

Risk Legend: MSM=Male-to-male sexual contact. IDU=Injection drug use. HTSX=Heterosexual contact with people infected or at risk for HIV.



TOTAL PEOPLE LIVING WITH HIV OR AIDS [PLWHA] ⁽³⁾

Analysis through 2015, by race/ethnicity, current age group and risk category according to gender as follow:

TOTAL BY RACE	PEOPLE LIVING WITH AIDS					
	FEMALE	%	MALE	%	TOTAL	%
HISPANIC	1,661	23.3%	9,892	51.5%	11,553	43.9%
AFR.AMR.	3,801	53.3%	5,035	26.2%	8,836	33.5%
WHITE	330	4.6%	2,602	13.5%	2,932	11.1%
HAITIAN	1,247	17.5%	1,424	7.4%	2,671	10.1%
OTHER ⁽¹⁾	86	1.2%	263	1.4%	349	1.3%
TOTAL	7,125	100%	19,216	100%	26,341	100%

TOTAL BY CURRENT AGE						
AGE GROUP	FEMALE	%	MALE	%	TOTAL	%
<=12 Yrs.	12	0.2%	15	0.1%	27	0.1%
13-19 Yrs.	108	1.5%	154	0.8%	262	1.0%
20-29 Yrs.	510	7.2%	1,519	7.9%	2,029	7.7%
30-39 Yrs.	1,136	15.9%	2,871	14.9%	4,007	15.2%
40-49 Yrs.	1,753	24.6%	4,780	24.9%	6,533	24.8%
>=50 Yrs.	3,606	50.6%	9,877	51.4%	13,483	51.2%
TOTAL	7,125	100%	19,216	100%	26,341	100%

TOTAL BY RISK CATEGORY						
RISK	FEMALE	%	MALE	%	TOTAL	%
MSM			13,825	71.9%	13,825	52.5%
IDU	721	10.1%	888	4.6%	1,609	6.1%
MSM-IDU			686	3.6%	686	2.6%
HTSX	6,194	86.9%	3,636	18.9%	9,830	37.3%
OTHER ⁽²⁾	17	0.2%	24	0.1%	41	0.2%
PERINATAL	193	2.7%	157	0.8%	350	1.3%
TOTAL	7,125	100%	19,216	100%	26,341	100%

(No Identified risk redistributed)

(1) Includes American Indian/Alaska Native, Asian, Native Hawaiian/Pacific Islander, Legacy Asian, Multi-Race.

(2) Transfusion/transplant, received clotting factor, adult case with pediatric risk, perinatal and other pediatric exposure.

(3) Includes Homeless, ZIP codes from other jurisdiction and cases with no reported ZIP code.

Risk Legend: MSM=Male-to-male sexual contact. IDU=Injection drug use. HTSX=Heterosexual contact with people infected or at risk for HIV.

