

**Mission:**

To protect, promote & improve the health of all people in Florida through integrated state, county & community efforts.



**Rick Scott**  
Governor

**Celeste Phillip, MD, MPH**  
Surgeon General and Secretary

**Vision:** To be the **Healthiest State** in the Nation

**FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY**  
**HIV/AIDS SURVEILLANCE**  
**MONTHLY HIV/AIDS SURVEILLANCE REPORT**

**JANUARY 2017**

**AIDS CASES (EXCLUDING DEPARTMENT OF CORRECTION [DOC] CASES)** *(AIDS Worksheet)*

- AIDS cases by age group and gender (Excluding Department of Correction - DOC).
- AIDS cases by age group, race/ethnicity & gender, showing Haitians separated (Excluding DOC)
- AIDS cases by year of report and gender (Excluding DOC)
- Adult & pediatric AIDS cases by race/ethnicity and gender (Excluding DOC)
- AIDS cases by exposure category and gender among Adult and Pediatric (Excluding DOC)
- Adult AIDS cases by exposure category, race/ethnicity and gender (Excluding DOC)
- Pediatric AIDS cases by exposure category, race/ethnicity and gender.
- Adult Hispanic/Latino AIDS cases by country of origin and gender (Excluding DOC)
- Adult Hispanic/Latino AIDS cases by country of origin, exposure category and gender (Excluding DOC)
- Haitian born adult AIDS cases by exposure category and gender (Excluding DOC)
- Department of Correction [DOC] Adult AIDS cases by race/ethnicity and gender.

**HIV CASES (EXCLUDING DEPARTMENT OF CORRECTION [DOC] CASES)** *(HIV Worksheet)*

- HIV (not AIDS) cases by age group and gender (Excluding Department of Correction - DOC)
- HIV (not AIDS) cases by age group, race/ethnicity & gender, showing Haitians separated (Excluding DOC)
- HIV (not AIDS) cases by year of report and gender (Excluding DOC)
- Adult & pediatric HIV (not AIDS) cases by race/ethnicity and gender (Excluding DOC)
- HIV (not AIDS) cases by exposure category and gender among Adult and Pediatric (Excluding DOC)
- Adult HIV (not AIDS) cases by exposure category, race/ethnicity and gender (Excluding DOC)
- Pediatric HIV (not AIDS) cases by exposure category, race/ethnicity and gender.
- Adult Hispanic/Latino HIV (not AIDS) cases by country of origin and gender (Excluding DOC)

(Continue next Page)

**Florida Department of Health**

In Miami-Dade County

Epidemiology, Disease Control, and Immunization Services

8600 NW 17th Street, suite 200, Miami, Florida 33126

PHONE: 305/470-5660 - FAX 305/470-5533

[FloridaHealth.gov](http://FloridaHealth.gov)



**Accredited Health Department**  
Public Health Accreditation Board

**Mission:**

To protect, promote & improve the health of all people in Florida through integrated state, county & community efforts.



**Rick Scott**  
Governor

**Celeste Phillip, MD, MPH**  
Surgeon General and Secretary

**Vision:** To be the **Healthiest State** in the Nation

---

Adult Hispanic/Latino HIV (not AIDS) cases by country of origin, exposure category and gender (Excluding DOC)  
Haitian born adult HIV (not AIDS) cases by country of origin, exposure category and gender (Excluding DOC)  
Department of Correction [DOC] Adult HIV (not AIDS) cases by race/ethnicity and gender.

**PERINATAL EXPOSED CASES REPORTED SINCE NOVEMBER 20<sup>th</sup>, 2006** (*PERINATAL EXPOSED Worksheet*)

All EXPOSED perinatal pediatric cases born in Miami-Dade by year of birth and diagnosis status since November 20th, 2006.  
All EXPOSED perinatal pediatric cases born in Miami-Dade by year of birth and race/ethnicity since November 20th, 2006.  
All EXPOSED perinatal pediatric cases born in Miami-Dade by year of birth and Mother HIV status since November 20th, 2006.  
All EXPOSED perinatal pediatric cases born in Miami-Dade by diagnosis and Mother HIV status since November 20th, 2006.  
All EXPOSED perinatal pediatric cases born in Miami-Dade by diagnosis status and HIV category since November 20th, 2006.  
CONFIRMED infected perinatal cases born in Miami-Dade, known HIV or AIDS by year of birth, 2000-2016.  
All EXPOSED perinatal pediatric cases born in Miami-Dade by hospital of birth and diagnosis status since November 20th, 2006.

**LIVING CASES WITH HIV DISEASE THROUGH DECEMBER 2015** (*PLWHA Worksheet*)

Total prevalence by diagnosis category (Excluding DOC)  
Total living cases including Department of Corrections [DOC]  
Total prevalence by gender (Excluding DOC)  
Total prevalence by race/ethnicity (Excluding DOC)  
Total prevalence by current age group (Excluding DOC)  
Total prevalence by exposure category (Excluding DOC)

**ONE-IN STATEMENTS** (*ONE-IN STATEMENTS Worksheet*)

One-in statements for adult ( $\geq 13$ ) persons living with HIV or AIDS through 2015 in Miami-Dade & Florida.  
One-in statements for persons (all ages) living with HIV or AIDS through 2015 in Miami-Dade & Florida.

**USEFUL WEBSITES LINKS** (*WEBSITE Worksheet*)

Useful websites for HIV/AIDS related information.

---

**Florida Department of Health**

In Miami-Dade County

Epidemiology, Disease Control, and Immunization Services

8600 NW 17th Street, suite 200, Miami, Florida 33126

PHONE: 305/470-5660 - FAX 305/470-5533

FloridaHealth.gov



**Accredited Health Department**  
Public Health Accreditation Board

**FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY**  
**HIV/AIDS Surveillance**  
**Cumulative Number of Reported AIDS Cases**

**JANUARY 2017**

<i>AIDS Cases by age group and gender (Excluding Department of Correction - DOC)</i>							<i>AIDS Cases by age group, race/ethnicity &amp; gender, showing Haitians separated (Excluding DOC)</i>											
AIDS Cases by Age Group & Gender	Female		Male		TOTAL AIDS		Hispanic/Latino		Black		White		Haitian		Other <sup>(1)</sup>		TOTAL AIDS	
	Cases	Col %	Cases	Col %	Cases	Col %	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male
Under 5	210	2.2%	196	0.7%	406	1.1%	29	29	168	151	5	7	6	8	2	1	210	196
5-12	53	0.5%	55	0.2%	108	0.3%	10	11	33	36	4	2	5	5	1	1	53	55
13-19	172	1.8%	136	0.5%	308	0.9%	20	42	128	85	5	2	15	6	4	1	172	136
20-29	1,738	18.0%	3,293	12.4%	5,031	13.9%	288	1,429	1,116	1,051	77	502	238	263	19	48	1,738	3,293
30-39	3,332	34.4%	9,592	36.2%	12,924	35.7%	545	4,168	2,014	2,702	166	1,672	564	896	43	154	3,332	9,592
40-49	2,500	25.8%	7,914	29.8%	10,414	28.8%	464	3,229	1,440	2,542	132	1,256	422	774	42	113	2,500	7,914
50-59	1,131	11.7%	3,683	13.9%	4,814	13.3%	250	1,493	581	1,266	57	488	218	379	25	57	1,131	3,683
60-64	279	2.9%	880	3.3%	1,159	3.2%	69	342	127	324	10	113	68	86	5	15	279	880
65-69	150	1.5%	441	1.7%	591	1.6%	30	152	77	179	5	59	35	42	3	9	150	441
>=70	113	1.2%	327	1.2%	440	1.2%	33	130	47	119	12	36	17	33	4	9	113	327
Unknown	0	0.0%	0	0.0%	0	0.0%	0	0	0	0	0	0	0	0	0	0	0	0
<b>Total AIDS</b>	<b>9,678</b>	<b>100%</b>	<b>26,517</b>	<b>100%</b>	<b>36,195</b>	<b>100%</b>	<b>1,738</b>	<b>11,025</b>	<b>5,731</b>	<b>8,455</b>	<b>473</b>	<b>4,137</b>	<b>1,588</b>	<b>2,492</b>	<b>148</b>	<b>408</b>	<b>9,678</b>	<b>26,517</b>

<sup>(1)</sup> Other Includes American Indian/Alaska Native, Asian, Native Hawaiian, Pacific Islander, Legacy Asian & Multi Race

*AIDS Cases by year of report and gender (Excluding DOC)*

AIDS Cases by Year Report & Gender	Female		Male		TOTAL AIDS	
	Cases	Row %	Cases	Row %	Cases	Col %
1981	0	0.0%	4	100%	4	0.0%
1982	7	18.4%	31	81.6%	38	0.1%
1983	16	16.3%	82	83.7%	98	0.3%
1984	18	11.9%	133	88.1%	151	0.4%
1985	29	15.3%	161	84.7%	190	0.5%
1986	71	17.8%	329	82.3%	400	1.1%
1987	63	13.5%	405	86.5%	468	1.3%
1988	109	16.4%	554	83.6%	663	1.8%
1989	195	19.9%	784	80.1%	979	2.7%
1990	171	19.0%	730	81.0%	901	2.5%
1991	362	19.1%	1,536	80.9%	1,898	5.2%
1992	304	20.4%	1,185	79.6%	1,489	4.1%
1993	443	20.9%	1,679	79.1%	2,122	5.9%
1994	748	23.7%	2,414	76.3%	3,162	8.7%
1995	668	27.9%	1,722	72.1%	2,390	6.6%
1996	579	27.1%	1,560	72.9%	2,139	5.9%
1997	432	28.3%	1,092	71.7%	1,524	4.2%
1998	475	31.6%	1,030	68.4%	1,505	4.2%
1999	356	29.0%	870	71.0%	1,226	3.4%

AIDS Cases by Year & Gender (Cont.)	Female		Male		TOTAL AIDS	
	Cases	Row %	Cases	Row %	Cases	Col %
2000	379	31.8%	814	68.2%	1,193	3.3%
2001	372	32.7%	764	67.3%	1,136	3.1%
2002	323	29.0%	789	71.0%	1,112	3.1%
2003	305	30.1%	709	69.9%	1,014	2.8%
2004	409	31.5%	890	68.5%	1,299	3.6%
2005	392	33.2%	789	66.8%	1,181	3.3%
2006	395	35.0%	735	65.0%	1,130	3.1%
2007	275	34.7%	518	65.3%	793	2.2%
2008	324	31.1%	718	68.9%	1,042	2.9%
2009	255	30.8%	573	69.2%	828	2.3%
2010	198	30.2%	458	69.8%	656	1.8%
2011	233	32.9%	476	67.1%	709	2.0%
2012	158	26.5%	439	73.5%	597	1.6%
2013	189	28.8%	467	71.2%	656	1.8%
2014	144	28.3%	364	71.7%	508	1.4%
2015	146	31.2%	322	68.8%	468	1.3%
2016	128	26.0%	365	74.0%	493	1.4%
2017	7	21.2%	26	78.8%	33	0.1%
<b>Total Adult AIDS</b>	<b>9,678</b>	<b>26.7%</b>	<b>26,517</b>	<b>73.3%</b>	<b>36,195</b>	<b>100%</b>

(Continue next Page)

**FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY**  
**HIV/AIDS Surveillance**  
**Cumulative Number of Reported AIDS Cases**

**JANUARY 2017**

*Adult & Pediatric AIDS cases by race/ethnicity and gender (Excluding DOC)*

AIDS by Race/ Ethnicity *	Adult AIDS						Pediatric AIDS						TOTAL AIDS CASES					
	Female		Male		Total Adult		Female		Male		Total Pediatric		Total Female		Total Male		Total Cases	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)	1,716	18.2%	11,011	41.9%	12,727	35.7%	39	14.8%	40	15.9%	79	15.4%	1,755	18.1%	11,051	41.7%	12,806	35.4%
American Indian/Alaska Native	1	0.0%	2	0.0%	3	0.0%	0	0.0%	0	0.0%	0	0.0%	1	0.0%	2	0.0%	3	0.0%
Asian	2	0.0%	23	0.1%	25	0.1%	0	0.0%	0	0.0%	0	0.0%	2	0.0%	23	0.1%	25	0.1%
Black or African American	7,070	75.1%	10,695	40.7%	17,765	49.8%	212	80.6%	200	79.7%	412	80.2%	7,282	75.2%	10,895	41.1%	18,177	50.2%
Native Hawaiian/Pacific Islander	1	0.0%	0	0.0%	1	0.0%	0	0.0%	0	0.0%	0	0.0%	1	0.0%	0	0.0%	1	0.0%
White	464	4.9%	4,132	15.7%	4,596	12.9%	9	3.4%	9	3.6%	18	3.5%	473	4.9%	4,141	15.6%	4,614	12.7%
Legacy Asian	2	0.0%	12	0.0%	14	0.0%	0	0.0%	0	0.0%	0	0.0%	2	0.0%	12	0.0%	14	0.0%
Multi-Race	159	1.7%	391	1.5%	550	1.5%	3	1.1%	2	0.8%	5	1.0%	162	1.7%	393	1.5%	555	1.5%
Unknown	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
<b>Total AIDS</b>	<b>9,415</b>	<b>100%</b>	<b>26,266</b>	<b>100%</b>	<b>35,681</b>	<b>100%</b>	<b>263</b>	<b>100%</b>	<b>251</b>	<b>100%</b>	<b>514</b>	<b>100%</b>	<b>9,678</b>	<b>100%</b>	<b>26,517</b>	<b>100%</b>	<b>36,195</b>	<b>100%</b>

\* This new category created by CDC, is to support the ability to record an ethnicity and multiple races for an individual, necessitated by new federal OMB guidelines for reporting race and ethnicity.

*AIDS Cases by exposure category and gender among Adult and Pediatric (Excluding DOC)*

Exposure Category among adult AIDS	Adult AIDS					
	Female		Male		Total Adult	
	Cases	Col %	Cases	Col %	Cases	Col %
Adult male-to-male sexual contact [MSM]			14,694	55.9%	14,694	41.2%
Adult injection drug use [IDU]	2,068	22.0%	3,198	12.2%	5,266	14.8%
Adult MSM & IDU			1,419	5.4%	1,419	4.0%
Adult heterosexual contact [HTRSX]	6,318	67.1%	4,182	15.9%	10,500	29.4%
Adult other risk*	172	1.8%	193	0.7%	365	1.0%
Adult no risk factor reported [NRR]	857	9.1%	2,580	9.8%	3,437	9.6%
<b>Total adult AIDS</b>	<b>9,415</b>	<b>100%</b>	<b>26,266</b>	<b>100%</b>	<b>35,681</b>	<b>100%</b>

\* Other risk includes: Adult receiving clotting factor, Hemophilic, Perinatal exposure w/HIV age at 13+ years

Exposure Category among Pediatric AIDS	Pediatric AIDS					
	Female		Male		Total Pediatric	
	Cases	Col %	Cases	Col %	Cases	Col %
Perinatal exposure [PERINATAL]	260	98.9%	243	96.8%	503	97.9%
Child receiving clotting factor [HEMOPH]	0	0.0%	0	0.0%	0	0.0%
Child receiving transfusion/transplant	2	0.8%	5	2.0%	7	1.4%
Child other risk confirmed [OTHER]	0	0.0%	1	0.4%	1	0.2%
Child no risk factor reported [NRR]	1	0.4%	2	0.8%	3	0.6%
<b>Total Pediatric AIDS</b>	<b>263</b>	<b>100%</b>	<b>251</b>	<b>100%</b>	<b>514</b>	<b>100%</b>

(Continue next Page)

**FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY  
HIV/AIDS Surveillance  
Cumulative Number of Reported AIDS Cases**

**JANUARY 2017**

*Adult AIDS cases by exposure category, race/ethnicity and gender (Excluding DOC)*

<b>ADULT FEMALE AIDS CASES</b>														
Exposure Category/ Race/Ethnicity	MALE-TO-MALE SEXUAL CONTACT		INJECTION DRUG USE [IDU]		MSM & IDU		HETEROSEXUAL CONTACT		OTHER* RISK		NO REPORTED RISK [NRR]		TOTAL ADULT FEMALE	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
	Hispanic/Latino (All Races)			249	12.0%			1,316	20.8%	34	19.8%	117	13.7%	1,716
American Indian/Alaska Native			0	0.0%			1	0.0%	0	0.0%	0	0.0%	1	0.0%
Asian			0	0.0%			2	0.0%	0	0.0%	0	0.0%	2	0.0%
Black or African American			1,567	75.8%			4,686	74.2%	119	69.2%	698	81.4%	7,070	75.1%
Native Hawaiian/Pacific Islander			0	0.0%			1	0.0%	0	0.0%	0	0.0%	1	0.0%
White			207	10.0%			211	3.3%	14	8.1%	32	3.7%	464	4.9%
Legacy Asian			0	0.0%			2	0.0%	0	0.0%	0	0.0%	2	0.0%
Multi-Race			45	2.2%			99	1.6%	5	2.9%	10	1.2%	159	1.7%
<b>Adult Female AIDS</b>			<b>2,068</b>	<b>100%</b>			<b>6,318</b>	<b>100%</b>	<b>172</b>	<b>100%</b>	<b>857</b>	<b>100%</b>	<b>9,415</b>	<b>100%</b>

\* OTHER includes Adult receiving clotting factor, Hemophilic, Perinatal exposure w/HIV age at 13+ years

<b>ADULT MALE AIDS CASES</b>														
Exposure Category / Race/Ethnicity	MALE-TO-MALE SEXUAL CONTACT		INJECTION DRUG USE [IDU]		MSM & IDU		HETEROSEXUAL CONTACT		OTHER* RISK		NO REPORTED RISK [NRR]		TOTAL ADULT MALE	
	Cases	Col %	Cases	Col %	Cases	Col %	1010	Col %	Cases	Col %	Cases	Col %	Cases	Col %
	Hispanic/Latino (All Races)	8,058	54.8%	708	22.1%	510	35.9%	1,063	25.4%	60	31.1%	612	23.7%	11,011
American Indian/Alaska Native	0	0.0%	1	0.0%	0	0.0%	0	0.0%	0	0.0%	1	0.0%	2	0.0%
Asian	16	0.1%	0	0.0%	0	0.0%	4	0.1%	0	0.0%	3	0.1%	23	0.1%
Black or African American	3,071	20.9%	2,200	68.8%	606	42.7%	2,944	70.4%	83	43.0%	1,791	69.4%	10,695	40.7%
Native Hawaiian/Pacific Islander	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
White	3,321	22.6%	240	7.5%	276	19.5%	103	2.5%	45	5.0%	147	5.7%	4,132	15.7%
Legacy Asian	7	0.0%	0	0.0%	0	0.0%	4	0.1%	0	0.0%	1	0.0%	12	0.0%
Multi-Race	221	1.5%	49	1.5%	27	1.9%	64	1.5%	5	2.6%	25	1.0%	391	1.5%
<b>Adult Male AIDS</b>	<b>14,694</b>	<b>100%</b>	<b>3,198</b>	<b>100%</b>	<b>1,419</b>	<b>100%</b>	<b>4,182</b>	<b>100%</b>	<b>193</b>	<b>82%</b>	<b>2,580</b>	<b>100%</b>	<b>26,266</b>	<b>100%</b>

	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %
<b>TOTAL ADULT AIDS</b>	<b>14,694</b>	<b>41.2%</b>	<b>5,266</b>	<b>14.8%</b>	<b>1,419</b>	<b>4.0%</b>	<b>10,500</b>	<b>29.4%</b>	<b>365</b>	<b>1.0%</b>	<b>3,437</b>	<b>9.6%</b>	<b>35,681</b>	<b>100%</b>

(Continue next Page)

**FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY  
HIV/AIDS Surveillance  
Cumulative Number of Reported AIDS Cases**

**JANUARY 2017**

*Pediatric AIDS cases by exposure category, race/ethnicity and gender (Excluding DOC)*

<b>PEDIATRIC FEMALE AIDS CASES</b>												
Exposure Category/ Race/Ethnicity	PERINATAL		HEMOPHILIAC		TRANSFUSION		OTHER RISK		NO REPORTED		TOTAL FEMALE	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)	37	14.2%	0	#DIV/0!	1	50.0%	0	#DIV/0!	1	100.0%	39	14.8%
Black or African American	211	81.2%	0	#DIV/0!	1	50.0%	0	#DIV/0!	0	0.0%	212	80.6%
White	9	3.5%	0	#DIV/0!	0	0.0%	0	#DIV/0!	0	0.0%	9	3.4%
Multi-Race	3	1.2%	0	#DIV/0!	0	0.0%	0	#DIV/0!	0	0.0%	3	1.1%
<b>Pediatric Female AIDS</b>	<b>260</b>	<b>100%</b>	<b>0</b>	<b>#DIV/0!</b>	<b>2</b>	<b>100%</b>	<b>0</b>	<b>#DIV/0!</b>	<b>1</b>	<b>100%</b>	<b>263</b>	<b>100%</b>

<b>PEDIATRIC MALE AIDS CASES</b>												
Exposure Category/ Race/Ethnicity	PERINATAL		HEMOPHILIAC		TRANSFUSION		OTHER RISK		NO REPORTED		TOTAL MALE	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)	35	14.4%	0	#DIV/0!	4	80.0%	0	0.0%	1	50.0%	40	15.9%
Black or African American	197	81.1%	0	#DIV/0!	1	20.0%	1	100.0%	1	50.0%	200	79.7%
White	9	3.7%	0	#DIV/0!	0	0.0%	0	0.0%	0	0.0%	9	3.6%
Multi-Race	2	0.8%	0	#DIV/0!	0	0.0%	0	0.0%	0	0.0%	2	0.8%
<b>Pediatric Male AIDS</b>	<b>243</b>	<b>100%</b>	<b>0</b>	<b>#DIV/0!</b>	<b>5</b>	<b>100%</b>	<b>1</b>	<b>100%</b>	<b>2</b>	<b>100%</b>	<b>251</b>	<b>100%</b>

	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %
<b>TOTAL PEDIATRIC AIDS</b>	<b>503</b>	<b>97.9%</b>	<b>0</b>	<b>0.0%</b>	<b>7</b>	<b>1.4%</b>	<b>1</b>	<b>0.2%</b>	<b>3</b>	<b>0.6%</b>	<b>514</b>	<b>100%</b>

*Adult Hispanic/Latino AIDS cases by country of origin and gender (Excluding DOC)*

Country of Origin	ADULT FEMALE AIDS			ADULT MALE AIDS			TOTAL HISPANIC/LATINO		
	Cases	Col %	Row %	Cases	Col %	Row %	Cases	Col %	Row %
Argentina	24	1.4%	12.5%	168	1.5%	87.5%	192	1.5%	100%
Brazil	12	0.7%	8.6%	128	1.2%	91.4%	140	1.1%	100%
Colombia	73	4.3%	12.3%	521	4.7%	87.7%	594	4.7%	100%
Cuba	413	24.1%	7.8%	4,884	44.4%	92.2%	5,297	41.6%	100%
Dominican Republic	75	4.4%	31.9%	160	1.5%	68.1%	235	1.8%	100%
Guatemala	20	1.2%	15.9%	106	1.0%	84.1%	126	1.0%	100%
Honduras	140	8.2%	29.2%	339	3.1%	70.8%	479	3.8%	100%
Mexico	21	1.2%	8.0%	243	2.2%	92.0%	264	2.1%	100%
Nicaragua	83	4.8%	18.2%	373	3.4%	81.8%	456	3.6%	100%
Peru	27	1.6%	13.5%	173	1.6%	86.5%	200	1.6%	100%
Puerto Rico	189	11.0%	17.6%	884	8.0%	82.4%	1,073	8.4%	100%
United States	405	23.6%	20.9%	1,536	13.9%	79.1%	1,941	15.3%	100%
Venezuela	17	1.0%	5.9%	273	2.5%	94.1%	290	2.3%	100%
Other/Unknown Countries	217	12.6%	15.1%	1,223	11.1%	84.9%	1,440	11.3%	100%
<b>Total Adult Hispanic/Latino</b>	<b>1,716</b>	<b>100%</b>	<b>13.5%</b>	<b>11,011</b>	<b>100%</b>	<b>86.5%</b>	<b>12,727</b>	<b>100%</b>	<b>100%</b>

(Continue next Page)

**FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY**  
**HIV/AIDS Surveillance**  
**Cumulative Number of Reported AIDS Cases**

**JANUARY 2017**

*Adult Hispanic/Latino AIDS cases by country of origin, exposure category and gender (Excluding DOC)*

ADULT HISPANIC/LATINO FEMALE AIDS CASES															
Country of Origin	MALE-TO-MALE SEXUAL CONTACT		INJECTION DRUG USE [IDU]		MSM & IDU		HETEROSEXUAL CONTACT		OTHER * RISK		NO REPORTED RISK [NRR]		Total Hispanic/Latino Female by Country of Origin		
	Cases	Row %	Cases	Row %	Number	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Col %	Row %
Argentina			3	12.5%			20	83.3%	0	0.0%	1	4.2%	24	1.4%	100%
Brazil			2	16.7%			10	83.3%	0	0.0%	0	0.0%	12	0.7%	100%
Colombia			8	11.0%			54	74.0%	2	2.7%	9	12.3%	73	4.3%	100%
Cuba			55	13.3%			309	74.8%	8	1.9%	41	9.9%	413	24.1%	100%
Dominican Republic			3	4.0%			65	86.7%	0	0.0%	7	9.3%	75	4.4%	100%
Guatemala			0	0.0%			20	100.0%	0	0.0%	0	0.0%	20	1.2%	100%
Honduras			8	5.7%			124	88.6%	1	0.7%	7	5.0%	140	8.2%	100%
Mexico			3	14.3%			16	76.2%	1	4.8%	1	4.8%	21	1.2%	100%
Nicaragua			5	6.0%			67	80.7%	1	1.2%	10	12.0%	83	4.8%	100%
Peru			1	3.7%			26	96.3%	0	0.0%	0	0.0%	27	1.6%	100%
Puerto Rico			50	26.5%			127	67.2%	3	1.6%	9	4.8%	189	11.0%	100%
United States			85	21.0%			287	70.9%	16	4.0%	17	4.2%	405	23.6%	100%
Venezuela			3	17.6%			13	76.5%	0	0.0%	1	5.9%	17	1.0%	100%
Other/Unknown Countries			23	10.6%			178	82.0%	2	0.9%	14	6.5%	217	12.6%	100%
<b>Total adult Hispanic/Latino Female</b>			<b>249</b>	<b>14.5%</b>			<b>1,316</b>	<b>76.7%</b>	<b>34</b>	<b>2.0%</b>	<b>117</b>	<b>6.8%</b>	<b>1,716</b>	<b>100%</b>	<b>100%</b>
ADULT HISPANIC/LATINO MALE AIDS CASES															
Country of Origin	MALE-TO-MALE SEXUAL CONTACT		INJECTION DRUG USE [IDU]		MSM & IDU		HETEROSEXUAL CONTACT		OTHER * RISK		NO REPORTED RISK [NRR]		Total Hispanic/Latino Male by Country of Origin		
	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Col %	Row %
Argentina	140	83.3%	4	2.4%	7	4.2%	14	8.3%	0	0.0%	3	1.8%	168	1.5%	100%
Brazil	106	82.8%	7	5.5%	5	3.9%	6	4.7%	2	1.6%	2	1.6%	128	1.2%	100%
Colombia	423	81.2%	15	2.9%	18	3.5%	42	8.1%	3	0.6%	20	3.8%	521	4.7%	100%
Cuba	3,781	77.4%	212	4.3%	194	4.0%	394	8.1%	29	0.6%	274	5.6%	4,884	44.4%	100%
Dominican Republic	87	54.4%	8	5.0%	6	3.8%	43	26.9%	1	0.6%	15	9.4%	160	1.5%	100%
Guatemala	58	54.7%	5	4.7%	2	1.9%	29	27.4%	0	0.0%	12	11.3%	106	1.0%	100%
Honduras	218	64.3%	18	5.3%	7	2.1%	70	20.6%	4	1.2%	22	6.5%	339	3.1%	100%
Mexico	166	68.3%	11	4.5%	7	2.9%	40	16.5%	0	0.0%	19	7.8%	243	2.2%	100%
Nicaragua	274	73.5%	10	2.7%	13	3.5%	54	14.5%	1	0.3%	21	5.6%	373	3.4%	100%
Peru	139	80.3%	2	1.2%	2	1.2%	20	11.6%	0	0.0%	10	5.8%	173	1.6%	100%
Puerto Rico	440	49.8%	215	24.3%	105	11.9%	71	8.0%	3	0.3%	50	5.7%	884	8.0%	100%
United States	1,059	68.9%	156	10.2%	114	7.4%	134	8.7%	14	0.9%	59	3.8%	1,536	13.9%	100%
Venezuela	239	87.5%	3	1.1%	3	1.1%	18	6.6%	2	0.7%	8	2.9%	273	2.5%	100%
Other/Unknown Countries	928	75.9%	42	3.4%	27	2.2%	128	10.5%	1	0.1%	97	7.9%	1,223	11.1%	100%
<b>Total adult Hispanic/Latino Male</b>	<b>8,058</b>	<b>73.2%</b>	<b>708</b>	<b>6.4%</b>	<b>510</b>	<b>4.6%</b>	<b>1,063</b>	<b>9.7%</b>	<b>60</b>	<b>0.5%</b>	<b>612</b>	<b>5.6%</b>	<b>11,011</b>	<b>100%</b>	<b>100%</b>
<b>TOTAL ADULT HISPANIC/LATINO</b>	<b>8,058</b>	<b>63.3%</b>	<b>957</b>	<b>7.5%</b>	<b>510</b>	<b>4.0%</b>	<b>2,379</b>	<b>18.7%</b>	<b>94</b>	<b>0.7%</b>	<b>729</b>	<b>5.7%</b>	<b>12,727</b>	<b>100%</b>	

(Continue next Page)

**FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY**  
**HIV/AIDS Surveillance**  
**Cumulative Number of Reported AIDS Cases**

**JANUARY 2017**

*Haitian born adult AIDS cases by exposure category and gender (Excluding DOC)*

<b>ADULT HAITIAN BORN AIDS CASES</b>														
Exposure Category GENDER	MALE-TO-MALE SEXUAL CONTACT		INJECTION DRUG USE [IDU]		MSM & IDU		HETEROSEXUAL CONTACT		OTHER * RISK		NO REPORTED RISK [NRR]		Total Haitian by Gender	
	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %
Haitian born Adult Females			57	3.6%			1,189	75.4%	26	1.6%	305	19.3%	1,577	100%
Haitian born Adult Males	552	22.3%	77	3.1%	29	1.2%	917	37.0%	12	0.5%	892	36.0%	2,479	100%
<b>Total Haitian born</b>	<b>552</b>	<b>13.6%</b>	<b>134</b>	<b>3.3%</b>	<b>29</b>	<b>0.7%</b>	<b>2,106</b>	<b>51.9%</b>	<b>38</b>	<b>0.9%</b>	<b>1,197</b>	<b>29.5%</b>	<b>4,056</b>	<b>100%</b>

\* OTHER includes Adult receiving clotting factor, Hemophilia, Perinatal exposure w/HIV age at 13+ years

*Department of Correction [DOC] Adult AIDS cases by race/ethnicity and gender.*

AIDS Cases by Race/Ethnicity & Gender	DOC AIDS Cases					
	Female		Male		Total	
	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)	0	0.0%	94	13.9%	94	13.3%
Black or African American	21	77.8%	482	71.1%	503	71.3%
White	4	14.8%	70	10.3%	74	10.5%
Haitian	1	3.7%	19	2.8%	20	2.8%
Other (1)	1	3.7%	13	1.9%	14	2.0%
<b>Total AIDS</b>	<b>27</b>	<b>100%</b>	<b>678</b>	<b>100%</b>	<b>705</b>	<b>100%</b>

(1) Other Includes American Indian/Alaska Native, Asian, Native Hawaiian, Pacific Islander, Legacy Asian & Multi Race

Adjustments are performed on a monthly basis to compensate for duplicate reports state and nation wide and case validation projects.



**FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY**  
**HIV/AIDS Surveillance**  
**Cumulative Number of Reported HIV (Not AIDS) Cases**

**JANUARY 2017**

<i>HIV (not AIDS) cases by age group and gender (Excluding Department of Correction - DOC)</i>							<i>HIV (not AIDS) Cases by age group, race/ethnicity &amp; gender, showing Haitians separated (Excluding DOC)</i>											
HIV Cases by Age Group & Gender	Female		Male		TOTAL HIV		Hispanic/Latino		Black		White		Haitian		Other <sup>(1)</sup>		TOTAL HIV	
	Cases	Col %	Cases	Col %	Cases	Col %	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male
Under 5	60	1.5%	47	0.4%	107	0.7%	13	9	45	34	1	0	1	2	0	2	60	47
5-12	33	0.8%	18	0.1%	51	0.3%	5	5	22	10	0	0	6	3	0	0	33	18
13-19	223	5.5%	329	2.7%	552	3.4%	44	140	165	165	6	10	7	11	1	3	223	329
20-29	983	24.1%	3,019	25.0%	4,002	24.8%	232	1,678	583	864	53	347	103	87	12	43	983	3,019
30-39	1,102	27.0%	3,782	31.3%	4,884	30.2%	269	2,197	552	738	77	649	194	155	10	43	1,102	3,782
40-49	939	23.0%	2,963	24.5%	3,902	24.1%	233	1,579	481	672	65	509	145	167	15	36	939	2,963
50-59	520	12.7%	1,343	11.1%	1,863	11.5%	139	582	249	410	22	230	104	105	6	16	520	1,343
60-64	103	2.5%	285	2.4%	388	2.4%	25	107	45	95	5	48	28	29	0	6	103	285
65-69	77	1.9%	174	1.4%	251	1.6%	24	74	36	61	4	25	12	14	1	0	77	174
>=70	39	1.0%	130	1.1%	169	1.0%	8	46	11	53	3	15	16	13	1	3	39	130
Unknown	0	0.0%	0	0.0%	0	0.0%	0	0	0	0	0	0	0	0	0	0	0	0
<b>Total HIV</b>	<b>4,079</b>	<b>100%</b>	<b>12,090</b>	<b>100%</b>	<b>16,169</b>	<b>100%</b>	<b>992</b>	<b>6,417</b>	<b>2,189</b>	<b>3,102</b>	<b>236</b>	<b>1,833</b>	<b>616</b>	<b>586</b>	<b>46</b>	<b>152</b>	<b>4,079</b>	<b>12,090</b>

<sup>(1)</sup> Other Includes American Indian/Alaska Native, Asian, Native Hawaiian, Pacific Islander, Legacy Asian & Multi Race

*HIV (Not AIDS) Cases by year of report and gender (Excluding DOC) HIV start reporting in Florida in July 1997.*

HIV Cases by Year Report & Gender	Female		Male		TOTAL HIV	
	Cases	Row %	Cases	Row %	Cases	Col %
July-December 1997	120	36.7%	207	63.3%	327	2.0%
1998	264	30.7%	596	69.3%	860	5.3%
1999	251	30.8%	563	69.2%	814	5.0%
2000	225	30.4%	515	69.6%	740	4.6%
2001	233	30.3%	537	69.7%	770	4.8%
2002	283	30.4%	647	69.6%	930	5.8%
2003	231	28.2%	588	71.8%	819	5.1%
2004	220	27.2%	589	72.8%	809	5.0%
2005	219	31.2%	483	68.8%	702	4.3%
2006	177	27.9%	458	72.1%	635	3.9%
2007	214	26.4%	597	73.6%	811	5.0%
2008	223	24.9%	671	75.1%	894	5.5%
2009	175	24.4%	543	75.6%	718	4.4%
2010	165	22.8%	559	77.2%	724	4.5%
2011	176	22.1%	620	77.9%	796	4.9%
2012	155	22.2%	542	77.8%	697	4.3%

HIV Cases by Year & Gender (Cont.)	Female		Male		TOTAL HIV	
	Cases	Row %	Cases	Row %	Cases	Col %
2013	192	22.8%	650	77.2%	842	5.2%
2014	156	16.9%	767	83.1%	923	5.7%
2015	180	17.1%	871	82.9%	1,051	6.5%
2016	209	17.1%	1,015	82.9%	1,224	7.6%
2017	11	13.3%	72	86.7%	83	0.5%
<b>Total HIV</b>	<b>4,079</b>	<b>25.2%</b>	<b>12,090</b>	<b>74.8%</b>	<b>16,169</b>	<b>99%</b>

(Continue next Page)

**FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY  
HIV/AIDS Surveillance  
Cumulative Number of Reported HIV (Not AIDS) Cases**

**JANUARY 2017**

*Adult & Pediatric HIV (not AIDS) cases by race/ethnicity and gender (Excluding DOC)*

HIV by Race/ Ethnicity *	Adult HIV						Pediatric HIV						TOTAL HIV CASES					
	Female		Male		Total Adult		Female		Male		Total Pediatric		Total Female		Total Male		Total Cases	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)	979	24.6%	6,408	53.3%	7,387	46.1%	18	19.4%	14	21.5%	32	20.3%	997	24.4%	6,422	53.1%	7,419	45.9%
American Indian/Alaska Native	3	0.1%	5	0.0%	8	0.0%	0	0.0%	0	0.0%	0	0.0%	3	0.1%	5	0.0%	8	0.0%
Asian	4	0.1%	32	0.3%	36	0.2%	0	0.0%	0	0.0%	0	0.0%	4	0.1%	32	0.3%	36	0.2%
Black or African American	2,724	68.3%	3,629	30.2%	6,353	39.7%	73	78.5%	49	75.4%	122	77.2%	2,797	68.6%	3,678	30.4%	6,475	40.0%
Native Hawaiian/Pacific Islander	1	0.0%	5	0.0%	6	0.0%	0	0.0%	0	0.0%	0	0.0%	1	0.0%	5	0.0%	6	0.0%
White	236	5.9%	1,834	15.3%	2,070	12.9%	1	1.1%	0	0.0%	1	0.6%	237	5.8%	1,834	15.2%	2,071	12.8%
Legacy Asian	1	0.0%	6	0.0%	7	0.0%	0	0.0%	1	1.5%	1	0.6%	1	0.0%	7	0.1%	8	0.0%
Multi-Race	38	1.0%	106	0.9%	144	0.9%	1	1.1%	1	1.5%	2	1.3%	39	1.0%	107	0.9%	146	0.9%
Unknown	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
<b>Total HIV</b>	<b>3,986</b>	<b>100%</b>	<b>12,025</b>	<b>100%</b>	<b>16,011</b>	<b>100%</b>	<b>93</b>	<b>100%</b>	<b>65</b>	<b>100%</b>	<b>158</b>	<b>100%</b>	<b>4,079</b>	<b>100%</b>	<b>12,090</b>	<b>100%</b>	<b>16,169</b>	<b>100%</b>

\* This new category created by CDC, is to support the ability to record an ethnicity and multiple races for an individual, necessitated by new federal OMB guidelines for reporting race and ethnicity.

*HIV (not AIDS) Cases by exposure category and gender among Adult and Pediatric (Excluding DOC)*

Exposure Category among adult HIV cases	Adult HIV					
	Female		Male		Total Adult	
	Cases	Col %	Cases	Col %	Cases	Col %
Adult male-to-male sexual contact [MSM]			8,477	70.5%	8,477	52.9%
Adult injection drug use [IDU]	285	7.2%	332	2.8%	617	3.9%
Adult MSM & IDU			266	2.2%	266	1.7%
Adult heterosexual contact [HTRSX]	3,180	79.8%	1,782	14.8%	4,962	31.0%
Adult other risk*	6	0.2%	4	0.0%	10	0.1%
Adult no risk factor reported [NRR]	515	12.9%	1,164	9.7%	1,679	10.5%
<b>Total adult HIV</b>	<b>3,986</b>	<b>100%</b>	<b>12,025</b>	<b>100%</b>	<b>16,011</b>	<b>100%</b>

\* Other risk includes: Adult receiving clotting factor, Hemophiliac, Perinatal exposure w/HIV age at 13+ years

Exposure Category among Pediatric HIV cases	Pediatric HIV					
	Female		Male		Total Pediatric	
	Cases	Col %	Cases	Col %	Cases	Col %
Perinatal exposure [PERINATAL]	90	96.8%	63	96.9%	153	96.8%
Child receiving clotting factor [HEMOPH]	0	0.0%	0	0.0%	0	0.0%
Child receiving transfusion/transplant	0	0.0%	0	0.0%	0	0.0%
Child other risk confirmed [OTHER]	0	0.0%	0	0.0%	0	0.0%
Child no risk factor reported [NRR]	3	3.2%	2	3.1%	5	3.2%
<b>Total Pediatric HIV</b>	<b>93</b>	<b>100%</b>	<b>65</b>	<b>100%</b>	<b>158</b>	<b>100%</b>

(Continue next Page)

**FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY  
HIV/AIDS Surveillance  
Cumulative Number of Reported HIV (Not AIDS) Cases**

**JANUARY 2017**

*Adult HIV (not AIDS) cases by exposure category, race/ethnicity and gender (Excluding DOC)*

<b>ADULT FEMALE HIV CASES</b>														
Exposure Category/ Race/Ethnicity	MALE-TO-MALE SEXUAL CONTACT		INJECTION DRUG USE [IDU]		MSM & IDU		HETEROSEXUAL CONTACT		OTHER * RISK		NO REPORTED RISK [NRR]		TOTAL ADULT FEMALE	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
	Hispanic/Latino (All Races)			71	24.9%			751	23.6%	2	33.3%	155	30.1%	979
American Indian/Alaska Native			0	0.0%			3	0.1%	0	0.0%	0	0.0%	3	0.1%
Asian			0	0.0%			3	0.1%	0	0.0%	1	0.2%	4	0.1%
Black or African American			164	57.5%			2,235	70.3%	2	33.3%	323	62.7%	2,724	68.3%
Native Hawaiian/Pacific Islander			0	0.0%			0	0.0%	0	0.0%	1	0.2%	1	0.0%
White			43	15.1%			161	5.1%	1	16.7%	31	6.0%	236	5.9%
Legacy Asian			0	0.0%			0	0.0%	0	0.0%	1	0.2%	1	0.0%
Multi-Race			7	2.5%			27	0.8%	1	16.7%	3	0.6%	38	1.0%
<b>Adult Female HIV</b>			<b>285</b>	<b>100%</b>			<b>3,180</b>	<b>100%</b>	<b>6</b>	<b>100%</b>	<b>515</b>	<b>100%</b>	<b>3,986</b>	<b>100%</b>

\* OTHER includes Adult receiving clotting factor, Hemophiliac, Perinatal exposure w/HIV age at 13+ years

<b>ADULT MALE HIV CASES</b>														
Exposure Category/ Race/Ethnicity	MALE-TO-MALE SEXUAL CONTACT		INJECTION DRUG USE [IDU]		MSM & IDU		HETEROSEXUAL CONTACT		OTHER * RISK		NO REPORTED RISK [NRR]		TOTAL ADULT MALE	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
	Hispanic/Latino (All Races)	5,222	61.6%	100	30.1%	130	48.9%	503	28.2%	0	0.0%	453	38.9%	6,408
American Indian/Alaska Native	4	0.0%	0	0.0%	0	0.0%	1	0.1%	0	0.0%	0	0.0%	5	0.0%
Asian	27	0.3%	0	0.0%	1	0.4%	2	0.1%	0	0.0%	2	0.2%	32	0.3%
Black or African American	1,579	18.6%	188	56.6%	79	29.7%	1,182	66.3%	2	50.0%	599	51.5%	3,629	30.2%
Native Hawaiian/Pacific Islander	5	0.1%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	5	0.0%
White	1,568	18.5%	41	12.3%	50	18.8%	71	4.0%	2	50.0%	102	8.8%	1,834	15.3%
Legacy Asian	5	0.1%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	1	0.1%	6	0.0%
Multi-Race	67	0.8%	3	0.9%	6	2.3%	23	1.3%	0	0.0%	7	0.6%	106	0.9%
<b>Adult Male HIV</b>	<b>8,477</b>	<b>100%</b>	<b>332</b>	<b>100%</b>	<b>266</b>	<b>100%</b>	<b>1,782</b>	<b>100%</b>	<b>4</b>	<b>100%</b>	<b>1,164</b>	<b>100%</b>	<b>12,025</b>	<b>100%</b>

	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %
<b>TOTAL ADULT HIV</b>	<b>8,477</b>	<b>52.9%</b>	<b>617</b>	<b>3.9%</b>	<b>266</b>	<b>1.7%</b>	<b>4,962</b>	<b>31.0%</b>	<b>10</b>	<b>0.1%</b>	<b>1,679</b>	<b>10.5%</b>	<b>16,011</b>	<b>100%</b>

(Continue next Page)

**FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY  
HIV/AIDS Surveillance  
Cumulative Number of Reported HIV (Not AIDS) Cases**

**JANUARY 2017**

*Pediatric HIV (not AIDS) cases by exposure category, race/ethnicity and gender (Excluding DOC)*

<b>PEDIATRIC FEMALE HIV CASES</b>												
Exposure Category/ Race/Ethnicity	PERINATAL		HEMOPHILIAC		TRANSFUSION		OTHER RISK		NO REPORTED		TOTAL FEMALE	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)	16	17.8%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	2	66.7%	18	19.4%
Black or African American	72	80.0%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	1	33.3%	73	78.5%
White	1	1.1%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0	0.0%	1	1.1%
Legacy Asian/Pacific Isl.	0	0.0%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0	0.0%	0	0.0%
Multi-Race	1	1.1%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0	0.0%	1	1.1%
<b>Pediatric Female HIV</b>	<b>90</b>	<b>100%</b>	<b>0</b>	<b>#DIV/0!</b>	<b>0</b>	<b>#DIV/0!</b>	<b>0</b>	<b>#DIV/0!</b>	<b>3</b>	<b>100%</b>	<b>93</b>	<b>100%</b>

<b>PEDIATRIC MALE HIV CASES</b>												
Exposure Category/ Race/Ethnicity	PERINATAL		HEMOPHILIAC		TRANSFUSION		OTHER RISK		NO REPORTED		TOTAL MALE	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)	13	20.6%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	1	50.0%	14	21.5%
Black or African American	48	76.2%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	1	50.0%	49	75.4%
White	0	0.0%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0	0.0%	0	0.0%
Legacy Asian/Pacific Isl.	1	1.6%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0	0.0%	1	1.5%
Multi-Race	1	1.6%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0	0.0%	1	1.5%
<b>Pediatric Male HIV</b>	<b>63</b>	<b>100%</b>	<b>0</b>	<b>#DIV/0!</b>	<b>0</b>	<b>#DIV/0!</b>	<b>0</b>	<b>#DIV/0!</b>	<b>2</b>	<b>100%</b>	<b>65</b>	<b>100%</b>

	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %
<b>TOTAL PEDIATRIC HIV</b>	<b>153</b>	<b>96.8%</b>	<b>0</b>	<b>0.0%</b>	<b>0</b>	<b>0.0%</b>	<b>0</b>	<b>0.0%</b>	<b>5</b>	<b>3.2%</b>	<b>158</b>	<b>100%</b>

*Adult Hispanic/Latino HIV (not AIDS) cases by country of origin and gender (Excluding DOC)*

Country of Origin	ADULT FEMALE HIV			ADULT MALE HIV			TOTAL HISPANIC/LATINO		
	Cases	Col %	Row %	Cases	Col %	Row %	Cases	Col %	Row %
Argentina	21	2.1%	12.4%	149	2.3%	87.6%	170	2.3%	100%
Brazil	17	1.7%	11.2%	135	2.1%	88.8%	152	2.1%	100%
Colombia	39	4.0%	11.4%	304	4.7%	88.6%	343	4.6%	100%
Cuba	181	18.5%	7.8%	2,141	33.4%	92.2%	2,322	31.4%	100%
Dominican Republic	35	3.6%	28.7%	87	1.4%	71.3%	122	1.7%	100%
Honduras	67	6.8%	29.3%	162	2.5%	70.7%	229	3.1%	100%
Mexico	8	0.8%	5.1%	149	2.3%	94.9%	157	2.1%	100%
Nicaragua	35	3.6%	19.1%	148	2.3%	80.9%	183	2.5%	100%
Peru	14	1.4%	13.1%	93	1.5%	86.9%	107	1.4%	100%
Puerto Rico	59	6.0%	18.4%	261	4.1%	81.6%	320	4.3%	100%
United States	250	25.5%	16.1%	1,307	20.4%	83.9%	1,557	21.1%	100%
Venezuela	27	2.8%	6.0%	420	6.6%	94.0%	447	6.1%	100%
Other/Unknown Countries	226	23.1%	17.7%	1,052	16.4%	82.3%	1,278	17.3%	100%
<b>Total Adult Hispanic/Latino HIV</b>	<b>979</b>	<b>100%</b>	<b>13.3%</b>	<b>6,408</b>	<b>100%</b>	<b>86.7%</b>	<b>7,387</b>	<b>100%</b>	<b>100%</b>

(Continue next Page)

**FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY**  
**HIV/AIDS Surveillance**  
**Cumulative Number of Reported HIV (Not AIDS) Cases**

**JANUARY 2017**

*Adult Hispanic/Latino HIV (not AIDS) cases by country of origin, exposure category and gender (Excluding DOC)*

<b>ADULT HISPANIC/LATINO FEMALE HIV CASES</b>															
Country of Origin	MALE-TO-MALE		INJECTION		MSM & IDU		HETEROSEXUAL		OTHER *		NO REPORTED		Total Hispanic/Latino Female		
	SEXUAL CONTACT		DRUG USE [IDU]				CONTACT		RISK		RISK [NRR]		by Country of Origin		
	Cases	Row %	Cases	Row %	Number	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Col %	Row %
Argentina			3	14.3%			16	76.2%	0	0.0%	2	9.5%	21	2.1%	100%
Brazil			0	0.0%			14	82.4%	0	0.0%	3	17.6%	17	1.7%	100%
Colombia			2	5.1%			32	82.1%	0	0.0%	5	12.8%	39	4.0%	100%
Cuba			10	5.5%			149	82.3%	0	0.0%	22	12.2%	181	18.5%	100%
Dominican Republic			1	2.9%			31	88.6%	0	0.0%	3	8.6%	35	3.6%	100%
Honduras			1	1.5%			60	89.6%	0	0.0%	6	9.0%	67	6.8%	100%
Mexico			2	25.0%			5	62.5%	0	0.0%	1	12.5%	8	0.8%	100%
Nicaragua			0	0.0%			28	80.0%	0	0.0%	7	20.0%	35	3.6%	100%
Peru			1	7.1%			11	78.6%	0	0.0%	2	14.3%	14	1.4%	100%
Puerto Rico			10	16.9%			38	64.4%	0	0.0%	11	18.6%	59	6.0%	100%
United States			33	13.2%			185	74.0%	2	0.8%	30	12.0%	250	25.5%	100%
Venezuela			1	3.7%			24	88.9%	0	0.0%	2	7.4%	27	2.8%	100%
Other/Unknown Countries			7	3.1%			158	69.9%	0	0.0%	61	27.0%	226	23.1%	100%
<b>Total adult Hispanic/Latino Female</b>			<b>71</b>	<b>7.3%</b>			<b>751</b>	<b>76.7%</b>	<b>2</b>	<b>0.2%</b>	<b>155</b>	<b>15.8%</b>	<b>979</b>	<b>100%</b>	<b>100%</b>

<b>ADULT HISPANIC/LATINO MALE HIV CASES</b>															
Country of Origin	MALE-TO-MALE		INJECTION		MSM & IDU		HETEROSEXUAL		OTHER *		NO REPORTED		Total Hispanic/Latino Male		
	SEXUAL CONTACT		DRUG USE [IDU]				CONTACT		RISK		RISK [NRR]		by Country of Origin		
	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Col %	Row %
Argentina	131	87.9%	2	1.3%	2	1.3%	9	6.0%	0	0.0%	5	3.4%	149	2.3%	100%
Brazil	125	92.6%	0	0.0%	2	1.5%	5	3.7%	0	0.0%	3	2.2%	135	2.1%	100%
Colombia	264	86.8%	1	0.3%	9	3.0%	16	5.3%	0	0.0%	14	4.6%	304	4.7%	100%
Cuba	1,807	84.4%	22	1.0%	41	1.9%	178	8.3%	0	0.0%	93	4.3%	2,141	33.4%	100%
Dominican Republic	57	65.5%	3	3.4%	3	3.4%	16	18.4%	0	0.0%	8	9.2%	87	1.4%	100%
Honduras	111	68.5%	1	0.6%	3	1.9%	31	19.1%	0	0.0%	16	9.9%	162	2.5%	100%
Mexico	126	84.6%	2	1.3%	1	0.7%	12	8.1%	0	0.0%	8	5.4%	149	2.3%	100%
Nicaragua	116	78.4%	2	1.4%	2	1.4%	16	10.8%	0	0.0%	12	8.1%	148	2.3%	100%
Peru	84	90.3%	1	1.1%	1	1.1%	6	6.5%	0	0.0%	1	1.1%	93	1.5%	100%
Puerto Rico	192	73.6%	28	10.7%	19	7.3%	12	4.6%	0	0.0%	10	3.8%	261	4.1%	100%
United States	1,069	81.8%	26	2.0%	33	2.5%	98	7.5%	0	0.0%	81	6.2%	1,307	20.4%	100%
Venezuela	385	91.7%	0	0.0%	2	0.5%	16	3.8%	0	0.0%	17	4.0%	420	6.6%	100%
Other/Unknown Countries	755	71.8%	12	1.1%	12	1.1%	88	8.4%	0	0.0%	185	17.6%	1,052	16.4%	100%
<b>Total adult Hispanic/Latino Ma</b>	<b>5,222</b>	<b>81.5%</b>	<b>100</b>	<b>1.6%</b>	<b>130</b>	<b>2.0%</b>	<b>503</b>	<b>7.8%</b>	<b>0</b>	<b>0.0%</b>	<b>453</b>	<b>7.1%</b>	<b>6,408</b>	<b>100%</b>	<b>100%</b>

	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %
<b>TOTAL ADULT HISPANIC/LATINO</b>	<b>5,222</b>	<b>70.7%</b>	<b>171</b>	<b>2.3%</b>	<b>130</b>	<b>1.8%</b>	<b>1,254</b>	<b>17.0%</b>	<b>2</b>	<b>0.0%</b>	<b>608</b>	<b>8.2%</b>	<b>7,387</b>	<b>100%</b>

(Continue next Page)

**FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY**  
**HIV/AIDS Surveillance**  
**Cumulative Number of Reported HIV (Not AIDS) Cases**

**JANUARY 2017**

*Haitian born adult HIV cases by exposure category and gender (Excluding DOC)*

<b>ADULT HAITIAN BORN HIV CASES</b>														
Exposure Category GENDER	MALE-TO-MALE SEXUAL CONTACT		INJECTION DRUG USE [IDU]		[MSM] & [IDU]		HETEROSEXUAL CONTACT		OTHER* RISK		NO REPORTED RISK [NRR]		Total Haitian by Gender	
	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %
	Haitian born Adult Females			11	1.8%			534	87.7%	0	0.0%	64	10.5%	609
Haitian born Adult Males	121	20.8%	7	1.2%	1	0.2%	322	55.4%	0	0.0%	130	22.4%	581	100%
<b>Total Haitian born</b>	<b>121</b>	<b>10.2%</b>	<b>18</b>	<b>1.5%</b>	<b>1</b>	<b>0.1%</b>	<b>856</b>	<b>71.9%</b>	<b>0</b>	<b>0.0%</b>	<b>194</b>	<b>16.3%</b>	<b>1,190</b>	<b>100%</b>

\* OTHER includes Adult receiving clotting factor, Hemophiliac, Perinatal exposure w/HIV age at 13+ years

*Department of Correction [DOC] Adult HIV (not AIDS) by race/ethnicity and gender.*

HIV Cases by Race/Ethnicity & Gender	DOC HIV Cases					
	Female		Male		Total	
	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)	5	33.3%	76	17.6%	81	18.1%
Black or African American	7	46.7%	275	63.5%	282	62.9%
White	3	20.0%	62	14.3%	65	14.5%
Haitian	0	0.0%	13	3.0%	13	2.9%
Other (1)	0	0.0%	7	1.6%	7	1.6%
<b>Total HIV</b>	<b>15</b>	<b>100%</b>	<b>433</b>	<b>100%</b>	<b>448</b>	<b>100%</b>

(1) Other Includes American Indian/Alaska Native, Asian, Native Hawaiian, Pacific Islander, Legacy Asian & Multi Race

Adjustments are performed on a monthly basis to compensate for duplicate reports state and nation wide and case validation projects.

**FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY**  
**HIV/AIDS Surveillance**  
**Perinatal HIV Exposed Cases**

**JANUARY 2017**

*All EXPOSED Perinatal pediatric cases born in Miami-Dade by year of birth and diagnosis status since November 20<sup>th</sup>, 2006. <sup>(1)</sup>*

Year of Birth	Perinatal HIV Exposure	Pediatric HIV	Pediatric AIDS	Pediatric seroreverter	Unknown	TOTAL
>=November 20 <sup>th</sup> , 2006	3	0	0	16	0	19
2007	32	1	0	106	0	139
2008	39	1	1	91	0	132
2009	30	2	0	87	0	119
2010	39	3	0	83	0	125
2011	13	1	0	105	0	119
2012	10	1	0	90	0	101
2013	11	2	1	82	0	96
2014	4	1	0	84	0	89
2015	14	5	0	78	0	97
2016	43	0	0	49	0	92
<b>Total</b>	<b>238</b>	<b>17</b>	<b>2</b>	<b>871</b>	<b>0</b>	<b>1,128</b>

*All EXPOSED Perinatal pediatric cases born in Miami-Dade by year of birth and race/ethnicity since November 20<sup>th</sup>, 2006. <sup>(1)</sup>*

Year of Birth	Hispanic	Not Hispanic, Black	Not Hispanic, White	Not Hispanic, Other <sup>(2)</sup>	TOTAL
>=November 20 <sup>th</sup> , 2006	3	15	1	0	19
2007	22	110	5	2	139
2008	19	111	2	0	132
2009	24	91	3	1	119
2010	31	87	5	2	125
2011	21	90	7	1	119
2012	23	68	8	2	101
2013	17	74	3	2	96
2014	15	70	4	0	89
2015	18	77	2	0	97
2016	13	72	7	0	92
<b>Total</b>	<b>206</b>	<b>865</b>	<b>47</b>	<b>10</b>	<b>1,128</b>

<sup>(1)</sup> NOTE: An expanded HIV reporting law was implemented on November 20<sup>th</sup>, 2006. Expansion included reportability of cases with virologic evidence of HIV infection. Previously, only Western Blot-confirmed (+) cases were reportable. In addition, reporting is retroactive. Previously, only HIV cases diagnosed after July 1<sup>st</sup>, 1997, were reportable. A detectable viral load (VL) (or equivalent viral test) is reportable, and is considered evidence of HIV. Other reportable virologic test considered to be evidence of HIV are: P24, ANTIGEN, Nucleic Acid test (NAT/NAAT), viral culture. CD4 counts/percents are reportable, but follow-up is conducted only if it is <200 uL, or <14%.

<sup>(2)</sup> Other Includes American Indian/Alaska Native, Asian, Native Hawaiian, Pacific Islander, Legacy Asian & Multi Race

[\(Continue next Page\)](#)

**FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY  
HIV/AIDS Surveillance  
Perinatal HIV Exposed Cases**

**JANUARY 2017**

*All EXPOSED Perinatal pediatric cases born in Miami-Dade by year of birth and Mother HIV status since November 20<sup>th</sup>, 2006. <sup>(1)</sup>*

Year of Birth	Know HIV (+) before pregnancy	Know HIV (+) during pregnancy	Know HIV (+) at time of delivery	Know HIV (+) sometime before birth	Know HIV (+) sometime after birth	HIV (+) with time unknown	TOTAL
>=November 20 <sup>th</sup> , 2006	16	2	0	0	0	1	19
2007	92	34	10	0	3	0	139
2008	95	35	2	0	0	0	132
2009	87	24	8	0	0	0	119
2010	90	25	5	2	1	2	125
2011	89	24	3	2	1	0	119
2012	75	24	2	0	0	0	101
2013	78	12	2	3	0	1	96
2014	77	11	0	1	0	0	89
2015	80	11	1	1	1	3	97
2016	67	18	3	1	1	2	92
<b>Total</b>	<b>846</b>	<b>220</b>	<b>36</b>	<b>10</b>	<b>7</b>	<b>9</b>	<b>1,128</b>

*All EXPOSED Perinatal pediatric cases born in Miami-Dade by diagnosis and Mother HIV status since November 20<sup>th</sup>, 2006. <sup>(1)</sup>*

Diagnosis Status	Know HIV (+) before pregnancy	Know HIV (+) during pregnancy	Know HIV (+) at time of delivery	Know HIV (+) sometime before birth	Know HIV (+) sometime after birth	HIV (+) with time unknown	TOTAL
Perinatal HIV Exposure	169	47	13	4	3	2	238
Pediatric HIV	12	1	3	0	1	0	17
Pediatric AIDS	2	0	0	0	0	0	2
Pediatric Seroreverter	663	172	20	6	3	7	871
Unknown	0	0	0	0	0	0	-
<b>Total</b>	<b>846</b>	<b>220</b>	<b>36</b>	<b>10</b>	<b>7</b>	<b>9</b>	<b>1,128</b>

*All EXPOSED Perinatal pediatric cases born in Miami-Dade by diagnosis status and HIV category since November 20<sup>th</sup>, 2006. <sup>(1)</sup>*

Diagnosis Status	HIV (+) Definitive	HIV (+) Presumptive	HIV Indeterminate	HIV (-) Definitive	HIV (-) Presumptive	Unknown	TOTAL
Perinatal HIV Exposure	0	0	238	0	0	0	238
Pediatric HIV	17	0	0	0	0	0	17
Pediatric AIDS	2	0	0	0	0	0	2
Pediatric Seroreverter	0	0	0	621	250	0	871
Unknown	0	0	0	0	0	0	-
<b>Total</b>	<b>19</b>	<b>0</b>	<b>238</b>	<b>621</b>	<b>250</b>	<b>0</b>	<b>1,128</b>

<sup>(1)</sup> NOTE: An expanded HIV reporting law was implemented on November 20<sup>th</sup>, 2006. Expansion included reportability of cases with virologic evidence of HIV infection. Previously, only Western Blot-confirmed (+) cases were reportable. In addition, reporting is retroactive. Previously, only HIV cases diagnosed after July 1<sup>st</sup>, 1997, were reportable. A detectable viral load (VL) (or equivalent viral test) is reportable, and is considered evidence of HIV. Other reportable virologic test considered to be evidence of HIV are: P24, ANTIGEN, Nucleic Acid test (NAT/NAAT), viral culture. CD4 counts/percents are reportable, but follow-up is conducted only if it is <200 uL, or <14%. (Continue next Page)



**FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY**  
**HIV/AIDS Surveillance**  
**Perinatal HIV Exposed Cases**

**JANUARY 2017**

*CONFIRMED Infected Perinatal Cases, know HIV or AIDS born in Miami-Dade by year of birth, 2000-2016.*

Perinatal HIV/AIDS Cases by Year of Birth	Pediatic HIV		Pediatic AIDS		TOTAL		
	Cases	Row %	Cases	Row %	Cases	Col %	Row %
2000	5	71.4%	2	28.6%	7	12.5%	100%
2001	6	60.0%	4	40.0%	10	17.9%	100%
2002	3	50.0%	3	50.0%	6	10.7%	100%
2003	3	75.0%	1	25.0%	4	7.1%	100%
2004	1	50.0%	1	50.0%	2	3.6%	100%
2005	3	60.0%	2	40.0%	5	8.9%	100%
2006	2	66.7%	1	33.3%	3	5.4%	100%
2007	1	100.0%	0	0.0%	1	1.8%	100%
2008	1	50.0%	1	50.0%	2	3.6%	100%
2009	2	100.0%	0	0.0%	2	3.6%	100%
2010	3	100.0%	0	0.0%	3	5.4%	100%
2011	1	100.0%	0	0.0%	1	1.8%	100%
2012	1	100.0%	0	0.0%	1	1.8%	100%
2013	2	66.7%	1	33.3%	3	5.4%	100%
2014	1	100.0%	0	0.0%	1	1.8%	100%
2015	5	100.0%	0	0.0%	5	8.9%	100%
2016	0	#DIV/0!	0	#DIV/0!	0	0.0%	#DIV/0!
<b>Total Confirmed Perinatal Cases</b>	<b>40</b>	<b>71%</b>	<b>16</b>	<b>29%</b>	<b>56</b>	<b>100%</b>	<b>100%</b>

(Continue next Page)

**FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY**  
**HIV/AIDS Surveillance**  
**Perinatal HIV Exposed Cases**

**JANUARY 2017**

*All EXPOSED Perinatal pediatric cases born in Miami-Dade by hospital of birth and diagnosis status since November 20<sup>th</sup>, 2006. <sup>(1)</sup>*

Hospital of Birth	Perinatal HIV Exposure	Pediatric HIV	Pediatric AIDS	Perinatal Seroreverter	Unknown	TOTAL	TOTAL %
BAPTIST HOSPITAL-MIAMI	3	0	0	4	0	7	0.6%
BROWARD GENERAL MEDICAL CTR.	2	0	0	2	0	4	0.4%
CORAL SPRINGS MEDICAL CTR.	1	0	0	0	0	1	0.1%
HIALEAH HOSPITAL	2	0	0	1	0	3	0.3%
HOMESTEAD HOSPITAL	8	1	0	3	0	12	1.1%
JACKSON N MATERNITY CTR.	0	0	0	2	0	2	0.2%
JACKSON NORTH MEDICAL CTR.	10	3	0	18	0	31	2.7%
JACKSON SOUTH MEDICAL CTR.	3	0	0	15	0	18	1.6%
JACKSON MEMORIAL HOSPITAL	165	7	0	768	0	940	83.3%
KENDALL RMC	1	0	0	1	0	2	0.2%
MEMORIAL HOSPITAL-MIRAMAR	1	0	1	0	0	2	0.2%
MEMORIAL HOSPITAL-SOUTH	1	0	0	0	0	1	0.1%
MEMORIAL HOSPITAL-WEST	1	0	0	2	0	3	0.3%
MEMORIAL HOSPITAL-PEMBROKE PINES	3	0	0	1	0	4	0.4%
MEMORIAL HOSPITAL-HOLLYWOOD	10	0	0	10	0	20	1.8%
MERCY HOSPITAL	2	0	0	0	0	2	0.2%
MIAMI CHILDREN'S HOSPITAL	1	0	0	0	0	1	0.1%
MIAMI-DADE PVT PHYSICIAN-MIAMI	2	0	0	0	0	2	0.2%
MOUNT SINAI MC	1	0	0	1	0	2	0.2%
NORTH SHORE MEDICAL CTR.	14	2	0	32	0	48	4.3%
PLANTATION GENERAL HOSPITAL	2	0	0	1	0	3	0.3%
SOUTH MIAMI HOSPITAL	1	0	0	0	0	1	0.1%
UF HEALTH AT JACKSONVILLE	1	0	0	0	0	1	0.1%
WELLINGTON RMS	1	0	0	0	0	1	0.1%
UNKNOWN	2	4	1	10	0	17	1.5%
<b>TOTAL</b>	<b>238</b>	<b>17</b>	<b>2</b>	<b>871</b>	<b>0</b>	<b>1,128</b>	<b>100%</b>

<sup>(1)</sup> NOTE: An expanded HIV reporting law was implemented on November 20<sup>th</sup>, 2006. Expansion included reportability of cases with virologic evidence of HIV infection. Previously, only Western Blot-confirmed (+) cases were reportable. In addition, reporting is retroactive. Previously, only HIV cases diagnosed after July 1<sup>st</sup>, 1997, were reportable. A detectable viral load (VL) (or equivalent viral test) is reportable, and is considered evidence of HIV. Other reportable virologic test considered to be evidence of HIV are: P24, ANTIGEN, Nucleic Acid test (NAT/NAAT), viral culture. CD4 counts/percents are reportable, but follow-up is conducted only if it is <200 uL, or <14%.

**FLORIDA DEPARTMENT OF HEALTH IN MIAMI- DADE COUNTY  
HIV/AIDS SURVEILLANCE  
LIVING CASES WITH HIV DISEASE THROUGH DECEMBER 2015**

Living cases with HIV disease, excluding Department of Correction [DOC] cases. **Data as of June 2016**

\* Living AIDS and HIV (not AIDS) [PLWHA - prevalence] is defined as the number of diagnosed cases in eHARS, as of the date specified. These included cases whose current residence is Miami-Dade County regardless of where they were diagnosed.

GENDER	* LIVING CASES by DIAGNOSIS					
	AIDS		HIV (Not AIDS)		Total Prevalence	
	Cases	Col %	Cases	Col %	Cases	Col %
Female	3,781	29%	3,344	26%	7,125	27%
Male	9,478	71%	9,738	74%	19,216	73%
<b>Total Prevalence</b>	<b>13,259</b>	<b>100%</b>	<b>13,082</b>	<b>100%</b>	<b>26,341</b>	<b>100%</b>

* Living Cases Including DOC	
AIDS	13,639
HIV	13,427
<b>Total</b>	<b>27,066</b>

RACE/ETHNICITY	* LIVING CASES by DIAGNOSIS						* LIVING CASES by GENDER					
	AIDS		HIV (Not AIDS)		Total Prevalence		FEMALE		MALE		Total Prevalence	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic (All Races)	5,469	41%	6,114	47%	11,583	44%	1,672	23%	9,911	52%	11,583	44%
Not Hispanic, Black	6,261	47%	5,195	40%	11,456	43%	5,024	71%	6,432	33%	11,456	43%
Not Hispanic, White	1,317	10%	1,620	12%	2,937	11%	331	5%	2,606	14%	2,937	11%
Not Hispanic, Other	212	2%	153	1%	365	1%	98	1%	267	1%	365	1%
<b>Total Prevalence</b>	<b>13,259</b>	<b>100%</b>	<b>13,082</b>	<b>100%</b>	<b>26,341</b>	<b>100%</b>	<b>7,125</b>	<b>100%</b>	<b>19,216</b>	<b>100%</b>	<b>26,341</b>	<b>100%</b>

CURRENT AGE	* LIVING CASES by DIAGNOSIS						* LIVING CASES by GENDER					
	AIDS		HIV (Not AIDS)		Total Prevalence		FEMALE		MALE		Total Prevalence	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
00-01 years	-	0%	5	0%	5	0%	4	0%	1	0%	5	0%
02-12 years	5	0%	19	0%	24	0%	8	0%	16	0%	24	0%
13-24 years	205	2%	606	5%	811	3%	243	3%	568	3%	811	3%
25-44 years	2,991	23%	5,431	42%	8,422	32%	2,326	33%	6,096	32%	8,422	32%
45-64 years	8,524	64%	6,128	47%	14,652	56%	3,876	54%	10,776	56%	14,652	56%
65+ years	1,534	12%	893	7%	2,427	9%	668	9%	1,759	9%	2,427	9%
<b>Total Prevalence</b>	<b>13,259</b>	<b>100%</b>	<b>13,082</b>	<b>100%</b>	<b>26,341</b>	<b>100%</b>	<b>7,125</b>	<b>100%</b>	<b>19,216</b>	<b>100%</b>	<b>26,341</b>	<b>100%</b>

(Continue next Page)

**FLORIDA DEPARTMENT OF HEALTH IN MIAMI- DADE COUNTY  
HIV/AIDS SURVEILLANCE  
LIVING CASES WITH HIV DISEASE THROUGH DECEMBER 2015**

Living cases with HIV disease, excluding Department of Correction [DOC] cases. **Data as of June 2016.**

\* Living AIDS and HIV (not AIDS) [PLWHA - prevalence] is defined as the number of diagnosed cases in eHARS, as of the date specified. These included cases whose current residence is Miami-Dade County regardless of where they were diagnosed.

* LIVING CASES by DIAGNOSIS, RISK CATEGORY and GENDER							
EXPOSURE CATEGORY <sup>(1)</sup>	AIDS		HIV (Not AIDS)		Total Prevalence		
	Cases	Col %	Cases	Col %	Cases	Col %	
<b>MALE</b>				% of Male		% of Total	
Male-to-male sexual contact [MSM]	6,282	66%	7,543	77%	13,825	72%	52%
Injection drug use [IDU]	605	6%	283	3%	888	5%	3%
MSM & IDU	434	5%	252	3%	686	4%	3%
Heterosexual contact	2,038	22%	1,598	16%	3,636	19%	14%
Other risk	119	1%	62	1%	181	1%	1%
<b>Total Male Prevalence</b>	<b>9,478</b>	<b>100%</b>	<b>9,738</b>	<b>100%</b>	<b>19,216</b>	<b>100%</b>	
<b>FEMALE</b>				% of Female			
Injection drug use [IDU]	487	13%	233	7%	720	10%	3%
Heterosexual contact	3,169	84%	3,026	90%	6,195	87%	24%
Other risk	125	3%	85	3%	210	3%	1%
<b>Total Female Prevalence</b>	<b>3,781</b>	<b>100%</b>	<b>3,344</b>	<b>100%</b>	<b>7,125</b>	<b>100%</b>	<b>100%</b>
		AIDS		HIV (Not AIDS)		Total Prevalence	
		Cases	Row %	Cases	Row %	Cases	Total %
<b>TOTAL PREVALENCE</b>		<b>13,259</b>	<b>50%</b>	<b>13,082</b>	<b>50%</b>	<b>26,341</b>	<b>100%</b>

<sup>(1)</sup> No identified risk redistributed

**FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY  
ONE-IN STATEMENTS**

\* **ONE-IN Statements for Adults (>=13) Living with HIV or AIDS [PLWHA] through 2015 in Miami-Dade & Florida,**

<b>ADULT MALE LIVING WITH HIV OR AIDS</b>	
<b>MIAMI-DADE</b>	<b>FLORIDA</b>
• One in 63 White adult male in Miami-Dade is living with HIV or AIDS	• One in 171 White adult male
• One in 26 Black adult male in Miami-Dade is living with HIV or AIDS	• One in 38 Black adult male
• One in 73 Hispanic adult male in Miami-Dade is living with HIV or AIDS	• One in 97 Hispanic adult male
• One in 91 other race adult male in Miami-Dade is living with HIV or AIDS	• One in 199 Other adult male
<b>One in 56 adult male in Miami-Dade is living with HIV or AIDS</b>	<b>One in 102 adult male in Florida</b>

<b>ADULT FEMALE LIVING WITH HIV OR AIDS</b>	
<b>MIAMI-DADE</b>	<b>FLORIDA</b>
• One in 472 White adult female in Miami-Dade is living with HIV or AIDS	• One in 1,048 White adult female
• One in 38 Black adult female in Miami-Dade is living with HIV or AIDS	• One in 61 Black adult female
• One in 474 Hispanic adult female in Miami-Dade is living with HIV or AIDS	• One in 424 Hispanic adult female
• One in 272 other race adult female in Miami-Dade is living with HIV or AIDS	• One in 582 Other adult female
<b>One in 164 adult female in Miami-Dade is living with HIV or AIDS</b>	<b>One in 277 adult female in Florida</b>

<b>TOTAL ADULTS OF ALL SEXES LIVING WITH HIV OR AIDS</b>	
<b>MIAMI-DADE</b>	<b>FLORIDA</b>
• One in 109 White adult in Miami-Dade is living with HIV or AIDS	• One in 299 White adult
• One in 31 Black adult in Miami-Dade is living with HIV or AIDS	• One in 48 Black adult
• One in 131 Hispanic adult in Miami-Dade is living with HIV or AIDS	• One in 160 Hispanic adult
• One in 140 other race adult in Miami-Dade is living with HIV or AIDS	• One in 307 Other adult race
<b>One in 85 adult resident in Miami-Dade is living with HIV or AIDS</b>	<b>One in 152 adult Floridian</b>

Note: Excluding Department of Correction [DOC] cases at county level. Florida totals include DOC cases.

These statements are updated by the Florida Bureau of Communicable Disease, HIV/AIDS Section, every June of following year.

\* Living data now reflects those living on our area regardless of where diagnosed.

You cannot compare this year's data with previous year's since they were run separately

**FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY  
ONE-IN STATEMENTS**

\* **ONE-IN Statements for Total Persons (all ages) Living with HIV or AIDS [PLWHA] through 2015 in Miami-Dade & Florida**

<b>TOTAL MALE LIVING WITH HIV OR AIDS</b>	
<b>MIAMI-DADE</b>	<b>FLORIDA</b>
• One in 76 White male in Miami-Dade is living with HIV or AIDS	• One in 193 White male
• One in 33 Black male in Miami-Dade is living with HIV or AIDS	• One in 49 Black male
• One in 86 Hispanic male in Miami-Dade is living with HIV or AIDS	• One in 120 Hispanic male
• One in 112 other race male in Miami-Dade is living with HIV or AIDS	• One in 261 Other male
<b>One in 67 male in Miami-Dade is living with HIV or AIDS</b>	<b>One in 121 male in Florida</b>

<b>TOTAL FEMALE LIVING WITH HIV OR AIDS</b>	
<b>MIAMI-DADE</b>	<b>FLORIDA</b>
• One in 564 White female in Miami-Dade is living with HIV or AIDS	• One in 1,173 White female
• One in 46 Black female in Miami-Dade is living with HIV or AIDS	• One in 75 Black female
• One in 547 Hispanic female in Miami-Dade is living with HIV or AIDS	• One in 517 Hispanic female
• One in 325 other race female in Miami-Dade is living with HIV or AIDS	• One in 735 Other female
<b>One in 191 female in Miami-Dade is living with HIV or AIDS</b>	<b>One in 322 female in Florida</b>

<b>TOTAL ALL SEXES LIVING WITH HIV OR AIDS</b>	
<b>MIAMI-DADE</b>	<b>FLORIDA</b>
• One in 131 White in Miami-Dade is living with HIV or AIDS	• One in 336 White
• One in 38 Black in Miami-Dade is living with HIV or AIDS	• One in 60 Black
• One in 152 Hispanic in Miami-Dade is living with HIV or AIDS	• One in 196 Hispanic
• One in 169 other race in Miami-Dade is living with HIV or AIDS	• One in 395 Other race
<b>One in 101 Miami-Dade resident is living with HIV or AIDS</b>	<b>One in 178 Floridian</b>

Note: Excluding Department of Correction [DOC] cases at county level. Florida totals include DOC cases.

These statements are updated by the Florida Bureau of Communicable Disease, HIV/AIDS Section, every June of following year.

\* Living data now reflects those living on our area regardless of where diagnosed.

You cannot compare this year's data with previous year's since they were run separately

**FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY  
USEFUL WEBSITE LINKS**

Below are several website that may be useful for HIV/AIDS related information.

<b>USEFUL WEBSITE LINKS</b>	
<b>ORGANIZATIONS / SITES</b>	<b>ELECTRONIC ADDRESS</b>
Data from the HIV Counseling and Testing (Florida & all Counties)	<a href="http://www.floridahealth.gov/diseases-and-conditions/aids/prevention/2013-testing-data.html">http://www.floridahealth.gov/diseases-and-conditions/aids/prevention/2013-testing-data.html</a>
Center for Disease Control and Prevention [CDC]	<a href="http://www.cdc.gov">http://www.cdc.gov</a>
Center for Disease Control and Prevention [CDC] HIV/AIDS Statistics and Surveillance	<a href="http://www.cdc.gov/hiv/topics/surveillance/">http://www.cdc.gov/hiv/topics/surveillance/</a>
Center for Disease Control and Prevention [CDC] Morbidity and Mortality Weekly Report [MMWR]	<a href="http://www.cdc.gov/mmwr/">http://www.cdc.gov/mmwr/</a>
Florida Community Health Assessment Resource Tool Set [Florida CHARTS]	<a href="http://www.floridacharts.com/charts/default.aspx">http://www.floridacharts.com/charts/default.aspx</a>
Florida Department of Health in Miami-Dade County	<a href="http://miamidade.floridahealth.gov">http://miamidade.floridahealth.gov</a>
Florida Department of Health, Bureau of Communicable Disease, HIV/AIDS and Hepatitis Section.	<a href="http://www.floridahealth.gov/diseases-and-conditions/aids/index.html">http://www.floridahealth.gov/diseases-and-conditions/aids/index.html</a>
<i>Organización Panamericana de la Salud</i> [PAHO] (Pan American Health Organization)	<a href="http://www.paho.org">http://www.paho.org</a>
The Test Miami Initiative	<a href="http://www.testmiami.org/index.aspx">http://www.testmiami.org/index.aspx</a>
United Nations Program on HIV/AIDS [UNAIDS]	<a href="http://www.unaids.org/">http://www.unaids.org/</a>
US Census Bureau.	<a href="http://www.census.gov">http://www.census.gov</a>
US Census Bureau. HIV/AIDS Surveillance	<a href="http://www.census.gov/ipc/www/hivaidn.html">http://www.census.gov/ipc/www/hivaidn.html</a>
World Health Organization [WHO]	<a href="http://www.who.int">http://www.who.int</a>