





MIAMI-DADE COUNTY NEIGHBORHOOD PROFILES

The present surveillance analysis includes demographic profiles for each of the ten zones (neighborhoods) we divided our county. The data shows in each zone, cumulative number of documented people living with a diagnosis of HIV or AIDS through December 31st, 2013, by race/ethnicity, current age group and specific risk factors, according to gender, as well as a total people living with HIV or AIDS [PLWHA] through that date in our county.

People living with HIV or AIDS has been updated by the Florida Department of Health, Bureau of Communicable Disease, HIV/AIDS & Hepatitis Section, in June 2013, using the National Death Index [NDI] latest information for death cases.

Total reported people living with HIV or AIDS are those reported cases regardless of where they are currently living.



Zone I, which includes Hialeah, Miami Lakes, Hialeah Gardens, Miami Springs, Medley and vicinity, has the sixth highest number of people living with HIV/AIDS [PLWHA]. Analysis by race/ethnicity, current age group and risk category according to gender as follow:




ZONE I BY RACE	PEOPLE LIVING WITH AIDS						PEOPLE LIVING WITH HIV						PEOPLE LIVING WITH HIV/AIDS					
	FEMALE	%	MALE	%	TOTAL	%	FEMALE	%	MALE	%	TOTAL	%	FEMALE	%	MALE	%	TOTAL	%
HISPANIC	107	70%	539	75%	646	74%	103	72%	477	76%	580	75%	210	71%	1,016	75%	1,226	75%
BLACK	29	19%	117	16%	146	17%	33	23%	98	16%	131	17%	62	21%	215	16%	277	17%
WHITE	6	4%	47	7%	53	6%	6	4%	35	6%	41	5%	12	4%	82	6%	94	6%
HAITIAN	8	5%	10	1%	18	2%	2	1%	7	1%	9	1%	10	3%	17	1%	27	2%
OTHER ⁽¹⁾	3	2%	6	1%	9	1%	0	0%	10	2%	10	1%	3	1%	16	1%	19	1%
TOTAL	153	100%	719	100%	872	100%	144	100%	627	100%	771	100%	297	100%	1,346	100%	1,643	100%

BY CURRENT AGE

<=12 Yrs.	0	0%	1	0%	1	0%	1	1%	0	0%	1	0%	1	0%	1	0%	2	0%
13-19 Yrs.	1	1%	2	0%	3	0%	2	1%	3	0%	5	1%	3	1%	5	0%	8	0%
20-29 Yrs.	5	3%	23	3%	28	3%	20	14%	93	15%	113	15%	25	8%	116	9%	141	9%
30-39 Yrs.	16	10%	86	12%	102	12%	24	17%	146	23%	170	22%	40	13%	232	17%	272	17%
40-49 Yrs.	49	32%	225	31%	274	31%	45	31%	201	32%	246	32%	94	32%	426	32%	520	32%
>=50 Yrs.	82	54%	382	53%	464	53%	52	36%	184	29%	236	31%	134	45%	566	42%	700	43%
TOTAL	153	100%	719	100%	872	100%	144	100%	627	100%	771	100%	297	100%	1,346	100%	1,643	100%

BY RISK CATEGORY

MSM			470	65%	470	54%			424	68%	424	55%			894	66%	894	54%
IDU	12	8%	55	8%	67	8%	6	4%	19	3%	25	3%	18	6%	74	5%	92	6%
MSM-IDU			44	6%	44	5%			21	3%	21	3%			65	5%	65	4%
HTSX	127	83%	102	14%	229	26%	115	80%	97	15%	212	27%	242	81%	199	15%	441	27%
OTHER ⁽²⁾	3	2%	8	1%	11	1%	3	2%	1	0%	4	1%	6	2%	9	1%	15	1%
NRR/NIR	11	7%	40	6%	51	6%	20	14%	65	10%	85	11%	31	10%	105	8%	136	8%
TOTAL	153	100%	719	100%	872	100%	144	100%	627	100%	771	100%	297	100%	1,346	100%	1,643	100%



(1) Includes American Indian/Alaska Native, Asian, Native Hawaiian/Pacific islander, Legacy Asian, Multi-Race.

(2) Transfusion/transplant, received clotting factor, adult case with pediatric risk, perinatal and other pediatric exposure.

Risk Legend: MSM=Male-to-male sexual contact. IDU=Injection drug use. HTSX=Heterosexual contact with people infected or at risk for HIV. NRR/NIR=No reported or identified risk.

Zone II, which includes Opa-Locka, Carol City, Norland and vicinity, has the third highest number of people living with HIV/AIDS [PLWHA]. Analysis by race/ethnicity, current age group and risk category according to gender as follow:




ZONE II BY RACE	PEOPLE LIVING WITH AIDS						PEOPLE LIVING WITH HIV						PEOPLE LIVING WITH HIV/AIDS					
	FEMALE	%	MALE	%	TOTAL	%	FEMALE	%	MALE	%	TOTAL	%	FEMALE	%	MALE	%	TOTAL	%
HISPANIC	66	9%	245	26%	311	19%	58	10%	254	30%	312	21%	124	9%	499	28%	623	20%
BLACK	459	64%	469	50%	928	56%	410	68%	422	49%	832	57%	869	66%	891	50%	1,760	57%
WHITE	15	2%	76	8%	91	5%	20	3%	77	9%	97	7%	35	3%	153	9%	188	6%
HAITIAN	169	24%	143	15%	312	19%	108	18%	89	10%	197	14%	277	21%	232	13%	509	16%
OTHER ⁽¹⁾	4	1%	12	1%	16	1%	4	1%	11	1%	15	1%	8	1%	23	1%	31	1%
TOTAL	713	100%	945	100%	1,658	100%	600	100%	853	100%	1,453	100%	1,313	100%	1,798	100%	3,111	100%

BY CURRENT AGE

AGE GROUP	FEMALE	%	MALE	%	TOTAL	%	FEMALE	%	MALE	%	TOTAL	%	FEMALE	%	MALE	%	TOTAL	%
<=12 Yrs.	1	0%	2	0%	3	0%	1	0%	1	0%	2	0%	2	0%	3	0%	5	0%
13-19 Yrs.	6	1%	8	1%	14	1%	19	3%	13	2%	32	2%	25	2%	21	1%	46	1%
20-29 Yrs.	44	6%	57	6%	101	6%	72	12%	163	19%	235	16%	116	9%	220	12%	336	11%
30-39 Yrs.	100	14%	87	9%	187	11%	141	24%	165	19%	306	21%	241	18%	252	14%	493	16%
40-49 Yrs.	250	35%	270	29%	520	31%	159	27%	230	27%	389	27%	409	31%	500	28%	909	29%
>=50 Yrs.	312	44%	521	55%	833	50%	208	35%	281	33%	489	34%	520	40%	802	45%	1,322	42%
TOTAL	713	100%	945	100%	1,658	100%	600	100%	853	100%	1,453	100%	1,313	100%	1,798	100%	3,111	100%

BY RISK CATEGORY

RISK CATEGORY	FEMALE	%	MALE	%	TOTAL	%	FEMALE	%	MALE	%	TOTAL	%	FEMALE	%	MALE	%	TOTAL	%
MSM			455	48%	455	27%			495	58%	495	34%			950	53%	950	31%
IDU	66	9%	59	6%	125	8%	26	4%	19	2%	45	3%	92	7%	78	4%	170	5%
MSM-IDU			30	3%	30	2%			16	2%	16	1%			46	3%	46	1%
HTSX	568	80%	292	31%	860	52%	476	79%	190	22%	666	46%	1,044	80%	482	27%	1,526	49%
OTHER ⁽²⁾	27	4%	27	3%	54	3%	24	4%	15	2%	39	3%	51	4%	42	2%	93	3%
NRR/NIR	52	7%	82	9%	134	8%	74	12%	118	14%	192	13%	126	10%	200	11%	326	10%
TOTAL	713	100%	945	100%	1,658	100%	600	100%	853	100%	1,453	100%	1,313	100%	1,798	100%	3,111	100%






(1) Includes American Indian/Alaska Native, Asian, Native Hawaiian/Pacific islander, Legacy Asian, Multi-Race.

(2) Transfusion/transplant, received clotting factor, adult case with pediatric risk, perinatal and other pediatric exposure.

Risk Legend: MSM=Male-to-male sexual contact. IDU=Injection drug use. HTSX=Heterosexual contact with people infected or at risk for HIV. NRR/NIR=No reported or identified risk.

Zone III, which includes Miami Beach, South Beach, Surfside and vicinity, has the second highest number of people living with HIV/AIDS [PLWHA]. Analysis by race/ethnicity, current age group and risk category according to gender as follow:

ZONE III BY RACE	PEOPLE LIVING WITH AIDS						PEOPLE LIVING WITH HIV						PEOPLE LIVING WITH HIV/AIDS					
	FEMALE	%	MALE	%	TOTAL	%	FEMALE	%	MALE	%	TOTAL	%	FEMALE	%	MALE	%	TOTAL	%
HISPANIC	50	46%	758	58%	808	57%	57	50%	914	56%	971	56%	107	48%	1,672	57%	1,779	56%
BLACK	23	21%	102	8%	125	9%	22	19%	141	9%	163	9%	45	20%	243	8%	288	9%
WHITE	16	15%	393	30%	409	29%	22	19%	535	33%	557	32%	38	17%	928	32%	966	31%
HAITIAN	19	17%	26	2%	45	3%	13	11%	16	1%	29	2%	32	14%	42	1%	74	2%
OTHER ⁽¹⁾	1	1%	21	2%	22	2%	1	1%	23	1%	24	1%	2	1%	44	2%	46	1%
TOTAL	109	100%	1,300	100%	1,409	100%	115	100%	1,629	100%	1,744	100%	224	100%	2,929	100%	3,153	100%
BY CURRENT AGE																		
<=12 Yrs.	0	0%	0	0%	0	0%	2	2%	0	0%	2	0%	2	1%	0	0%	2	0%
13-19 Yrs.	1	1%	2	0%	3	0%	0	0%	3	0%	3	0%	1	0%	5	0%	6	0%
20-29 Yrs.	4	4%	25	2%	29	2%	8	7%	113	7%	121	7%	12	5%	138	5%	150	5%
30-39 Yrs.	9	8%	115	9%	124	9%	21	18%	342	21%	363	21%	30	13%	457	16%	487	15%
40-49 Yrs.	32	29%	462	36%	494	35%	40	35%	632	39%	672	39%	72	32%	1,094	37%	1,166	37%
>=50 Yrs.	63	58%	696	54%	759	54%	44	38%	539	33%	583	33%	107	48%	1,235	42%	1,342	43%
TOTAL	109	100%	1,300	100%	1,409	100%	115	100%	1,629	100%	1,744	100%	224	100%	2,929	100%	3,153	100%
BY RISK CATEGORY																		
MSM			1,125	87%	1,125	80%			1,449	89%	1,449	83%			2,574	88%	2,574	82%
IDU	11	10%	32	2%	43	3%	5	4%	11	1%	16	1%	16	7%	43	1%	59	2%
MSM-IDU			40	3%	40	3%			18	1%	18	1%			58	2%	58	2%
HTSX	89	82%	62	5%	151	11%	82	71%	61	4%	143	8%	171	76%	123	4%	294	9%
OTHER ⁽²⁾	2	2%	6	0%	8	1%	2	2%	1	0%	3	0%	4	2%	7	0%	11	0%
NRR/NIR	7	6%	35	3%	42	3%	26	23%	89	5%	115	7%	33	15%	124	4%	157	5%
TOTAL	109	100%	1,300	100%	1,409	100%	115	100%	1,629	100%	1,744	100%	224	100%	2,929	100%	3,153	100%




(1) Includes American Indian/Alaska Native, Asian, Native Hawaiian/Pacific islander, Legacy Asian, Multi-Race.

(2) Transfusion/transplant, received clotting factor, adult case with pediatric risk, perinatal and other pediatric exposure.

Risk Legend: MSM=Male-to-male sexual contact. IDU=Injection drug use. HTSX=Heterosexual contact with people infected or at risk for HIV. NRR/NIR=No reported or identified risk.

Zone IV, which includes Liberty City, Miami Shores, El Portal and vicinity, has the first highest number of people living with HIV/AIDS [PLWHA]. Analysis by race/ethnicity, current age group and risk category according to gender as follow:

ZONE IV BY RACE	PEOPLE LIVING WITH AIDS						PEOPLE LIVING WITH HIV						PEOPLE LIVING WITH HIV/AIDS					
	FEMALE	%	MALE	%	TOTAL	%	FEMALE	%	MALE	%	TOTAL	%	FEMALE	%	MALE	%	TOTAL	%
HISPANIC	78	7%	327	21%	405	15%	67	8%	302	25%	369	18%	145	7%	629	23%	774	16%
BLACK	583	54%	615	39%	1,198	46%	512	59%	521	43%	1,033	50%	1,095	56%	1,136	41%	2,231	47%
WHITE	20	2%	138	9%	158	6%	17	2%	138	11%	155	7%	37	2%	276	10%	313	7%
HAITIAN	376	35%	455	29%	831	32%	264	30%	231	19%	495	24%	640	33%	686	25%	1,326	28%
OTHER ⁽¹⁾	13	1%	22	1%	35	1%	9	1%	14	1%	23	1%	22	1%	36	1%	58	1%
TOTAL	1,070	100%	1,557	100%	2,627	100%	869	100%	1,206	100%	2,075	100%	1,939	100%	2,763	100%	4,702	100%
BY CURRENT AGE																		
<=12 Yrs.	0	0%	1	0%	1	0%	2	0%	4	0%	6	0%	2	0%	5	0%	7	0%
13-19 Yrs.	7	1%	2	0%	9	0%	14	2%	15	1%	29	1%	21	1%	17	1%	38	1%
20-29 Yrs.	58	5%	69	4%	127	5%	100	12%	149	12%	249	12%	158	8%	218	8%	376	8%
30-39 Yrs.	121	11%	130	8%	251	10%	200	23%	199	17%	399	19%	321	17%	329	12%	650	14%
40-49 Yrs.	304	28%	383	25%	687	26%	216	25%	325	27%	541	26%	520	27%	708	26%	1,228	26%
>=50 Yrs.	580	54%	972	62%	1,552	59%	337	39%	514	43%	851	41%	917	47%	1,486	54%	2,403	51%
TOTAL	1,070	100%	1,557	100%	2,627	100%	869	100%	1,206	100%	2,075	100%	1,939	100%	2,763	100%	4,702	100%
BY RISK CATEGORY																		
MSM			692	44%	692	26%			622	52%	622	30%			1,314	48%	1,314	28%
IDU	112	10%	104	7%	216	8%	43	5%	30	2%	73	4%	155	8%	134	5%	289	6%
MSM-IDU			61	4%	61	2%			19	2%	19	1%			80	3%	80	2%
HTSX	838	78%	513	33%	1,351	51%	692	80%	340	28%	1,032	50%	1,530	79%	853	31%	2,383	51%
OTHER ⁽²⁾	41	4%	30	2%	71	3%	25	3%	18	1%	43	2%	66	3%	48	2%	114	2%
NRR/NIR	79	7%	157	10%	236	9%	109	13%	177	15%	286	14%	188	10%	334	12%	522	11%
TOTAL	1,070	100%	1,557	100%	2,627	100%	869	100%	1,206	100%	2,075	100%	1,939	100%	2,763	100%	4,702	100%






(1) Includes American Indian/Alaska Native, Asian, Native Hawaiian/Pacific islander, Legacy Asian, Multi-Race.

(2) Transfusion/transplant, received clotting factor, adult case with pediatric risk, perinatal and other pediatric exposure.

Risk Legend: MSM=Male-to-male sexual contact. IDU=Injection drug use. HTSX=Heterosexual contact with people infected or at risk for HIV. NRR/NIR=No reported or identified risk.

Zone V, which includes Little Haiti, Brownsville, part of Liberty City and vicinity, has the fourth highest number of people living with HIV/AIDS [PLWHA]. Analysis by race/ethnicity, current age group and risk category according to gender as follow:

ZONE V BY RACE	PEOPLE LIVING WITH AIDS						PEOPLE LIVING WITH HIV						PEOPLE LIVING WITH HIV/AIDS					
	FEMALE	%	MALE	%	TOTAL	%	FEMALE	%	MALE	%	TOTAL	%	FEMALE	%	MALE	%	TOTAL	%
HISPANIC	82	15%	342	33%	424	27%	89	19%	306	38%	395	31%	171	16%	648	35%	819	28%
BLACK	357	63%	417	41%	774	49%	323	68%	359	44%	682	53%	680	65%	776	42%	1,456	51%
WHITE	17	3%	66	6%	83	5%	11	2%	83	10%	94	7%	28	3%	149	8%	177	6%
HAITIAN	100	18%	183	18%	283	18%	47	10%	64	8%	111	9%	147	14%	247	13%	394	14%
OTHER ⁽¹⁾	7	1%	16	2%	23	1%	7	1%	3	0%	10	1%	14	1%	19	1%	33	1%
TOTAL	563	100%	1,024	100%	1,587	100%	477	100%	815	100%	1,292	100%	1,040	100%	1,839	100%	2,879	100%
BY CURRENT AGE																		
<=12 Yrs.	1	0%	0	0%	1	0%	1	0%	5	1%	6	0%	2	0%	5	0%	7	0%
13-19 Yrs.	3	1%	8	1%	11	1%	13	3%	3	0%	16	1%	16	2%	11	1%	27	1%
20-29 Yrs.	23	4%	29	3%	52	3%	60	13%	84	10%	144	11%	83	8%	113	6%	196	7%
30-39 Yrs.	75	13%	73	7%	148	9%	86	18%	144	18%	230	18%	161	15%	217	12%	378	13%
40-49 Yrs.	148	26%	275	27%	423	27%	144	30%	232	28%	376	29%	292	28%	507	28%	799	28%
>=50 Yrs.	313	56%	639	62%	952	60%	173	36%	347	43%	520	40%	486	47%	986	54%	1,472	51%
TOTAL	563	100%	1,024	100%	1,587	100%	477	100%	815	100%	1,292	100%	1,040	100%	1,839	100%	2,879	100%
BY RISK CATEGORY																		
MSM			516	50%	516	33%			434	53%	434	34%			950	52%	950	33%
IDU	100	18%	107	10%	207	13%	41	9%	50	6%	91	7%	141	14%	157	9%	298	10%
MSM-IDU			41	4%	41	3%			27	3%	27	2%			68	4%	68	2%
HTSX	412	73%	248	24%	660	42%	367	77%	176	22%	543	42%	779	75%	424	23%	1,203	42%
OTHER ⁽²⁾	14	2%	14	1%	28	2%	10	2%	11	1%	21	2%	24	2%	25	1%	49	2%
NRR/NIR	37	7%	98	10%	135	9%	59	12%	117	14%	176	14%	96	9%	215	12%	311	11%
TOTAL	563	100%	1,024	100%	1,587	100%	477	100%	815	100%	1,292	100%	1,040	100%	1,839	100%	2,879	100%






(1) Includes American Indian/Alaska Native, Asian, Native Hawaiian/Pacific islander, Legacy Asian, Multi-Race.

(2) Transfusion/transplant, received clotting factor, adult case with pediatric risk, perinatal and other pediatric exposure.

Risk Legend: MSM=Male-to-male sexual contact. IDU=Injection drug use. HTSX=Heterosexual contact with people infected or at risk for HIV. NRR/NIR=No reported or identified risk.

Zone VI, which includes Little Havana, Overtown, Key Biscayne and vicinity, has the fifth highest number of people living with HIV/AIDS [PLWHA]. Analysis by race/ethnicity, current age group and risk category according to gender as follow:

ZONE VI BY RACE	PEOPLE LIVING WITH AIDS						PEOPLE LIVING WITH HIV						PEOPLE LIVING WITH HIV/AIDS					
	FEMALE	%	MALE	%	TOTAL	%	FEMALE	%	MALE	%	TOTAL	%	FEMALE	%	MALE	%	TOTAL	%
HISPANIC	130	40%	735	66%	865	60%	107	42%	661	66%	768	61%	237	41%	1,396	66%	1,633	60%
BLACK	145	45%	240	21%	385	27%	109	43%	201	20%	310	25%	254	44%	441	21%	695	26%
WHITE	17	5%	100	9%	117	8%	27	11%	121	12%	148	12%	44	8%	221	10%	265	10%
HAITIAN	22	7%	36	3%	58	4%	9	4%	17	2%	26	2%	31	5%	53	2%	84	3%
OTHER (1)	8	2%	11	1%	19	1%	1	0%	8	1%	9	1%	9	2%	19	1%	28	1%
TOTAL	322	100%	1,122	100%	1,444	100%	253	100%	1,008	100%	1,261	100%	575	100%	2,130	100%	2,705	100%
BY CURRENT AGE																		
<=12 Yrs.	1	0%	1	0%	2	0%	1	0%	2	0%	3	0%	2	0%	3	0%	5	0%
13-19 Yrs.	2	1%	4	0%	6	0%	5	2%	6	1%	11	1%	7	1%	10	0%	17	1%
20-29 Yrs.	17	5%	38	3%	55	4%	31	12%	115	11%	146	12%	48	8%	153	7%	201	7%
30-39 Yrs.	42	13%	115	10%	157	11%	58	23%	204	20%	262	21%	100	17%	319	15%	419	15%
40-49 Yrs.	93	29%	305	27%	398	28%	62	25%	313	31%	375	30%	155	27%	618	29%	773	29%
>=50 Yrs.	167	52%	659	59%	826	57%	96	38%	368	37%	464	37%	263	46%	1,027	48%	1,290	48%
TOTAL	322	100%	1,122	100%	1,444	100%	253	100%	1,008	100%	1,261	100%	575	100%	2,130	100%	2,705	100%
BY RISK CATEGORY																		
MSM			737	66%	737	51%			670	66%	670	53%			1,407	66%	1,407	52%
IDU	52	16%	90	8%	142	10%	22	9%	40	4%	62	5%	74	13%	130	6%	204	8%
MSM-IDU			57	5%	57	4%			28	3%	28	2%			85	4%	85	3%
HTSX	234	73%	167	15%	401	28%	181	72%	147	15%	328	26%	415	72%	314	15%	729	27%
OTHER (2)	8	2%	12	1%	20	1%	7	3%	6	1%	13	1%	15	3%	18	1%	33	1%
NRR/NIR	28	9%	59	5%	87	6%	43	17%	117	12%	160	13%	71	12%	176	8%	247	9%
TOTAL	322	100%	1,122	100%	1,444	100%	253	100%	1,008	100%	1,261	100%	575	100%	2,130	100%	2,705	100%






(1) Includes American Indian/Alaska Native, Asian, Native Hawaiian/Pacific islander, Legacy Asian, Multi-Race.

(2) Transfusion/transplant, received clotting factor, adult case with pediatric risk, perinatal and other pediatric exposure.

Risk Legend: MSM=Male-to-male sexual contact. IDU=Injection drug use. HTSX=Heterosexual contact with people infected or at risk for HIV. NRR/NIR=No reported or identified risk.

Zone VII, which includes Sweetwater, Westchester, Kendal and vicinity, has the ninth highest number of people living with HIV/AIDS [PLWHA]. Analysis by race/ethnicity, current age group and risk category according to gender as follow:

ZONE VII BY RACE	PEOPLE LIVING WITH AIDS						PEOPLE LIVING WITH HIV						PEOPLE LIVING WITH HIV/AIDS					
	FEMALE	%	MALE	%	TOTAL	%	FEMALE	%	MALE	%	TOTAL	%	FEMALE	%	MALE	%	TOTAL	%
HISPANIC	77	77%	435	86%	512	84%	68	76%	435	84%	503	82%	145	76%	870	85%	1,015	83%
BLACK	10	10%	23	5%	33	5%	15	17%	31	6%	46	8%	25	13%	54	5%	79	6%
WHITE	5	5%	35	7%	40	7%	3	3%	41	8%	44	7%	8	4%	76	7%	84	7%
HAITIAN	5	5%	10	2%	15	2%	1	1%	12	2%	13	2%	6	3%	22	2%	28	2%
OTHER (1)	3	3%	5	1%	8	1%	3	3%	1	0%	4	1%	6	3%	6	1%	12	1%
TOTAL	100	100%	508	100%	608	100%	90	100%	520	100%	610	100%	190	100%	1,028	100%	1,218	100%
BY CURRENT AGE																		
<=12 Yrs.	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
13-19 Yrs.	0	0%	0	0%	0	0%	2	2%	2	0%	4	1%	2	1%	2	0%	4	0%
20-29 Yrs.	4	4%	24	5%	28	5%	12	13%	65	13%	77	13%	16	8%	89	9%	105	9%
30-39 Yrs.	7	7%	50	10%	57	9%	15	17%	125	24%	140	23%	22	12%	175	17%	197	16%
40-49 Yrs.	20	20%	143	28%	163	27%	26	29%	179	34%	205	34%	46	24%	322	31%	368	30%
>=50 Yrs.	69	69%	291	57%	360	59%	35	39%	149	29%	184	30%	104	55%	440	43%	544	45%
TOTAL	100	100%	508	100%	608	100%	90	100%	520	100%	610	100%	190	100%	1,028	100%	1,218	100%
BY RISK CATEGORY																		
MSM			377	74%	377	62%			380	73%	380	62%			757	74%	757	62%
IDU	7	7%	22	4%	29	5%	4	4%	7	1%	11	2%	11	6%	29	3%	40	3%
MSM-IDU			12	2%	12	2%			7	1%	7	1%			19	2%	19	2%
HTSX	86	86%	63	12%	149	25%	66	73%	55	11%	121	20%	152	80%	118	11%	270	22%
OTHER (2)	3	3%	6	1%	9	1%	1	1%	1	0%	2	0%	4	2%	7	1%	11	1%
NRR/NIR	4	4%	28	6%	32	5%	19	21%	70	13%	89	15%	23	12%	98	10%	121	10%
TOTAL	100	100%	508	100%	608	100%	90	100%	520	100%	610	100%	190	100%	1,028	100%	1,218	100%






(1) Includes American Indian/Alaska Native, Asian, Native Hawaiian/Pacific islander, Legacy Asian, Multi-Race.

(2) Transfusion/transplant, received clotting factor, adult case with pediatric risk, perinatal and other pediatric exposure.

Risk Legend: MSM=Male-to-male sexual contact. IDU=Injection drug use. HTSX=Heterosexual contact with people infected or at risk for HIV. NRR/NIR=No reported or identified risk.

Zone VIII, which includes South & West Miami, Coral Gables, Coconut Grove and vicinity, has the eighth highest number of people living with HIV/AIDS [PLWHA]. Analysis by race/ethnicity, current age group and risk category according to gender as follow:

ZONE VIII BY RACE	PEOPLE LIVING WITH AIDS						PEOPLE LIVING WITH HIV						PEOPLE LIVING WITH HIV/AIDS					
	FEMALE	%	MALE	%	TOTAL	%	FEMALE	%	MALE	%	TOTAL	%	FEMALE	%	MALE	%	TOTAL	%
HISPANIC	68	53%	423	69%	491	67%	56	52%	449	72%	505	69%	124	53%	872	70%	996	68%
BLACK	44	34%	66	11%	110	15%	34	31%	68	11%	102	14%	78	33%	134	11%	212	14%
WHITE	12	9%	105	17%	117	16%	14	13%	96	15%	110	15%	26	11%	201	16%	227	15%
HAITIAN	3	2%	7	1%	10	1%	2	2%	3	0%	5	1%	5	2%	10	1%	15	1%
OTHER (1)	1	1%	9	1%	10	1%	2	2%	11	2%	13	2%	3	1%	20	2%	23	2%
TOTAL	128	100%	610	100%	738	100%	108	100%	627	100%	735	100%	236	100%	1,237	100%	1,473	100%
BY CURRENT AGE																		
<=12 Yrs.	0	0%	0	0%	0	0%	1	1%	0	0%	1	0%	1	0%	0	0%	1	0%
13-19 Yrs.	3	2%	1	0%	4	1%	2	2%	1	0%	3	0%	5	2%	2	0%	7	0%
20-29 Yrs.	5	4%	12	2%	17	2%	12	11%	56	9%	68	9%	17	7%	68	5%	85	6%
30-39 Yrs.	7	5%	53	9%	60	8%	20	19%	112	18%	132	18%	27	11%	165	13%	192	13%
40-49 Yrs.	38	30%	156	26%	194	26%	28	26%	225	36%	253	34%	66	28%	381	31%	447	30%
>=50 Yrs.	75	59%	388	64%	463	63%	45	42%	233	37%	278	38%	120	51%	621	50%	741	50%
TOTAL	128	100%	610	100%	738	100%	108	100%	627	100%	735	100%	236	100%	1,237	100%	1,473	100%
BY RISK CATEGORY																		
MSM			460	75%	460	62%			506	81%	506	69%			966	78%	966	66%
IDU	13	10%	25	4%	38	5%	6	6%	12	2%	18	2%	19	8%	37	3%	56	4%
MSM-IDU			9	1%	9	1%			7	1%	7	1%			16	1%	16	1%
HTSX	102	80%	82	13%	184	25%	81	75%	58	9%	139	19%	183	78%	140	11%	323	22%
OTHER (2)	7	5%	3	0%	10	1%	4	4%	0	0%	4	1%	11	5%	3	0%	14	1%
NRR/NIR	6	5%	31	5%	37	5%	17	16%	44	7%	61	8%	23	10%	75	6%	98	7%
TOTAL	128	100%	610	100%	738	100%	108	100%	627	100%	735	100%	236	100%	1,237	100%	1,473	100%






(1) Includes American Indian/Alaska Native, Asian, Native Hawaiian/Pacific islander, Legacy Asian, Multi-Race.

(2) Transfusion/transplant, received clotting factor, adult case with pediatric risk, perinatal and other pediatric exposure.

Risk Legend: MSM=Male-to-male sexual contact. IDU=Injection drug use. HTSX=Heterosexual contact with people infected or at risk for HIV. NRR/NIR=No reported or identified risk.

Zone IX, which includes Ferrine, Cutler Ridge and vicinity, has the seventh highest number of people living with HIV/AIDS [PLWHA]. Analysis by race/ethnicity, current age group and risk category according to gender as follow:

ZONE IX BY RACE	PEOPLE LIVING WITH AIDS						PEOPLE LIVING WITH HIV						PEOPLE LIVING WITH HIV/AIDS					
	FEMALE	%	MALE	%	TOTAL	%	FEMALE	%	MALE	%	TOTAL	%	FEMALE	%	MALE	%	TOTAL	%
HISPANIC	71	28%	264	51%	335	43%	80	31%	230	51%	310	44%	151	29%	494	51%	645	44%
BLACK	146	58%	160	31%	306	40%	148	57%	150	34%	298	42%	294	57%	310	32%	604	41%
WHITE	14	6%	59	11%	73	9%	18	7%	56	13%	74	10%	32	6%	115	12%	147	10%
HAITIAN	13	5%	17	3%	30	4%	11	4%	3	1%	14	2%	24	5%	20	2%	44	3%
OTHER (1)	9	4%	18	3%	27	4%	2	1%	8	2%	10	1%	11	2%	26	3%	37	3%
TOTAL	253	100%	518	100%	771	100%	259	100%	447	100%	706	100%	512	100%	965	100%	1,477	100%
BY CURRENT AGE																		
<=12 Yrs.	2	1%	0	0%	2	0%	3	1%	5	1%	8	1%	5	1%	5	1%	10	1%
13-19 Yrs.	0	0%	2	0%	2	0%	2	1%	4	1%	6	1%	2	0%	6	1%	8	1%
20-29 Yrs.	14	6%	28	5%	42	5%	40	15%	78	17%	118	17%	54	11%	106	11%	160	11%
30-39 Yrs.	46	18%	52	10%	98	13%	50	19%	89	20%	139	20%	96	19%	141	15%	237	16%
40-49 Yrs.	69	27%	130	25%	199	26%	68	26%	129	29%	197	28%	137	27%	259	27%	396	27%
>=50 Yrs.	122	48%	306	59%	428	56%	96	37%	142	32%	238	34%	218	43%	448	46%	666	45%
TOTAL	253	100%	518	100%	771	100%	259	100%	447	100%	706	100%	512	100%	965	100%	1,477	100%
BY RISK CATEGORY																		
MSM			328	63%	328	43%			271	61%	271	38%			599	62%	599	41%
IDU	26	10%	34	7%	60	8%	14	5%	5	1%	19	3%	40	8%	39	4%	79	5%
MSM-IDU			13	3%	13	2%			7	2%	7	1%			20	2%	20	1%
HTSX	209	83%	105	20%	314	41%	196	76%	99	22%	295	42%	405	79%	204	21%	609	41%
OTHER (2)	6	2%	5	1%	11	1%	4	2%	7	2%	11	2%	10	2%	12	1%	22	1%
NRR/NIR	12	5%	33	6%	45	6%	45	17%	58	13%	103	15%	57	11%	91	9%	148	10%
TOTAL	253	100%	518	100%	771	100%	259	100%	447	100%	706	100%	512	100%	965	100%	1,477	100%






(1) Includes American Indian/Alaska Native, Asian, Native Hawaiian/Pacific islander, Legacy Asian, Multi-Race.

(2) Transfusion/transplant, received clotting factor, adult case with pediatric risk, perinatal and other pediatric exposure.

Risk Legend: MSM=Male-to-male sexual contact. IDU=Injection drug use. HTSX=Heterosexual contact with people infected or at risk for HIV. NRR/NIR=No reported or identified risk.

Zone X, which includes Homestead, Florida City, Naranja and vicinity, has the tenth highest number of people living with HIV/AIDS [PLWHA]. Analysis by race/ethnicity, current age group and risk category according to gender as follow:

ZONE X BY RACE	PEOPLE LIVING WITH AIDS						PEOPLE LIVING WITH HIV						PEOPLE LIVING WITH HIV/AIDS					
	FEMALE	%	MALE	%	TOTAL	%	FEMALE	%	MALE	%	TOTAL	%	FEMALE	%	MALE	%	TOTAL	%
HISPANIC	60	23%	127	39%	187	31%	43	20%	90	40%	133	30%	103	21%	217	39%	320	31%
BLACK	165	62%	143	43%	308	52%	146	67%	94	42%	240	54%	311	64%	237	43%	548	53%
WHITE	16	6%	18	5%	34	6%	8	4%	23	10%	31	7%	24	5%	41	7%	65	6%
HAITIAN	18	7%	32	10%	50	8%	18	8%	15	7%	33	7%	36	7%	47	8%	83	8%
OTHER ⁽¹⁾	6	2%	9	3%	15	3%	4	2%	3	1%	7	2%	10	2%	12	2%	22	2%
TOTAL	265	100%	329	100%	594	100%	219	100%	225	100%	444	100%	484	100%	554	100%	1,038	100%
BY CURRENT AGE																		
<=12 Yrs.	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
13-19 Yrs.	2	1%	1	0%	3	1%	8	4%	1	0%	9	2%	10	2%	2	0%	12	1%
20-29 Yrs.	23	9%	17	5%	40	7%	32	15%	41	18%	73	16%	55	11%	58	10%	113	11%
30-39 Yrs.	53	20%	43	13%	96	16%	60	27%	50	22%	110	25%	113	23%	93	17%	206	20%
40-49 Yrs.	84	32%	86	26%	170	29%	52	24%	54	24%	106	24%	136	28%	140	25%	276	27%
>=50 Yrs.	103	39%	182	55%	285	48%	67	31%	79	35%	146	33%	170	35%	261	47%	431	42%
TOTAL	265	100%	329	100%	594	100%	219	100%	225	100%	444	100%	484	100%	554	100%	1,038	100%
BY RISK CATEGORY																		
MSM			115	35%	115	19%			102	45%	102	23%			217	39%	217	21%
IDU	38	14%	35	11%	73	12%	10	5%	11	5%	21	5%	48	10%	46	8%	94	9%
MSM-IDU			13	4%	13	2%			4	2%	4	1%			17	3%	17	2%
HTSX	198	75%	124	38%	322	54%	171	78%	59	26%	230	52%	369	76%	183	33%	552	53%
OTHER ⁽²⁾	14	5%	6	2%	20	3%	8	4%	2	1%	10	2%	22	5%	8	1%	30	3%
NRR/NIR	15	6%	36	11%	51	9%	30	14%	47	21%	77	17%	45	9%	83	15%	128	12%
TOTAL	265	100%	329	100%	594	100%	219	100%	225	100%	444	100%	484	100%	554	100%	1,038	100%



(1) Includes American Indian/Alaska Native, Asian, Native Hawaiian/Pacific islander, Legacy Asian, Multi-Race.

(2) Transfusion/transplant, received clotting factor, adult case with pediatric risk, perinatal and other pediatric exposure.

Risk Legend: MSM=Male-to-male sexual contact. IDU=Injection drug use. HTSX=Heterosexual contact with people infected or at risk for HIV. NRR/NIR=No reported or identified risk.

TOTAL PEOPLE LIVING WITH HIV OR AIDS [PLWHA] ⁽³⁾

Analysis by race/ethnicity, current age group and risk category according to gender as follow:


TOTAL BY RACE	PEOPLE LIVING WITH AIDS						PEOPLE LIVING WITH HIV						PEOPLE LIVING WITH HIV/AIDS					
	FEMALE	%	MALE	%	TOTAL	%	FEMALE	%	MALE	%	TOTAL	%	FEMALE	%	MALE	%	TOTAL	%
HISPANIC	891	22%	4,710	47%	5,601	40%	822	23%	4,650	50%	5,472	43%	1,713	22%	9,360	48%	11,073	41%
BLACK	2,170	53%	2,753	27%	4,923	35%	1,971	56%	2,458	27%	4,429	35%	4,141	54%	5,211	27%	9,352	35%
WHITE	179	4%	1,417	14%	1,596	11%	187	5%	1,529	17%	1,716	13%	366	5%	2,946	15%	3,312	12%
HAITIAN	789	19%	1,009	10%	1,798	13%	533	15%	495	5%	1,028	8%	1,322	17%	1,504	8%	2,826	10%
OTHER ⁽¹⁾	65	2%	160	2%	225	2%	36	1%	122	1%	158	1%	101	1%	282	1%	383	1%
TOTAL	4,094	100%	10,049	100%	14,143	100%	3,549	100%	9,254	100%	12,803	100%	7,643	100%	19,303	100%	26,946	100%

BY CURRENT AGE

	FEMALE	%	MALE	%	TOTAL	%	FEMALE	%	MALE	%	TOTAL	%	FEMALE	%	MALE	%	TOTAL	%
<=12 Yrs.	6	0%	5	0%	11	0%	15	0%	19	0%	34	0%	21	0%	24	0%	45	0%
13-19 Yrs.	30	1%	31	0%	61	0%	70	2%	56	1%	126	1%	100	1%	87	0%	187	1%
20-29 Yrs.	223	5%	362	4%	585	4%	421	12%	1,060	11%	1,481	12%	644	8%	1,422	7%	2,066	8%
30-39 Yrs.	539	13%	951	9%	1,490	11%	781	22%	1,852	20%	2,633	21%	1,320	17%	2,803	15%	4,123	15%
40-49 Yrs.	1,236	30%	2,907	29%	4,143	29%	967	27%	2,999	32%	3,966	31%	2,203	29%	5,906	31%	8,109	30%
>=50 Yrs.	2,060	50%	5,793	58%	7,853	56%	1,295	36%	3,268	35%	4,563	36%	3,355	44%	9,061	47%	12,416	46%
TOTAL	4,094	100%	10,049	100%	14,143	100%	3,549	100%	9,254	100%	12,803	100%	7,643	100%	19,303	100%	26,946	100%

BY RISK CATEGORY

	FEMALE	%	MALE	%	TOTAL	%	FEMALE	%	MALE	%	TOTAL	%	FEMALE	%	MALE	%	TOTAL	%
MSM			6,185	62%	6,185	44%			6,264	68%	6,264	49%			12,449	64%	12,449	46%
IDU	502	12%	666	7%	1,168	8%	220	6%	244	3%	464	4%	722	9%	910	5%	1,632	6%
MSM-IDU			439	4%	439	3%			211	2%	211	2%			650	3%	650	2%
HTSX	3,179	78%	1,943	19%	5,122	36%	2,738	77%	1,435	16%	4,173	33%	5,917	77%	3,378	17%	9,295	34%
OTHER ⁽²⁾	146	4%	135	1%	281	2%	98	3%	72	1%	170	1%	244	3%	207	1%	451	2%
NRR/NIR	267	7%	681	7%	948	7%	493	14%	1,028	11%	1,521	12%	760	10%	1,709	9%	2,469	9%
TOTAL	4,094	100%	10,049	100%	14,143	100%	3,549	100%	9,254	100%	12,803	100%	7,643	100%	19,303	100%	26,946	100%



(1) Includes American Indian/Alaska Native, Asian, Native Hawaiian/Pacific islander, Legacy Asian, Multi-Race.

(2) Transfusion/transplant, received clotting factor, adult case with pediatric risk, perinatal and other pediatric exposure.

(3) Includes Homeless, ZIP codes from other jurisdiction and cases with no reported ZIP code.

Risk Legend: MSM=Male-to-male sexual contact. IDU=Injection drug use. HTSX=Heterosexual contact with people infected or at risk for HIV. NRR/NIR=No reported or identified risk.