

Mission:

To protect, promote & improve the health of all people in Florida through integrated state, county & community efforts.



Vision: To be the Healthiest State in the Nation

Rick Scott
Governor

John H. Armstrong, MD, FACS
State Surgeon General & Secretary

FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
HIV/AIDS SURVEILLANCE
MONTHLY HIV/AIDS SURVEILLANCE REPORT

July 2014

AIDS CASES (EXCLUDING DEPARTMENT OF CORRECTION [DOC] CASES) *(AIDS Worksheet)*

- AIDS cases by age group and gender (Excluding Department of Correction - DOC).
- AIDS cases by age group, race/ethnicity & gender, showing Haitians separated (Excluding DOC)
- AIDS cases by year of report and gender (Excluding DOC)
- Adult & pediatric AIDS cases by race/ethnicity and gender (Excluding DOC)
- Adult & pediatric AIDS cases by mortality status and gender (Excluding DOC)
- AIDS cases by exposure category and gender among Adult and Pediatric (Excluding DOC)
- Adult AIDS cases by exposure category, race/ethnicity and gender (Excluding DOC)
- Pediatric AIDS cases by exposure category, race/ethnicity and gender.
- Adult Hispanic/Latino AIDS cases by country of origin and gender (Excluding DOC)
- Adult Hispanic/Latino AIDS cases by country of origin, exposure category and gender (Excluding DOC)
- Haitian born adult AIDS cases by exposure category and gender (Excluding DOC)
- Department of Correction [DOC] Adult AIDS cases and total people living with AIDS by race/ethnicity and gender.

HIV CASES (EXCLUDING DEPARTMENT OF CORRECTION [DOC] CASES) *(HIV Worksheet)*

- HIV (not AIDS) cases by age group and gender (Excluding Department of Correction - DOC)
- HIV (not AIDS) cases by age group, race/ethnicity & gender, showing Haitians separated (Excluding DOC)
- HIV (not AIDS) cases by year of report and gender (Excluding DOC)
- Adult & pediatric HIV (not AIDS) cases by race/ethnicity and gender (Excluding DOC)
- Adult & pediatric HIV (not AIDS) cases by mortality status and gender (Excluding DOC)
- HIV (not AIDS) cases by exposure category and gender among Adult and Pediatric (Excluding DOC)
- Adult HIV (not AIDS) cases by exposure category, race/ethnicity and gender (Excluding DOC)

(Continue next Page)

Mission:

To protect, promote & improve the health of all people in Florida through integrated state, county & community efforts.



Vision: To be the Healthiest State in the Nation

Rick Scott
Governor

John H. Armstrong, MD, FACS
State Surgeon General & Secretary

Adult Hispanic/Latino HIV (not AIDS) cases by country of origin and gender (Excluding DOC)
Adult Hispanic/Latino HIV (not AIDS) cases by country of origin, exposure category and gender (Excluding DOC)
Haitian born adult HIV (not AIDS) cases by country of origin, exposure category and gender (Excluding DOC)
Department of Correction [DOC] Adult HIV (not AIDS) cases and total people living with HIV by race/ethnicity and gender.

PERINATAL EXPOSED CASES REPORTED SINCE NOVEMBER 20th, 2006 (*PERINATAL EXPOSED Worksheet*)

All EXPOSED perinatal pediatric cases born in Miami-Dade by year of birth and diagnosis status since November 20th, 2006.
All EXPOSED perinatal pediatric cases born in Miami-Dade by year of birth and race/ethnicity since November 20th, 2006.
All EXPOSED perinatal pediatric cases born in Miami-Dade by year of birth and Mother HIV status since November 20th, 2006.
All EXPOSED perinatal pediatric cases born in Miami-Dade by diagnosis and Mother HIV status since November 20th, 2006.
All EXPOSED perinatal pediatric cases born in Miami-Dade by diagnosis status and HIV category since November 20th, 2006.
CONFIRMED infected perinatal cases born in Miami-Dade, known HIV or AIDS by year of birth, 2000-2013.
All EXPOSED perinatal pediatric cases born in Miami-Dade by hospital of birth and diagnosis status since November 20th, 2006.

ONE-IN STATEMENTS (*ONE-IN STATEMENTS Worksheet*)

One-in statements for persons (all ages) living with HIV or AIDS through 2011 (all ages) in Miami-Dade & Florida.
One-in statements for adult (≥ 13) persons living with HIV or AIDS through 2011 in Miami-Dade & Florida.

USEFUL WEBSITES LINKS (*WEBSITE Worksheet*)

Useful websites for HIV/AIDS related information.

FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
HIV/AIDS Surveillance
Cumulative Number of Reported AIDS Cases

July 2014

<i>AIDS Cases by age group and gender (Excluding Department of Correction - DOC)</i>							<i>AIDS Cases by age group, race/ethnicity & gender, showing Haitians separated (Excluding DOC)</i>											
AIDS Cases by Age Group & Gender	Female		Male		TOTAL AIDS		Hispanic/Latino		Black		White		Haitian		Other ⁽¹⁾		TOTAL AIDS	
	Cases	Col %	Cases	Col %	Cases	Col %	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male
Under 5	210	2.2%	196	0.8%	406	1.2%	29	28	169	151	5	8	6	8	1	1	210	196
5-12	53	0.6%	54	0.2%	107	0.3%	9	11	33	35	5	2	5	5	1	1	53	54
13-19	169	1.8%	130	0.5%	299	0.8%	19	42	125	80	6	2	15	6	4	0	169	130
20-29	1,689	18.0%	3,181	12.3%	4,870	13.8%	277	1,378	1,087	994	76	502	231	261	18	46	1,689	3,181
30-39	3,255	34.7%	9,401	36.4%	12,656	36.0%	528	4,031	1,976	2,669	160	1,664	550	890	41	147	3,255	9,401
40-49	2,428	25.9%	7,760	30.1%	10,188	28.9%	450	3,128	1,397	2,505	128	1,253	413	766	40	108	2,428	7,760
50-59	1,080	11.5%	3,539	13.7%	4,619	13.1%	236	1,407	555	1,230	58	482	207	366	24	54	1,080	3,539
60-64	256	2.7%	826	3.2%	1,082	3.1%	67	319	118	308	8	108	58	77	5	14	256	826
65-69	143	1.5%	421	1.6%	564	1.6%	29	151	72	167	6	55	34	40	2	8	143	421
>=70	108	1.2%	304	1.2%	412	1.2%	32	117	43	113	12	35	17	31	4	8	108	304
Unknown	0	0.0%	0	0.0%	0	0.0%	0	0	0	0	0	0	0	0	0	0	0	0
Total AIDS	9,391	100%	25,812	100%	35,203	100%	1,676	10,612	5,575	8,252	464	4,111	1,536	2,450	140	387	9,391	25,812

⁽¹⁾ Other Includes American Indian/Alaska Native, Asian, Native Hawaiian, Pacific Islander, Legacy Asian & Multi Race

AIDS Cases by year of report and gender (Excluding DOC)

AIDS Cases by Year Report & Gender	Female		Male		TOTAL AIDS	
	Cases	Row %	Cases	Row %	Cases	Col %
1981	0	0.0%	4	100%	4	0.0%
1982	7	18.4%	31	81.6%	38	0.1%
1983	16	16.3%	82	83.7%	98	0.3%
1984	18	11.9%	133	88.1%	151	0.4%
1985	29	15.3%	161	84.7%	190	0.5%
1986	71	17.4%	337	82.6%	408	1.2%
1987	67	13.7%	421	86.3%	488	1.4%
1988	118	16.6%	593	83.4%	711	2.0%
1989	209	20.2%	824	79.8%	1,033	2.9%
1990	183	19.4%	758	80.6%	941	2.7%
1991	394	19.7%	1,607	80.3%	2,001	5.7%
1992	342	20.9%	1,297	79.1%	1,639	4.7%
1993	632	22.5%	2,171	77.5%	2,803	8.0%
1994	669	23.5%	2,177	76.5%	2,846	8.1%
1995	593	28.0%	1,523	72.0%	2,116	6.0%
1996	528	27.0%	1,425	73.0%	1,953	5.5%
1997	421	28.3%	1,067	71.7%	1,488	4.2%
1998	465	31.7%	1,001	68.3%	1,466	4.2%
1999	356	29.3%	859	70.7%	1,215	3.5%

AIDS Cases by Year & Gender (Cont)	Female		Male		TOTAL AIDS	
	Cases	Row %	Cases	Row %	Cases	Col %
2000	376	31.6%	812	68.4%	1,188	3.4%
2001	369	32.8%	757	67.2%	1,126	3.2%
2002	304	29.1%	741	70.9%	1,045	3.0%
2003	297	30.4%	680	69.6%	977	2.8%
2004	401	31.3%	879	68.7%	1,280	3.6%
2005	387	33.1%	781	66.9%	1,168	3.3%
2006	391	34.8%	734	65.2%	1,125	3.2%
2007	272	35.2%	501	64.8%	773	2.2%
2008	326	31.2%	719	68.8%	1,045	3.0%
2009	257	30.9%	576	69.1%	833	2.4%
2010	202	30.5%	460	69.5%	662	1.9%
2011	237	33.1%	480	66.9%	717	2.0%
2012	159	26.4%	443	73.6%	602	1.7%
2013	193	27.9%	499	72.1%	692	2.0%
2014	102	26.8%	279	73.2%	381	1.1%
Total Adult AIDS	9,391	26.7%	25,812	73.3%	35,203	100%

(Continue next Page)

FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
HIV/AIDS Surveillance
Cumulative Number of Reported AIDS Cases

July 2014

Adult & Pediatric AIDS cases by race/ethnicity and gender (Excluding DOC)

AIDS by Race/ Ethnicity *	Adult AIDS						Pediatric AIDS						TOTAL AIDS CASES					
	Female		Male		Total Adult		Female		Male		Total Pediatric		Total Female		Total Male		Total Cases	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)	1,652	18.1%	10,591	41.4%	12,243	35.3%	38	14.4%	39	15.6%	77	15.0%	1,690	18.0%	10,630	41.2%	12,320	35.0%
American Indian/Alaska Native	1	0.0%	2	0.0%	3	0.0%	0	0.0%	0	0.0%	0	0.0%	1	0.0%	2	0.0%	3	0.0%
Asian	2	0.0%	19	0.1%	21	0.1%	0	0.0%	0	0.0%	0	0.0%	2	0.0%	19	0.1%	21	0.1%
Black or African American	6,864	75.2%	10,459	40.9%	17,323	49.9%	213	81.0%	199	79.6%	412	80.3%	7,077	75.4%	10,658	41.3%	17,735	50.4%
Native Hawaiian/Pacific Islander	1	0.0%	1	0.0%	2	0.0%	0	0.0%	0	0.0%	0	0.0%	1	0.0%	1	0.0%	2	0.0%
White	454	5.0%	4,105	16.1%	4,559	13.1%	10	3.8%	10	4.0%	20	3.9%	464	4.9%	4,115	15.9%	4,579	13.0%
Legacy Asian	2	0.0%	12	0.0%	14	0.0%	0	0.0%	0	0.0%	0	0.0%	2	0.0%	12	0.0%	14	0.0%
Multi-Race	152	1.7%	373	1.5%	525	1.5%	2	0.8%	2	0.8%	4	0.8%	154	1.6%	375	1.5%	529	1.5%
Unknown	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Total AIDS	9,128	100%	25,562	100%	34,690	100%	263	100%	250	100%	513	100%	9,391	100%	25,812	100%	35,203	100%

Adult & Pediatric AIDS cases by mortality status and gender (Excluding DOC)

Mortality Status among AIDS cases	Adult AIDS						Pediatric AIDS						TOTAL AIDS CASES					
	Female		Male		Total Adult		Female		Male		Total Pediatric		Total Female		Total Male		Total Cases	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Alive	4,039	44.2%	10,100	39.5%	14,139	40.8%	84	31.9%	85	34.0%	169	32.9%	4,123	43.9%	10,185	39.5%	14,308	40.6%
Deaths	5,089	55.8%	15,462	60.5%	20,551	59.2%	179	68.1%	165	66.0%	344	67.1%	5,268	56.1%	15,627	60.5%	20,895	59.4%
Total AIDS	9,128	100%	25,562	100%	34,690	100%	263	100%	250	100%	513	100%	9,391	100%	25,812	100%	35,203	100%

* This new category created by CDC, is to support the ability to record an ethnicity and multiple races for an individual, necessitated by new federal OMB guidelines for reporting race and ethnicity.

[\(Continue next Page\)](#)

FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
HIV/AIDS Surveillance
Cumulative Number of Reported AIDS Cases

July 2014

AIDS Cases by exposure category and gender among Adult and Pediatric (Excluding DOC)

Exposure Category among adult AIDS	Adult AIDS					
	Female		Male		Total Adult	
	Cases	Col %	Cases	Col %	Cases	Col %
Adult male-to-male sexual contact [MSM]			14,141	55.3%	14,141	40.8%
Adult injection drug use [IDU]	2,035	22.3%	3,195	12.5%	5,230	15.1%
Adult MSM & IDU			1,367	5.3%	1,367	3.9%
Adult heterosexual contact [HTRSX]	6,037	66.1%	4,049	15.8%	10,086	29.1%
Adult other risk*	167	1.8%	190	0.7%	357	1.0%
Adult no risk factor reported [NRR]	889	9.7%	2,620	10.2%	3,509	10.1%
Total adult AIDS	9,128	100%	25,562	100%	34,690	100%

* Other risk includes: Adult receiving clotting factor, Hemophiliac, Perinatal exposure w/HIV age at 13+ years

Exposure Category among Pediatric AIDS	Pediatric AIDS					
	Female		Male		Total Pediatric	
	Cases	Col %	Cases	Col %	Cases	Col %
Perinatal exposure [PERINATAL]	260	98.9%	242	96.8%	502	97.9%
Child receiving clotting factor [HEMOPH]	2	0.8%	5	2.0%	7	1.4%
Child other risk confirmed [OTHER]	0	0.0%	1	0.4%	1	0.2%
Child no risk factor reported [NRR]	1	0.4%	2	0.8%	3	0.6%
Total Pediatric AIDS	263	100%	250	100%	513	100%

(Continue next Page)

FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
HIV/AIDS Surveillance
Cumulative Number of Reported AIDS Cases

July 2014

Adult AIDS cases by exposure category, race/ethnicity and gender (Excluding DOC)

ADULT FEMALE AIDS CASES														
Exposure Category/ Race/Ethnicity	MALE-TO-MALE SEXUAL CONTACT		INJECTION DRUG USE [IDU]		MSM & IDU		HETEROSEXUAL CONTACT		OTHER* RISK		NO REPORTED RISK [NRR]		TOTAL ADULT FEMALE	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)			241	11.8%			1,252	20.7%	32	19.2%	127	14.3%	1,652	18.1%
American Indian/Alaska Native			0	0.0%			1	0.0%	0	0.0%	0	0.0%	1	0.0%
Asian			0	0.0%			2	0.0%	0	0.0%	0	0.0%	2	0.0%
Black or African American			1,552	76.3%			4,478	74.2%	116	69.5%	718	80.8%	6,864	75.2%
Native Hawaiian/Pacific Islander			0	0.0%			1	0.0%	0	0.0%	0	0.0%	1	0.0%
White			201	9.9%			205	3.4%	14	8.4%	34	3.8%	454	5.0%
Legacy Asian			0	0.0%			2	0.0%	0	0.0%	0	0.0%	2	0.0%
Multi-Race			41	2.0%			96	1.6%	5	3.0%	10	1.1%	152	1.7%
Adult Female AIDS			2,035	100%			6,037	100%	167	100%	889	100%	9,128	100%

* OTHER includes Adult receiving clotting factor, Hemophilia, Perinatal exposure w/HIV age at 13+ years

ADULT MALE AIDS CASES														
Exposure Category/ Race/Ethnicity	MALE-TO-MALE SEXUAL CONTACT		INJECTION DRUG USE [IDU]		MSM & IDU		HETEROSEXUAL CONTACT		OTHER* RISK		NO REPORTED RISK [NRR]		TOTAL ADULT MALE	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)	7,701	54.5%	710	22.2%	485	35.5%	1,006	24.8%	60	31.6%	629	24.0%	10,591	41.4%
American Indian/Alaska Native	0	0.0%	1	0.0%	0	0.0%	0	0.0%	0	0.0%	1	0.0%	2	0.0%
Asian	12	0.1%	0	0.0%	0	0.0%	4	0.1%	0	0.0%	3	0.1%	19	0.1%
Black or African American	2,914	20.6%	2,196	68.7%	589	43.1%	2,873	71.0%	81	42.6%	1,806	68.9%	10,459	40.9%
Native Hawaiian/Pacific Islander	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	1	0.0%	1	0.0%
White	3,298	23.3%	239	7.5%	268	19.6%	100	2.5%	45	23.7%	155	5.9%	4,105	16.1%
Legacy Asian	7	0.0%	0	0.0%	0	0.0%	4	0.1%	0	0.0%	1	0.0%	12	0.0%
Multi-Race	209	1.5%	49	1.5%	25	1.8%	62	1.5%	4	2.1%	24	0.9%	373	1.5%
Adult Male AIDS	14,141	100%	3,195	100%	1,367	100%	4,049	100%	190	100%	2,620	100%	25,562	100%
TOTAL ADULT AIDS	14,141	40.8%	5,230	15.1%	1,367	3.9%	10,086	29.1%	357	1.0%	3,509	10.1%	34,690	100%

(Continue next Page)

FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
HIV/AIDS Surveillance
Cumulative Number of Reported AIDS Cases

July 2014

Pediatric AIDS cases by exposure category, race/ethnicity and gender (Excluding DOC)

PEDIATRIC FEMALE AIDS CASES										
Exposure Category/ Race/Ethnicity	PERINATAL		HEMOPHILIAC		OTHER RISK		NO REPORTED		TOTAL FEMALE	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)	36	13.8%	1	50.0%	0	#DIV/0!	1	100.0%	38	14.4%
Black or African American	212	81.5%	1	50.0%	0	#DIV/0!	0	0.0%	213	81.0%
White	10	3.8%	0	0.0%	0	#DIV/0!	0	0.0%	10	3.8%
Multi-Race	2	0.8%	0	0.0%	0	#DIV/0!	0	0.0%	2	0.8%
Pediatric Female AIDS	260	100%	2	100%	0	#DIV/0!	1	100%	263	100%

PEDIATRIC MALE AIDS CASES										
Exposure Category/ Race/Ethnicity	PERINATAL		HEMOPHILIAC		OTHER RISK		NO REPORTED		TOTAL MALE	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)	34	14.0%	4	80.0%	0	0.0%	1	50.0%	39	15.6%
Black or African American	196	81.0%	1	20.0%	1	100.0%	1	50.0%	199	79.6%
White	10	4.1%	0	0.0%	0	0.0%	0	0.0%	10	4.0%
Multi-Race	2	0.8%	0	0.0%	0	0.0%	0	0.0%	2	0.8%
Pediatric Male AIDS	242	100%	5	100%	1	100%	2	100%	250	100%

	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %
TOTAL PEDIATRIC AIDS	502	97.9%	7	1.4%	1	0.2%	3	0.6%	513	100%

Adult Hispanic/Latino AIDS cases by country of origin and gender (Excluding DOC)

Country of Origin	ADULT FEMALE AIDS			ADULT MALE AIDS			TOTAL HISPANIC/LATINO		
	Cases	Col %	Row %	Cases	Col %	Row %	Cases	Col %	Row %
Argentina	24	1.5%	13.5%	154	1.5%	86.5%	178	1.5%	100%
Colombia	68	4.1%	12.1%	492	4.6%	87.9%	560	4.6%	100%
Cuba	387	23.4%	7.6%	4,698	44.4%	92.4%	5,085	41.5%	100%
Dominican Republic	71	4.3%	32.0%	151	1.4%	68.0%	222	1.8%	100%
Honduras	131	7.9%	28.5%	328	3.1%	71.5%	459	3.7%	100%
Mexico	21	1.3%	8.4%	229	2.2%	91.6%	250	2.0%	100%
Nicaragua	78	4.7%	18.3%	349	3.3%	81.7%	427	3.5%	100%
Peru	26	1.6%	13.4%	168	1.6%	86.6%	194	1.6%	100%
Puerto Rico	183	11.1%	17.5%	860	8.1%	82.5%	1,043	8.5%	100%
United States	379	22.9%	20.5%	1,469	13.9%	79.5%	1,848	15.1%	100%
Venezuela	16	1.0%	6.0%	251	2.4%	94.0%	267	2.2%	100%
Other/Unknown Countries	268	16.2%	15.7%	1,442	13.6%	84.3%	1,710	14.0%	100%
Total Adult Hispanic/Latino	1,652	100%	13.5%	10,591	100%	86.5%	12,243	100%	100%

(Continue next Page)

FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
HIV/AIDS Surveillance
Cumulative Number of Reported AIDS Cases

July 2014

Adult Hispanic/Latino AIDS cases by country of origin, exposure category and gender (Excluding DOC)

Country of Origin	MALE-TO-MALE SEXUAL CONTACT		INJECTION DRUG USE [IDU]		MSM & IDU		HETEROSEXUAL CONTACT		OTHER * RISK		NO REPORTED RISK [NRR]		Total Hispanic/Latino Female by Country of Origin		
	Cases	Row %	Cases	Row %	Number	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Col %	Row %
	Argentina			3	12.5%			19	79.2%	0	0.0%	2	8.3%	24	1.5%
Colombia			7	10.3%			51	75.0%	2	2.9%	8	11.8%	68	4.1%	100%
Cuba			55	14.2%			284	73.4%	8	2.1%	40	10.3%	387	23.4%	100%
Dominican Republic			3	4.2%			61	85.9%	0	0.0%	7	9.9%	71	4.3%	100%
Honduras			8	6.1%			114	87.0%	1	0.8%	8	6.1%	131	7.9%	100%
Mexico			3	14.3%			16	76.2%	1	4.8%	1	4.8%	21	1.3%	100%
Nicaragua			4	5.1%			63	80.8%	1	1.3%	10	12.8%	78	4.7%	100%
Peru			1	3.8%			25	96.2%	0	0.0%	0	0.0%	26	1.6%	100%
Puerto Rico			48	26.2%			122	66.7%	3	1.6%	10	5.5%	183	11.1%	100%
United States			82	21.6%			264	69.7%	14	3.7%	19	5.0%	379	22.9%	100%
Venezuela			3	18.8%			12	75.0%	0	0.0%	1	6.3%	16	1.0%	100%
Other/Unknown Countries			24	9.0%			221	82.5%	2	0.7%	21	7.8%	268	16.2%	100%
Total adult Hispanic/Latino Female			241	14.6%			1,252	75.8%	32	1.9%	127	7.7%	1,652	100%	100%

* OTHER includes Adult receiving clotting factor, Hemophilic, Perinatal exposure w/HIV age at 13+ years

Country of Origin	MALE-TO-MALE SEXUAL CONTACT		INJECTION DRUG USE [IDU]		MSM & IDU		HETEROSEXUAL CONTACT		OTHER * RISK		NO REPORTED RISK [NRR]		Total Hispanic/Latino Male by Country of Origin		
	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Col %	Row %
	Argentina	128	83.1%	4	2.6%	7	4.5%	12	7.8%	0	0.0%	3	1.9%	154	1.5%
Colombia	399	81.1%	14	2.8%	17	3.5%	40	8.1%	3	0.6%	19	3.9%	492	4.6%	100%
Cuba	3,610	76.8%	212	4.5%	188	4.0%	384	8.2%	26	0.6%	278	5.9%	4,698	44.4%	100%
Dominican Republic	81	53.6%	8	5.3%	5	3.3%	42	27.8%	1	0.7%	14	9.3%	151	1.4%	100%
Honduras	210	64.0%	18	5.5%	5	1.5%	68	20.7%	5	1.5%	22	6.7%	328	3.1%	100%
Mexico	154	67.2%	11	4.8%	7	3.1%	38	16.6%	0	0.0%	19	8.3%	229	2.2%	100%
Nicaragua	254	72.8%	10	2.9%	13	3.7%	49	14.0%	0	0.0%	23	6.6%	349	3.3%	100%
Peru	135	80.4%	2	1.2%	2	1.2%	18	10.7%	0	0.0%	11	6.5%	168	1.6%	100%
Puerto Rico	423	49.2%	218	25.3%	99	11.5%	66	7.7%	3	0.3%	51	5.9%	860	8.1%	100%
United States	1,006	68.5%	156	10.6%	108	7.4%	126	8.6%	14	1.0%	59	4.0%	1,469	13.9%	100%
Venezuela	219	87.3%	3	1.2%	2	0.8%	16	6.4%	2	0.8%	9	3.6%	251	2.4%	100%
Other/Unknown Countries	1,082	75.0%	54	3.7%	32	2.2%	147	10.2%	6	0.4%	121	8.4%	1,442	13.6%	100%
Total adult Hispanic/Latino Male	7,701	72.7%	710	6.7%	485	4.6%	1,006	9.5%	60	0.6%	629	5.9%	10,591	100%	100%

	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %
TOTAL ADULT HISPANIC/LATINO	7,701	62.9%	951	7.8%	485	4.0%	2,258	18.4%	92	0.8%	756	6.2%	12,243	100%

(Continue next Page)

**FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
HIV/AIDS Surveillance
Cumulative Number of Reported AIDS Cases**

July 2014

Haitian born adult AIDS cases by exposure category and gender (Excluding DOC)

Exposure Category GENDER	MALE-TO-MALE SEXUAL CONTACT		INJECTION DRUG USE [IDU]		MSM & IDU		HETEROSEXUAL CONTACT		OTHER *		NO REPORTED RISK [NRR]		Total Haitian by Gender	
	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %
	Haitian born Adult Females			56	3.7%			1,130	74.1%	25	1.6%	314	20.6%	1,525
Haitian born Adult Males	534	21.9%	75	3.1%	27	1.1%	890	36.5%	12	0.5%	899	36.9%	2,437	100%
Total Haitian born	534	13.5%	131	3.3%	27	0.7%	2,020	51.0%	37	0.9%	1,213	30.6%	3,962	100%

* OTHER includes Adult receiving clotting factor, Hemophilic, Perinatal exposure w/HIV age at 13+ years

Department of Correction [DOC] Adult AIDS cases and total people living with AIDS by race/ethnicity and gender.

AIDS Cases by Race/Ethnicity & Gender	DOC AIDS Cases						Total Reported People Living with AIDS (1)					
	Female		Male		Total		Female		Male		Total	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)	0	0.0%	88	13.1%	88	12.6%	897	21.8%	4,801	47.1%	5,698	39.8%
Black or African American	21	77.8%	481	71.7%	502	71.9%	2,186	53.0%	2,788	27.4%	4,974	34.8%
White	4	14.8%	70	10.4%	74	10.6%	182	4.4%	1,421	14.0%	1,603	11.2%
Haitian	1	3.7%	19	2.8%	20	2.9%	797	19.3%	1,014	10.0%	1,811	12.7%
Other (2)	1	3.7%	13	1.9%	14	2.0%	61	1.5%	161	1.6%	222	1.6%
Total AIDS	27	100%	671	100%	698	100%	4,123	100%	10,185	100%	14,308	100%

(1) PLW/AIDS cases has been updated by Florida Department of Health, Bureau of Communicable Disease, HIV/AIDS & Hepatitis Section, in June 2013

using National Death Index [NDI] latest information for death cases. Total reported people living with AIDS are those reported cases regardless of where they are currently living.

(2) Other Includes American Indian/Alaska Native, Asian, Native Hawaiian, Pacific Islander, Legacy Asian & Multi Race

Adjustments are performed on a monthly basis to compensate for duplicate reports state and nation wide and case validation projects.

FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
HIV/AIDS Surveillance
Cumulative Number of Reported HIV (Not AIDS) Cases

July 2014

<i>HIV (not AIDS) cases by age group and gender (Excluding Department of Correction - DOC)</i>					<i>HIV (not AIDS) Cases by age group, race/ethnicity & gender, showing Haitians separated (Excluding DOC)</i>													
HIV Cases by Age Group & Gender	Female		Male		TOTAL HIV		Hispanic/Latino		Black		White		Haitian		Other ⁽¹⁾		TOTAL HIV	
	Cases	Col %	Cases	Col %	Cases	Col %	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male
Under 5	58	1.5%	48	0.5%	106	0.7%	12	8	44	37	1	0	1	2	0	1	58	48
5-12	35	0.9%	22	0.2%	57	0.4%	5	5	24	12	0	0	6	4	0	1	35	22
13-19	224	5.7%	270	2.6%	494	3.4%	43	107	165	139	6	9	8	11	2	4	224	270
20-29	947	24.3%	2,424	23.1%	3,371	23.4%	211	1,260	570	744	47	306	108	77	11	37	947	2,424
30-39	1,067	27.3%	3,310	31.6%	4,377	30.4%	251	1,814	548	693	72	611	186	153	10	39	1,067	3,310
40-49	901	23.1%	2,685	25.6%	3,586	24.9%	208	1,316	488	681	53	488	137	161	15	39	901	2,685
50-59	488	12.5%	1,188	11.3%	1,676	11.7%	132	456	244	409	15	207	91	101	6	15	488	1,188
60-64	91	2.3%	261	2.5%	352	2.4%	24	101	39	86	3	43	25	25	0	6	91	261
65-69	64	1.6%	154	1.5%	218	1.5%	20	61	28	55	4	22	11	16	1	0	64	154
>=70	30	0.8%	118	1.1%	148	1.0%	4	42	10	51	4	11	11	10	1	4	30	118
Unknown	0	0.0%	0	0.0%	0	0.0%	0	0	0	0	0	0	0	0	0	0	0	0
Total HIV	3,905	100%	10,480	100%	14,385	100%	910	5,170	2,160	2,907	205	1,697	584	560	46	146	3,905	10,480

⁽¹⁾ Other Includes American Indian/Alaska Native, Asian, Native Hawaiian, Pacific Islander, Legacy Asian & Multi Race

HIV (Not AIDS) Cases by year of report and gender (Excluding DOC) HIV start reporting in Florida in July 1997.

HIV Cases by Year Report & Gender	Female		Male		TOTAL HIV		
	Cases	Row %	Cases	Row %	Cases	Col %	Row %
July-December 1997	126	37.4%	211	62.6%	337	2.3%	100%
1998	277	31.3%	608	68.7%	885	6.2%	100%
1999	269	31.7%	579	68.3%	848	5.9%	100%
2000	244	31.8%	523	68.2%	767	5.3%	100%
2001	253	30.9%	567	69.1%	820	5.7%	100%
2002	294	30.6%	667	69.4%	961	6.7%	100%
2003	242	28.3%	613	71.7%	855	5.9%	100%
2004	234	27.7%	610	72.3%	844	5.9%	100%
2005	236	31.9%	503	68.1%	739	5.1%	100%
2006	190	28.4%	478	71.6%	668	4.6%	100%
2007	232	27.0%	628	73.0%	860	6.0%	100%
2008	246	25.6%	714	74.4%	960	6.7%	100%
2009	193	25.0%	579	75.0%	772	5.4%	100%
2010	185	23.7%	595	76.3%	780	5.4%	100%
2011	188	22.4%	650	77.6%	838	5.8%	100%
2012	171	22.4%	592	77.6%	763	5.3%	100%
2013	224	21.9%	799	78.1%	1,023	7.1%	100%
2014	101	15.2%	564	84.8%	665	4.6%	100%
Total Adult HIV	3,905	27.1%	10,480	72.9%	14,385	100%	

(Continue next Page)

FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
HIV/AIDS Surveillance
Cumulative Number of Reported HIV (Not AIDS) Cases

July 2014

Adult & Pediatric HIV (not AIDS) cases by race/ethnicity and gender (Excluding DOC)

HIV by Race/ Ethnicity *	Adult HIV						Pediatric HIV						TOTAL HIV CASES					
	Female		Male		Total Adult		Female		Male		Total Pediatric		Total Female		Total Male		Total Cases	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)	896	23.5%	5,162	49.6%	6,058	42.6%	17	18.3%	13	18.6%	30	18.4%	913	23.4%	5,175	49.4%	6,088	42.3%
American Indian/Alaska Native	1	0.0%	5	0.0%	6	0.0%	0	0.0%	0	0.0%	0	0.0%	1	0.0%	5	0.0%	6	0.0%
Asian	4	0.1%	28	0.3%	32	0.2%	0	0.0%	0	0.0%	0	0.0%	4	0.1%	28	0.3%	32	0.2%
Black or African American	2,664	69.9%	3,403	32.7%	6,067	42.7%	74	79.6%	55	78.6%	129	79.1%	2,738	70.1%	3,458	33.0%	6,196	43.1%
Native Hawaiian/Pacific Islander	1	0.0%	3	0.0%	4	0.0%	0	0.0%	0	0.0%	0	0.0%	1	0.0%	3	0.0%	4	0.0%
White	205	5.4%	1,698	16.3%	1,903	13.4%	1	1.1%	0	0.0%	1	0.6%	206	5.3%	1,698	16.2%	1,904	13.2%
Legacy Asian	1	0.0%	6	0.1%	7	0.0%	0	0.0%	1	1.4%	1	0.6%	1	0.0%	7	0.1%	8	0.1%
Multi-Race	40	1.0%	105	1.0%	145	1.0%	1	1.1%	1	1.4%	2	1.2%	41	1.0%	106	1.0%	147	1.0%
Unknown	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Total HIV	3,812	100%	10,410	100%	14,222	100%	93	100%	70	100%	163	100%	3,905	100%	10,480	100%	14,385	100%

Adult & Pediatric HIV (not AIDS) cases by mortality status and gender (Excluding DOC)

Mortality Status among HIV cases	Adult HIV						Pediatric HIV						TOTAL HIV CASES					
	Female		Male		Total Adult		Female		Male		Total Pediatric		Total Female		Total Male		Total Cases	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Alive	3,457	90.7%	9,524	91.5%	12,981	91.3%	92	98.9%	69	98.6%	161	98.8%	3,549	90.9%	9,593	91.5%	13,142	91.4%
Deaths	355	9.3%	886	8.5%	1,241	8.7%	1	1.1%	1	1.4%	2	1.2%	356	9.1%	887	8.5%	1,243	8.6%
Total HIV	3,812	100%	10,410	100%	14,222	100%	93	100%	70	100%	163	100%	3,905	100%	10,480	100%	14,385	100%

* This new category created by CDC, is to support the ability to record an ethnicity and multiple races for an individual, necessitated by new federal OMB guidelines for reporting race and ethnicity.

[\(Continue next Page\)](#)

FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
HIV/AIDS Surveillance
Cumulative Number of Reported HIV (Not AIDS) Cases

July 2014

HIV (not AIDS) Cases by exposure category and gender among Adult and Pediatric (Excluding DOC)

Exposure Category among adult HIV cases	Adult HIV					
	Female		Male		Total Adult	
	Cases	Col %	Cases	Col %	Cases	Col %
Adult male-to-male sexual contact [MSM]			6,917	66.4%	6,917	48.6%
Adult injection drug use [IDU]	273	7.2%	329	3.2%	602	4.2%
Adult MSM & IDU			236	2.3%	236	1.7%
Adult heterosexual contact [HTRSX]	2,982	78.2%	1,688	16.2%	4,670	32.8%
Adult other risk*	7	0.2%	4	0.0%	11	0.1%
Adult no risk factor reported [NRR]	550	14.4%	1,236	11.9%	1,786	12.6%
Total adult HIV	3,812	100%	10,410	100%	14,222	100%

* Other risk includes: Adult receiving clotting factor, Hemophiliac, Perinatal exposure w/HIV age at 13+ years

Exposure Category among Pediatric HIV cases	Pediatric HIV					
	Female		Male		Total Pediatric	
	Cases	Col %	Cases	Col %	Cases	Col %
Perinatal exposure [PERINATAL]	90	96.8%	69	98.6%	159	97.5%
Child receiving clotting factor [HEMOPH]	0	0.0%	0	0.0%	0	0.0%
Child other risk confirmed [OTHER]	0	0.0%	0	0.0%	0	0.0%
Child no risk factor reported [NRR]	3	3.2%	1	1.4%	4	2.5%
Total Pediatric HIV	93	100%	70	100%	163	100%

(Continue next Page)

FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
HIV/AIDS Surveillance
Cumulative Number of Reported HIV (Not AIDS) Cases

July 2014

Adult HIV (not AIDS) cases by exposure category, race/ethnicity and gender (Excluding DOC)

ADULT FEMALE HIV CASES														
Exposure Category/ Race/Ethnicity	MALE-TO-MALE SEXUAL CONTACT		INJECTION DRUG USE [IDU]		MSM & IDU		HETEROSEXUAL CONTACT		OTHER * RISK		NO REPORTED RISK [NRR]		TOTAL ADULT FEMALE	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
	Hispanic/Latino (All Races)			63	23.1%			675	22.6%	4	57.1%	154	28.0%	896
American Indian/Alaska Native			0	0.0%			1	0.0%	0	0.0%	0	0.0%	1	0.0%
Asian			0	0.0%			3	0.1%	0	0.0%	1	0.2%	4	0.1%
Black or African American			165	60.4%			2,140	71.8%	2	28.6%	357	64.9%	2,664	69.9%
Native Hawaiian/Pacific Islander			0	0.0%			0	0.0%	0	0.0%	1	0.2%	1	0.0%
White			38	13.9%			134	4.5%	0	0.0%	33	6.0%	205	5.4%
Legacy Asian			0	0.0%			0	0.0%	0	0.0%	1	0.2%	1	0.0%
Multi-Race			7	2.6%			29	1.0%	1	14.3%	3	0.5%	40	1.0%
Adult Female HIV			273	100%			2,982	100%	7	100%	550	100%	3,812	100%

* OTHER includes Adult receiving clotting factor, Hemophilic, Perinatal exposure w/HIV age at 13+ years

ADULT MALE HIV CASES														
Exposure Category/ Race/Ethnicity	MALE-TO-MALE SEXUAL CONTACT		INJECTION DRUG USE [IDU]		MSM & IDU		HETEROSEXUAL CONTACT		OTHER * RISK		NO REPORTED RISK [NRR]		TOTAL ADULT MALE	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
	Hispanic/Latino (All Races)	4,024	58.2%	95	28.9%	111	47.0%	470	27.8%	0	0.0%	462	37.4%	5,162
American Indian/Alaska Native	2	0.0%	0	0.0%	0	0.0%	2	0.1%	0	0.0%	1	0.1%	5	0.0%
Asian	24	0.3%	0	0.0%	0	0.0%	1	0.1%	0	0.0%	3	0.2%	28	0.3%
Black or African American	1,347	19.5%	193	58.7%	74	31.4%	1,131	67.0%	3	75.0%	655	53.0%	3,403	32.7%
Native Hawaiian/Pacific Islander	3	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	3	0.0%
White	1,443	20.9%	37	11.2%	48	20.3%	62	3.7%	1	25.0%	107	8.7%	1,698	16.3%
Legacy Asian	5	0.1%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	1	0.1%	6	0.1%
Multi-Race	69	1.0%	4	1.2%	3	1.3%	22	1.3%	0	0.0%	7	0.6%	105	1.0%
Adult Male HIV	6,917	100%	329	100%	236	100%	1,688	100%	4	100%	1,236	100%	10,410	100%
TOTAL ADULT HIV	6,917	48.6%	602	4.2%	236	1.7%	4,670	32.8%	11	0.1%	1,786	12.6%	14,222	100%

(Continue next Page)

FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
HIV/AIDS Surveillance
Cumulative Number of Reported HIV (Not AIDS) Cases

July 2014

Pediatric HIV (not AIDS) cases by exposure category, race/ethnicity and gender (Excluding DOC)

PEDIATRIC FEMALE HIV CASES										
Exposure Category/ Race/Ethnicity	PERINATAL		HEMOPHILIAC		OTHER RISK		NO REPORTED		TOTAL FEMALE	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)	15	16.7%	0	#DIV/0!	0	#DIV/0!	2	66.7%	17	18.3%
Black or African American	73	81.1%	0	#DIV/0!	0	#DIV/0!	1	33.3%	74	79.6%
White	1	1.1%	0	#DIV/0!	0	#DIV/0!	0	0.0%	1	1.1%
Legacy Asian/Pacific Isl.	0	0.0%	0	#DIV/0!	0	#DIV/0!	0	0.0%	0	0.0%
Multi-Race	1	1.1%	0	#DIV/0!	0	#DIV/0!	0	0.0%	1	1.1%
Pediatric Female HIV	90	100%	0	#DIV/0!	0	#DIV/0!	3	100%	93	100%

PEDIATRIC MALE HIV CASES										
Exposure Category/ Race/Ethnicity	PERINATAL		HEMOPHILIAC		OTHER RISK		NO REPORTED		TOTAL MALE	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)	13	18.8%	0	#DIV/0!	0	#DIV/0!	0	0.0%	13	18.6%
Black or African American	54	78.3%	0	#DIV/0!	0	#DIV/0!	1	100.0%	55	78.6%
White	0	0.0%	0	#DIV/0!	0	#DIV/0!	0	0.0%	0	0.0%
Legacy Asian/Pacific Isl.	1	1.4%	0	#DIV/0!	0	#DIV/0!	0	0.0%	1	1.4%
Multi-Race	1	1.4%	0	#DIV/0!	0	#DIV/0!	0	0.0%	1	1.4%
Pediatric Male HIV	69	100%	0	#DIV/0!	0	#DIV/0!	1	100%	70	100%

	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %
TOTAL PEDIATRIC HIV	159	97.5%	0	0.0%	0	0.0%	4	2.5%	163	100%

Adult Hispanic/Latino HIV (not AIDS) cases by country of origin and gender (Excluding DOC)

Country of Origin	ADULT FEMALE HIV			ADULT MALE HIV			TOTAL HISPANIC/LATINO		
	Cases	Col %	Row %	Cases	Col %	Row %	Cases	Col %	Row %
Argentina	19	2.1%	12.1%	138	2.7%	87.9%	157	2.6%	100%
Colombia	36	4.0%	13.3%	234	4.5%	86.7%	270	4.5%	100%
Cuba	142	15.8%	8.7%	1,486	28.8%	91.3%	1,628	26.9%	100%
Dominican Republic	37	4.1%	32.5%	77	1.5%	67.5%	114	1.9%	100%
Honduras	66	7.4%	32.7%	136	2.6%	67.3%	202	3.3%	100%
Mexico	8	0.9%	6.2%	122	2.4%	93.8%	130	2.1%	100%
Nicaragua	34	3.8%	19.0%	145	2.8%	81.0%	179	3.0%	100%
Peru	13	1.5%	14.3%	78	1.5%	85.7%	91	1.5%	100%
Puerto Rico	54	6.0%	19.6%	221	4.3%	80.4%	275	4.5%	100%
United States	230	25.7%	17.2%	1,107	21.4%	82.8%	1,337	22.1%	100%
Venezuela	22	2.5%	7.6%	267	5.2%	92.4%	289	4.8%	100%
Other/Unknown Countries	235	26.2%	17.0%	1,151	22.3%	83.0%	1,386	22.9%	100%
Total Adult Hispanic/Latino HIV	896	100%	14.8%	5,162	100%	85.2%	6,058	100%	100%

(Continue next Page)

**FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
HIV/AIDS Surveillance
Cumulative Number of Reported HIV (Not AIDS) Cases**

July 2014

Adult Hispanic/Latino HIV (not AIDS) cases by country of origin, exposure category and gender (Excluding DOC)

ADULT HISPANIC/LATINO FEMALE HIV CASES															
Country of Origin	MALE-TO-MALE SEXUAL CONTACT		INJECTION DRUG USE [IDU]		MSM & IDU		HETEROSEXUAL CONTACT		OTHER * RISK		NO REPORTED RISK [NRR]		Total Hispanic/Latino Female by Country of Origin		
	Cases	Row %	Cases	Row %	Number	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Col %	Row %
Argentina			4	21.1%			13	68.4%	0	0.0%	2	10.5%	19	2.1%	100%
Colombia			1	2.8%			30	83.3%	0	0.0%	5	13.9%	36	4.0%	100%
Cuba			7	4.9%			110	77.5%	1	0.7%	24	16.9%	142	15.8%	100%
Dominican Republic			1	2.7%			33	89.2%	0	0.0%	3	8.1%	37	4.1%	100%
Honduras			0	0.0%			58	87.9%	0	0.0%	8	12.1%	66	7.4%	100%
Mexico			2	25.0%			5	62.5%	0	0.0%	1	12.5%	8	0.9%	100%
Nicaragua			0	0.0%			26	76.5%	0	0.0%	8	23.5%	34	3.8%	100%
Peru			1	7.7%			10	76.9%	0	0.0%	2	15.4%	13	1.5%	100%
Puerto Rico			9	16.7%			35	64.8%	0	0.0%	10	18.5%	54	6.0%	100%
United States			30	13.0%			167	72.6%	3	1.3%	30	13.0%	230	25.7%	100%
Venezuela			1	4.5%			20	90.9%	0	0.0%	1	4.5%	22	2.5%	100%
Other/Unknown Countries			7	3.0%			168	71.5%	0	0.0%	60	25.5%	235	26.2%	100%
Total adult Hispanic/Latino Female			63	7.0%			675	75.3%	4	0.4%	154	17.2%	896	100%	100%

*OTHER includes Adult receiving clotting factor, Hemophilic, Perinatal exposure w/HIV age at 13+ years

ADULT HISPANIC/LATINO MALE HIV CASES															
Country of Origin	MALE-TO-MALE SEXUAL CONTACT		INJECTION DRUG USE [IDU]		MSM & IDU		HETEROSEXUAL CONTACT		OTHER * RISK		NO REPORTED RISK [NRR]		Total Hispanic/Latino Male by Country of Origin		
	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Col %	Row %
Argentina	120	87.0%	2	1.4%	2	1.4%	9	6.5%	0	0.0%	5	3.6%	138	2.7%	100%
Colombia	193	82.5%	1	0.4%	8	3.4%	17	7.3%	0	0.0%	15	6.4%	234	4.5%	100%
Cuba	1,201	80.8%	18	1.2%	37	2.5%	144	9.7%	0	0.0%	86	5.8%	1,486	28.8%	100%
Dominican Republic	44	57.1%	3	3.9%	3	3.9%	18	23.4%	0	0.0%	9	11.7%	77	1.5%	100%
Honduras	90	66.2%	1	0.7%	3	2.2%	27	19.9%	0	0.0%	15	11.0%	136	2.6%	100%
Mexico	101	82.8%	2	1.6%	1	0.8%	8	6.6%	0	0.0%	10	8.2%	122	2.4%	100%
Nicaragua	111	76.6%	3	2.1%	1	0.7%	21	14.5%	0	0.0%	9	6.2%	145	2.8%	100%
Peru	69	88.5%	1	1.3%	1	1.3%	6	7.7%	0	0.0%	1	1.3%	78	1.5%	100%
Puerto Rico	150	67.9%	29	13.1%	16	7.2%	15	6.8%	0	0.0%	11	5.0%	221	4.3%	100%
United States	881	79.6%	26	2.3%	25	2.3%	91	8.2%	0	0.0%	84	7.6%	1,107	21.4%	100%
Venezuela	237	88.8%	0	0.0%	2	0.7%	15	5.6%	0	0.0%	13	4.9%	267	5.2%	100%
Other/Unknown Countries	827	71.9%	9	0.8%	12	1.0%	99	8.6%	0	0.0%	204	17.7%	1,151	22.3%	100%
Total adult Hispanic/Latino Male	4,024	78.0%	95	1.8%	111	2.2%	470	9.1%	0	0.0%	462	9.0%	5,162	100%	100%

	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %
TOTAL ADULT HISPANIC/LATINO	4,024	66.4%	158	2.6%	111	1.8%	1,145	18.9%	4	0.1%	616	10.2%	6,058	100%

(Continue next Page)

FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
HIV/AIDS Surveillance
Cumulative Number of Reported HIV (Not AIDS) Cases

July 2014

Haitian born adult HIV cases by exposure category and gender (Excluding DOC)

ADULT HAITIAN BORN HIV CASES														
Exposure Category GENDER	MALE-TO-MALE SEXUAL CONTACT		INJECTION DRUG USE [IDU]		[MSM & [IDU]		HETEROSEXUAL CONTACT		OTHER* RISK		NO REPORTED RISK [NRR]		Total Haitian by Gender	
	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %
	Haitian born Adult Females			11	1.9%			495	85.8%	0	0.0%	71	12.3%	577
Haitian born Adult Males	100	18.1%	8	1.4%	1	0.2%	305	55.1%	0	0.0%	140	25.3%	554	100%
Total Haitian born	100	8.8%	19	1.7%	1	0.1%	800	70.7%	0	0.0%	211	18.7%	1,131	100%

* OTHER includes Adult receiving clotting factor, Hemophilic, Perinatal exposure w/HIV age at 13+ years

Department of Correction [DOC] Adult HIV (not AIDS) and total people living with HIV by race/ethnicity and gender.

HIV Cases by Race/Ethnicity & Gender	DOC HIV Cases						Total Reported People Living with HIV (1)					
	Female		Male		Total		Female		Male		Total	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)	4	28.6%	78	17.6%	82	17.9%	845	23.8%	4,886	50.9%	5,731	43.6%
Black or African American	7	50.0%	288	65.0%	295	64.6%	1,952	55.0%	2,521	26.3%	4,473	34.0%
White	3	21.4%	59	13.3%	62	13.6%	183	5.2%	1,572	16.4%	1,755	13.4%
Haitian	0	0.0%	11	2.5%	11	2.4%	533	15.0%	488	5.1%	1,021	7.8%
Other (2)	0	0.0%	7	1.6%	7	1.5%	36	1.0%	126	1.3%	162	1.2%
Total HIV	14	100%	443	100%	457	100%	3,549	100%	9,593	100%	13,142	100%

(1) PLW/HIV cases has been updated by FL Department of Health, Bureau of Communicable Disease, HIV/AIDS & Hepatitis Section, in June 2013,

using National Death Index [NDI] latest information for death cases. Total reported people living with HIV are those reported cases regardless of where they are currently living.

(2) Other Includes American Indian/Alaska Native, Asian, Native Hawaiian, Pacific Islander, Legacy Asian & Multi Race

Adjustments are performed on a monthly basis to compensate for duplicate reports state and nation wide and case validation projects.

FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
HIV/AIDS Surveillance
Perinatal HIV Exposed Cases

July 2014

All EXPOSED Perinatal pediatric cases born in Miami-Dade by year of birth and diagnosis status since November 20th, 2006. ⁽¹⁾

Year of Birth	Perinatal HIV Exposure	Pediatric HIV	Pediatric AIDS	Pediatric seroreverter	Unknown	TOTAL
>=November 20 th , 2006	3	0	0	16	0	19
2007	39	1	0	99	0	139
2008	44	1	1	86	0	132
2009	36	2	0	81	0	119
2010	52	3	0	70	0	125
2011	20	1	0	98	0	119
2012	20	1	0	80	0	101
2013	45	2	1	48	0	96
2014	42	1	0	0	0	43
Total	301	12	2	578	0	893

All EXPOSED Perinatal pediatric cases born in Miami-Dade by year of birth and race/ethnicity since November 20th, 2006. ⁽¹⁾

Year of Birth	Hispanic	Not Hispanic, Black	Not Hispanic, White	Not Hispanic, Other ⁽²⁾	TOTAL
>=November 20 th , 2006	3	15	1	0	19
2007	22	110	5	2	139
2008	19	111	2	0	132
2009	25	90	3	1	119
2010	31	87	5	2	125
2011	21	90	7	1	119
2012	23	68	8	2	101
2013	16	75	4	1	96
2014	6	34	3	0	43
Total	166	680	38	9	893

⁽¹⁾ NOTE: An expanded HIV reporting law was implemented on November 20th, 2006. Expansion included reportability of cases with virologic evidence of HIV infection. Previously, only Western Blot-confirmed (+) cases were reportable. In addition, reporting is retroactive. Previously, only HIV cases diagnosed after July st, 1997, were reportable. A detectable viral load (VL) (or equivalent viral test) is reportable, and is considered evidence of HIV. Other reportable virologic test considered to be evidence of HIV are: P24, ANTIGEN, Nucleic Acid test (NAT/NAAT), viral culture. CD4 counts/percents are reportable, but follow-up is conducted only if it is <200 uL, or <14%.

⁽²⁾ Other Includes American Indian/Alaska Native, Asian, Native Hawaiian, Pacific Islander, Legacy Asian & Multi Race

[\(Continue next Page\)](#)

FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
HIV/AIDS Surveillance
Perinatal HIV Exposed Cases

July 2014

All EXPOSED Perinatal pediatric cases born in Miami-Dade by year of birth and Mother HIV status since November 20th, 2006. ⁽¹⁾

Year of Birth	Know HIV (+) before pregnancy	Know HIV (+) during pregnancy	Know HIV (+) at time of delivery	Know HIV (+) sometime before birth	Know HIV (+) sometime after birth	HIV (+) with time unknown	TOTAL
>=November 20 th , 2006	16	2	0	0	0	1	19
2007	92	34	9	2	2	0	139
2008	93	35	2	1	0	1	132
2009	83	24	9	1	0	2	119
2010	82	26	6	3	1	7	125
2011	89	24	3	2	1	0	119
2012	75	24	2	0	0	0	101
2013	79	11	2	3	0	1	96
2014	33	7	0	1	0	2	43
Total	642	187	33	13	4	14	893

All EXPOSED Perinatal pediatric cases born in Miami-Dade by diagnosis and Mother HIV status since November 20th, 2006. ⁽¹⁾

Diagnosis Status	Know HIV (+) before pregnancy	Know HIV (+) during pregnancy	Know HIV (+) at time of delivery	Know HIV (+) sometime before birth	Know HIV (+) sometime after birth	HIV (+) with time unknown	TOTAL
Perinatal HIV Exposure	208	65	13	7	1	7	301
Pediatric HIV	8	1	2	0	1	0	12
Pediatric AIDS	2	0	0	0	0	0	2
Pediatric Seroreverter	424	121	18	6	2	7	578
Unknown	0	0	0	0	0	0	0
Total	642	187	33	13	4	14	893

All EXPOSED Perinatal pediatric cases born in Miami-Dade by diagnosis status and HIV category since November 20th, 2006. ⁽¹⁾

Diagnosis Status	HIV (+) Definitive	HIV (+) Presumptive	HIV Indeterminate	HIV (-) Definitive	HIV (-) Presumptive	Unknown	TOTAL
Perinatal HIV Exposure	0	0	301	0	0	0	301
Pediatric HIV	11	1	0	0	0	0	12
Pediatric AIDS	1	1	0	0	0	0	2
Pediatric Seroreverter	0	0	0	570	8	0	578
Unknown	0	0	0	0	0	0	0
Total	12	2	301	570	8	0	893

⁽¹⁾ NOTE: An expanded HIV reporting law was implemented on November 20th, 2006. Expansion included reportability of cases with virologic evidence of HIV infection. Previously, only Western Blot-confirmed (+) cases were reportable. In addition, reporting is retroactive. Previously, only HIV cases diagnosed after July st, 1997, were reportable. A detectable viral load (VL) (or equivalent viral test) is reportable, and is considered evidence of HIV. Other reportable virologic test considered to be evidence of HIV are: P24, ANTIGEN, Nucleic Acid test (NAT/NAAT), viral culture. CD4 counts/percents are reportable, but follow-up is conducted only if it is <200 uL, or <14%.

[\(Continue next Page\)](#)

FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
HIV/AIDS Surveillance
Perinatal HIV Exposed Cases

July 2014

CONFIRMED Infected Perinatal Cases, know HIV or AIDS born in Miami-Dade by year of birth, 2000-2014.

Perinatal HIV/AIDS Cases by Year of Birth	Pediatic HIV		Pediatic AIDS		TOTAL		
	Cases	Row %	Cases	Row %	Cases	Col %	Row %
2000	5	71.4%	2	28.6%	7	13.7%	100%
2001	6	60.0%	4	40.0%	10	19.6%	100%
2002	3	50.0%	3	50.0%	6	11.8%	100%
2003	3	75.0%	1	25.0%	4	7.8%	100%
2004	1	50.0%	1	50.0%	2	3.9%	100%
2005	3	60.0%	2	40.0%	5	9.8%	100%
2006	3	100.0%	0	0.0%	3	5.9%	100%
2007	1	100.0%	0	0.0%	1	2.0%	100%
2008	1	50.0%	1	50.0%	2	3.9%	100%
2009	2	100.0%	0	0.0%	2	3.9%	100%
2010	3	100.0%	0	0.0%	3	5.9%	100%
2011	1	100.0%	0	0.0%	1	2.0%	100%
2012	1	100.0%	0	0.0%	1	2.0%	100%
2013	2	66.7%	1	33.3%	3	5.9%	100%
2014	1	100.0%	0	0.0%	1	2.0%	100%
Total Confirmed Perinatal Cases	36	71%	15	29%	51	100%	100%

(Continue next Page)

FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
HIV/AIDS Surveillance
Perinatal HIV Exposed Cases

July 2014

All EXPOSED Perinatal pediatric cases born in Miami-Dade by hospital of birth and diagnosis status since November 20th, 2006. ⁽¹⁾

Hospital of Birth	Perinatal HIV Exposure	Pediatric HIV	Pediatric AIDS	Perinatal Seroreverter	TOTAL	TOTAL %
BAPTIST HOSPITAL-MIAMI	3	0	0	1	4	0.4%
BROWARD GENERAL MEDICAL CTR.	3	0	0	1	4	0.4%
CORAL SPRINGS MEDICAL CTR.	1	0	0	0	1	0.1%
HIALEAH HOSPITAL	2	0	0	1	3	0.3%
HOMESTEAD HOSPITAL	5	1	0	1	7	0.8%
JACKSON N MATERNITY CTR.	0	0	0	2	2	0.2%
JACKSON NORTH MEDICAL CTR.	10	2	0	11	23	2.6%
JACKSON SOUTH MEDICAL CTR.	7	0	0	10	17	1.9%
JACKSON MEMORIAL HOSPITAL	220	5	0	527	752	84.2%
KENDALL RMC	1	0	0	1	2	0.2%
MEMORIAL HOSPITAL-MIRAMAR	1	0	1	0	2	0.2%
MEMORIAL HOSPITAL-SOUTH	1	0	0	0	1	0.1%
MEMORIAL HOSPITAL-WEST	2	0	0	0	2	0.2%
MEMORIAL HOSPITAL-PEMBROKE PINES	3	0	0	1	4	0.4%
MEMORIAL HOSPITAL-HOLLYWOOD	15	0	0	0	15	1.7%
MERCY HOSPITAL	2	0	0	0	2	0.2%
MIAMI CHILDREN'S HOSPITAL	1	0	0	0	1	0.1%
MIAMI-DADE PVT PHYSICIAN-MIAMI	2	0	0	0	2	0.2%
MOUNT SINAI MC	0	0	0	1	1	0.1%
NORTH SHORE MEDICAL CTR.	15	0	0	13	28	3.1%
PLANTATION GENERAL HOSPITAL	2	0	0	0	2	0.2%
SOUTH MIAMI HOSPITAL	1	0	0	0	1	0.1%
UF HEALTH AT JACKSONVILLE	1	0	0	0	1	0.1%
WELLINGTON RMS	1	0	0	0	1	0.1%
UNKNOWN	2	4	1	8	15	1.7%
TOTAL	301	12	2	578	893	100%

⁽¹⁾ NOTE: An expanded HIV reporting law was implemented on November 20th, 2006. Expansion included reportability of cases with virologic evidence of HIV infection. Previously, only Western Blot-confirmed (+) cases were reportable. In addition, reporting is retroactive. Previously, only HIV cases diagnosed after July st, 1997, were reportable. A detectable viral load (VL) (or equivalent viral test) is reportable, and is considered evidence of HIV. Other reportable virologic test considered to be evidence of HIV are: P24, ANTIGEN, Nucleic Acid test (NAT/NAAT), viral culture. CD4 counts/percents are reportable, but follow-up is conducted only if it is <200 uL, or <14%

**FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
ONE-IN STATEMENTS**

ONE-IN Statements for Adults (>=13) Living with HIV or AIDS [PLWHA] through 2013 in Miami-Dade & Florida,

ADULT MALE LIVING WITH HIV OR AIDS	
MIAMI-DADE	FLORIDA
• One in 57 White adult male in Miami-Dade is living with HIV or AIDS	• One in 187 White adult male
• One in 25 Black adult male in Miami-Dade is living with HIV or AIDS	• One in 40 Black adult male
• One in 75 Hispanic adult male in Miami-Dade is living with HIV or AIDS	• One in 106 Hispanic adult male
• One in 84 other race adult male in Miami-Dade is living with HIV or AIDS	• One in 219 Other adult male
One in 55 adult male in Miami-Dade is living with HIV or AIDS	One in 111 adult male in Florida

ADULT FEMALE LIVING WITH HIV OR AIDS	
MIAMI-DADE	FLORIDA
• One in 446 White adult female in Miami-Dade is living with HIV or AIDS	• One in 1,080 White adult female
• One in 35 Black adult female in Miami-Dade is living with HIV or AIDS	• One in 61 Black adult female
• One in 449 Hispanic adult female in Miami-Dade is living with HIV or AIDS	• One in 462 Hispanic adult female
• One in 237 other race adult female in Miami-Dade is living with HIV or AIDS	• One in 606 Other adult female
One in 152 adult female in Miami-Dade is living with HIV or AIDS	One in 283 adult female in Florida

TOTAL ADULTS OF ALL SEXES LIVING WITH HIV OR AIDS	
MIAMI-DADE	FLORIDA
• One in 99 White adult in Miami-Dade is living with HIV or AIDS	• One in 325 White adult
• One in 30 Black adult in Miami-Dade is living with HIV or AIDS	• One in 49 Black adult
• One in 133 Hispanic adult in Miami-Dade is living with HIV or AIDS	• One in 175 Hispanic adult
• One in 127 other race adult in Miami-Dade is living with HIV or AIDS	• One in 333 Other adult race
One in 83 adult resident in Miami-Dade is living with HIV or AIDS	One in 161 adult Floridian

Note: Excluding Department of Correction [DOC] cases at county level. Florida totals include DOC cases.

These statements are updated by the Florida Bureau of Communicable Disease, HIV/AIDS Section, every June of following year.

**FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
ONE-IN STATEMENTS**

ONE-IN Statements for Total Persons (all ages) Living with HIV or AIDS [PLWHA] through 2013 in Miami-Dade & Florida

TOTAL MALE LIVING WITH HIV OR AIDS	
MIAMI-DADE	FLORIDA
• One in 68 White male in Miami-Dade is living with HIV or AIDS	• One in 212 White male
• One in 32 Black male in Miami-Dade is living with HIV or AIDS	• One in 50 Black male
• One in 89 Hispanic male in Miami-Dade is living with HIV or AIDS	• One in 132 Hispanic male
• One in 102 other race male in Miami-Dade is living with HIV or AIDS	• One in 287 Other male
One in 66 male in Miami-Dade is living with HIV or AIDS	One in 130 male in Florida

TOTAL FEMALE LIVING WITH HIV OR AIDS	
MIAMI-DADE	FLORIDA
• One in 534 White female in Miami-Dade is living with HIV or AIDS	• One in 1,210 White female
• One in 43 Black female in Miami-Dade is living with HIV or AIDS	• One in 75 Black female
• One in 516 Hispanic female in Miami-Dade is living with HIV or AIDS	• One in 562 Hispanic female
• One in 282 other race female in Miami-Dade is living with HIV or AIDS	• One in 763 Other female
One in 178 female in Miami-Dade is living with HIV or AIDS	One in 330 female in Florida

TOTAL ALL SEXES LIVING WITH HIV OR AIDS	
MIAMI-DADE	FLORIDA
• One in 118 White in Miami-Dade is living with HIV or AIDS	• One in 366 White
• One in 37 Black in Miami-Dade is living with HIV or AIDS	• One in 61 Black
• One in 155 Hispanic in Miami-Dade is living with HIV or AIDS	• One in 215 Hispanic
• One in 153 other race in Miami-Dade is living with HIV or AIDS	• One in 427 Other race
One in 98 Miami-Dade resident is living with HIV or AIDS	One in 189 Floridian

Note: Excluding Department of Correction [DOC] cases at county level. Florida totals include DOC cases.

These statements are updated by the Florida Bureau of Communicable Disease, HIV/AIDS Section, every June of following year.

**FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
USEFUL WEBSITE LINKS**

Below are several website that may be useful for HIV/AIDS related information.

USEFUL WEBSITE LINKS	
ORGANIZATIONS / SITES	ELECTRONIC ADDRESS
2012 Data from the HIV Counseling and Testing (Florida & all Counties)	http://www.doh.state.fl.us/disease_ctrl/aids/trends/ct/2012Data/2012data.html
2012 Data from the HIV Counseling and Testing (Monroe County)	http://www.doh.state.fl.us/disease_ctrl/aids/trends/ct/2012Data/Monroe.pdf
Center for Disease Control and Prevention [CDC]	http://www.cdc.gov
Center for Disease Control and Prevention. HIV/AIDS Statistics and Surveillance	http://www.cdc.gov/hiv/topics/surveillance/
Center for Disease Control and Prevention. Morbidity and Mortality Weekly Report	http://www.cdc.gov/mmwr/
Florida Community Health Assessment Resource Tool Set [Florida CHARTS]	http://www.floridacharts.com/charts/default.aspx
Florida Department of Health in Miami-Dade County	http://www.dadehealth.org
Florida Department of Health in Monroe County	http://keyshealth.com/
Florida Department of Health, Bureau of Communicable Disease, HIV/AIDS and Hepatitis Section.	http://www.doh.state.fl.us/disease_ctrl/aids/index.html
<i>Organización Panamericana de la Salud</i> [PAHO] (Pan American Health Organization)	http://www.paho.org
The Test Miami Initiative	http://www.testmiami.org/index.aspx
United Nations Program on HIV/AIDS [UNAIDS]	http://www.unaids.org/
US Census Bureau.	http://www.census.gov
US Census Bureau. HIV/AIDS Surveillance	http://www.census.gov/ipc/www/hivaidsn.html
World Health Organization [WHO]	http://www.who.int