

Mission:

To protect, promote & improve the health of all people in Florida through integrated state, county & community efforts.



Vision: To be the Healthiest State in the Nation

Rick Scott  
Governor

John H. Armstrong, MD, FACS  
State Surgeon General & Secretary

**FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY**  
**HIV/AIDS SURVEILLANCE**  
**MONTHLY HIV/AIDS SURVEILLANCE REPORT**

**JULY 2015**

**AIDS CASES (EXCLUDING DEPARTMENT OF CORRECTION [DOC] CASES)** *(AIDS Worksheet)*

- AIDS cases by age group and gender (Excluding Department of Correction - DOC).
- AIDS cases by age group, race/ethnicity & gender, showing Haitians separated (Excluding DOC)
- AIDS cases by year of report and gender (Excluding DOC)
- Adult & pediatric AIDS cases by race/ethnicity and gender (Excluding DOC)
- Adult & pediatric AIDS cases by mortality status and gender (Excluding DOC)
- AIDS cases by exposure category and gender among Adult and Pediatric (Excluding DOC)
- Adult AIDS cases by exposure category, race/ethnicity and gender (Excluding DOC)
- Pediatric AIDS cases by exposure category, race/ethnicity and gender.
- Adult Hispanic/Latino AIDS cases by country of origin and gender (Excluding DOC)
- Adult Hispanic/Latino AIDS cases by country of origin, exposure category and gender (Excluding DOC)
- Haitian born adult AIDS cases by exposure category and gender (Excluding DOC)
- Department of Correction [DOC] Adult AIDS cases and total people living with AIDS by race/ethnicity and gender.

**HIV CASES (EXCLUDING DEPARTMENT OF CORRECTION [DOC] CASES)** *(HIV Worksheet)*

- HIV (not AIDS) cases by age group and gender (Excluding Department of Correction - DOC)
- HIV (not AIDS) cases by age group, race/ethnicity & gender, showing Haitians separated (Excluding DOC)
- HIV (not AIDS) cases by year of report and gender (Excluding DOC)
- Adult & pediatric HIV (not AIDS) cases by race/ethnicity and gender (Excluding DOC)
- Adult & pediatric HIV (not AIDS) cases by mortality status and gender (Excluding DOC)
- HIV (not AIDS) cases by exposure category and gender among Adult and Pediatric (Excluding DOC)
- Adult HIV (not AIDS) cases by exposure category, race/ethnicity and gender (Excluding DOC)

[\(Continue next Page\)](#)

Florida Department of Health  
Miami-Dade County  
Epidemiology, Disease Control, and Immunization Services  
8600 NW 17th Street, suite 200, Miami, Florida 33126  
PHONE: 305/470-5660 - FAX 305/470-5533

[www.FloridaHealth.com](http://www.FloridaHealth.com)  
TWITTER: HealthyFLA  
FACEBOOK: FLDepartmentofHealth  
YOUTUBE: fldoh  
FLICKR: HealthyFla  
PINTEREST: HealthyFla

**Mission:**

To protect, promote & improve the health of all people in Florida through integrated state, county & community efforts.



Vision: To be the Healthiest State in the Nation

Rick Scott  
Governor

John H. Armstrong, MD, FACS  
State Surgeon General & Secretary

Adult Hispanic/Latino HIV (not AIDS) cases by country of origin and gender (Excluding DOC)  
Adult Hispanic/Latino HIV (not AIDS) cases by country of origin, exposure category and gender (Excluding DOC)  
Haitian born adult HIV (not AIDS) cases by country of origin, exposure category and gender (Excluding DOC)  
Department of Correction [DOC] Adult HIV (not AIDS) cases and total people living with HIV by race/ethnicity and gender.

**PERINATAL EXPOSED CASES REPORTED SINCE NOVEMBER 20<sup>th</sup>, 2006** (*PERINATAL EXPOSED Worksheet*)

All EXPOSED perinatal pediatric cases born in Miami-Dade by year of birth and diagnosis status since November 20th, 2006.  
All EXPOSED perinatal pediatric cases born in Miami-Dade by year of birth and race/ethnicity since November 20th, 2006.  
All EXPOSED perinatal pediatric cases born in Miami-Dade by year of birth and Mother HIV status since November 20th, 2006.  
All EXPOSED perinatal pediatric cases born in Miami-Dade by diagnosis and Mother HIV status since November 20th, 2006.  
All EXPOSED perinatal pediatric cases born in Miami-Dade by diagnosis status and HIV category since November 20th, 2006.  
CONFIRMED infected perinatal cases born in Miami-Dade, known HIV or AIDS by year of birth, 2000-2015.  
All EXPOSED perinatal pediatric cases born in Miami-Dade by hospital of birth and diagnosis status since November 20th, 2006.

**ONE-IN STATEMENTS** (*ONE-IN STATEMENTS Worksheet*)

One-in statements for persons (all ages) living with HIV or AIDS through 2013 (all ages) in Miami-Dade & Florida.  
One-in statements for adult ( $\geq 13$ ) persons living with HIV or AIDS through 2013 in Miami-Dade & Florida.

**USEFUL WEBSITES LINKS** (*WEBSITE Worksheet*)

Useful websites for HIV/AIDS related information.

**FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY**  
**HIV/AIDS Surveillance**  
**Cumulative Number of Reported AIDS Cases**

**JULY 2015**

<i>AIDS Cases by age group and gender (Excluding Department of Correction - DOC)</i>							<i>AIDS Cases by age group, race/ethnicity &amp; gender, showing Haitians separated (Excluding DOC)</i>											
AIDS Cases by Age Group & Gender	Female		Male		TOTAL AIDS		Hispanic/Latino		Black		White		Haitian		Other <sup>(1)</sup>		TOTAL AIDS	
	Cases	Col %	Cases	Col %	Cases	Col %	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male
Under 5	210	2.2%	196	0.8%	406	1.1%	29	29	169	151	5	7	6	8	1	1	210	196
5-12	53	0.6%	55	0.2%	108	0.3%	9	11	33	36	5	2	5	5	1	1	53	55
13-19	171	1.8%	131	0.5%	302	0.8%	20	42	127	81	5	2	15	6	4	0	171	131
20-29	1,706	17.9%	3,222	12.4%	4,928	13.8%	280	1,391	1,094	1,022	76	500	236	261	20	48	1,706	3,222
30-39	3,288	34.6%	9,464	36.3%	12,752	35.8%	533	4,081	1,995	2,680	163	1,665	555	890	42	148	3,288	9,464
40-49	2,458	25.9%	7,822	30.0%	10,280	28.9%	458	3,163	1,417	2,522	128	1,260	413	767	42	110	2,458	7,822
50-59	1,098	11.6%	3,595	13.8%	4,693	13.2%	238	1,446	565	1,244	57	478	213	371	25	56	1,098	3,595
60-64	264	2.8%	851	3.3%	1,115	3.1%	68	327	120	319	10	112	61	78	5	15	264	851
65-69	145	1.5%	428	1.6%	573	1.6%	29	152	74	170	5	56	34	41	3	9	145	428
>=70	112	1.2%	315	1.2%	427	1.2%	33	124	46	116	12	35	17	32	4	8	112	315
Unknown	0	0.0%	0	0.0%	0	0.0%	0	0	0	0	0	0	0	0	0	0	0	0
<b>Total AIDS</b>	<b>9,505</b>	<b>100%</b>	<b>26,079</b>	<b>100%</b>	<b>35,584</b>	<b>100%</b>	<b>1,697</b>	<b>10,766</b>	<b>5,640</b>	<b>8,341</b>	<b>466</b>	<b>4,117</b>	<b>1,555</b>	<b>2,459</b>	<b>147</b>	<b>396</b>	<b>9,505</b>	<b>26,079</b>

<sup>(1)</sup> Other Includes American Indian/Alaska Native, Asian, Native Hawaiian, Pacific Islander, Legacy Asian & Multi Race

*AIDS Cases by year of report and gender (Excluding DOC)*

AIDS Cases by Year Report & Gender	Female		Male		TOTAL AIDS	
	Cases	Row %	Cases	Row %	Cases	Col %
1981	0	0.0%	4	100%	4	0.0%
1982	7	18.4%	31	81.6%	38	0.1%
1983	16	16.3%	82	83.7%	98	0.3%
1984	18	11.9%	133	88.1%	151	0.4%
1985	29	15.3%	161	84.7%	190	0.5%
1986	71	17.8%	329	82.3%	400	1.1%
1987	63	13.5%	405	86.5%	468	1.3%
1988	109	16.4%	554	83.6%	663	1.9%
1989	195	19.9%	784	80.1%	979	2.8%
1990	171	19.0%	730	81.0%	901	2.5%
1991	362	19.1%	1,537	80.9%	1,899	5.3%
1992	304	20.4%	1,185	79.6%	1,489	4.2%
1993	443	20.8%	1,682	79.2%	2,125	6.0%
1994	748	23.6%	2,415	76.4%	3,163	8.9%
1995	668	27.9%	1,725	72.1%	2,393	6.7%
1996	579	27.1%	1,560	72.9%	2,139	6.0%
1997	432	28.3%	1,094	71.7%	1,526	4.3%
1998	475	31.5%	1,031	68.5%	1,506	4.2%
1999	357	29.0%	872	71.0%	1,229	3.5%

AIDS Cases by Year & Gender (Cont)	Female		Male		TOTAL AIDS	
	Cases	Row %	Cases	Row %	Cases	Col %
2000	378	31.7%	816	68.3%	1,194	3.4%
2001	372	32.7%	764	67.3%	1,136	3.2%
2002	324	29.1%	791	70.9%	1,115	3.1%
2003	305	30.0%	711	70.0%	1,016	2.9%
2004	412	31.6%	893	68.4%	1,305	3.7%
2005	392	33.1%	792	66.9%	1,184	3.3%
2006	396	35.0%	736	65.0%	1,132	3.2%
2007	275	34.6%	520	65.4%	795	2.2%
2008	325	31.0%	724	69.0%	1,049	2.9%
2009	256	30.8%	575	69.2%	831	2.3%
2010	199	30.2%	459	69.8%	658	1.8%
2011	237	33.1%	478	66.9%	715	2.0%
2012	159	26.5%	442	73.5%	601	1.7%
2013	190	28.2%	483	71.8%	673	1.9%
2014	146	27.8%	379	72.2%	525	1.5%
2015	92	31.3%	202	68.7%	294	0.8%
<b>Total Adult AIDS</b>	<b>9,505</b>	<b>26.7%</b>	<b>26,079</b>	<b>73.3%</b>	<b>35,584</b>	<b>100%</b>

(Continue next Page)

**FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY**  
**HIV/AIDS Surveillance**  
**Cumulative Number of Reported AIDS Cases**

**JULY 2015**

*Adult & Pediatric AIDS cases by race/ethnicity and gender (Excluding DOC)*

AIDS by Race/ Ethnicity *	Adult AIDS						Pediatric AIDS						TOTAL AIDS CASES					
	Female		Male		Total Adult		Female		Male		Total Pediatric		Total Female		Total Male		Total Cases	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)	1,675	18.1%	10,747	41.6%	12,422	35.4%	38	14.4%	40	15.9%	78	15.2%	1,713	18.0%	10,787	41.4%	12,500	35.1%
American Indian/Alaska Native	1	0.0%	2	0.0%	3	0.0%	0	0.0%	0	0.0%	0	0.0%	1	0.0%	2	0.0%	3	0.0%
Asian	2	0.0%	21	0.1%	23	0.1%	0	0.0%	0	0.0%	0	0.0%	2	0.0%	21	0.1%	23	0.1%
Black or African American	6,946	75.2%	10,553	40.9%	17,499	49.9%	213	81.0%	200	79.7%	413	80.4%	7,159	75.3%	10,753	41.2%	17,912	50.3%
Native Hawaiian/Pacific Islander	1	0.0%	1	0.0%	2	0.0%	0	0.0%	0	0.0%	0	0.0%	1	0.0%	1	0.0%	2	0.0%
White	456	4.9%	4,112	15.9%	4,568	13.0%	10	3.8%	9	3.6%	19	3.7%	466	4.9%	4,121	15.8%	4,587	12.9%
Legacy Asian	2	0.0%	12	0.0%	14	0.0%	0	0.0%	0	0.0%	0	0.0%	2	0.0%	12	0.0%	14	0.0%
Multi-Race	159	1.7%	380	1.5%	539	1.5%	2	0.8%	2	0.8%	4	0.8%	161	1.7%	382	1.5%	543	1.5%
Unknown	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
<b>Total AIDS</b>	<b>9,242</b>	<b>100%</b>	<b>25,828</b>	<b>100%</b>	<b>35,070</b>	<b>100%</b>	<b>263</b>	<b>100%</b>	<b>251</b>	<b>100%</b>	<b>514</b>	<b>100%</b>	<b>9,505</b>	<b>100%</b>	<b>26,079</b>	<b>100%</b>	<b>35,584</b>	<b>100%</b>

*Adult & Pediatric AIDS cases by mortality status and gender (Excluding DOC)*

Mortality Status among AIDS cases	Adult AIDS						Pediatric AIDS						TOTAL AIDS CASES					
	Female		Male		Total Adult		Female		Male		Total Pediatric		Total Female		Total Male		Total Cases	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Alive	4,008	43.4%	10,007	38.7%	14,015	40.0%	83	31.6%	85	33.9%	168	32.7%	4,091	43.0%	10,092	38.7%	14,183	39.9%
Deaths	5,234	56.6%	15,821	61.3%	21,055	60.0%	180	68.4%	166	66.1%	346	67.3%	5,414	57.0%	15,987	61.3%	21,401	60.1%
<b>Total AIDS</b>	<b>9,242</b>	<b>100%</b>	<b>25,828</b>	<b>100%</b>	<b>35,070</b>	<b>100%</b>	<b>263</b>	<b>100%</b>	<b>251</b>	<b>100%</b>	<b>514</b>	<b>100%</b>	<b>9,505</b>	<b>100%</b>	<b>26,079</b>	<b>100%</b>	<b>35,584</b>	<b>100%</b>

\* This new category created by CDC, is to support the ability to record an ethnicity and multiple races for an individual, necessitated by new federal OMB guidelines for reporting race and ethnicity.

[\(Continue next Page\)](#)

**FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY**  
**HIV/AIDS Surveillance**  
**Cumulative Number of Reported AIDS Cases**

**JULY 2015**

*AIDS Cases by exposure category and gender among Adult and Pediatric (Excluding DOC)*

Exposure Category among adult AIDS	Adult AIDS					
	Female		Male		Total Adult	
	Cases	Col %	Cases	Col %	Cases	Col %
Adult male-to-male sexual contact [MSM]			14,353	55.6%	14,353	40.9%
Adult injection drug use [IDU]	2,050	22.2%	3,200	12.4%	5,250	15.0%
Adult MSM & IDU			1,383	5.4%	1,383	3.9%
Adult heterosexual contact [HTRSX]	6,140	66.4%	4,101	15.9%	10,241	29.2%
Adult other risk*	168	1.8%	190	0.7%	358	1.0%
Adult no risk factor reported [NRR]	884	9.6%	2,601	10.1%	3,485	9.9%
<b>Total adult AIDS</b>	<b>9,242</b>	<b>100%</b>	<b>25,828</b>	<b>100%</b>	<b>35,070</b>	<b>100%</b>

\* Other risk includes: Adult receiving clotting factor, Hemophiliac, Perinatal exposure w/HIV age at 13+ years

Exposure Category among Pediatric AIDS	Pediatric AIDS					
	Female		Male		Total Pediatric	
	Cases	Col %	Cases	Col %	Cases	Col %
Perinatal exposure [PERINATAL]	260	98.9%	243	96.8%	503	97.9%
Child receiving clotting factor [HEMOPH]	0	0.0%	0	0.0%	0	0.0%
Child receiving transfusion/transplant	2	0.8%	5	2.0%	7	1.4%
Child other risk confirmed [OTHER]	0	0.0%	1	0.4%	1	0.2%
Child no risk factor reported [NRR]	1	0.4%	2	0.8%	3	0.6%
<b>Total Pediatric AIDS</b>	<b>263</b>	<b>100%</b>	<b>251</b>	<b>100%</b>	<b>514</b>	<b>100%</b>

(Continue next Page)

**FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY**  
**HIV/AIDS Surveillance**  
**Cumulative Number of Reported AIDS Cases**

**JULY 2015**

*Adult AIDS cases by exposure category, race/ethnicity and gender (Excluding DOC)*

<b>ADULT FEMALE AIDS CASES</b>														
Exposure Category/ Race/Ethnicity	MALE-TO-MALE SEXUAL CONTACT		INJECTION DRUG USE [IDU]		MSM & IDU		HETEROSEXUAL CONTACT		OTHER* RISK		NO REPORTED RISK [NRR]		TOTAL ADULT FEMALE	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
	Hispanic/Latino (All Races)			244	11.9%			1,272	20.7%	32	19.0%	127	14.4%	1,675
American Indian/Alaska Native			0	0.0%			1	0.0%	0	0.0%	0	0.0%	1	0.0%
Asian			0	0.0%			2	0.0%	0	0.0%	0	0.0%	2	0.0%
Black or African American			1,559	76.0%			4,557	74.2%	117	69.6%	713	80.7%	6,946	75.2%
Native Hawaiian/Pacific Islander			0	0.0%			1	0.0%	0	0.0%	0	0.0%	1	0.0%
White			203	9.9%			205	3.3%	14	8.3%	34	3.8%	456	4.9%
Legacy Asian			0	0.0%			2	0.0%	0	0.0%	0	0.0%	2	0.0%
Multi-Race			44	2.1%			100	1.6%	5	3.0%	10	1.1%	159	1.7%
<b>Adult Female AIDS</b>			<b>2,050</b>	<b>100%</b>			<b>6,140</b>	<b>100%</b>	<b>168</b>	<b>100%</b>	<b>884</b>	<b>100%</b>	<b>9,242</b>	<b>100%</b>

\* OTHER includes Adult receiving clotting factor, Hemophilia, Perinatal exposure w/HIV age at 13+ years

<b>ADULT MALE AIDS CASES</b>														
Exposure Category/ Race/Ethnicity	MALE-TO-MALE SEXUAL CONTACT		INJECTION DRUG USE [IDU]		MSM & IDU		HETEROSEXUAL CONTACT		OTHER* RISK		NO REPORTED RISK [NRR]		TOTAL ADULT MALE	
	Cases	Col %	Cases	Col %	Cases	Col %	1010	Col %	Cases	Col %	Cases	Col %	Cases	Col %
	Hispanic/Latino (All Races)	7,835	54.6%	713	22.3%	493	35.6%	1,025	25.0%	60	31.6%	621	23.9%	10,747
American Indian/Alaska Native	0	0.0%	1	0.0%	0	0.0%	0	0.0%	0	0.0%	1	0.0%	2	0.0%
Asian	14	0.1%	0	0.0%	0	0.0%	4	0.1%	0	0.0%	3	0.1%	21	0.1%
Black or African American	2,977	20.7%	2,198	68.7%	596	43.1%	2,904	70.8%	81	42.6%	1,797	69.1%	10,553	40.9%
Native Hawaiian/Pacific Islander	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	1	0.0%	1	0.0%
White	3,306	23.0%	239	7.5%	269	19.5%	101	2.5%	45	5.0%	152	5.8%	4,112	15.9%
Legacy Asian	7	0.0%	0	0.0%	0	0.0%	4	0.1%	0	0.0%	1	0.0%	12	0.0%
Multi-Race	214	1.5%	49	1.5%	25	1.8%	63	1.5%	4	2.1%	25	1.0%	380	1.5%
<b>Adult Male AIDS</b>	<b>14,353</b>	<b>100%</b>	<b>3,200</b>	<b>100%</b>	<b>1,383</b>	<b>100%</b>	<b>4,101</b>	<b>100%</b>	<b>190</b>	<b>81%</b>	<b>2,601</b>	<b>100%</b>	<b>25,828</b>	<b>100%</b>
<b>TOTAL ADULT AIDS</b>	<b>14,353</b>	<b>40.9%</b>	<b>5,250</b>	<b>15.0%</b>	<b>1,383</b>	<b>3.9%</b>	<b>10,241</b>	<b>29.2%</b>	<b>358</b>	<b>1.0%</b>	<b>3,485</b>	<b>9.9%</b>	<b>35,070</b>	<b>100%</b>

(Continue next Page)

**FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY**  
**HIV/AIDS Surveillance**  
**Cumulative Number of Reported AIDS Cases**

**JULY 2015**

*Pediatric AIDS cases by exposure category, race/ethnicity and gender (Excluding DOC)*

<b>PEDIATRIC FEMALE AIDS CASES</b>												
Exposure Category/ Race/Ethnicity	PERINATAL		HEMOPHILIAC		TRANSFUSION		OTHER RISK		NO REPORTED		TOTAL FEMALE	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)	36	13.8%	0	#DIV/0!	1	50.0%	0	#DIV/0!	1	100.0%	38	14.4%
Black or African American	212	81.5%	0	#DIV/0!	1	50.0%	0	#DIV/0!	0	0.0%	213	81.0%
White	10	3.8%	0	#DIV/0!	0	0.0%	0	#DIV/0!	0	0.0%	10	3.8%
Multi-Race	2	0.8%	0	#DIV/0!	0	0.0%	0	#DIV/0!	0	0.0%	2	0.8%
<b>Pediatric Female AIDS</b>	<b>260</b>	<b>100%</b>	<b>0</b>	<b>#DIV/0!</b>	<b>2</b>	<b>100%</b>	<b>0</b>	<b>#DIV/0!</b>	<b>1</b>	<b>100%</b>	<b>263</b>	<b>100%</b>

  

<b>PEDIATRIC MALE AIDS CASES</b>												
Exposure Category/ Race/Ethnicity	PERINATAL		HEMOPHILIAC		TRANSFUSION		OTHER RISK		NO REPORTED		TOTAL MALE	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)	35	14.4%	0	#DIV/0!	4	80.0%	0	0.0%	1	50.0%	40	15.9%
Black or African American	197	81.1%	0	#DIV/0!	1	20.0%	1	100.0%	1	50.0%	200	79.7%
White	9	3.7%	0	#DIV/0!	0	0.0%	0	0.0%	0	0.0%	9	3.6%
Multi-Race	2	0.8%	0	#DIV/0!	0	0.0%	0	0.0%	0	0.0%	2	0.8%
<b>Pediatric Male AIDS</b>	<b>243</b>	<b>100%</b>	<b>0</b>	<b>#DIV/0!</b>	<b>5</b>	<b>100%</b>	<b>1</b>	<b>100%</b>	<b>2</b>	<b>100%</b>	<b>251</b>	<b>100%</b>

  

	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %
<b>TOTAL PEDIATRIC AIDS</b>	<b>503</b>	<b>97.9%</b>	<b>0</b>	<b>0.0%</b>	<b>7</b>	<b>1.4%</b>	<b>1</b>	<b>0.2%</b>	<b>3</b>	<b>0.6%</b>	<b>514</b>	<b>100%</b>

*Adult Hispanic/Latino AIDS cases by country of origin and gender (Excluding DOC)*

Country of Origin	ADULT FEMALE AIDS			ADULT MALE AIDS			TOTAL HISPANIC/LATINO		
	Cases	Col %	Row %	Cases	Col %	Row %	Cases	Col %	Row %
Argentina	24	1.4%	13.1%	159	1.5%	86.9%	183	1.5%	100%
Colombia	71	4.2%	12.5%	497	4.6%	87.5%	568	4.6%	100%
Cuba	399	23.8%	7.7%	4,763	44.3%	92.3%	5,162	41.6%	100%
Dominican Republic	73	4.4%	32.3%	153	1.4%	67.7%	226	1.8%	100%
Honduras	137	8.2%	29.3%	330	3.1%	70.7%	467	3.8%	100%
Mexico	21	1.3%	8.1%	238	2.2%	91.9%	259	2.1%	100%
Nicaragua	82	4.9%	18.5%	361	3.4%	81.5%	443	3.6%	100%
Peru	26	1.6%	13.4%	168	1.6%	86.6%	194	1.6%	100%
Puerto Rico	186	11.1%	17.5%	874	8.1%	82.5%	1,060	8.5%	100%
United States	383	22.9%	20.3%	1,503	14.0%	79.7%	1,886	15.2%	100%
Venezuela	16	1.0%	5.8%	261	2.4%	94.2%	277	2.2%	100%
Other/Unknown Countries	257	15.3%	15.1%	1,440	13.4%	84.9%	1,697	13.7%	100%
<b>Total Adult Hispanic/Latino</b>	<b>1,675</b>	<b>100%</b>	<b>13.5%</b>	<b>10,747</b>	<b>100%</b>	<b>86.5%</b>	<b>12,422</b>	<b>100%</b>	<b>100%</b>

(Continue next Page)

**FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY**  
**HIV/AIDS Surveillance**  
**Cumulative Number of Reported AIDS Cases**

JULY 2015

*Adult Hispanic/Latino AIDS cases by country of origin, exposure category and gender (Excluding DOC)*

ADULT HISPANIC/LATINO FEMALE AIDS CASES															
Country of Origin	MALE-TO-MALE SEXUAL CONTACT		INJECTION DRUG USE [IDU]		MSM & IDU		HETEROSEXUAL CONTACT		OTHER * RISK		NO REPORTED RISK [NRR]		Total Hispanic/Latino Female by Country of Origin		
	Cases	Row %	Cases	Row %	Number	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Col %	Row %
	Argentina			3	12.5%			20	83.3%	0	0.0%	1	4.2%	24	1.4%
Colombia			7	9.9%			52	73.2%	2	2.8%	10	14.1%	71	4.2%	100%
Cuba			55	13.8%			296	74.2%	8	2.0%	40	10.0%	399	23.8%	100%
Dominican Republic			3	4.1%			63	86.3%	0	0.0%	7	9.6%	73	4.4%	100%
Honduras			8	5.8%			119	86.9%	1	0.7%	9	6.6%	137	8.2%	100%
Mexico			3	14.3%			16	76.2%	1	4.8%	1	4.8%	21	1.3%	100%
Nicaragua			4	4.9%			67	81.7%	1	1.2%	10	12.2%	82	4.9%	100%
Peru			1	3.8%			25	96.2%	0	0.0%	0	0.0%	26	1.6%	100%
Puerto Rico			49	26.3%			124	66.7%	3	1.6%	10	5.4%	186	11.1%	100%
United States			83	21.7%			266	69.5%	14	3.7%	20	5.2%	383	22.9%	100%
Venezuela			3	18.8%			12	75.0%	0	0.0%	1	6.3%	16	1.0%	100%
Other/Unknown Countries			25	9.7%			212	82.5%	2	0.8%	18	7.0%	257	15.3%	100%
<b>Total adult Hispanic/Latino Female</b>			<b>244</b>	<b>14.6%</b>			<b>1,272</b>	<b>75.9%</b>	<b>32</b>	<b>1.9%</b>	<b>127</b>	<b>7.6%</b>	<b>1,675</b>	<b>100%</b>	<b>100%</b>

\* OTHER includes Adult receiving clotting factor, Hemophilic, Perinatal exposure w/HIV age at 13+ years

ADULT HISPANIC/LATINO MALE AIDS CASES															
Country of Origin	MALE-TO-MALE SEXUAL CONTACT		INJECTION DRUG USE [IDU]		MSM & IDU		HETEROSEXUAL CONTACT		OTHER * RISK		NO REPORTED RISK [NRR]		Total Hispanic/Latino Male by Country of Origin		
	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Col %	Row %
	Argentina	132	83.0%	4	2.5%	7	4.4%	13	8.2%	0	0.0%	3	1.9%	159	1.5%
Colombia	404	81.3%	14	2.8%	18	3.6%	39	7.8%	3	0.6%	19	3.8%	497	4.6%	100%
Cuba	3,674	77.1%	211	4.4%	190	4.0%	388	8.1%	26	0.5%	274	5.8%	4,763	44.3%	100%
Dominican Republic	83	54.2%	8	5.2%	5	3.3%	42	27.5%	1	0.7%	14	9.2%	153	1.4%	100%
Honduras	211	63.9%	18	5.5%	6	1.8%	69	20.9%	4	1.2%	22	6.7%	330	3.1%	100%
Mexico	161	67.6%	11	4.6%	7	2.9%	40	16.8%	0	0.0%	19	8.0%	238	2.2%	100%
Nicaragua	263	72.9%	10	2.8%	13	3.6%	53	14.7%	1	0.3%	21	5.8%	361	3.4%	100%
Peru	135	80.4%	2	1.2%	2	1.2%	18	10.7%	0	0.0%	11	6.5%	168	1.6%	100%
Puerto Rico	435	49.8%	217	24.8%	99	11.3%	68	7.8%	3	0.3%	52	5.9%	874	8.1%	100%
United States	1,028	68.4%	160	10.6%	112	7.5%	128	8.5%	14	0.9%	61	4.1%	1,503	14.0%	100%
Venezuela	229	87.7%	3	1.1%	2	0.8%	17	6.5%	2	0.8%	8	3.1%	261	2.4%	100%
Other/Unknown Countries	1,080	75.0%	55	3.8%	32	2.2%	150	10.4%	6	0.4%	117	8.1%	1,440	13.4%	100%
<b>Total adult Hispanic/Latino Male</b>	<b>7,835</b>	<b>72.9%</b>	<b>713</b>	<b>6.6%</b>	<b>493</b>	<b>4.6%</b>	<b>1,025</b>	<b>9.5%</b>	<b>60</b>	<b>0.6%</b>	<b>621</b>	<b>5.8%</b>	<b>10,747</b>	<b>100%</b>	<b>100%</b>

	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %
<b>TOTAL ADULT HISPANIC/LATINO</b>	<b>7,835</b>	<b>63.1%</b>	<b>957</b>	<b>7.7%</b>	<b>493</b>	<b>4.0%</b>	<b>2,297</b>	<b>18.5%</b>	<b>92</b>	<b>0.7%</b>	<b>748</b>	<b>6.0%</b>	<b>12,422</b>	<b>100%</b>

(Continue next Page)

**FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY**  
**HIV/AIDS Surveillance**  
**Cumulative Number of Reported AIDS Cases**

**JULY 2015**

*Haitian born adult AIDS cases by exposure category and gender (Excluding DOC)*

Exposure Category GENDER	MALE-TO-MALE SEXUAL CONTACT		INJECTION DRUG USE [IDU]		MSM & IDU		HETEROSEXUAL CONTACT		OTHER *		NO REPORTED RISK [NRR]		Total Haitian by Gender	
	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %
	Haitian born Adult Females			56	3.6%			1,153	74.7%	26	1.7%	309	20.0%	1,544
Haitian born Adult Males	537	22.0%	76	3.1%	27	1.1%	900	36.8%	12	0.5%	894	36.5%	2,446	100%
<b>Total Haitian born</b>	<b>537</b>	<b>13.5%</b>	<b>132</b>	<b>3.3%</b>	<b>27</b>	<b>0.7%</b>	<b>2,053</b>	<b>51.5%</b>	<b>38</b>	<b>1.0%</b>	<b>1,203</b>	<b>30.2%</b>	<b>3,990</b>	<b>100%</b>

\* OTHER includes Adult receiving clotting factor, Hemophilic, Perinatal exposure w/HIV age at 13+ years

*Department of Correction [DOC] Adult AIDS cases and total people living with AIDS by race/ethnicity and gender.*

AIDS Cases by Race/Ethnicity & Gender	DOC AIDS Cases						Total Reported People Living with AIDS (1)					
	Female		Male		Total		Female		Male		Total	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)	0	0.0%	90	13.4%	90	12.9%	898	22.0%	4,815	47.7%	5,713	40.3%
Black or African American	21	77.8%	481	71.5%	502	71.7%	2,154	52.7%	2,738	27.1%	4,892	34.5%
White	4	14.8%	70	10.4%	74	10.6%	179	4.4%	1,379	13.7%	1,558	11.0%
Haitian	1	3.7%	19	2.8%	20	2.9%	796	19.5%	997	9.9%	1,793	12.6%
Other (2)	1	3.7%	13	1.9%	14	2.0%	64	1.6%	163	1.6%	227	1.6%
<b>Total AIDS</b>	<b>27</b>	<b>100%</b>	<b>673</b>	<b>100%</b>	<b>700</b>	<b>100%</b>	<b>4,091</b>	<b>100%</b>	<b>10,092</b>	<b>100%</b>	<b>14,183</b>	<b>100%</b>

(1) PROVISIONAL DATA.

(2) Other Includes American Indian/Alaska Native, Asian, Native Hawaiian, Pacific Islander, Legacy Asian & Multi Race

Adjustments are performed on a monthly basis to compensate for duplicate reports state and nation wide and case validation projects.

**FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY  
HIV/AIDS Surveillance  
Cumulative Number of Reported HIV (Not AIDS) Cases**

**JULY 2015**

<i>HIV (not AIDS) cases by age group and gender (Excluding Department of Correction - DOC)</i>					<i>HIV (not AIDS) Cases by age group, race/ethnicity &amp; gender, showing Haitians separated (Excluding DOC)</i>													
HIV Cases by Age Group & Gender	Female		Male		TOTAL HIV		Hispanic/Latino		Black		White		Haitian		Other <sup>(1)</sup>		TOTAL HIV	
	Cases	Col %	Cases	Col %	Cases	Col %	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male
Under 5	59	1.5%	48	0.4%	107	0.7%	11	8	46	37	1	0	1	2	0	1	59	48
5-12	36	0.9%	21	0.2%	57	0.4%	6	5	24	12	0	0	6	3	0	1	36	21
13-19	225	5.7%	288	2.6%	513	3.4%	45	117	165	148	6	10	8	10	1	3	225	288
20-29	967	24.4%	2,693	23.9%	3,660	24.1%	217	1,430	583	817	53	327	103	79	11	40	967	2,693
30-39	1,071	27.0%	3,513	31.2%	4,584	30.1%	249	1,964	551	721	75	633	187	154	9	41	1,071	3,513
40-49	909	22.9%	2,859	25.4%	3,768	24.8%	219	1,450	479	687	56	517	140	166	15	39	909	2,859
50-59	500	12.6%	1,278	11.4%	1,778	11.7%	138	518	246	413	16	229	94	101	6	17	500	1,278
60-64	93	2.3%	271	2.4%	364	2.4%	24	104	39	87	3	50	27	24	0	6	93	271
65-69	70	1.8%	157	1.4%	227	1.5%	20	64	32	55	4	24	13	14	1	0	70	157
>=70	32	0.8%	125	1.1%	157	1.0%	5	44	10	52	4	14	12	11	1	4	32	125
Unknown	0	0.0%	0	0.0%	0	0.0%	0	0	0	0	0	0	0	0	0	0	0	0
<b>Total HIV</b>	<b>3,962</b>	<b>100%</b>	<b>11,253</b>	<b>100%</b>	<b>15,215</b>	<b>100%</b>	<b>934</b>	<b>5,704</b>	<b>2,175</b>	<b>3,029</b>	<b>218</b>	<b>1,804</b>	<b>591</b>	<b>564</b>	<b>44</b>	<b>152</b>	<b>3,962</b>	<b>11,253</b>

<sup>(1)</sup> Other Includes American Indian/Alaska Native, Asian, Native Hawaiian, Pacific Islander, Legacy Asian & Multi Race

*HIV (Not AIDS) Cases by year of report and gender (Excluding DOC) HIV start reporting in Florida in July 1997.*

HIV Cases by Year Report & Gender	Female		Male		TOTAL HIV		
	Cases	Row %	Cases	Row %	Cases	Col %	Row %
July-December 1997	123	36.7%	212	63.3%	335	2.2%	100%
1998	273	31.1%	606	68.9%	879	5.8%	100%
1999	263	31.4%	574	68.6%	837	5.5%	100%
2000	236	31.2%	521	68.8%	757	5.0%	100%
2001	241	30.2%	557	69.8%	798	5.2%	100%
2002	290	30.6%	658	69.4%	948	6.2%	100%
2003	234	27.8%	608	72.2%	842	5.5%	100%
2004	229	27.6%	602	72.4%	831	5.5%	100%
2005	226	31.2%	498	68.8%	724	4.8%	100%
2006	183	28.2%	466	71.8%	649	4.3%	100%
2007	227	27.0%	615	73.0%	842	5.5%	100%
2008	235	25.3%	693	74.7%	928	6.1%	100%
2009	185	24.8%	562	75.2%	747	4.9%	100%
2010	174	23.1%	579	76.9%	753	4.9%	100%
2011	181	22.2%	634	77.8%	815	5.4%	100%
2012	162	22.1%	570	77.9%	732	4.8%	100%
2013	205	21.8%	734	78.2%	939	6.2%	100%
2014	172	15.6%	929	84.4%	1,101	7.2%	100%
2015	123	16.2%	635	83.8%	758	5.0%	100%
<b>Total Adult HIV</b>	<b>3,962</b>	<b>26.0%</b>	<b>11,253</b>	<b>74.0%</b>	<b>15,215</b>	<b>100%</b>	

(Continue next Page)

**FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY**  
**HIV/AIDS Surveillance**  
**Cumulative Number of Reported HIV (Not AIDS) Cases**

**JULY 2015**

*Adult & Pediatric HIV (not AIDS) cases by race/ethnicity and gender (Excluding DOC)*

HIV by Race/ Ethnicity *	Adult HIV						Pediatric HIV						TOTAL HIV CASES					
	Female		Male		Total Adult		Female		Male		Total Pediatric		Total Female		Total Male		Total Cases	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)	921	23.8%	5,696	50.9%	6,617	44.0%	17	17.9%	13	18.8%	30	18.3%	938	23.7%	5,709	50.7%	6,647	43.7%
American Indian/Alaska Native	1	0.0%	5	0.0%	6	0.0%	0	0.0%	0	0.0%	0	0.0%	1	0.0%	5	0.0%	6	0.0%
Asian	4	0.1%	28	0.3%	32	0.2%	0	0.0%	0	0.0%	0	0.0%	4	0.1%	28	0.2%	32	0.2%
Black or African American	2,683	69.4%	3,529	31.6%	6,212	41.3%	76	80.0%	54	78.3%	130	79.3%	2,759	69.6%	3,583	31.8%	6,342	41.7%
Native Hawaiian/Pacific Islander	1	0.0%	4	0.0%	5	0.0%	0	0.0%	0	0.0%	0	0.0%	1	0.0%	4	0.0%	5	0.0%
White	218	5.6%	1,805	16.1%	2,023	13.4%	1	1.1%	0	0.0%	1	0.6%	219	5.5%	1,805	16.0%	2,024	13.3%
Legacy Asian	1	0.0%	6	0.1%	7	0.0%	0	0.0%	1	1.4%	1	0.6%	1	0.0%	7	0.1%	8	0.1%
Multi-Race	38	1.0%	111	1.0%	149	1.0%	1	1.1%	1	1.4%	2	1.2%	39	1.0%	112	1.0%	151	1.0%
Unknown	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
<b>Total HIV</b>	<b>3,867</b>	<b>100%</b>	<b>11,184</b>	<b>100%</b>	<b>15,051</b>	<b>100%</b>	<b>95</b>	<b>100%</b>	<b>69</b>	<b>100%</b>	<b>164</b>	<b>100%</b>	<b>3,962</b>	<b>100%</b>	<b>11,253</b>	<b>100%</b>	<b>15,215</b>	<b>100%</b>

*Adult & Pediatric HIV (not AIDS) cases by mortality status and gender (Excluding DOC)*

Mortality Status among HIV cases	Adult HIV						Pediatric HIV						TOTAL HIV CASES					
	Female		Male		Total Adult		Female		Male		Total Pediatric		Total Female		Total Male		Total Cases	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Alive	3,492	90.3%	10,231	91.5%	13,723	91.2%	94	98.9%	67	97.1%	161	98.2%	3,586	90.5%	10,298	91.5%	13,884	91.3%
Deaths	375	9.7%	953	8.5%	1,328	8.8%	1	1.1%	2	2.9%	3	1.8%	376	9.5%	955	8.5%	1,331	8.7%
<b>Total HIV</b>	<b>3,867</b>	<b>100%</b>	<b>11,184</b>	<b>100%</b>	<b>15,051</b>	<b>100%</b>	<b>95</b>	<b>100%</b>	<b>69</b>	<b>100%</b>	<b>164</b>	<b>100%</b>	<b>3,962</b>	<b>100%</b>	<b>11,253</b>	<b>100%</b>	<b>15,215</b>	<b>100%</b>

\* This new category created by CDC, is to support the ability to record an ethnicity and multiple races for an individual, necessitated by new federal OMB guidelines for reporting race and ethnicity.

[\(Continue next Page\)](#)

**FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY**  
**HIV/AIDS Surveillance**  
**Cumulative Number of Reported HIV (Not AIDS) Cases**

**JULY 2015**

*HIV (not AIDS) Cases by exposure category and gender among Adult and Pediatric (Excluding DOC)*

Exposure Category among adult HIV cases	Adult HIV					
	Female		Male		Total Adult	
	Cases	Col %	Cases	Col %	Cases	Col %
Adult male-to-male sexual contact [MSM]			7,640	68.3%	7,640	50.8%
Adult injection drug use [IDU]	273	7.1%	334	3.0%	607	4.0%
Adult MSM & IDU			249	2.2%	249	1.7%
Adult heterosexual contact [HTRSX]	3,034	78.5%	1,707	15.3%	4,741	31.5%
Adult other risk*	8	0.2%	7	0.1%	15	0.1%
Adult no risk factor reported [NRR]	552	14.3%	1,247	11.1%	1,799	12.0%
<b>Total adult HIV</b>	<b>3,867</b>	<b>100%</b>	<b>11,184</b>	<b>100%</b>	<b>15,051</b>	<b>100%</b>

\* Other risk includes: Adult receiving clotting factor, Hemophiliac, Perinatal exposure w/HIV age at 13+ years

Exposure Category among Pediatric HIV cases	Pediatric HIV					
	Female		Male		Total Pediatric	
	Cases	Col %	Cases	Col %	Cases	Col %
Perinatal exposure [PERINATAL]	92	96.8%	68	98.6%	160	97.6%
Child receiving clotting factor [HEMOPH]	0	0.0%	0	0.0%	0	0.0%
Child receiving transfusion/transplant	0	0.0%	0	0.0%	0	0.0%
Child other risk confirmed [OTHER]	0	0.0%	0	0.0%	0	0.0%
Child no risk factor reported [NRR]	3	3.2%	1	1.4%	4	2.4%
<b>Total Pediatric HIV</b>	<b>95</b>	<b>100%</b>	<b>69</b>	<b>100%</b>	<b>164</b>	<b>100%</b>

(Continue next Page)

**FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY**  
**HIV/AIDS Surveillance**  
**Cumulative Number of Reported HIV (Not AIDS) Cases**

**JULY 2015**

*Adult HIV (not AIDS) cases by exposure category, race/ethnicity and gender (Excluding DOC)*

<b>ADULT FEMALE HIV CASES</b>														
Exposure Category/ Race/Ethnicity	MALE-TO-MALE		INJECTION		MSM & IDU		HETEROSEXUAL		OTHER *		NO REPORTED		TOTAL ADULT	
	SEXUAL CONTACT		DRUG USE [IDU]				CONTACT		RISK		RISK [NRR]		FEMALE	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)			66	24.2%			694	22.9%	4	50.0%	157	28.4%	921	23.8%
American Indian/Alaska Native			0	0.0%			1	0.0%	0	0.0%	0	0.0%	1	0.0%
Asian			0	0.0%			3	0.1%	0	0.0%	1	0.2%	4	0.1%
Black or African American			160	58.6%			2,167	71.4%	2	25.0%	354	64.1%	2,683	69.4%
Native Hawaiian/Pacific Islander			0	0.0%			0	0.0%	0	0.0%	1	0.2%	1	0.0%
White			40	14.7%			142	4.7%	1	12.5%	35	6.3%	218	5.6%
Legacy Asian			0	0.0%			0	0.0%	0	0.0%	1	0.2%	1	0.0%
Multi-Race			7	2.6%			27	0.9%	1	12.5%	3	0.5%	38	1.0%
<b>Adult Female HIV</b>			<b>273</b>	<b>100%</b>			<b>3,034</b>	<b>100%</b>	<b>8</b>	<b>100%</b>	<b>552</b>	<b>100%</b>	<b>3,867</b>	<b>100%</b>

\* OTHER includes Adult receiving clotting factor, Hemophilic, Perinatal exposure w/HIV age at 13+ years

<b>ADULT MALE HIV CASES</b>														
Exposure Category/ Race/Ethnicity	MALE-TO-MALE		INJECTION		MSM & IDU		HETEROSEXUAL		OTHER *		NO REPORTED		TOTAL ADULT	
	SEXUAL CONTACT		DRUG USE [IDU]				CONTACT		RISK		RISK [NRR]		MALE	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)	4,531	59.3%	101	30.2%	118	47.4%	482	28.2%	1	14.3%	463	37.1%	5,696	50.9%
American Indian/Alaska Native	2	0.0%	0	0.0%	0	0.0%	2	0.1%	0	0.0%	1	0.1%	5	0.0%
Asian	22	0.3%	0	0.0%	0	0.0%	1	0.1%	0	0.0%	5	0.4%	28	0.3%
Black or African American	1,463	19.1%	192	57.5%	75	30.1%	1,134	66.4%	4	57.1%	661	53.0%	3,529	31.6%
Native Hawaiian/Pacific Islander	4	0.1%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	4	0.0%
White	1,539	20.1%	38	11.4%	51	20.5%	66	3.9%	2	28.6%	109	8.7%	1,805	16.1%
Legacy Asian	5	0.1%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	1	0.1%	6	0.1%
Multi-Race	74	1.0%	3	0.9%	5	2.0%	22	1.3%	0	0.0%	7	0.6%	111	1.0%
<b>Adult Male HIV</b>	<b>7,640</b>	<b>100%</b>	<b>334</b>	<b>100%</b>	<b>249</b>	<b>100%</b>	<b>1,707</b>	<b>100%</b>	<b>7</b>	<b>100%</b>	<b>1,247</b>	<b>100%</b>	<b>11,184</b>	<b>100%</b>
<b>TOTAL ADULT HIV</b>	<b>7,640</b>	<b>50.8%</b>	<b>607</b>	<b>4.0%</b>	<b>249</b>	<b>1.7%</b>	<b>4,741</b>	<b>31.5%</b>	<b>15</b>	<b>0.1%</b>	<b>1,799</b>	<b>12.0%</b>	<b>15,051</b>	<b>100%</b>

(Continue next Page)

**FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY  
HIV/AIDS Surveillance  
Cumulative Number of Reported HIV (Not AIDS) Cases**

**JULY 2015**

*Pediatric HIV (not AIDS) cases by exposure category, race/ethnicity and gender (Excluding DOC)*

<b>PEDIATRIC FEMALE HIV CASES</b>												
Exposure Category/ Race/Ethnicity	PERINATAL		HEMOPHILIAC		TRANSFUSION		OTHER RISK		NO REPORTED		TOTAL FEMALE	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)	15	16.3%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	2	66.7%	17	17.9%
Black or African American	75	81.5%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	1	33.3%	76	80.0%
White	1	1.1%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0	0.0%	1	1.1%
Legacy Asian/Pacific Isl.	0	0.0%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0	0.0%	0	0.0%
Multi-Race	1	1.1%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0	0.0%	1	1.1%
<b>Pediatric Female HIV</b>	<b>92</b>	<b>100%</b>	<b>0</b>	<b>#DIV/0!</b>	<b>0</b>	<b>#DIV/0!</b>	<b>0</b>	<b>#DIV/0!</b>	<b>3</b>	<b>100%</b>	<b>95</b>	<b>100%</b>

  

<b>PEDIATRIC MALE HIV CASES</b>												
Exposure Category/ Race/Ethnicity	PERINATAL		HEMOPHILIAC		TRANSFUSION		OTHER RISK		NO REPORTED		TOTAL MALE	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)	13	19.1%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0	0.0%	13	18.8%
Black or African American	53	77.9%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	1	100.0%	54	78.3%
White	0	0.0%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0	0.0%	0	0.0%
Legacy Asian/Pacific Isl.	1	1.5%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0	0.0%	1	1.4%
Multi-Race	1	1.5%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0	0.0%	1	1.4%
<b>Pediatric Male HIV</b>	<b>68</b>	<b>100%</b>	<b>0</b>	<b>#DIV/0!</b>	<b>0</b>	<b>#DIV/0!</b>	<b>0</b>	<b>#DIV/0!</b>	<b>1</b>	<b>100%</b>	<b>69</b>	<b>100%</b>

  

	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %
<b>TOTAL PEDIATRIC HIV</b>	<b>160</b>	<b>97.6%</b>	<b>0</b>	<b>0.0%</b>	<b>0</b>	<b>0.0%</b>	<b>0</b>	<b>0.0%</b>	<b>4</b>	<b>2.4%</b>	<b>164</b>	<b>100%</b>

*Adult Hispanic/Latino HIV (not AIDS) cases by country of origin and gender (Excluding DOC)*

Country of Origin	ADULT FEMALE HIV			ADULT MALE HIV			TOTAL HISPANIC/LATINO		
	Cases	Col %	Row %	Cases	Col %	Row %	Cases	Col %	Row %
Argentina	20	2.2%	12.3%	143	2.5%	87.7%	163	2.5%	100%
Colombia	35	3.8%	11.8%	262	4.6%	88.2%	297	4.5%	100%
Cuba	158	17.2%	8.3%	1,755	30.8%	91.7%	1,913	28.9%	100%
Dominican Republic	36	3.9%	31.3%	79	1.4%	68.7%	115	1.7%	100%
Honduras	65	7.1%	30.8%	146	2.6%	69.2%	211	3.2%	100%
Mexico	8	0.9%	5.6%	136	2.4%	94.4%	144	2.2%	100%
Nicaragua	35	3.8%	19.4%	145	2.5%	80.6%	180	2.7%	100%
Peru	13	1.4%	13.4%	84	1.5%	86.6%	97	1.5%	100%
Puerto Rico	59	6.4%	19.3%	246	4.3%	80.7%	305	4.6%	100%
United States	238	25.8%	16.3%	1,224	21.5%	83.7%	1,462	22.1%	100%
Venezuela	22	2.4%	6.8%	301	5.3%	93.2%	323	4.9%	100%
Other/Unknown Countries	232	25.2%	16.5%	1,175	20.6%	83.5%	1,407	21.3%	100%
<b>Total Adult Hispanic/Latino HIV</b>	<b>921</b>	<b>100%</b>	<b>13.9%</b>	<b>5,696</b>	<b>100%</b>	<b>86.1%</b>	<b>6,617</b>	<b>100%</b>	<b>100%</b>

(Continue next Page)

**FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY**  
**HIV/AIDS Surveillance**  
**Cumulative Number of Reported HIV (Not AIDS) Cases**

**JULY 2015**

*Adult Hispanic/Latino HIV (not AIDS) cases by country of origin, exposure category and gender (Excluding DOC)*

<b>ADULT HISPANIC/LATINO FEMALE HIV CASES</b>															
Country of Origin	MALE-TO-MALE SEXUAL CONTACT		INJECTION DRUG USE [IDU]		MSM & IDU		HETEROSEXUAL CONTACT		OTHER * RISK		NO REPORTED RISK [NRR]		Total Hispanic/Latino Female by Country of Origin		
	Cases	Row %	Cases	Row %	Number	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Col %	Row %
Argentina			3	15.0%			15	75.0%	0	0.0%	2	10.0%	20	2.2%	100%
Colombia			1	2.9%			30	85.7%	0	0.0%	4	11.4%	35	3.8%	100%
Cuba			8	5.1%			126	79.7%	1	0.6%	23	14.6%	158	17.2%	100%
Dominican Republic			1	2.8%			32	88.9%	0	0.0%	3	8.3%	36	3.9%	100%
Honduras			0	0.0%			58	89.2%	0	0.0%	7	10.8%	65	7.1%	100%
Mexico			2	25.0%			5	62.5%	0	0.0%	1	12.5%	8	0.9%	100%
Nicaragua			0	0.0%			28	80.0%	0	0.0%	7	20.0%	35	3.8%	100%
Peru			1	7.7%			10	76.9%	0	0.0%	2	15.4%	13	1.4%	100%
Puerto Rico			11	18.6%			36	61.0%	0	0.0%	12	20.3%	59	6.4%	100%
United States			31	13.0%			171	71.8%	3	1.3%	33	13.9%	238	25.8%	100%
Venezuela			1	4.5%			20	90.9%	0	0.0%	1	4.5%	22	2.4%	100%
Other/Unknown Countries			7	3.0%			163	70.3%	0	0.0%	62	26.7%	232	25.2%	100%
<b>Total adult Hispanic/Latino Female</b>			<b>66</b>	<b>7.2%</b>			<b>694</b>	<b>75.4%</b>	<b>4</b>	<b>0.4%</b>	<b>157</b>	<b>17.0%</b>	<b>921</b>	<b>100%</b>	<b>100%</b>

\* OTHER includes Adult receiving clotting factor, Hemophilic, Perinatal exposure w/HIV age at 13+ years

<b>ADULT HISPANIC/LATINO MALE HIV CASES</b>															
Country of Origin	MALE-TO-MALE SEXUAL CONTACT		INJECTION DRUG USE [IDU]		MSM & IDU		HETEROSEXUAL CONTACT		OTHER * RISK		NO REPORTED RISK [NRR]		Total Hispanic/Latino Male by Country of Origin		
	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Col %	Row %
Argentina	125	87.4%	2	1.4%	2	1.4%	9	6.3%	0	0.0%	5	3.5%	143	2.5%	100%
Colombia	217	82.8%	1	0.4%	10	3.8%	18	6.9%	0	0.0%	16	6.1%	262	4.6%	100%
Cuba	1,445	82.3%	20	1.1%	39	2.2%	161	9.2%	1	0.1%	89	5.1%	1,755	30.8%	100%
Dominican Republic	49	62.0%	3	3.8%	3	3.8%	16	20.3%	0	0.0%	8	10.1%	79	1.4%	100%
Honduras	99	67.8%	1	0.7%	3	2.1%	28	19.2%	0	0.0%	15	10.3%	146	2.6%	100%
Mexico	114	83.8%	2	1.5%	1	0.7%	10	7.4%	0	0.0%	9	6.6%	136	2.4%	100%
Nicaragua	112	77.2%	3	2.1%	1	0.7%	18	12.4%	0	0.0%	11	7.6%	145	2.5%	100%
Peru	75	89.3%	1	1.2%	1	1.2%	6	7.1%	0	0.0%	1	1.2%	84	1.5%	100%
Puerto Rico	179	72.8%	30	12.2%	17	6.9%	10	4.1%	0	0.0%	10	4.1%	246	4.3%	100%
United States	995	81.3%	27	2.2%	26	2.1%	92	7.5%	0	0.0%	84	6.9%	1,224	21.5%	100%
Venezuela	270	89.7%	0	0.0%	2	0.7%	15	5.0%	0	0.0%	14	4.7%	301	5.3%	100%
Other/Unknown Countries	851	72.4%	11	0.9%	13	1.1%	99	8.4%	0	0.0%	201	17.1%	1,175	20.6%	100%
<b>Total adult Hispanic/Latino Male</b>	<b>4,531</b>	<b>79.5%</b>	<b>101</b>	<b>1.8%</b>	<b>118</b>	<b>2.1%</b>	<b>482</b>	<b>8.5%</b>	<b>1</b>	<b>0.0%</b>	<b>463</b>	<b>8.1%</b>	<b>5,696</b>	<b>100%</b>	<b>100%</b>

	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %
<b>TOTAL ADULT HISPANIC/LATINO</b>	<b>4,531</b>	<b>68.5%</b>	<b>167</b>	<b>2.5%</b>	<b>118</b>	<b>1.8%</b>	<b>1,176</b>	<b>17.8%</b>	<b>5</b>	<b>0.1%</b>	<b>620</b>	<b>9.4%</b>	<b>6,617</b>	<b>100%</b>

(Continue next Page)

**FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY**  
**HIV/AIDS Surveillance**  
**Cumulative Number of Reported HIV (Not AIDS) Cases**

**JULY 2015**

*Haitian born adult HIV cases by exposure category and gender (Excluding DOC)*

<b>ADULT HAITIAN BORN HIV CASES</b>														
Exposure Category GENDER	MALE-TO-MALE SEXUAL CONTACT		INJECTION DRUG USE [IDU]		[MSM] & [IDU]		HETEROSEXUAL CONTACT		OTHER* RISK		NO REPORTED RISK [NRR]		Total Haitian by Gender	
	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %
	Haitian born Adult Females			11	1.9%			503	86.1%	0	0.0%	70	12.0%	584
Haitian born Adult Males	106	19.0%	7	1.3%	1	0.2%	307	54.9%	0	0.0%	138	24.7%	559	100%
<b>Total Haitian born</b>	<b>106</b>	<b>9.3%</b>	<b>18</b>	<b>1.6%</b>	<b>1</b>	<b>0.1%</b>	<b>810</b>	<b>70.9%</b>	<b>0</b>	<b>0.0%</b>	<b>208</b>	<b>18.2%</b>	<b>1,143</b>	<b>100%</b>

\* OTHER includes Adult receiving clotting factor, Hemophilic, Perinatal exposure w/HIV age at 13+ years

*Department of Correction [DOC] Adult HIV (not AIDS) and total people living with HIV by race/ethnicity and gender.*

HIV Cases by Race/Ethnicity & Gender	DOC HIV Cases						Total Reported People Living with HIV (1)					
	Female		Male		Total		Female		Male		Total	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)	5	31.3%	77	17.6%	82	18.1%	863	24.1%	5,408	52.5%	6,271	45.2%
Black or African American	8	50.0%	282	64.4%	290	63.9%	1,959	54.6%	2,609	25.3%	4,568	32.9%
White	3	18.8%	61	13.9%	64	14.1%	194	5.4%	1,659	16.1%	1,853	13.3%
Haitian	0	0.0%	12	2.7%	12	2.6%	536	14.9%	492	4.8%	1,028	7.4%
Other (2)	0	0.0%	6	1.4%	6	1.3%	34	0.9%	130	1.3%	164	1.2%
<b>Total HIV</b>	<b>16</b>	<b>100%</b>	<b>438</b>	<b>100%</b>	<b>454</b>	<b>100%</b>	<b>3,586</b>	<b>100%</b>	<b>10,298</b>	<b>100%</b>	<b>13,884</b>	<b>100%</b>

(1) PROVISIONAL DATA.

(2) Other Includes American Indian/Alaska Native, Asian, Native Hawaiian, Pacific Islander, Legacy Asian & Multi Race  
 Adjustments are performed on a monthly basis to compensate for duplicate reports state and nation wide and case validation projects.

**FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY**  
**HIV/AIDS Surveillance**  
**Perinatal HIV Exposed Cases**

**JULY 2015**

*All EXPOSED Perinatal pediatric cases born in Miami-Dade by year of birth and diagnosis status since November 20<sup>th</sup>, 2006. <sup>(1)</sup>*

Year of Birth	Perinatal HIV Exposure	Pediatric HIV	Pediatric AIDS	Pediatric seroreverter	Unknown	TOTAL
>=November 20 <sup>th</sup> , 2006	3	0	0	16	0	19
2007	32	1	0	106	0	139
2008	39	1	1	91	0	132
2009	30	2	0	87	0	119
2010	39	3	0	83	0	125
2011	13	1	0	105	0	119
2012	10	1	0	90	0	101
2013	14	2	1	79	0	96
2014	6	1	0	82	0	89
2015	18	2	0	23	0	43
<b>Total</b>	<b>204</b>	<b>14</b>	<b>2</b>	<b>762</b>	<b>0</b>	<b>982</b>

*All EXPOSED Perinatal pediatric cases born in Miami-Dade by year of birth and race/ethnicity since November 20<sup>th</sup>, 2006. <sup>(1)</sup>*

Year of Birth	Hispanic	Not Hispanic, Black	Not Hispanic, White	Not Hispanic, Other <sup>(2)</sup>	TOTAL
>=November 20 <sup>th</sup> , 2006	3	15	1	0	19
2007	22	110	5	2	139
2008	19	111	2	0	132
2009	24	91	3	1	119
2010	31	87	5	2	125
2011	21	90	7	1	119
2012	23	68	8	2	101
2013	17	75	3	1	96
2014	15	70	4	0	89
2015	8	33	2	0	43
<b>Total</b>	<b>183</b>	<b>750</b>	<b>40</b>	<b>9</b>	<b>982</b>

<sup>(1)</sup> NOTE: An expanded HIV reporting law was implemented on November 20<sup>th</sup>, 2006. Expansion included reportability of cases with virologic evidence of HIV infection. Previously, only Western Blot-confirmed (+) cases were reportable. In addition, reporting is retroactive. Previously, only HIV cases diagnosed after July <sup>st</sup>, 1997, were reportable. A detectable viral load (VL) (or equivalent viral test) is reportable, and is considered evidence of HIV. Other reportable virologic test considered to be evidence of HIV are: P24, ANTIGEN, Nucleic Acid test (NAT/NAAT), viral culture. CD4 counts/percents are reportable, but follow-up is conducted only if it is <200 uL, or <14%.

<sup>(2)</sup> Other Includes American Indian/Alaska Native, Asian, Native Hawaiian, Pacific Islander, Legacy Asian & Multi Race

[\(Continue next Page\)](#)

**FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY**  
**HIV/AIDS Surveillance**  
**Perinatal HIV Exposed Cases**

**JULY 2015**

*All EXPOSED Perinatal pediatric cases born in Miami-Dade by year of birth and Mother HIV status since November 20<sup>th</sup>, 2006. <sup>(1)</sup>*

Year of Birth	Know HIV (+) before pregnancy	Know HIV (+) during pregnancy	Know HIV (+) at time of delivery	Know HIV (+) sometime before birth	Know HIV (+) sometime after birth	HIV (+) with time unknown	TOTAL
>=November 20 <sup>th</sup> , 2006	16	2	0	0	0	1	19
2007	92	34	10	0	3	0	139
2008	95	35	2	0	0	0	132
2009	87	24	8	0	0	0	119
2010	90	25	5	2	1	2	125
2011	89	24	3	2	1	0	119
2012	75	24	2	0	0	0	101
2013	78	12	2	3	0	1	96
2014	77	11	0	1	0	0	89
2015	38	2	0	0	1	2	43
<b>Total</b>	<b>737</b>	<b>193</b>	<b>32</b>	<b>8</b>	<b>6</b>	<b>6</b>	<b>982</b>

*All EXPOSED Perinatal pediatric cases born in Miami-Dade by diagnosis and Mother HIV status since November 20<sup>th</sup>, 2006. <sup>(1)</sup>*

Diagnosis Status	Know HIV (+) before pregnancy	Know HIV (+) during pregnancy	Know HIV (+) at time of delivery	Know HIV (+) sometime before birth	Know HIV (+) sometime after birth	HIV (+) with time unknown	TOTAL
Perinatal HIV Exposure	146	39	11	4	3	1	204
Pediatric HIV	10	1	2	0	1	0	14
Pediatric AIDS	2	0	0	0	0	0	2
Pediatric Seroreverter	579	153	19	4	2	5	762
Unknown	0	0	0	0	0	0	0
<b>Total</b>	<b>737</b>	<b>193</b>	<b>32</b>	<b>8</b>	<b>6</b>	<b>6</b>	<b>982</b>

*All EXPOSED Perinatal pediatric cases born in Miami-Dade by diagnosis status and HIV category since November 20<sup>th</sup>, 2006. <sup>(1)</sup>*

Diagnosis Status	HIV (+) Definitive	HIV (+) Presumptive	HIV Indeterminate	HIV (-) Definitive	HIV (-) Presumptive	Unknown	TOTAL
Perinatal HIV Exposure	0	0	204	0	0	0	204
Pediatric HIV	14	0	0	0	0	0	14
Pediatric AIDS	2	0	0	0	0	0	2
Pediatric Seroreverter	0	0	0	554	208	0	762
Unknown	0	0	0	0	0	0	0
<b>Total</b>	<b>16</b>	<b>0</b>	<b>204</b>	<b>554</b>	<b>208</b>	<b>0</b>	<b>982</b>

<sup>(1)</sup> NOTE: An expanded HIV reporting law was implemented on November 20<sup>th</sup>, 2006. Expansion included reportability of cases with virologic evidence of HIV infection. Previously, only Western Blot-confirmed (+) cases were reportable. In addition, reporting is retroactive. Previously, only HIV cases diagnosed after July <sup>st</sup>, 1997, were reportable. A detectable viral load (VL) (or equivalent viral test) is reportable, and is considered evidence of HIV. Other reportable virologic test considered to be evidence of HIV are: P24, ANTIGEN, Nucleic Acid test (NAT/NAAT), viral culture. CD4 counts/percents are reportable, but follow-up is conducted only if it is <200 uL, or <14%.

[\(Continue next Page\)](#)

**FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY**  
**HIV/AIDS Surveillance**  
**Perinatal HIV Exposed Cases**

**JULY 2015**

**CONFIRMED Infected Perinatal Cases, know HIV or AIDS born in Miami-Dade by year of birth, 2000-2015.**

Perinatal HIV/AIDS Cases by Year of Birth	Pediatic HIV		Pediatic AIDS		TOTAL		
	Cases	Row %	Cases	Row %	Cases	Col %	Row %
2000	5	71.4%	2	28.6%	7	13.2%	100%
2001	6	60.0%	4	40.0%	10	18.9%	100%
2002	3	50.0%	3	50.0%	6	11.3%	100%
2003	3	75.0%	1	25.0%	4	7.5%	100%
2004	1	50.0%	1	50.0%	2	3.8%	100%
2005	3	60.0%	2	40.0%	5	9.4%	100%
2006	2	66.7%	1	33.3%	3	5.7%	100%
2007	1	100.0%	0	0.0%	1	1.9%	100%
2008	1	50.0%	1	50.0%	2	3.8%	100%
2009	2	100.0%	0	0.0%	2	3.8%	100%
2010	3	100.0%	0	0.0%	3	5.7%	100%
2011	1	100.0%	0	0.0%	1	1.9%	100%
2012	1	100.0%	0	0.0%	1	1.9%	100%
2013	2	66.7%	1	33.3%	3	5.7%	100%
2014	1	100.0%	0	0.0%	1	1.9%	100%
2015	2	100.0%	0	0.0%	2	3.8%	100%
<b>Total Confirmed Perinatal Cases</b>	<b>37</b>	<b>70%</b>	<b>16</b>	<b>30%</b>	<b>53</b>	<b>100%</b>	<b>100%</b>

(Continue next Page)

**FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY**  
**HIV/AIDS Surveillance**  
**Perinatal HIV Exposed Cases**

**JULY 2015**

*All EXPOSED Perinatal pediatric cases born in Miami-Dade by hospital of birth and diagnosis status since November 20<sup>th</sup>, 2006. <sup>(1)</sup>*

Hospital of Birth	Perinatal HIV Exposure	Pediatric HIV	Pediatric AIDS	Perinatal Seroreverter	Unknown	TOTAL	TOTAL %
BAPTIST HOSPITAL-MIAMI	4	0	0	1		5	0.5%
BROWARD GENERAL MEDICAL CTR.	2	0	0	2		4	0.4%
CORAL SPRINGS MEDICAL CTR.	1	0	0	0		1	0.1%
HIALEAH HOSPITAL	3	0	0	0		3	0.3%
HOMESTEAD HOSPITAL	6	1	0	1		8	0.8%
JACKSON N MATERNITY CTR.	0	0	0	2		2	0.2%
JACKSON NORTH MEDICAL CTR.	7	2	0	16		25	2.5%
JACKSON SOUTH MEDICAL CTR.	2	0	0	15		17	1.7%
JACKSON MEMORIAL HOSPITAL	138	7	0	681		826	84.1%
KENDALL RMC	1	0	0	1		2	0.2%
MEMORIAL HOSPITAL-MIRAMAR	1	0	1	0		2	0.2%
MEMORIAL HOSPITAL-SOUTH	1	0	0	0		1	0.1%
MEMORIAL HOSPITAL-WEST	1	0	0	2		3	0.3%
MEMORIAL HOSPITAL-PEMBROKE PINES	3	0	0	1		4	0.4%
MEMORIAL HOSPITAL-HOLLYWOOD	10	0	0	6		16	1.6%
MERCY HOSPITAL	2	0	0	0		2	0.2%
MIAMI CHILDREN'S HOSPITAL	1	0	0	0		1	0.1%
MIAMI-DADE PVT PHYSICIAN-MIAMI	2	0	0	0		2	0.2%
MOUNT SINAI MC	1	0	0	1		2	0.2%
NORTH SHORE MEDICAL CTR.	12	0	0	22		34	3.5%
PLANTATION GENERAL HOSPITAL	1	0	0	1		2	0.2%
SOUTH MIAMI HOSPITAL	1	0	0	0		1	0.1%
UF HEALTH AT JACKSONVILLE	1	0	0	0		1	0.1%
WELLINGTON RMS	1	0	0	0		1	0.1%
UNKNOWN	2	4	1	10		17	1.7%
<b>TOTAL</b>	<b>204</b>	<b>14</b>	<b>2</b>	<b>762</b>	<b>0</b>	<b>982</b>	<b>100%</b>

<sup>(1)</sup> NOTE: An expanded HIV reporting law was implemented on November 20<sup>th</sup>, 2006. Expansion included reportability of cases with virologic evidence of HIV infection. Previously, only Western Blot-confirmed (+) cases were reportable. In addition, reporting is retroactive. Previously, only HIV cases diagnosed after July <sup>st</sup>, 1997, were reportable. A detectable viral load (VL) (or equivalent viral test) is reportable, and is considered evidence of HIV. Other reportable virologic test considered to be evidence of HIV are: P24, ANTIGEN, Nucleic Acid test (NAT/NAAT), viral culture. CD4 counts/percents are reportable, but follow-up is conducted only if it is <200 uL, or <14%

**FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY  
ONE-IN STATEMENTS**

\* **ONE-IN Statements for Adults (>=13) Living with HIV or AIDS [PLWHA] through 2014 in Miami-Dade & Florida,**

<b>ADULT MALE LIVING WITH HIV OR AIDS</b>	
<b>MIAMI-DADE</b>	<b>FLORIDA</b>
• One in 61 White adult male in Miami-Dade is living with HIV or AIDS	• One in 170 White adult male
• One in 26 Black adult male in Miami-Dade is living with HIV or AIDS	• One in 38 Black adult male
• One in 75 Hispanic adult male in Miami-Dade is living with HIV or AIDS	• One in 98 Hispanic adult male
• One in 89 other race adult male in Miami-Dade is living with HIV or AIDS	• One in 200 Other adult male
<b>One in 56 adult male in Miami-Dade is living with HIV or AIDS</b>	<b>One in 103 adult male in Florida</b>

<b>ADULT FEMALE LIVING WITH HIV OR AIDS</b>	
<b>MIAMI-DADE</b>	<b>FLORIDA</b>
• One in 461 White adult female in Miami-Dade is living with HIV or AIDS	• One in 1,049 White adult female
• One in 37 Black adult female in Miami-Dade is living with HIV or AIDS	• One in 60 Black adult female
• One in 473 Hispanic adult female in Miami-Dade is living with HIV or AIDS	• One in 422 Hispanic adult female
• One in 259 other race adult female in Miami-Dade is living with HIV or AIDS	• One in 573 Other adult female
<b>One in 160 adult female in Miami-Dade is living with HIV or AIDS</b>	<b>One in 275 adult female in Florida</b>

<b>TOTAL ADULTS OF ALL SEXES LIVING WITH HIV OR AIDS</b>	
<b>MIAMI-DADE</b>	<b>FLORIDA</b>
• One in 106 White adult in Miami-Dade is living with HIV or AIDS	• One in 298 White adult
• One in 31 Black adult in Miami-Dade is living with HIV or AIDS	• One in 47 Black adult
• One in 134 Hispanic adult in Miami-Dade is living with HIV or AIDS	• One in 161 Hispanic adult
• One in 136 other race adult in Miami-Dade is living with HIV or AIDS	• One in 307 Other adult race
<b>One in 85 adult resident in Miami-Dade is living with HIV or AIDS</b>	<b>One in 151 adult Floridian</b>

Note: Excluding Department of Correction [DOC] cases at county level. Florida totals include DOC cases.

These statements are updated by the Florida Bureau of Communicable Disease, HIV/AIDS Section, every June of following year.

\* **Living data now reflects those living on our area regardless of where diagnosed. You cannot compare this year's data with last year's since they were run separately**

**FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY  
ONE-IN STATEMENTS**

\* **ONE-IN Statements for Total Persons (all ages) Living with HIV or AIDS [PLWHA] through 2014 in Miami-Dade & Florida**

<b>TOTAL MALE LIVING WITH HIV OR AIDS</b>	
<b>MIAMI-DADE</b>	<b>FLORIDA</b>
• One in 73 White male in Miami-Dade is living with HIV or AIDS	• One in 193 White male
• One in 32 Black male in Miami-Dade is living with HIV or AIDS	• One in 48 Black male
• One in 88 Hispanic male in Miami-Dade is living with HIV or AIDS	• One in 122 Hispanic male
• One in 108 other race male in Miami-Dade is living with HIV or AIDS	• One in 262 Other male
<b>One in 67 male in Miami-Dade is living with HIV or AIDS</b>	<b>One in 121 male in Florida</b>

<b>TOTAL FEMALE LIVING WITH HIV OR AIDS</b>	
<b>MIAMI-DADE</b>	<b>FLORIDA</b>
• One in 551 White female in Miami-Dade is living with HIV or AIDS	• One in 1,176 White female
• One in 45 Black female in Miami-Dade is living with HIV or AIDS	• One in 74 Black female
• One in 546 Hispanic female in Miami-Dade is living with HIV or AIDS	• One in 514 Hispanic female
• One in 309 other race female in Miami-Dade is living with HIV or AIDS	• One in 724 Other female
<b>One in 187 female in Miami-Dade is living with HIV or AIDS</b>	<b>One in 320 female in Florida</b>

<b>TOTAL ALL SEXES LIVING WITH HIV OR AIDS</b>	
<b>MIAMI-DADE</b>	<b>FLORIDA</b>
• One in 126 White in Miami-Dade is living with HIV or AIDS	• One in 336 White
• One in 38 Black in Miami-Dade is living with HIV or AIDS	• One in 59 Black
• One in 156 Hispanic in Miami-Dade is living with HIV or AIDS	• One in 198 Hispanic
• One in 164 other race in Miami-Dade is living with HIV or AIDS	• One in 394 Other race
<b>One in 100 Miami-Dade resident is living with HIV or AIDS</b>	<b>One in 178 Floridian</b>

Note: Excluding Department of Correction [DOC] cases at county level. Florida totals include DOC cases.

These statements are updated by the Florida Bureau of Communicable Disease, HIV/AIDS Section, every June of following year.

\* **Living data now reflects those living on our area regardless of where diagnosed. You cannot compare this year's data with last year's since they were run separately**

**FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY  
USEFUL WEBSITE LINKS**

Below are several website that may be useful for HIV/AIDS related information.

<b>USEFUL WEBSITE LINKS</b>	
<b>ORGANIZATIONS / SITES</b>	<b>ELECTRONIC ADDRESS</b>
Data from the HIV Counseling and Testing (Florida & all Counties)	<a href="http://www.floridahealth.gov/diseases-and-conditions/aids/prevention/2013-testing-data.html">http://www.floridahealth.gov/diseases-and-conditions/aids/prevention/2013-testing-data.html</a>
Center for Disease Control and Prevention [CDC]	<a href="http://www.cdc.gov">http://www.cdc.gov</a>
Center for Disease Control and Prevention [CDC] HIV/AIDS Statistics and Surveillance	<a href="http://www.cdc.gov/hiv/topics/surveillance/">http://www.cdc.gov/hiv/topics/surveillance/</a>
Center for Disease Control and Prevention [CDC] Morbidity and Mortality Weekly Report [MMWR]	<a href="http://www.cdc.gov/mmwr/">http://www.cdc.gov/mmwr/</a>
Florida Community Health Assessment Resource Tool Set [Florida CHARTS]	<a href="http://www.floridacharts.com/charts/default.aspx">http://www.floridacharts.com/charts/default.aspx</a>
Florida Department of Health in Miami-Dade County	<a href="http://miamidade.floridahealth.gov">http://miamidade.floridahealth.gov</a>
Florida Department of Health, Bureau of Communicable Disease, HIV/AIDS and Hepatitis Section.	<a href="http://www.floridahealth.gov/diseases-and-conditions/aids/index.html">http://www.floridahealth.gov/diseases-and-conditions/aids/index.html</a>
<i>Organización Panamericana de la Salud</i> [PAHO] (Pan American Health Organization)	<a href="http://www.paho.org">http://www.paho.org</a>
The Test Miami Initiative	<a href="http://www.testmiami.org/index.aspx">http://www.testmiami.org/index.aspx</a>
United Nations Program on HIV/AIDS [UNAIDS]	<a href="http://www.unaids.org/">http://www.unaids.org/</a>
US Census Bureau.	<a href="http://www.census.gov">http://www.census.gov</a>
US Census Bureau. HIV/AIDS Surveillance	<a href="http://www.census.gov/ipc/www/hivaidsn.html">http://www.census.gov/ipc/www/hivaidsn.html</a>
World Health Organization [WHO]	<a href="http://www.who.int">http://www.who.int</a>