





MIAMI-DADE COUNTY NEIGHBORHOOD PROFILES

The present surveillance analysis includes demographic profiles for each of the ten zones (neighborhoods) we divided our county. The data shows in each zone, cumulative number of documented people living with a diagnosis of HIV or AIDS through December 31st, 2013, as of June 2014, by race/ethnicity, current age group and specific risk factors, according to gender, as well as a total people living with HIV or AIDS [PLWHA] through that date in our county.

People living with HIV or AIDS has been updated by the Florida Department of Health, Bureau of Communicable Disease, HIV/AIDS & Hepatitis Section, in June 2014, using the National Death Index [NDI] latest information for death cases.

Total reported people living with HIV or AIDS are those reported cases regardless of where they are currently living.



Zone I, which includes Hialeah, Miami Lakes, Hialeah Gardens, Miami Springs, Medley and vicinity, has the sixth highest number of people living with HIV/AIDS [PLWHA]. Analysis by race/ethnicity, current age group and risk category according to gender as follow:




ZONE I BY RACE	PEOPLE LIVING WITH AIDS						PEOPLE LIVING WITH HIV						PEOPLE LIVING WITH HIV/AIDS					
	FEMALE	%	MALE	%	TOTAL	%	FEMALE	%	MALE	%	TOTAL	%	FEMALE	%	MALE	%	TOTAL	%
HISPANIC	100	70%	510	75%	610	74%	102	73%	458	76%	560	76%	202	72%	968	76%	1,170	75%
BLACK	34	24%	105	16%	139	17%	29	21%	94	16%	123	17%	63	22%	199	16%	262	17%
WHITE	3	2%	47	7%	50	6%	6	4%	35	6%	41	6%	9	3%	82	6%	91	6%
HAITIAN	5	3%	8	1%	13	2%	2	1%	6	1%	8	1%	7	2%	14	1%	21	1%
OTHER ⁽¹⁾	1	1%	7	1%	8	1%	0	0%	7	1%	7	1%	1	0%	14	1%	15	1%
TOTAL	143	100%	677	100%	820	100%	139	100%	600	100%	739	100%	282	100%	1,277	100%	1,559	100%

BY CURRENT AGE

<=12 Yrs.	0	0%	1	0%	1	0%	1	1%	0	0%	1	0%	1	0%	1	0%	2	0%
13-19 Yrs.	0	0%	2	0%	2	0%	2	1%	3	1%	5	1%	2	1%	5	0%	7	0%
20-29 Yrs.	4	3%	23	3%	27	3%	16	12%	81	14%	97	13%	20	7%	104	8%	124	8%
30-39 Yrs.	18	13%	76	11%	94	11%	29	21%	132	22%	161	22%	47	17%	208	16%	255	16%
40-49 Yrs.	38	27%	211	31%	249	30%	38	27%	197	33%	235	32%	76	27%	408	32%	484	31%
>=50 Yrs.	83	58%	364	54%	447	55%	53	38%	187	31%	240	32%	136	48%	551	43%	687	44%
TOTAL	143	100%	677	100%	820	100%	139	100%	600	100%	739	100%	282	100%	1,277	100%	1,559	100%

BY RISK CATEGORY

MSM			449	66%	449	55%			411	69%	411	56%			860	67%	860	55%
IDU	14	10%	46	7%	60	7%	6	4%	19	3%	25	3%	20	7%	65	5%	85	5%
MSM-IDU			37	5%	37	5%			21	4%	21	3%			58	5%	58	4%
HTSX	115	80%	99	15%	214	26%	114	82%	90	15%	204	28%	229	81%	189	15%	418	27%
OTHER ⁽²⁾	4	3%	8	1%	12	1%	3	2%	1	0%	4	1%	7	2%	9	1%	16	1%
NRR/NIR	10	7%	38	6%	48	6%	16	12%	58	10%	74	10%	26	9%	96	8%	122	8%
TOTAL	143	100%	677	100%	820	100%	139	100%	600	100%	739	100%	282	100%	1,277	100%	1,559	100%



(1) Includes American Indian/Alaska Native, Asian, Native Hawaiian/Pacific islander, Legacy Asian, Multi-Race.

(2) Transfusion/transplant, received clotting factor, adult case with pediatric risk, perinatal and other pediatric exposure.

Risk Legend: MSM=Male-to-male sexual contact. IDU=Injection drug use. HTSX=Heterosexual contact with people infected or at risk for HIV. NRR/NIR=No reported or identified risk.

Zone II, which includes Opa-Locka, Carol City, Norland and vicinity, has the third highest number of people living with HIV/AIDS [PLWHA]. Analysis by race/ethnicity, current age group and risk category according to gender as follow:




ZONE II BY RACE	PEOPLE LIVING WITH AIDS						PEOPLE LIVING WITH HIV						PEOPLE LIVING WITH HIV/AIDS					
	FEMALE	%	MALE	%	TOTAL	%	FEMALE	%	MALE	%	TOTAL	%	FEMALE	%	MALE	%	TOTAL	%
HISPANIC	72	10%	244	26%	316	19%	54	9%	238	29%	292	21%	126	10%	482	28%	608	20%
BLACK	442	63%	457	49%	899	55%	403	68%	397	49%	800	57%	845	65%	854	49%	1,699	56%
WHITE	17	2%	74	8%	91	6%	20	3%	76	9%	96	7%	37	3%	150	9%	187	6%
HAITIAN	170	24%	144	15%	314	19%	108	18%	87	11%	195	14%	278	21%	231	13%	509	17%
OTHER (1)	4	1%	13	1%	17	1%	4	1%	10	1%	14	1%	8	1%	23	1%	31	1%
TOTAL	705	100%	932	100%	1,637	100%	589	100%	808	100%	1,397	100%	1,294	100%	1,740	100%	3,034	100%

BY CURRENT AGE

AGE GROUP	FEMALE	%	MALE	%	TOTAL	%	FEMALE	%	MALE	%	TOTAL	%	FEMALE	%	MALE	%	TOTAL	%
<=12 Yrs.	1	0%	2	0%	3	0%	0	0%	1	0%	1	0%	1	0%	3	0%	4	0%
13-19 Yrs.	6	1%	7	1%	13	1%	19	3%	11	1%	30	2%	25	2%	18	1%	43	1%
20-29 Yrs.	45	6%	53	6%	98	6%	61	10%	145	18%	206	15%	106	8%	198	11%	304	10%
30-39 Yrs.	84	12%	85	9%	169	10%	137	23%	154	19%	291	21%	221	17%	239	14%	460	15%
40-49 Yrs.	245	35%	255	27%	500	31%	155	26%	209	26%	364	26%	400	31%	464	27%	864	28%
>=50 Yrs.	324	46%	530	57%	854	52%	217	37%	288	36%	505	36%	541	42%	818	47%	1,359	45%
TOTAL	705	100%	932	100%	1,637	100%	589	100%	808	100%	1,397	100%	1,294	100%	1,740	100%	3,034	100%

BY RISK CATEGORY

RISK CATEGORY	FEMALE	%	MALE	%	TOTAL	%	FEMALE	%	MALE	%	TOTAL	%	FEMALE	%	MALE	%	TOTAL	%
MSM			445	48%	445	27%			471	58%	471	34%			916	53%	916	30%
IDU	62	9%	65	7%	127	8%	27	5%	21	3%	48	3%	89	7%	86	5%	175	6%
MSM-IDU			34	4%	34	2%			16	2%	16	1%			50	3%	50	2%
HTSX	562	80%	287	31%	849	52%	475	81%	173	21%	648	46%	1,037	80%	460	26%	1,497	49%
OTHER (2)	27	4%	26	3%	53	3%	22	4%	15	2%	37	3%	49	4%	41	2%	90	3%
NRR/NIR	54	8%	75	8%	129	8%	65	11%	112	14%	177	13%	119	9%	187	11%	306	10%
TOTAL	705	100%	932	100%	1,637	100%	589	100%	808	100%	1,397	100%	1,294	100%	1,740	100%	3,034	100%






(1) Includes American Indian/Alaska Native, Asian, Native Hawaiian/Pacific islander, Legacy Asian, Multi-Race.

(2) Transfusion/transplant, received clotting factor, adult case with pediatric risk, perinatal and other pediatric exposure.

Risk Legend: MSM=Male-to-male sexual contact. IDU=Injection drug use. HTSX=Heterosexual contact with people infected or at risk for HIV. NRR/NIR=No reported or identified risk.

Zone III, which includes Miami Beach, South Beach, Surfside and vicinity, has the second highest number of people living with HIV/AIDS [PLWHA]. Analysis by race/ethnicity, current age group and risk category according to gender as follow:

ZONE III BY RACE	PEOPLE LIVING WITH AIDS						PEOPLE LIVING WITH HIV						PEOPLE LIVING WITH HIV/AIDS					
	FEMALE	%	MALE	%	TOTAL	%	FEMALE	%	MALE	%	TOTAL	%	FEMALE	%	MALE	%	TOTAL	%
HISPANIC	46	47%	729	58%	775	58%	57	50%	886	57%	943	57%	103	49%	1,615	58%	1,718	57%
BLACK	21	22%	100	8%	121	9%	21	18%	130	8%	151	9%	42	20%	230	8%	272	9%
WHITE	11	11%	373	30%	384	29%	20	18%	502	32%	522	31%	31	15%	875	31%	906	30%
HAITIAN	17	18%	26	2%	43	3%	15	13%	12	1%	27	2%	32	15%	38	1%	70	2%
OTHER (1)	2	2%	19	2%	21	2%	1	1%	23	1%	24	1%	3	1%	42	2%	45	1%
TOTAL	97	100%	1,247	100%	1,344	100%	114	100%	1,553	100%	1,667	100%	211	100%	2,800	100%	3,011	100%
BY CURRENT AGE																		
<=12 Yrs.	0	0%	0	0%	0	0%	2	2%	0	0%	2	0%	2	1%	0	0%	2	0%
13-19 Yrs.	1	1%	4	0%	5	0%	0	0%	2	0%	2	0%	1	0%	6	0%	7	0%
20-29 Yrs.	3	3%	22	2%	25	2%	7	6%	107	7%	114	7%	10	5%	129	5%	139	5%
30-39 Yrs.	9	9%	91	7%	100	7%	18	16%	318	21%	336	21%	27	13%	409	15%	436	15%
40-49 Yrs.	23	24%	439	35%	462	34%	44	39%	599	39%	643	39%	67	32%	1,038	37%	1,105	37%
>=50 Yrs.	61	63%	691	55%	752	56%	43	38%	497	33%	540	33%	104	49%	1,188	43%	1,292	43%
TOTAL	97	100%	1,247	100%	1,344	100%	114	100%	1,523	100%	1,637	100%	211	100%	2,770	100%	2,981	100%
BY RISK CATEGORY																		
MSM			1,066	85%	1,066	79%			1,388	89%	1,388	83%			2,454	88%	2,454	82%
IDU	13	13%	32	3%	45	3%	4	4%	11	1%	15	1%	17	8%	43	2%	60	2%
MSM-IDU			45	4%	45	3%			16	1%	16	1%			61	2%	61	2%
HTSX	76	78%	63	5%	139	10%	84	74%	56	4%	140	8%	160	76%	119	4%	279	9%
OTHER (2)	1	1%	6	0%	7	1%	2	2%	1	0%	3	0%	3	1%	7	0%	10	0%
NRR/NIR	7	7%	35	3%	42	3%	24	21%	81	5%	105	6%	31	15%	116	4%	147	5%
TOTAL	97	100%	1,247	100%	1,344	100%	114	100%	1,553	100%	1,667	100%	211	100%	2,800	100%	3,011	100%




(1) Includes American Indian/Alaska Native, Asian, Native Hawaiian/Pacific islander, Legacy Asian, Multi-Race.

(2) Transfusion/transplant, received clotting factor, adult case with pediatric risk, perinatal and other pediatric exposure.

Risk Legend: MSM=Male-to-male sexual contact. IDU=Injection drug use. HTSX=Heterosexual contact with people infected or at risk for HIV. NRR/NIR=No reported or identified risk.

Zone IV, which includes Liberty City, Miami Shores, El Portal and vicinity, has the first highest number of people living with HIV/AIDS [PLWHA]. Analysis by race/ethnicity, current age group and risk category according to gender as follow:

ZONE IV BY RACE	PEOPLE LIVING WITH AIDS						PEOPLE LIVING WITH HIV						PEOPLE LIVING WITH HIV/AIDS					
	FEMALE	%	MALE	%	TOTAL	%	FEMALE	%	MALE	%	TOTAL	%	FEMALE	%	MALE	%	TOTAL	%
HISPANIC	82	8%	322	21%	404	16%	61	7%	303	26%	364	18%	143	8%	625	23%	768	17%
BLACK	563	54%	610	39%	1,173	45%	483	59%	492	42%	975	49%	1,046	56%	1,102	41%	2,148	47%
WHITE	20	2%	137	9%	157	6%	15	2%	136	12%	151	8%	35	2%	273	10%	308	7%
HAITIAN	369	35%	456	29%	825	32%	248	30%	230	20%	478	24%	617	33%	686	25%	1,303	28%
OTHER ⁽¹⁾	13	1%	23	1%	36	1%	8	1%	10	1%	18	1%	21	1%	33	1%	54	1%
TOTAL	1,047	100%	1,548	100%	2,595	100%	815	100%	1,171	100%	1,986	100%	1,862	100%	2,719	100%	4,581	100%
BY CURRENT AGE																		
<=12 Yrs.	0	0%	0	0%	0	0%	2	0%	3	0%	5	0%	2	0%	3	0%	5	0%
13-19 Yrs.	7	1%	2	0%	9	0%	12	1%	11	1%	23	1%	19	1%	13	0%	32	1%
20-29 Yrs.	49	5%	65	4%	114	4%	87	11%	126	11%	213	11%	136	7%	191	7%	327	7%
30-39 Yrs.	108	10%	124	8%	232	9%	194	24%	187	16%	381	19%	302	16%	311	11%	613	13%
40-49 Yrs.	287	27%	356	23%	643	25%	198	24%	316	27%	514	26%	485	26%	672	25%	1,157	25%
>=50 Yrs.	596	57%	1,001	65%	1,597	62%	322	40%	528	45%	850	43%	918	49%	1,529	56%	2,447	53%
TOTAL	1,047	100%	1,548	100%	2,595	100%	815	100%	1,171	100%	1,986	100%	1,862	100%	2,719	100%	4,581	100%
BY RISK CATEGORY																		
MSM			706	46%	706	27%			604	52%	604	30%			1,310	48%	1,310	29%
IDU	105	10%	98	6%	203	8%	41	5%	26	2%	67	3%	146	8%	124	5%	270	6%
MSM-IDU			60	4%	60	2%			19	2%	19	1%			79	3%	79	2%
HTSX	835	80%	504	33%	1,339	52%	657	81%	332	28%	989	50%	1,492	80%	836	31%	2,328	51%
OTHER ⁽²⁾	35	3%	28	2%	63	2%	23	3%	17	1%	40	2%	58	3%	45	2%	103	2%
NRR/NIR	72	7%	152	10%	224	9%	94	12%	173	15%	267	13%	166	9%	325	12%	491	11%
TOTAL	1,047	100%	1,548	100%	2,595	100%	815	100%	1,171	100%	1,986	100%	1,862	100%	2,719	100%	4,581	100%






(1) Includes American Indian/Alaska Native, Asian, Native Hawaiian/Pacific islander, Legacy Asian, Multi-Race.

(2) Transfusion/transplant, received clotting factor, adult case with pediatric risk, perinatal and other pediatric exposure.

Risk Legend: MSM=Male-to-male sexual contact. IDU=Injection drug use. HTSX=Heterosexual contact with people infected or at risk for HIV. NRR/NIR=No reported or identified risk.

Zone V, which includes Little Haiti, Brownsville, part of Liberty City and vicinity, has the fourth highest number of people living with HIV/AIDS [PLWHA]. Analysis by race/ethnicity, current age group and risk category according to gender as follow:

ZONE V BY RACE	PEOPLE LIVING WITH AIDS						PEOPLE LIVING WITH HIV						PEOPLE LIVING WITH HIV/AIDS					
	FEMALE	%	MALE	%	TOTAL	%	FEMALE	%	MALE	%	TOTAL	%	FEMALE	%	MALE	%	TOTAL	%
HISPANIC	68	13%	333	34%	401	27%	84	19%	295	38%	379	31%	152	16%	628	36%	780	29%
BLACK	329	64%	388	40%	717	48%	303	67%	349	44%	652	53%	632	65%	737	42%	1,369	50%
WHITE	15	3%	67	7%	82	6%	11	2%	79	10%	90	7%	26	3%	146	8%	172	6%
HAITIAN	99	19%	168	17%	267	18%	46	10%	60	8%	106	9%	145	15%	228	13%	373	14%
OTHER ⁽¹⁾	7	1%	12	1%	19	1%	8	2%	3	0%	11	1%	15	2%	15	1%	30	1%
TOTAL	518	100%	968	100%	1,486	100%	452	100%	786	100%	1,238	100%	970	100%	1,754	100%	2,724	100%
BY CURRENT AGE																		
<=12 Yrs.	1	0%	0	0%	1	0%	1	0%	4	1%	5	0%	2	0%	4	0%	6	0%
13-19 Yrs.	2	0%	7	1%	9	1%	11	2%	6	1%	17	1%	13	1%	13	1%	26	1%
20-29 Yrs.	22	4%	31	3%	53	4%	48	11%	72	9%	120	10%	70	7%	103	6%	173	6%
30-39 Yrs.	66	13%	64	7%	130	9%	88	19%	140	18%	228	18%	154	16%	204	12%	358	13%
40-49 Yrs.	130	25%	240	25%	370	25%	123	27%	223	28%	346	28%	253	26%	463	26%	716	26%
>=50 Yrs.	297	57%	626	65%	923	62%	181	40%	341	43%	522	42%	478	49%	967	55%	1,445	53%
TOTAL	518	100%	968	100%	1,486	100%	452	100%	786	100%	1,238	100%	970	100%	1,754	100%	2,724	100%
BY RISK CATEGORY																		
MSM			486	50%	486	33%			422	54%	422	34%			908	52%	908	33%
IDU	89	17%	102	11%	191	13%	37	8%	43	5%	80	6%	126	13%	145	8%	271	10%
MSM-IDU			38	4%	38	3%			26	3%	26	2%			64	4%	64	2%
HTSX	379	73%	230	24%	609	41%	349	77%	170	22%	519	42%	728	75%	400	23%	1,128	41%
OTHER ⁽²⁾	14	3%	15	2%	29	2%	10	2%	11	1%	21	2%	24	2%	26	1%	50	2%
NRR/NIR	36	7%	97	10%	133	9%	56	12%	114	15%	170	14%	92	9%	211	12%	303	11%
TOTAL	518	100%	968	100%	1,486	100%	452	100%	786	100%	1,238	100%	970	100%	1,754	100%	2,724	100%




(1) Includes American Indian/Alaska Native, Asian, Native Hawaiian/Pacific islander, Legacy Asian, Multi-Race.

(2) Transfusion/transplant, received clotting factor, adult case with pediatric risk, perinatal and other pediatric exposure.

Risk Legend: MSM=Male-to-male sexual contact. IDU=Injection drug use. HTSX=Heterosexual contact with people infected or at risk for HIV. NRR/NIR=No reported or identified risk.

Zone VI, which includes Little Havana, Overtown, Key Biscayne and vicinity, has the fifth highest number of people living with HIV/AIDS [PLWHA]. Analysis by race/ethnicity, current age group and risk category according to gender as follow:

ZONE VI BY RACE	PEOPLE LIVING WITH AIDS						PEOPLE LIVING WITH HIV						PEOPLE LIVING WITH HIV/AIDS					
	FEMALE	%	MALE	%	TOTAL	%	FEMALE	%	MALE	%	TOTAL	%	FEMALE	%	MALE	%	TOTAL	%
HISPANIC	129	39%	724	66%	853	60%	111	44%	645	65%	756	61%	240	42%	1,369	66%	1,609	60%
BLACK	151	46%	232	21%	383	27%	106	42%	200	20%	306	25%	257	44%	432	21%	689	26%
WHITE	23	7%	101	9%	124	9%	24	10%	118	12%	142	11%	47	8%	219	10%	266	10%
HAITIAN	22	7%	35	3%	57	4%	7	3%	14	1%	21	2%	29	5%	49	2%	78	3%
OTHER (1)	3	1%	11	1%	14	1%	2	1%	8	1%	10	1%	5	1%	19	1%	24	1%
TOTAL	328	100%	1,103	100%	1,431	100%	250	100%	985	100%	1,235	100%	578	100%	2,088	100%	2,666	100%
BY CURRENT AGE																		
<=12 Yrs.	1	0%	2	0%	3	0%	1	0%	2	0%	3	0%	2	0%	4	0%	6	0%
13-19 Yrs.	4	1%	4	0%	8	1%	5	2%	2	0%	7	1%	9	2%	6	0%	15	1%
20-29 Yrs.	14	4%	36	3%	50	3%	22	9%	110	11%	132	11%	36	6%	146	7%	182	7%
30-39 Yrs.	46	14%	111	10%	157	11%	58	23%	202	21%	260	21%	104	18%	313	15%	417	16%
40-49 Yrs.	91	28%	293	27%	384	27%	60	24%	296	30%	356	29%	151	26%	589	28%	740	28%
>=50 Yrs.	172	52%	657	60%	829	58%	104	42%	373	38%	477	39%	276	48%	1,030	49%	1,306	49%
TOTAL	328	100%	1,103	100%	1,431	100%	250	100%	985	100%	1,235	100%	578	100%	2,088	100%	2,666	100%
BY RISK CATEGORY																		
MSM			733	66%	733	51%			666	68%	666	54%			1,399	67%	1,399	52%
IDU	61	19%	81	7%	142	10%	23	9%	35	4%	58	5%	84	15%	116	6%	200	8%
MSM-IDU			52	5%	52	4%			28	3%	28	2%			80	4%	80	3%
HTSX	229	70%	167	15%	396	28%	181	72%	140	14%	321	26%	410	71%	307	15%	717	27%
OTHER (2)	9	3%	13	1%	22	2%	7	3%	7	1%	14	1%	16	3%	20	1%	36	1%
NRR/NIR	29	9%	57	5%	86	6%	39	16%	109	11%	148	12%	68	12%	166	8%	234	9%
TOTAL	328	100%	1,103	100%	1,431	100%	250	100%	985	100%	1,235	100%	578	100%	2,088	100%	2,666	100%






(1) Includes American Indian/Alaska Native, Asian, Native Hawaiian/Pacific islander, Legacy Asian, Multi-Race.

(2) Transfusion/transplant, received clotting factor, adult case with pediatric risk, perinatal and other pediatric exposure.

Risk Legend: MSM=Male-to-male sexual contact. IDU=Injection drug use. HTSX=Heterosexual contact with people infected or at risk for HIV. NRR/NIR=No reported or identified risk.

Zone VII, which includes Sweetwater, Westchester, Kendal and vicinity, has the ninth highest number of people living with HIV/AIDS [PLWHA]. Analysis by race/ethnicity, current age group and risk category according to gender as follow:

ZONE VII BY RACE	PEOPLE LIVING WITH AIDS						PEOPLE LIVING WITH HIV						PEOPLE LIVING WITH HIV/AIDS					
	FEMALE	%	MALE	%	TOTAL	%	FEMALE	%	MALE	%	TOTAL	%	FEMALE	%	MALE	%	TOTAL	%
HISPANIC	78	76%	413	86%	491	84%	71	77%	411	84%	482	83%	149	77%	824	85%	973	83%
BLACK	10	10%	22	5%	32	5%	14	15%	32	7%	46	8%	24	12%	54	6%	78	7%
WHITE	6	6%	33	7%	39	7%	3	3%	35	7%	38	7%	9	5%	68	7%	77	7%
HAITIAN	5	5%	8	2%	13	2%	1	1%	12	2%	13	2%	6	3%	20	2%	26	2%
OTHER (1)	3	3%	5	1%	8	1%	3	3%	2	0%	5	1%	6	3%	7	1%	13	1%
TOTAL	102	100%	481	100%	583	100%	92	100%	492	100%	584	100%	194	100%	973	100%	1,167	100%
BY CURRENT AGE																		
<=12 Yrs.	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
13-19 Yrs.	0	0%	0	0%	0	0%	1	1%	1	0%	2	0%	1	1%	1	0%	2	0%
20-29 Yrs.	4	4%	19	4%	23	4%	13	14%	58	12%	71	12%	17	9%	77	8%	94	8%
30-39 Yrs.	8	8%	47	10%	55	9%	16	17%	113	23%	129	22%	24	12%	160	16%	184	16%
40-49 Yrs.	17	17%	130	27%	147	25%	29	32%	169	34%	198	34%	46	24%	299	31%	345	30%
>=50 Yrs.	73	72%	285	59%	358	61%	33	36%	151	31%	184	32%	106	55%	436	45%	542	46%
TOTAL	102	100%	481	100%	583	100%	92	100%	492	100%	584	100%	194	100%	973	100%	1,167	100%
BY RISK CATEGORY																		
MSM			357	74%	357	61%			352	72%	352	60%			709	73%	709	61%
IDU	8	8%	20	4%	28	5%	5	5%	11	2%	16	3%	13	7%	31	3%	44	4%
MSM-IDU			13	3%	13	2%			9	2%	9	2%			22	2%	22	2%
HTSX	87	85%	57	12%	144	25%	65	71%	48	10%	113	19%	152	78%	105	11%	257	22%
OTHER (2)	3	3%	5	1%	8	1%	1	1%	1	0%	2	0%	4	2%	6	1%	10	1%
NRR/NIR	4	4%	29	6%	33	6%	21	23%	71	14%	92	16%	25	13%	100	10%	125	11%
TOTAL	102	100%	481	100%	583	100%	92	100%	492	100%	584	100%	194	100%	973	100%	1,167	100%






(1) Includes American Indian/Alaska Native, Asian, Native Hawaiian/Pacific islander, Legacy Asian, Multi-Race.

(2) Transfusion/transplant, received clotting factor, adult case with pediatric risk, perinatal and other pediatric exposure.

Risk Legend: MSM=Male-to-male sexual contact. IDU=Injection drug use. HTSX=Heterosexual contact with people infected or at risk for HIV. NRR/NIR=No reported or identified risk.

Zone VIII, which includes South & West Miami, Coral Gables, Coconut Grove and vicinity, has the eighth highest number of people living with HIV/AIDS [PLWHA]. Analysis by race/ethnicity, current age group and risk category according to gender as follow:

ZONE VIII BY RACE	PEOPLE LIVING WITH AIDS						PEOPLE LIVING WITH HIV						PEOPLE LIVING WITH HIV/AIDS					
	FEMALE	%	MALE	%	TOTAL	%	FEMALE	%	MALE	%	TOTAL	%	FEMALE	%	MALE	%	TOTAL	%
HISPANIC	72	57%	440	71%	512	69%	51	50%	434	73%	485	70%	123	54%	874	72%	997	69%
BLACK	39	31%	66	11%	105	14%	33	33%	62	10%	95	14%	72	32%	128	11%	200	14%
WHITE	13	10%	94	15%	107	14%	13	13%	84	14%	97	14%	26	11%	178	15%	204	14%
HAITIAN	2	2%	7	1%	9	1%	2	2%	4	1%	6	1%	4	2%	11	1%	15	1%
OTHER ⁽¹⁾	1	1%	9	1%	10	1%	2	2%	10	2%	12	2%	3	1%	19	2%	22	2%
TOTAL	127	100%	616	100%	743	100%	101	100%	594	100%	695	100%	228	100%	1,210	100%	1,438	100%
BY CURRENT AGE																		
<=12 Yrs.	0	0%	0	0%	0	0%	1	1%	0	0%	1	0%	1	0%	0	0%	1	0%
13-19 Yrs.	2	2%	1	0%	3	0%	1	1%	1	0%	2	0%	3	1%	2	0%	5	0%
20-29 Yrs.	9	7%	13	2%	22	3%	10	10%	53	9%	63	9%	19	8%	66	5%	85	6%
30-39 Yrs.	10	8%	48	8%	58	8%	17	17%	101	17%	118	17%	27	12%	149	12%	176	12%
40-49 Yrs.	34	27%	145	24%	179	24%	28	28%	199	34%	227	33%	62	27%	344	28%	406	28%
>=50 Yrs.	72	57%	409	66%	481	65%	44	44%	240	40%	284	41%	116	51%	649	54%	765	53%
TOTAL	127	100%	616	100%	743	100%	101	100%	594	100%	695	100%	228	100%	1,210	100%	1,438	100%
BY RISK CATEGORY																		
MSM			470	76%	470	63%			475	80%	475	68%			945	78%	945	66%
IDU	12	9%	23	4%	35	5%	5	5%	10	2%	15	2%	17	7%	33	3%	50	3%
MSM-IDU			12	2%	12	2%			6	1%	6	1%			18	1%	18	1%
HTSX	101	80%	77	13%	178	24%	79	78%	58	10%	137	20%	180	79%	135	11%	315	22%
OTHER ⁽²⁾	8	6%	4	1%	12	2%	3	3%	0	0%	3	0%	11	5%	4	0%	15	1%
NRR/NIR	6	5%	30	5%	36	5%	14	14%	45	8%	59	8%	20	9%	75	6%	95	7%
TOTAL	127	100%	616	100%	743	100%	101	100%	594	100%	695	100%	228	100%	1,210	100%	1,438	100%






(1) Includes American Indian/Alaska Native, Asian, Native Hawaiian/Pacific islander, Legacy Asian, Multi-Race.

(2) Transfusion/transplant, received clotting factor, adult case with pediatric risk, perinatal and other pediatric exposure.

Risk Legend: MSM=Male-to-male sexual contact. IDU=Injection drug use. HTSX=Heterosexual contact with people infected or at risk for HIV. NRR/NIR=No reported or identified risk.

Zone IX, which includes Ferrine, Cutler Ridge and vicinity, has the seventh highest number of people living with HIV/AIDS [PLWHA]. Analysis by race/ethnicity, current age group and risk category according to gender as follow:

ZONE IX BY RACE	PEOPLE LIVING WITH AIDS						PEOPLE LIVING WITH HIV						PEOPLE LIVING WITH HIV/AIDS					
	FEMALE	%	MALE	%	TOTAL	%	FEMALE	%	MALE	%	TOTAL	%	FEMALE	%	MALE	%	TOTAL	%
HISPANIC	71	28%	261	51%	332	43%	73	30%	238	54%	311	45%	144	29%	499	52%	643	44%
BLACK	147	57%	157	31%	304	40%	140	57%	142	32%	282	41%	287	57%	299	31%	586	40%
WHITE	14	5%	55	11%	69	9%	17	7%	53	12%	70	10%	31	6%	108	11%	139	10%
HAITIAN	14	5%	19	4%	33	4%	12	5%	3	1%	15	2%	26	5%	22	2%	48	3%
OTHER ⁽¹⁾	10	4%	18	4%	28	4%	2	1%	7	2%	9	1%	12	2%	25	3%	37	3%
TOTAL	256	100%	510	100%	766	100%	244	100%	443	100%	687	100%	500	100%	953	100%	1,453	100%
BY CURRENT AGE																		
<=12 Yrs.	2	1%	0	0%	2	0%	3	1%	5	1%	8	1%	5	1%	5	1%	10	1%
13-19 Yrs.	1	0%	2	0%	3	0%	3	1%	1	0%	4	1%	4	1%	3	0%	7	0%
20-29 Yrs.	12	5%	22	4%	34	4%	38	16%	76	17%	114	17%	50	10%	98	10%	148	10%
30-39 Yrs.	40	16%	47	9%	87	11%	44	18%	88	20%	132	19%	84	17%	135	14%	219	15%
40-49 Yrs.	71	28%	131	26%	202	26%	65	27%	117	26%	182	26%	136	27%	248	26%	384	26%
>=50 Yrs.	130	51%	308	60%	438	57%	91	37%	156	35%	247	36%	221	44%	464	49%	685	47%
TOTAL	256	100%	510	100%	766	100%	244	100%	443	100%	687	100%	500	100%	953	100%	1,453	100%
BY RISK CATEGORY																		
MSM			325	64%	325	42%			269	61%	269	39%			594	62%	594	41%
IDU	26	10%	34	7%	60	8%	13	5%	5	1%	18	3%	39	8%	39	4%	78	5%
MSM-IDU			13	3%	13	2%			8	2%	8	1%			21	2%	21	1%
HTSX	213	83%	107	21%	320	42%	183	75%	94	21%	277	40%	396	79%	201	21%	597	41%
OTHER ⁽²⁾	6	2%	5	1%	11	1%	6	2%	7	2%	13	2%	12	2%	12	1%	24	2%
NRR/NIR	11	4%	26	5%	37	5%	42	17%	60	14%	102	15%	53	11%	86	9%	139	10%
TOTAL	256	100%	510	100%	766	100%	244	100%	443	100%	687	100%	500	100%	953	100%	1,453	100%






(1) Includes American Indian/Alaska Native, Asian, Native Hawaiian/Pacific islander, Legacy Asian, Multi-Race.

(2) Transfusion/transplant, received clotting factor, adult case with pediatric risk, perinatal and other pediatric exposure.

Risk Legend: MSM=Male-to-male sexual contact. IDU=Injection drug use. HTSX=Heterosexual contact with people infected or at risk for HIV. NRR/NIR=No reported or identified risk.

Zone X, which includes Homestead, Florida City, Naranja and vicinity, has the tenth highest number of people living with HIV/AIDS [PLWHA]. Analysis by race/ethnicity, current age group and risk category according to gender as follow:

ZONE X BY RACE	PEOPLE LIVING WITH AIDS						PEOPLE LIVING WITH HIV						PEOPLE LIVING WITH HIV/AIDS					
	FEMALE	%	MALE	%	TOTAL	%	FEMALE	%	MALE	%	TOTAL	%	FEMALE	%	MALE	%	TOTAL	%
HISPANIC	58	23%	130	40%	188	33%	42	20%	82	39%	124	30%	100	22%	212	40%	312	31%
BLACK	152	62%	139	43%	291	51%	138	65%	92	44%	230	55%	290	63%	231	43%	521	52%
WHITE	14	6%	18	6%	32	6%	8	4%	18	9%	26	6%	22	5%	36	7%	58	6%
HAITIAN	17	7%	33	10%	50	9%	19	9%	13	6%	32	8%	36	8%	46	9%	82	8%
OTHER ⁽¹⁾	6	2%	6	2%	12	2%	4	2%	4	2%	8	2%	10	2%	10	2%	20	2%
TOTAL	247	100%	326	100%	573	100%	211	100%	209	100%	420	100%	458	100%	535	100%	993	100%
BY CURRENT AGE																		
<=12 Yrs.	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
13-19 Yrs.	2	1%	1	0%	3	1%	7	3%	0	0%	7	2%	9	2%	1	0%	10	1%
20-29 Yrs.	18	7%	14	4%	32	6%	30	14%	40	19%	70	17%	48	10%	54	10%	102	10%
30-39 Yrs.	47	19%	42	13%	89	16%	56	27%	45	22%	101	24%	103	22%	87	16%	190	19%
40-49 Yrs.	76	31%	85	26%	161	28%	49	23%	46	22%	95	23%	125	27%	131	24%	256	26%
>=50 Yrs.	104	42%	184	56%	288	50%	69	33%	78	37%	147	35%	173	38%	262	49%	435	44%
TOTAL	247	100%	326	100%	573	100%	211	100%	209	100%	420	100%	458	100%	535	100%	993	100%
BY RISK CATEGORY																		
MSM			118	36%	118	21%			97	46%	97	23%			215	40%	215	22%
IDU	32	13%	35	11%	67	12%	7	3%	11	5%	18	4%	39	9%	46	9%	85	9%
MSM-IDU			15	5%	15	3%			1	0%	1	0%			16	3%	16	2%
HTSX	189	77%	119	37%	308	54%	169	80%	54	26%	223	53%	358	78%	173	32%	531	53%
OTHER ⁽²⁾	12	5%	5	2%	17	3%	8	4%	2	1%	10	2%	20	4%	7	1%	27	3%
NRR/NIR	14	6%	34	10%	48	8%	27	13%	44	21%	71	17%	41	9%	78	15%	119	12%
TOTAL	247	100%	326	100%	573	100%	211	100%	209	100%	420	100%	458	100%	535	100%	993	100%



(1) Includes American Indian/Alaska Native, Asian, Native Hawaiian/Pacific islander, Legacy Asian, Multi-Race.

(2) Transfusion/transplant, received clotting factor, adult case with pediatric risk, perinatal and other pediatric exposure.

Risk Legend: MSM=Male-to-male sexual contact. IDU=Injection drug use. HTSX=Heterosexual contact with people infected or at risk for HIV. NRR/NIR=No reported or identified risk.