

Mission:

To protect, promote & improve the health of all people in Florida through integrated state, county & community efforts.



Vision: To be the Healthiest State in the Nation

Rick Scott
Governor

John H. Armstrong, MD, FACS
State Surgeon General & Secretary

FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY

HIV/AIDS SURVEILLANCE

MONTHLY HIV/AIDS SURVEILLANCE REPORT

OCTOBER 2015

AIDS CASES (EXCLUDING DEPARTMENT OF CORRECTION [DOC] CASES) *(AIDS Worksheet)*

AIDS cases by age group and gender (Excluding Department of Correction - DOC).
AIDS cases by age group, race/ethnicity & gender, showing Haitians separated (Excluding DOC)
AIDS cases by year of report and gender (Excluding DOC)
Adult & pediatric AIDS cases by race/ethnicity and gender (Excluding DOC)
AIDS cases by exposure category and gender among Adult and Pediatric (Excluding DOC)
Adult AIDS cases by exposure category, race/ethnicity and gender (Excluding DOC)
Pediatric AIDS cases by exposure category, race/ethnicity and gender.
Adult Hispanic/Latino AIDS cases by country of origin and gender (Excluding DOC)
Adult Hispanic/Latino AIDS cases by country of origin, exposure category and gender (Excluding DOC)
Haitian born adult AIDS cases by exposure category and gender (Excluding DOC)
Department of Correction [DOC] Adult AIDS cases by race/ethnicity and gender.

HIV CASES (EXCLUDING DEPARTMENT OF CORRECTION [DOC] CASES) *(HIV Worksheet)*

HIV (not AIDS) cases by age group and gender (Excluding Department of Correction - DOC)
HIV (not AIDS) cases by age group, race/ethnicity & gender, showing Haitians separated (Excluding DOC)
HIV (not AIDS) cases by year of report and gender (Excluding DOC)
Adult & pediatric HIV (not AIDS) cases by race/ethnicity and gender (Excluding DOC)
HIV (not AIDS) cases by exposure category and gender among Adult and Pediatric (Excluding DOC)
Adult HIV (not AIDS) cases by exposure category, race/ethnicity and gender (Excluding DOC)
Adult Hispanic/Latino HIV (not AIDS) cases by country of origin and gender (Excluding DOC)
Adult Hispanic/Latino HIV (not AIDS) cases by country of origin, exposure category and gender (Excluding DOC)

(Continue next Page)

Florida Department of Health
Miami-Dade County
Epidemiology, Disease Control, and Immunization Services
8600 NW 17th Street, suite 200, Miami, Florida 33126
PHONE: 305/470-5660 - FAX 305/470-5533

www.FloridaHealth.com
TWITTER: HealthyFLA
FACEBOOK: FLDepartmentofHealth
YOUTUBE: fldoh
FLICKR: HealthyFla
PINTEREST: HealthyFla

Mission:

To protect, promote & improve the health of all people in Florida through integrated state, county & community efforts.



Vision: To be the Healthiest State in the Nation

Rick Scott
Governor

John H. Armstrong, MD, FACS
State Surgeon General & Secretary

Haitian born adult HIV (not AIDS) cases by country of origin, exposure category and gender (Excluding DOC)
Department of Correction [DOC] Adult HIV (not AIDS) cases by race/ethnicity and gender.

PERINATAL EXPOSED CASES REPORTED SINCE NOVEMBER 20th, 2006 (*PERINATAL EXPOSED Worksheet*)

- All EXPOSED perinatal pediatric cases born in Miami-Dade by year of birth and diagnosis status since November 20th, 2006.
- All EXPOSED perinatal pediatric cases born in Miami-Dade by year of birth and race/ethnicity since November 20th, 2006.
- All EXPOSED perinatal pediatric cases born in Miami-Dade by year of birth and Mother HIV status since November 20th, 2006.
- All EXPOSED perinatal pediatric cases born in Miami-Dade by diagnosis and Mother HIV status since November 20th, 2006.
- All EXPOSED perinatal pediatric cases born in Miami-Dade by diagnosis status and HIV category since November 20th, 2006.
- CONFIRMED infected perinatal cases born in Miami-Dade, known HIV or AIDS by year of birth, 2000-2015.
- All EXPOSED perinatal pediatric cases born in Miami-Dade by hospital of birth and diagnosis status since November 20th, 2006.

AIDS AND HIV (NOT AIDS) PREVALENCE (*PLWHA*)

- Total prevalence by diagnosis category.
- Total prevalence by gender.
- Total prevalence by race/ethnicity.
- Total prevalence by current age group.
- Total prevalence by exposure category.

ONE-IN STATEMENTS (*ONE-IN STATEMENTS Worksheet*)

- One-in statements for persons (all ages) living with HIV or AIDS through 2013 (all ages) in Miami-Dade & Florida.
- One-in statements for adult (≥ 13) persons living with HIV or AIDS through 2013 in Miami-Dade & Florida.

USEFUL WEBSITES LINKS (*WEBSITE Worksheet*)

- Useful websites for HIV/AIDS related information.

FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
HIV/AIDS Surveillance
Cumulative Number of Reported AIDS Cases

OCTOBER 2015

AIDS Cases by age group and gender (Excluding Department of Correction - DOC)							AIDS Cases by age group, race/ethnicity & gender, showing Haitians separated (Excluding DOC)											
AIDS Cases by Age Group & Gender	Female		Male		TOTAL AIDS		Hispanic/Latino		Black		White		Haitian		Other ⁽¹⁾		TOTAL AIDS	
	Cases	Col %	Cases	Col %	Cases	Col %	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male
Under 5	210	2.2%	196	0.7%	406	1.1%	29	29	169	151	5	7	6	8	1	1	210	196
5-12	53	0.6%	55	0.2%	108	0.3%	10	11	33	36	4	2	5	5	1	1	53	55
13-19	171	1.8%	134	0.5%	305	0.9%	20	42	127	83	5	2	15	6	4	1	171	134
20-29	1,712	18.0%	3,235	12.4%	4,947	13.9%	282	1,395	1,098	1,030	76	501	236	261	20	48	1,712	3,235
30-39	3,297	34.6%	9,488	36.3%	12,785	35.8%	537	4,099	1,999	2,684	163	1,667	556	890	42	148	3,297	9,488
40-49	2,463	25.8%	7,837	30.0%	10,300	28.9%	461	3,173	1,419	2,526	128	1,259	413	767	42	112	2,463	7,837
50-59	1,103	11.6%	3,610	13.8%	4,713	13.2%	241	1,455	565	1,248	57	479	215	372	25	56	1,103	3,610
60-64	266	2.8%	856	3.3%	1,122	3.1%	67	330	122	319	10	112	62	80	5	15	266	856
65-69	147	1.5%	429	1.6%	576	1.6%	29	152	76	170	5	56	34	42	3	9	147	429
>=70	113	1.2%	319	1.2%	432	1.2%	34	126	46	117	12	35	17	33	4	8	113	319
Unknown	0	0.0%	0	0.0%	0	0.0%	0	0	0	0	0	0	0	0	0	0	0	0
Total AIDS	9,535	100%	26,159	100%	35,694	100%	1,710	10,812	5,654	8,364	465	4,120	1,559	2,464	147	399	9,535	26,159

⁽¹⁾ Other Includes American Indian/Alaska Native, Asian, Native Hawaiian, Pacific Islander, Legacy Asian & Multi Race

AIDS Cases by year of report and gender (Excluding DOC)

AIDS Cases by Year Report & Gender	Female		Male		TOTAL AIDS	
	Cases	Row %	Cases	Row %	Cases	Col %
1981	0	0.0%	4	100%	4	0.0%
1982	7	18.4%	31	81.6%	38	0.1%
1983	16	16.3%	82	83.7%	98	0.3%
1984	18	11.9%	133	88.1%	151	0.4%
1985	29	15.3%	161	84.7%	190	0.5%
1986	71	17.8%	329	82.3%	400	1.1%
1987	63	13.5%	405	86.5%	468	1.3%
1988	109	16.4%	554	83.6%	663	1.9%
1989	195	19.9%	784	80.1%	979	2.7%
1990	171	19.0%	730	81.0%	901	2.5%
1991	362	19.1%	1,537	80.9%	1,899	5.3%
1992	304	20.4%	1,185	79.6%	1,489	4.2%
1993	443	20.8%	1,682	79.2%	2,125	6.0%
1994	748	23.6%	2,415	76.4%	3,163	8.9%
1995	668	27.9%	1,725	72.1%	2,393	6.7%
1996	579	27.1%	1,560	72.9%	2,139	6.0%
1997	432	28.3%	1,094	71.7%	1,526	4.3%
1998	475	31.6%	1,030	68.4%	1,505	4.2%
1999	357	29.1%	870	70.9%	1,227	3.4%

AIDS Cases by Year & Gender (Cont)	Female		Male		TOTAL AIDS	
	Cases	Row %	Cases	Row %	Cases	Col %
2000	378	31.7%	816	68.3%	1,194	3.3%
2001	372	32.7%	764	67.3%	1,136	3.2%
2002	324	29.1%	791	70.9%	1,115	3.1%
2003	305	30.0%	710	70.0%	1,015	2.8%
2004	412	31.6%	892	68.4%	1,304	3.7%
2005	392	33.1%	791	66.9%	1,183	3.3%
2006	396	35.0%	736	65.0%	1,132	3.2%
2007	275	34.6%	520	65.4%	795	2.2%
2008	325	31.0%	724	69.0%	1,049	2.9%
2009	256	30.8%	575	69.2%	831	2.3%
2010	199	30.3%	458	69.7%	657	1.8%
2011	236	33.0%	479	67.0%	715	2.0%
2012	159	26.5%	442	73.5%	601	1.7%
2013	190	28.2%	483	71.8%	673	1.9%
2014	145	27.7%	379	72.3%	524	1.5%
2015	124	30.1%	288	69.9%	412	1.2%
Total Adult AIDS	9,535	26.7%	26,159	73.3%	35,694	100%

(Continue next Page)

FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
HIV/AIDS Surveillance
Cumulative Number of Reported AIDS Cases

OCTOBER 2015

Adult & Pediatric AIDS cases by race/ethnicity and gender (Excluding DOC)

AIDS by Race/ Ethnicity *	Adult AIDS						Pediatric AIDS						TOTAL AIDS CASES					
	Female		Male		Total Adult		Female		Male		Total Pediatric		Total Female		Total Male		Total Cases	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)	1,687	18.2%	10,798	41.7%	12,485	35.5%	39	14.8%	40	15.9%	79	15.4%	1,726	18.1%	10,838	41.4%	12,564	35.2%
American Indian/Alaska Native	1	0.0%	2	0.0%	3	0.0%	0	0.0%	0	0.0%	0	0.0%	1	0.0%	2	0.0%	3	0.0%
Asian	2	0.0%	21	0.1%	23	0.1%	0	0.0%	0	0.0%	0	0.0%	2	0.0%	21	0.1%	23	0.1%
Black or African American	6,964	75.1%	10,576	40.8%	17,540	49.9%	213	81.0%	200	79.7%	413	80.4%	7,177	75.3%	10,776	41.2%	17,953	50.3%
Native Hawaiian/Pacific Islander	1	0.0%	1	0.0%	2	0.0%	0	0.0%	0	0.0%	0	0.0%	1	0.0%	1	0.0%	2	0.0%
White	456	4.9%	4,115	15.9%	4,571	13.0%	9	3.4%	9	3.6%	18	3.5%	465	4.9%	4,124	15.8%	4,589	12.9%
Legacy Asian	2	0.0%	12	0.0%	14	0.0%	0	0.0%	0	0.0%	0	0.0%	2	0.0%	12	0.0%	14	0.0%
Multi-Race	159	1.7%	383	1.5%	542	1.5%	2	0.8%	2	0.8%	4	0.8%	161	1.7%	385	1.5%	546	1.5%
Unknown	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Total AIDS	9,272	100%	25,908	100%	35,180	100%	263	100%	251	100%	514	100%	9,535	100%	26,159	100%	35,694	100%

* This new category created by CDC, is to support the ability to record an ethnicity and multiple races for an individual, necessitated by new federal OMB guidelines for reporting race and ethnicity.

AIDS Cases by exposure category and gender among Adult and Pediatric (Excluding DOC)

Exposure Category among adult AIDS	Adult AIDS					
	Female		Male		Total Adult	
	Cases	Col %	Cases	Col %	Cases	Col %
Adult male-to-male sexual contact [MSM]			14,418	55.7%	14,418	41.0%
Adult injection drug use [IDU]	2,052	22.1%	3,198	12.3%	5,250	14.9%
Adult MSM & IDU			1,387	5.4%	1,387	3.9%
Adult heterosexual contact [HTRSX]	6,169	66.5%	4,110	15.9%	10,279	29.2%
Adult other risk*	168	1.8%	192	0.7%	360	1.0%
Adult no risk factor reported [NRR]	883	9.5%	2,603	10.0%	3,486	9.9%
Total adult AIDS	9,272	100%	25,908	100%	35,180	100%

* Other risk includes: Adult receiving clotting factor, Hemophiliac, Perinatal exposure w/HIV age at 13+ years

Exposure Category among Pediatric AIDS	Pediatric AIDS					
	Female		Male		Total Pediatric	
	Cases	Col %	Cases	Col %	Cases	Col %
Perinatal exposure [PERINATAL]	260	98.9%	243	96.8%	503	97.9%
Child receiving clotting factor [HEMOPH]	0	0.0%	0	0.0%	0	0.0%
Child receiving transfusion/transplant	2	0.8%	5	2.0%	7	1.4%
Child other risk confirmed [OTHER]	0	0.0%	1	0.4%	1	0.2%
Child no risk factor reported [NRR]	1	0.4%	2	0.8%	3	0.6%
Total Pediatric AIDS	263	100%	251	100%	514	100%

(Continue next Page)

FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
HIV/AIDS Surveillance
Cumulative Number of Reported AIDS Cases

OCTOBER 2015

Adult AIDS cases by exposure category, race/ethnicity and gender (Excluding DOC)

ADULT FEMALE AIDS CASES														
Exposure Category/ Race/Ethnicity	MALE-TO-MALE		INJECTION		MSM & IDU		HETEROSEXUAL		OTHER*		NO REPORTED		TOTAL ADULT	
	SEXUAL CONTACT		DRUG USE [IDU]				CONTACT		RISK		RISK [NRR]		FEMALE	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)			244	11.9%			1,283	20.8%	32	19.0%	128	14.5%	1,687	18.2%
American Indian/Alaska Native			0	0.0%			1	0.0%	0	0.0%	0	0.0%	1	0.0%
Asian			0	0.0%			2	0.0%	0	0.0%	0	0.0%	2	0.0%
Black or African American			1,561	76.1%			4,575	74.2%	117	69.6%	711	80.5%	6,964	75.1%
Native Hawaiian/Pacific Islander			0	0.0%			1	0.0%	0	0.0%	0	0.0%	1	0.0%
White			203	9.9%			205	3.3%	14	8.3%	34	3.9%	456	4.9%
Legacy Asian			0	0.0%			2	0.0%	0	0.0%	0	0.0%	2	0.0%
Multi-Race			44	2.1%			100	1.6%	5	3.0%	10	1.1%	159	1.7%
Adult Female AIDS			2,052	100%			6,169	100%	168	100%	883	100%	9,272	100%

* OTHER includes Adult receiving clotting factor, Hemophiliac, Perinatal exposure w/HIV age at 13+ years

ADULT MALE AIDS CASES														
Exposure Category/ Race/Ethnicity	MALE-TO-MALE SEXUAL CONTACT		INJECTION DRUG USE [IDU]		MSM & IDU		HETEROSEXUAL CONTACT		OTHER* RISK		NO REPORTED RISK [NRR]		TOTAL ADULT MALE	
	Cases	Col %	Cases	Col %	Cases	Col %	1010	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)	7,873	54.6%	712	22.3%	496	35.8%	1,031	25.1%	60	31.3%	626	24.0%	10,798	41.7%
American Indian/Alaska Native	0	0.0%	1	0.0%	0	0.0%	0	0.0%	0	0.0%	1	0.0%	2	0.0%
Asian	14	0.1%	0	0.0%	0	0.0%	4	0.1%	0	0.0%	3	0.1%	21	0.1%
Black or African American	2,998	20.8%	2,199	68.8%	595	42.9%	2,907	70.7%	82	42.7%	1,795	69.0%	10,576	40.8%
Native Hawaiian/Pacific Islander	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	1	0.0%	1	0.0%
White	3,310	23.0%	238	7.4%	270	19.5%	101	2.5%	45	5.0%	151	5.8%	4,115	15.9%
Legacy Asian	7	0.0%	0	0.0%	0	0.0%	4	0.1%	0	0.0%	1	0.0%	12	0.0%
Multi-Race	216	1.5%	48	1.5%	26	1.9%	63	1.5%	5	2.6%	25	1.0%	383	1.5%
Adult Male AIDS	14,418	100%	3,198	100%	1,387	100%	4,110	100%	192	82%	2,603	100%	25,908	100%

	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %
TOTAL ADULT AIDS	14,418	41.0%	5,250	14.9%	1,387	3.9%	10,279	29.2%	360	1.0%	3,486	9.9%	35,180	100%

(Continue next Page)

FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
HIV/AIDS Surveillance
Cumulative Number of Reported AIDS Cases

OCTOBER 2015

Pediatric AIDS cases by exposure category, race/ethnicity and gender (Excluding DOC)

PEDIATRIC FEMALE AIDS CASES												
Exposure Category/ Race/Ethnicity	PERINATAL		HEMOPHILIAC		TRANSFUSION		OTHER RISK		NO REPORTED		TOTAL FEMALE	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)	37	14.2%	0	#DIV/0!	1	50.0%	0	#DIV/0!	1	100.0%	39	14.8%
Black or African American	212	81.5%	0	#DIV/0!	1	50.0%	0	#DIV/0!	0	0.0%	213	81.0%
White	9	3.5%	0	#DIV/0!	0	0.0%	0	#DIV/0!	0	0.0%	9	3.4%
Multi-Race	2	0.8%	0	#DIV/0!	0	0.0%	0	#DIV/0!	0	0.0%	2	0.8%
Pediatric Female AIDS	260	100%	0	#DIV/0!	2	100%	0	#DIV/0!	1	100%	263	100%

PEDIATRIC MALE AIDS CASES												
Exposure Category/ Race/Ethnicity	PERINATAL		HEMOPHILIAC		TRANSFUSION		OTHER RISK		NO REPORTED		TOTAL MALE	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)	35	14.4%	0	#DIV/0!	4	80.0%	0	0.0%	1	50.0%	40	15.9%
Black or African American	197	81.1%	0	#DIV/0!	1	20.0%	1	100.0%	1	50.0%	200	79.7%
White	9	3.7%	0	#DIV/0!	0	0.0%	0	0.0%	0	0.0%	9	3.6%
Multi-Race	2	0.8%	0	#DIV/0!	0	0.0%	0	0.0%	0	0.0%	2	0.8%
Pediatric Male AIDS	243	100%	0	#DIV/0!	5	100%	1	100%	2	100%	251	100%

	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %
TOTAL PEDIATRIC AIDS	503	97.9%	0	0.0%	7	1.4%	1	0.2%	3	0.6%	514	100%

Adult Hispanic/Latino AIDS cases by country of origin and gender (Excluding DOC)

Country of Origin	ADULT FEMALE AIDS			ADULT MALE AIDS			TOTAL HISPANIC/LATINO		
	Cases	Col %	Row %	Cases	Col %	Row %	Cases	Col %	Row %
Argentina	24	1.4%	13.0%	161	1.5%	87.0%	185	1.5%	100%
Colombia	73	4.3%	12.7%	500	4.6%	87.3%	573	4.6%	100%
Cuba	400	23.7%	7.7%	4,788	44.3%	92.3%	5,188	41.6%	100%
Dominican Republic	74	4.4%	32.5%	154	1.4%	67.5%	228	1.8%	100%
Guatemala	20	1.2%	16.5%	101	0.9%	83.5%	121	1.0%	100%
Honduras	138	8.2%	29.5%	330	3.1%	70.5%	468	3.7%	100%
Mexico	21	1.2%	8.0%	240	2.2%	92.0%	261	2.1%	100%
Nicaragua	82	4.9%	18.4%	364	3.4%	81.6%	446	3.6%	100%
Peru	27	1.6%	13.8%	168	1.6%	86.2%	195	1.6%	100%
Puerto Rico	186	11.0%	17.5%	878	8.1%	82.5%	1,064	8.5%	100%
United States	386	22.9%	20.4%	1,506	13.9%	79.6%	1,892	15.2%	100%
Venezuela	17	1.0%	6.1%	261	2.4%	93.9%	278	2.2%	100%
Other/Unknown Countries	239	14.2%	15.1%	1,347	12.5%	84.9%	1,586	12.7%	100%
Total Adult Hispanic/Latino	1,687	100%	13.5%	10,798	100%	86.5%	12,485	100%	100%

(Continue next Page)

FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
HIV/AIDS Surveillance
Cumulative Number of Reported AIDS Cases

OCTOBER 2015

Adult Hispanic/Latino AIDS cases by country of origin, exposure category and gender (Excluding DOC)

ADULT HISPANIC/LATINO FEMALE AIDS CASES															
Country of Origin	MALE-TO-MALE SEXUAL CONTACT		INJECTION DRUG USE [IDU]		MSM & IDU		HETEROSEXUAL CONTACT		OTHER * RISK		NO REPORTED RISK [NRR]		Total Hispanic/Latino Female by Country of Origin		
	Cases	Row %	Cases	Row %	Number	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Col %	Row %
Argentina			3	12.5%			20	83.3%	0	0.0%	1	4.2%	24	1.4%	100%
Colombia			7	9.6%			54	74.0%	2	2.7%	10	13.7%	73	4.3%	100%
Cuba			55	13.8%			297	74.3%	8	2.0%	40	10.0%	400	23.7%	100%
Dominican Republic			3	4.1%			64	86.5%	0	0.0%	7	9.5%	74	4.4%	100%
Guatemala			0	0.0%			20	100.0%	0	0.0%	0	0.0%	20	1.2%	100%
Honduras			8	5.8%			120	87.0%	1	0.7%	9	6.5%	138	8.2%	100%
Mexico			3	14.3%			16	76.2%	1	4.8%	1	4.8%	21	1.2%	100%
Nicaragua			4	4.9%			67	81.7%	1	1.2%	10	12.2%	82	4.9%	100%
Peru			1	3.7%			26	96.3%	0	0.0%	0	0.0%	27	1.6%	100%
Puerto Rico			49	26.3%			124	66.7%	3	1.6%	10	5.4%	186	11.0%	100%
United States			83	21.5%			270	69.9%	14	3.6%	19	4.9%	386	22.9%	100%
Venezuela			3	17.6%			13	76.5%	0	0.0%	1	5.9%	17	1.0%	100%
Other/Unknown Countries			25	10.5%			192	80.3%	2	0.8%	20	8.4%	239	14.2%	100%
Total adult Hispanic/Latino Female			244	14.5%			1,283	76.1%	32	1.9%	128	7.6%	1,687	100%	100%

* OTHER includes Adult receiving clotting factor, Hemophilic, Perinatal exposure w/HIV age at 13+ years

ADULT HISPANIC/LATINO MALE AIDS CASES															
Country of Origin	MALE-TO-MALE SEXUAL CONTACT		INJECTION DRUG USE [IDU]		MSM & IDU		HETEROSEXUAL CONTACT		OTHER* RISK		NO REPORTED RISK [NRR]		Total Hispanic/Latino Male by Country of Origin		
	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Col %	Row %
Argentina	134	83.2%	4	2.5%	7	4.3%	13	8.1%	0	0.0%	3	1.9%	161	1.5%	100%
Colombia	406	81.2%	14	2.8%	18	3.6%	39	7.8%	3	0.6%	20	4.0%	500	4.6%	100%
Cuba	3,696	77.2%	211	4.4%	191	4.0%	390	8.1%	26	0.5%	274	5.7%	4,788	44.3%	100%
Dominican Republic	83	53.9%	8	5.2%	5	3.2%	42	27.3%	1	0.6%	15	9.7%	154	1.4%	100%
Guatemala	53	52.5%	5	5.0%	2	2.0%	29	28.7%	0	0.0%	12	11.9%	101	0.9%	100%
Honduras	212	64.2%	18	5.5%	6	1.8%	68	20.6%	4	1.2%	22	6.7%	330	3.1%	100%
Mexico	162	67.5%	11	4.6%	7	2.9%	40	16.7%	0	0.0%	20	8.3%	240	2.2%	100%
Nicaragua	264	72.5%	10	2.7%	13	3.6%	54	14.8%	1	0.3%	22	6.0%	364	3.4%	100%
Peru	135	80.4%	2	1.2%	2	1.2%	18	10.7%	0	0.0%	11	6.5%	168	1.6%	100%
Puerto Rico	439	50.0%	217	24.7%	99	11.3%	68	7.7%	3	0.3%	52	5.9%	878	8.1%	100%
United States	1,029	68.3%	159	10.6%	112	7.4%	130	8.6%	14	0.9%	62	4.1%	1,506	13.9%	100%
Venezuela	229	87.7%	3	1.1%	2	0.8%	17	6.5%	2	0.8%	8	3.1%	261	2.4%	100%
Other/Unknown Countries	1,031	76.5%	50	3.7%	32	2.4%	123	9.1%	6	0.4%	105	7.8%	1,347	12.5%	100%
Total adult Hispanic/Latino Male	7,873	72.9%	712	6.6%	496	4.6%	1,031	9.5%	60	0.6%	626	5.8%	10,798	100%	100%

	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %
TOTAL ADULT HISPANIC/LATINO	7,873	63.1%	956	7.7%	496	4.0%	2,314	18.5%	92	0.7%	754	6.0%	12,485	100%

FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
HIV/AIDS Surveillance
Cumulative Number of Reported AIDS Cases

OCTOBER 2015

(Continue next Page)

Haitian born adult AIDS cases by exposure category and gender (Excluding DOC)

ADULT HAITIAN BORN AIDS CASES														
Exposure Category GENDER	MALE-TO-MALE SEXUAL CONTACT		INJECTION DRUG USE [IDU]		MSM & IDU		HETEROSEXUAL CONTACT		OTHER *		NO REPORTED RISK [NRR]		Total Haitian by Gender	
	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %
Haitian born Adult Females			56	3.6%			1,158	74.8%	26	1.7%	308	19.9%	1,548	100%
Haitian born Adult Males	538	22.0%	77	3.1%	27	1.1%	903	36.8%	12	0.5%	894	36.5%	2,451	100%
Total Haitian born	538	13.5%	133	3.3%	27	0.7%	2,061	51.5%	38	1.0%	1,202	30.1%	3,999	100%

* OTHER includes Adult receiving clotting factor, Hemophiliac, Perinatal exposure w/HIV age at 13+ years

Department of Correction [DOC] Adult AIDS cases by race/ethnicity and gender.

AIDS Cases by Race/Ethnicity & Gender	DOC AIDS Cases					
	Female		Male		Total	
	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)	0	0.0%	91	13.5%	91	13.0%
Black or African American	21	77.8%	480	71.3%	501	71.6%
White	4	14.8%	70	10.4%	74	10.6%
Haitian	1	3.7%	19	2.8%	20	2.9%
Other (1)	1	3.7%	13	1.9%	14	2.0%
Total AIDS	27	100%	673	100%	700	100%

(1) Other Includes American Indian/Alaska Native, Asian, Native Hawaiian, Pacific Islander, Legacy Asian & Multi Race

Adjustments are performed on a monthly basis to compensate for duplicate reports state and nation wide and case validation projects.

FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
HIV/AIDS Surveillance
Cumulative Number of Reported HIV (Not AIDS) Cases

OCTOBER 2015

HIV (not AIDS) cases by age group and gender (Excluding Department of Correction - DOC)							HIV (not AIDS) Cases by age group, race/ethnicity & gender, showing Haitians separated (Excluding DOC)											
HIV Cases by Age Group & Gender	Female		Male		TOTAL HIV		Hispanic/Latino		Black		White		Haitian		Other ⁽¹⁾		TOTAL HIV	
	Cases	Col %	Cases	Col %	Cases	Col %	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male
Under 5	60	1.5%	47	0.4%	107	0.7%	11	8	47	36	1	0	1	2	0	1	60	47
5-12	36	0.9%	20	0.2%	56	0.4%	6	5	24	12	0	0	6	3	0	0	36	20
13-19	226	5.7%	295	2.6%	521	3.4%	46	123	165	150	6	9	8	10	1	3	226	295
20-29	967	24.2%	2,771	24.1%	3,738	24.1%	216	1,483	585	832	52	331	103	82	11	43	967	2,771
30-39	1,076	27.0%	3,589	31.2%	4,665	30.1%	252	2,011	552	735	75	648	187	154	10	41	1,076	3,589
40-49	919	23.0%	2,899	25.2%	3,818	24.7%	223	1,477	485	693	57	523	139	167	15	39	919	2,899
50-59	508	12.7%	1,309	11.4%	1,817	11.7%	141	540	251	413	17	236	93	101	6	19	508	1,309
60-64	93	2.3%	275	2.4%	368	2.4%	24	104	39	90	3	50	27	25	0	6	93	275
65-69	73	1.8%	161	1.4%	234	1.5%	22	66	33	57	4	24	13	14	1	0	73	161
>=70	34	0.9%	130	1.1%	164	1.1%	6	46	11	52	4	16	12	12	1	4	34	130
Unknown	0	0.0%	0	0.0%	0	0.0%	0	0	0	0	0	0	0	0	0	0	0	0
Total HIV	3,992	100%	11,496	100%	15,488	100%	947	5,863	2,192	3,070	219	1,837	589	570	45	156	3,992	11,496

⁽¹⁾ Other Includes American Indian/Alaska Native, Asian, Native Hawaiian, Pacific Islander, Legacy Asian & Multi Race

HIV (Not AIDS) Cases by year of report and gender (Excluding DOC) HIV start reporting in Florida in July 1997.

HIV Cases by Year Report & Gender	Female		Male		TOTAL HIV		
	Cases	Row %	Cases	Row %	Cases	Col %	Row %
July-December 1997	122	36.6%	211	63.4%	333	2.2%	100%
1998	270	30.9%	604	69.1%	874	5.6%	100%
1999	261	31.3%	572	68.7%	833	5.4%	100%
2000	234	31.0%	521	69.0%	755	4.9%	100%
2001	239	30.1%	555	69.9%	794	5.1%	100%
2002	288	30.5%	657	69.5%	945	6.1%	100%
2003	233	27.9%	603	72.1%	836	5.4%	100%
2004	229	27.6%	601	72.4%	830	5.4%	100%
2005	225	31.3%	494	68.7%	719	4.6%	100%
2006	182	28.1%	465	71.9%	647	4.2%	100%
2007	225	26.9%	610	73.1%	835	5.4%	100%
2008	235	25.4%	689	74.6%	924	6.0%	100%
2009	183	24.6%	560	75.4%	743	4.8%	100%
2010	172	23.0%	575	77.0%	747	4.8%	100%
2011	181	22.2%	633	77.8%	814	5.3%	100%
2012	161	22.1%	567	77.9%	728	4.7%	100%
2013	204	21.8%	731	78.2%	935	6.0%	100%
2014	171	15.6%	925	84.4%	1,096	7.1%	100%
2015	177	16.1%	923	83.9%	1,100	7.1%	100%
Total Adult HIV	3,992	25.8%	11,496	74.2%	15,488	100%	

(Continue next Page)

FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
HIV/AIDS Surveillance
Cumulative Number of Reported HIV (Not AIDS) Cases

OCTOBER 2015

Adult & Pediatric HIV (not AIDS) cases by race/ethnicity and gender (Excluding DOC)

HIV by Race/ Ethnicity *	Adult HIV						Pediatric HIV						TOTAL HIV CASES					
	Female		Male		Total Adult		Female		Male		Total Pediatric		Total Female		Total Male		Total Cases	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)	934	24.0%	5,855	51.2%	6,789	44.3%	17	17.7%	13	19.4%	30	18.4%	951	23.8%	5,868	51.0%	6,819	44.0%
American Indian/Alaska Native	2	0.1%	5	0.0%	7	0.0%	0	0.0%	0	0.0%	0	0.0%	2	0.1%	5	0.0%	7	0.0%
Asian	4	0.1%	30	0.3%	34	0.2%	0	0.0%	0	0.0%	0	0.0%	4	0.1%	30	0.3%	34	0.2%
Black or African American	2,697	69.2%	3,577	31.3%	6,274	40.9%	77	80.2%	53	79.1%	130	79.8%	2,774	69.5%	3,630	31.6%	6,404	41.3%
Native Hawaiian/Pacific Islander	1	0.0%	5	0.0%	6	0.0%	0	0.0%	0	0.0%	0	0.0%	1	0.0%	5	0.0%	6	0.0%
White	219	5.6%	1,838	16.1%	2,057	13.4%	1	1.0%	0	0.0%	1	0.6%	220	5.5%	1,838	16.0%	2,058	13.3%
Legacy Asian	1	0.0%	6	0.1%	7	0.0%	0	0.0%	1	1.5%	1	0.6%	1	0.0%	7	0.1%	8	0.1%
Multi-Race	38	1.0%	113	1.0%	151	1.0%	1	1.0%	0	0.0%	1	0.6%	39	1.0%	113	1.0%	152	1.0%
Unknown	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Total HIV	3,896	100%	11,429	100%	15,325	100%	96	100%	67	100%	163	100%	3,992	100%	11,496	100%	15,488	100%

* This new category created by CDC, is to support the ability to record an ethnicity and multiple races for an individual, necessitated by new federal OMB guidelines for reporting race and ethnicity

HIV (not AIDS) Cases by exposure category and gender among Adult and Pediatric (Excluding DOC)

Exposure Category among adult HIV cases	Adult HIV					
	Female		Male		Total Adult	
	Cases	Col %	Cases	Col %	Cases	Col %
Adult male-to-male sexual contact [MSM]			7,862	68.8%	7,862	51.3%
Adult injection drug use [IDU]	273	7.0%	336	2.9%	609	4.0%
Adult MSM & IDU			252	2.2%	252	1.6%
Adult heterosexual contact [HTRSX]	3,060	78.5%	1,727	15.1%	4,787	31.2%
Adult other risk*	8	0.2%	7	0.1%	15	0.1%
Adult no risk factor reported [NRR]	555	14.2%	1,245	10.9%	1,800	11.7%
Total adult HIV	3,896	100%	11,429	100%	15,325	100%

* Other risk includes: Adult receiving clotting factor, Hemophiliac, Perinatal exposure w/HIV age at 13+ years

Exposure Category among Pediatric HIV cases	Pediatric HIV					
	Female		Male		Total Pediatric	
	Cases	Col %	Cases	Col %	Cases	Col %
Perinatal exposure [PERINATAL]	93	96.9%	66	98.5%	159	97.5%
Child receiving clotting factor [HEMOPH]	0	0.0%	0	0.0%	0	0.0%
Child receiving transfusion/transplant	0	0.0%	0	0.0%	0	0.0%
Child other risk confirmed [OTHER]	0	0.0%	0	0.0%	0	0.0%
Child no risk factor reported [NRR]	3	3.1%	1	1.5%	4	2.5%
Total Pediatric HIV	96	100%	67	100%	163	100%

(Continue next Page)

FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
HIV/AIDS Surveillance
Cumulative Number of Reported HIV (Not AIDS) Cases

OCTOBER 2015

Adult HIV (not AIDS) cases by exposure category, race/ethnicity and gender (Excluding DOC)

ADULT FEMALE HIV CASES														
Exposure Category/ Race/Ethnicity	MALE-TO-MALE		INJECTION		MSM & IDU		HETEROSEXUAL		OTHER *		NO REPORTED		TOTAL ADULT	
	SEXUAL CONTACT		DRUG USE [IDU]				CONTACT		RISK		RISK [NRR]		FEMALE	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)			67	24.5%			704	23.0%	4	50.0%	159	28.6%	934	24.0%
American Indian/Alaska Native			0	0.0%			2	0.1%	0	0.0%	0	0.0%	2	0.1%
Asian			0	0.0%			3	0.1%	0	0.0%	1	0.2%	4	0.1%
Black or African American			160	58.6%			2,182	71.3%	2	25.0%	353	63.6%	2,697	69.2%
Native Hawaiian/Pacific Islander			0	0.0%			0	0.0%	0	0.0%	1	0.2%	1	0.0%
White			39	14.3%			142	4.6%	1	12.5%	37	6.7%	219	5.6%
Legacy Asian			0	0.0%			0	0.0%	0	0.0%	1	0.2%	1	0.0%
Multi-Race			7	2.6%			27	0.9%	1	12.5%	3	0.5%	38	1.0%
Adult Female HIV			273	100%			3,060	100%	8	100%	555	100%	3,896	100%

* OTHER includes Adult receiving clotting factor, Hemophiliac, Perinatal exposure w/HIV age at 13+ years

ADULT MALE HIV CASES														
Exposure Category/ Race/Ethnicity	MALE-TO-MALE		INJECTION		MSM & IDU		HETEROSEXUAL		OTHER *		NO REPORTED		TOTAL ADULT	
	SEXUAL CONTACT		DRUG USE [IDU]				CONTACT		RISK		RISK [NRR]		MALE	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)	4,681	59.5%	102	30.4%	118	46.8%	491	28.4%	1	14.3%	462	37.1%	5,855	51.2%
American Indian/Alaska Native	2	0.0%	0	0.0%	0	0.0%	2	0.1%	0	0.0%	1	0.1%	5	0.0%
Asian	25	0.3%	0	0.0%	0	0.0%	1	0.1%	0	0.0%	4	0.3%	30	0.3%
Black or African American	1,502	19.1%	191	56.8%	77	30.6%	1,144	66.2%	4	57.1%	659	52.9%	3,577	31.3%
Native Hawaiian/Pacific Islander	4	0.1%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	1	0.1%	5	0.0%
White	1,567	19.9%	40	11.9%	52	20.6%	67	3.9%	2	28.6%	110	8.8%	1,838	16.1%
Legacy Asian	5	0.1%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	1	0.1%	6	0.1%
Multi-Race	76	1.0%	3	0.9%	5	2.0%	22	1.3%	0	0.0%	7	0.6%	113	1.0%
Adult Male HIV	7,862	100%	336	100%	252	100%	1,727	100%	7	100%	1,245	100%	11,429	100%
TOTAL ADULT HIV	7,862	51.3%	609	4.0%	252	1.6%	4,787	31.2%	15	0.1%	1,800	11.7%	15,325	100%

(Continue next Page)

FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
HIV/AIDS Surveillance
Cumulative Number of Reported HIV (Not AIDS) Cases

OCTOBER 2015

Pediatric HIV (not AIDS) cases by exposure category, race/ethnicity and gender (Excluding DOC)

PEDIATRIC FEMALE HIV CASES												
Exposure Category/ Race/Ethnicity	PERINATAL		HEMOPHILIAC		TRANSFUSION		OTHER RISK		NO REPORTED		TOTAL FEMALE	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)	15	16.1%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	2	66.7%	17	17.7%
Black or African American	76	81.7%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	1	33.3%	77	80.2%
White	1	1.1%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0	0.0%	1	1.0%
Legacy Asian/Pacific Isl.	0	0.0%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0	0.0%	0	0.0%
Multi-Race	1	1.1%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0	0.0%	1	1.0%
Pediatric Female HIV	93	100%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	3	100%	96	100%

PEDIATRIC MALE HIV CASES												
Exposure Category/ Race/Ethnicity	PERINATAL		HEMOPHILIAC		TRANSFUSION		OTHER RISK		NO REPORTED		TOTAL MALE	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)	13	19.7%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0	0.0%	13	19.4%
Black or African American	52	78.8%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	1	100.0%	53	79.1%
White	0	0.0%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0	0.0%	0	0.0%
Legacy Asian/Pacific Isl.	1	1.5%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0	0.0%	1	1.5%
Multi-Race	0	0.0%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0	0.0%	0	0.0%
Pediatric Male HIV	66	100%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	1	100%	67	100%

	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %
TOTAL PEDIATRIC HIV	159	97.5%	0	0.0%	0	0.0%	0	0.0%	4	2.5%	163	100%

Adult Hispanic/Latino HIV (not AIDS) cases by country of origin and gender (Excluding DOC)

Country of Origin	ADULT FEMALE HIV			ADULT MALE HIV			TOTAL HISPANIC/LATINO		
	Cases	Col %	Row %	Cases	Col %	Row %	Cases	Col %	Row %
Argentina	20	2.1%	12.2%	144	2.5%	87.8%	164	2.4%	100%
Colombia	35	3.7%	11.5%	269	4.6%	88.5%	304	4.5%	100%
Cuba	162	17.3%	8.2%	1,822	31.1%	91.8%	1,984	29.2%	100%
Dominican Republic	35	3.7%	29.7%	83	1.4%	70.3%	118	1.7%	100%
Honduras	66	7.1%	30.6%	150	2.6%	69.4%	216	3.2%	100%
Mexico	8	0.9%	5.4%	141	2.4%	94.6%	149	2.2%	100%
Nicaragua	35	3.7%	19.2%	147	2.5%	80.8%	182	2.7%	100%
Peru	13	1.4%	13.4%	84	1.4%	86.6%	97	1.4%	100%
Puerto Rico	62	6.6%	19.7%	253	4.3%	80.3%	315	4.6%	100%
United States	239	25.6%	16.1%	1,250	21.3%	83.9%	1,489	21.9%	100%
Venezuela	22	2.4%	6.4%	320	5.5%	93.6%	342	5.0%	100%
Other/Unknown Countries	237	25.4%	16.6%	1,192	20.4%	83.4%	1,429	21.0%	100%
Total Adult Hispanic/Latino HIV	934	100%	13.8%	5,855	100%	86.2%	6,789	100%	100%

(Continue next Page)

FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
HIV/AIDS Surveillance
Cumulative Number of Reported HIV (Not AIDS) Cases

OCTOBER 2015

Adult Hispanic/Latino HIV (not AIDS) cases by country of origin, exposure category and gender (Excluding DOC)

ADULT HISPANIC/LATINO FEMALE HIV CASES															
Country of Origin	MALE-TO-MALE SEXUAL CONTACT		INJECTION DRUG USE [IDU]		MSM & IDU		HETEROSEXUAL CONTACT		OTHER * RISK		NO REPORTED RISK [NRR]		Total Hispanic/Latino Female by Country of Origin		
	Cases	Row %	Cases	Row %	Number	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Col %	Row %
Argentina			3	15.0%			15	75.0%	0	0.0%	2	10.0%	20	2.1%	100%
Colombia			1	2.9%			30	85.7%	0	0.0%	4	11.4%	35	3.7%	100%
Cuba			8	4.9%			130	80.2%	1	0.6%	23	14.2%	162	17.3%	100%
Dominican Republic			1	2.9%			31	88.6%	0	0.0%	3	8.6%	35	3.7%	100%
Honduras			0	0.0%			59	89.4%	0	0.0%	7	10.6%	66	7.1%	100%
Mexico			2	25.0%			5	62.5%	0	0.0%	1	12.5%	8	0.9%	100%
Nicaragua			0	0.0%			28	80.0%	0	0.0%	7	20.0%	35	3.7%	100%
Peru			1	7.7%			10	76.9%	0	0.0%	2	15.4%	13	1.4%	100%
Puerto Rico			11	17.7%			39	62.9%	0	0.0%	12	19.4%	62	6.6%	100%
United States			32	13.4%			173	72.4%	3	1.3%	31	13.0%	239	25.6%	100%
Venezuela			1	4.5%			20	90.9%	0	0.0%	1	4.5%	22	2.4%	100%
Other/Unknown Countries			7	3.0%			164	69.2%	0	0.0%	66	27.8%	237	25.4%	100%
Total adult Hispanic/Latino Female			67	7.2%			704	75.4%	4	0.4%	159	17.0%	934	100%	100%

OTHER includes Adult receiving clotting factor, Hemophilic, Perinatal exposure w/HIV age at 13+ years

ADULT HISPANIC/LATINO MALE HIV CASES															
Country of Origin	MALE-TO-MALE SEXUAL CONTACT		INJECTION DRUG USE [IDU]		MSM & IDU		HETEROSEXUAL CONTACT		OTHER* RISK		NO REPORTED RISK [NRR]		Total Hispanic/Latino Male by Country of Origin		
	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Col %	Row %
Argentina	126	87.5%	2	1.4%	2	1.4%	9	6.3%	0	0.0%	5	3.5%	144	2.5%	100%
Colombia	224	83.3%	1	0.4%	10	3.7%	18	6.7%	0	0.0%	16	5.9%	269	4.6%	100%
Cuba	1,510	82.9%	20	1.1%	38	2.1%	164	9.0%	1	0.1%	89	4.9%	1,822	31.1%	100%
Dominican Republic	52	62.7%	3	3.6%	3	3.6%	17	20.5%	0	0.0%	8	9.6%	83	1.4%	100%
Honduras	103	68.7%	1	0.7%	3	2.0%	29	19.3%	0	0.0%	14	9.3%	150	2.6%	100%
Mexico	118	83.7%	2	1.4%	1	0.7%	11	7.8%	0	0.0%	9	6.4%	141	2.4%	100%
Nicaragua	113	76.9%	3	2.0%	1	0.7%	18	12.2%	0	0.0%	12	8.2%	147	2.5%	100%
Peru	75	89.3%	1	1.2%	1	1.2%	6	7.1%	0	0.0%	1	1.2%	84	1.4%	100%
Puerto Rico	185	73.1%	30	11.9%	17	6.7%	11	4.3%	0	0.0%	10	4.0%	253	4.3%	100%
United States	1,018	81.4%	27	2.2%	27	2.2%	94	7.5%	0	0.0%	84	6.7%	1,250	21.3%	100%
Venezuela	288	90.0%	0	0.0%	2	0.6%	15	4.7%	0	0.0%	15	4.7%	320	5.5%	100%
Other/Unknown Countries	869	72.9%	12	1.0%	13	1.1%	99	8.3%	0	0.0%	199	16.7%	1,192	20.4%	100%
Total adult Hispanic/Latino Ma	4,681	79.9%	102	1.7%	118	2.0%	491	8.4%	1	0.0%	462	7.9%	5,855	100%	100%

	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %
TOTAL ADULT HISPANIC/LATINO	4,681	68.9%	169	2.5%	118	1.7%	1,195	17.6%	5	0.1%	621	9.1%	6,789	100%

(Continue next Page)

FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
HIV/AIDS Surveillance
Cumulative Number of Reported HIV (Not AIDS) Cases

OCTOBER 2015

Haitian born adult HIV cases by exposure category and gender (Excluding DOC)

ADULT HAITIAN BORN HIV CASES														
Exposure Category GENDER	MALE-TO-MALE SEXUAL CONTACT		INJECTION DRUG USE [IDU]		[MSM\ & [IDU]		HETEROSEXUAL CONTACT		OTHER*		NO REPORTED RISK [NRR]		Total Haitian by Gender	
	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %
Haitian born Adult Females			11	1.9%			503	86.4%	0	0.0%	68	11.7%	582	100%
Haitian born Adult Males	107	18.9%	7	1.2%	1	0.2%	313	55.4%	0	0.0%	137	24.2%	565	100%
Total Haitian born	107	9.3%	18	1.6%	1	0.1%	816	71.1%	0	0.0%	205	17.9%	1,147	100%

* OTHER includes Adult receiving clotting factor, Hemophilic, Perinatal exposure w/HIV age at 13+ years

Department of Correction [DOC] Adult HIV (not AIDS) by race/ethnicity and gender.

HIV Cases by Race/Ethnicity & Gender	DOC HIV Cases					
	Female		Male		Total	
	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)	5	31.3%	78	17.8%	83	18.3%
Black or African American	8	50.0%	280	64.1%	288	63.6%
White	3	18.8%	61	14.0%	64	14.1%
Haitian	0	0.0%	12	2.7%	12	2.6%
Other (1)	0	0.0%	6	1.4%	6	1.3%
Total HIV	16	100%	437	100%	453	100%

(1) Other Includes American Indian/Alaska Native, Asian, Native Hawaiian, Pacific Islander, Legacy Asian & Multi Race

Adjustments are performed on a monthly basis to compensate for duplicate reports state and nation wide and case validation projects.

FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
HIV/AIDS Surveillance
Perinatal HIV Exposed Cases

OCTOBER 2015

All EXPOSED Perinatal pediatric cases born in Miami-Dade by year of birth and diagnosis status since November 20th, 2006. ⁽¹⁾

Year of Birth	Perinatal HIV Exposure	Pediatric HIV	Pediatric AIDS	Pediatric seroreverter	Unknown	TOTAL
>=November 20 th , 2006	3	0	0	16	0	19
2007	32	1	0	106	0	139
2008	39	1	1	91	0	132
2009	30	2	0	87	0	119
2010	39	3	0	83	0	125
2011	13	1	0	105	0	119
2012	10	1	0	90	0	101
2013	14	2	1	79	0	96
2014	5	1	0	83	0	89
2015	26	3	0	43	0	72
Total	211	15	2	783	0	1,011

All EXPOSED Perinatal pediatric cases born in Miami-Dade by year of birth and race/ethnicity since November 20th, 2006. ⁽¹⁾

Year of Birth	Hispanic	Not Hispanic, Black	Not Hispanic, White	Not Hispanic, Other ⁽²⁾	TOTAL
>=November 20 th , 2006	3	15	1	0	19
2007	22	110	5	2	139
2008	19	111	2	0	132
2009	24	91	3	1	119
2010	31	87	5	2	125
2011	21	90	7	1	119
2012	23	68	8	2	101
2013	17	75	3	1	96
2014	15	70	4	0	89
2015	12	58	2	0	72
Total	187	775	40	9	1,011

⁽¹⁾ NOTE: An expanded HIV reporting law was implemented on November 20th, 2006. Expansion included reportability of cases with virologic evidence of HIV infection. Previously, only Western Blot-confirmed (+) cases were reportable. In addition, reporting is retroactive. Previously, only HIV cases diagnosed after July st, 1997, were reportable. A detectable viral load (VL) (or equivalent viral test) is reportable, and is considered evidence of HIV. Other reportable virologic test considered to be evidence of HIV are: P24, ANTIGEN, Nucleic Acid test (NAT/NAAT), viral culture. CD4 counts/percents are reportable, but follow-up is conducted only if it is <200 uL, or <14%.

⁽²⁾ Other Includes American Indian/Alaska Native, Asian, Native Hawaiian, Pacific Islander, Legacy Asian & Multi Race

(Continue next Page)

FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
HIV/AIDS Surveillance
Perinatal HIV Exposed Cases

OCTOBER 2015

All EXPOSED Perinatal pediatric cases born in Miami-Dade by year of birth and Mother HIV status since November 20th, 2006. ⁽¹⁾

Year of Birth	Know HIV (+) before pregnancy	Know HIV (+) during pregnancy	Know HIV (+) at time of delivery	Know HIV (+) sometime before birth	Know HIV (+) sometime after birth	HIV (+) with time unknown	TOTAL
>=November 20 th , 2006	16	2	0	0	0	1	19
2007	92	34	10	0	3	0	139
2008	95	35	2	0	0	0	132
2009	87	24	8	0	0	0	119
2010	90	25	5	2	1	2	125
2011	89	24	3	2	1	0	119
2012	75	24	2	0	0	0	101
2013	78	12	2	3	0	1	96
2014	77	11	0	1	0	0	89
2015	59	8	1	0	1	3	72
Total	758	199	33	8	6	7	1,011

All EXPOSED Perinatal pediatric cases born in Miami-Dade by diagnosis and Mother HIV status since November 20th, 2006. ⁽¹⁾

Diagnosis Status	Know HIV (+) before pregnancy	Know HIV (+) during pregnancy	Know HIV (+) at time of delivery	Know HIV (+) sometime before birth	Know HIV (+) sometime after birth	HIV (+) with time unknown	TOTAL
Perinatal HIV Exposure	149	43	11	4	3	2	212
Pediatric HIV	10	1	3	0	1	0	15
Pediatric AIDS	2	0	0	0	0	0	2
Pediatric Seroreverter	597	155	19	4	2	5	782
Unknown	0	0	0	0	0	0	-
Total	758	199	33	8	6	7	1,011

All EXPOSED Perinatal pediatric cases born in Miami-Dade by diagnosis status and HIV category since November 20th, 2006. ⁽¹⁾

Diagnosis Status	HIV (+) Definitive	HIV (+) Presumptive	HIV Indeterminate	HIV (-) Definitive	HIV (-) Presumptive	Unknown	TOTAL
Perinatal HIV Exposure	0	0	211	0	0	0	211
Pediatric HIV	15	0	0	0	0	0	15
Pediatric AIDS	2	0	0	0	0	0	2
Pediatric Seroreverter	0	0	0	571	212	0	783
Unknown	0	0	0	0	0	0	-
Total	17	0	211	571	212	0	1,011

⁽¹⁾ NOTE: An expanded HIV reporting law was implemented on November 20th, 2006. Expansion included reportability of cases with virologic evidence of HIV infection. Previously, only Western Blot-confirmed (+) cases were reportable. In addition, reporting is retroactive. Previously, only HIV cases diagnosed after July st, 1997, were reportable. A detectable viral load (VL) (or equivalent viral test) is reportable, and is considered evidence of HIV. Other reportable virologic test considered to be evidence of HIV are: P24, ANTIGEN, Nucleic Acid test (NAT/NAAT), viral culture. CD4 counts/percents are reportable, but follow-up is conducted only if it is <200 uL, or <14%.

[\(Continue next Page\)](#)

FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
HIV/AIDS Surveillance
Perinatal HIV Exposed Cases

OCTOBER 2015

CONFIRMED Infected Perinatal Cases, know HIV or AIDS born in Miami-Dade by year of birth, 2000-2015.

Perinatal HIV/AIDS Cases by Year of Birth	Pediatric HIV		Pediatric AIDS		TOTAL		
	Cases	Row %	Cases	Row %	Cases	Col %	Row %
2000	5	71.4%	2	28.6%	7	13.0%	100%
2001	6	60.0%	4	40.0%	10	18.5%	100%
2002	3	50.0%	3	50.0%	6	11.1%	100%
2003	3	75.0%	1	25.0%	4	7.4%	100%
2004	1	50.0%	1	50.0%	2	3.7%	100%
2005	3	60.0%	2	40.0%	5	9.3%	100%
2006	2	66.7%	1	33.3%	3	5.6%	100%
2007	1	100.0%	0	0.0%	1	1.9%	100%
2008	1	50.0%	1	50.0%	2	3.7%	100%
2009	2	100.0%	0	0.0%	2	3.7%	100%
2010	3	100.0%	0	0.0%	3	5.6%	100%
2011	1	100.0%	0	0.0%	1	1.9%	100%
2012	1	100.0%	0	0.0%	1	1.9%	100%
2013	2	66.7%	1	33.3%	3	5.6%	100%
2014	1	100.0%	0	0.0%	1	1.9%	100%
2015	3	100.0%	0	0.0%	3	5.6%	100%
Total Confirmed Perinatal Cases	38	70%	16	30%	54	100%	100%

(Continue next Page)

FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
HIV/AIDS Surveillance
Perinatal HIV Exposed Cases

OCTOBER 2015

All EXPOSED Perinatal pediatric cases born in Miami-Dade by hospital of birth and diagnosis status since November 20th, 2006. ⁽¹⁾

Hospital of Birth	Perinatal HIV Exposure	Pediatric HIV	Pediatric AIDS	Perinatal Seroreverter	Unknown	TOTAL	TOTAL %
BAPTIST HOSPITAL-MIAMI	4	0	0	2	0	6	0.6%
BROWARD GENERAL MEDICAL CTR.	2	0	0	2	0	4	0.4%
CORAL SPRINGS MEDICAL CTR.	1	0	0	0	0	1	0.1%
HIALEAH HOSPITAL	2	0	0	1	0	3	0.3%
HOMESTEAD HOSPITAL	7	1	0	1	0	9	0.9%
JACKSON N MATERNITY CTR.	0	0	0	2	0	2	0.2%
JACKSON NORTH MEDICAL CTR.	9	3	0	16	0	28	2.8%
JACKSON SOUTH MEDICAL CTR.	2	0	0	15	0	17	1.7%
JACKSON MEMORIAL HOSPITAL	140	7	0	700	0	847	83.8%
KENDALL RMC	1	0	0	1	0	2	0.2%
MEMORIAL HOSPITAL-MIRAMAR	1	0	1	0	0	2	0.2%
MEMORIAL HOSPITAL-SOUTH	1	0	0	0	0	1	0.1%
MEMORIAL HOSPITAL-WEST	1	0	0	2	0	3	0.3%
MEMORIAL HOSPITAL-PEMBROKE PINES	3	0	0	1	0	4	0.4%
MEMORIAL HOSPITAL-HOLLYWOOD	11	0	0	6	0	17	1.7%
MERCY HOSPITAL	2	0	0	0	0	2	0.2%
MIAMI CHILDREN'S HOSPITAL	1	0	0	0	0	1	0.1%
MIAMI-DADE PVT PHYSICIAN-MIAMI	2	0	0	0	0	2	0.2%
MOUNT SINAI MC	1	0	0	1	0	2	0.2%
NORTH SHORE MEDICAL CTR.	14	0	0	22	0	36	3.6%
PLANTATION GENERAL HOSPITAL	1	0	0	1	0	2	0.2%
SOUTH MIAMI HOSPITAL	1	0	0	0	0	1	0.1%
UF HEALTH AT JACKSONVILLE	1	0	0	0	0	1	0.1%
WELLINGTON RMS	1	0	0	0	0	1	0.1%
UNKNOWN	2	4	1	10	0	17	1.7%
TOTAL	211	15	2	783	0	1,011	100%

⁽¹⁾ NOTE: An expanded HIV reporting law was implemented on November 20th, 2006. Expansion included reportability of cases with virologic evidence of HIV infection. Previously, only Western Blot-confirmed (+) cases were reportable. In addition, reporting is retroactive. Previously, only HIV cases diagnosed after July st, 1997, were reportable. A detectable viral load (VL) (or equivalent viral test) is reportable, and is considered evidence of HIV. Other reportable virologic test considered to be evidence of HIV are: P24, ANTIGEN, Nucleic Acid test (NAT/NAAT), viral culture. CD4 counts/percents are reportable, but follow-up is conducted only if it is <200 uL, or <14%

FLORIDA DEPARTMENT OF HEALTH IN MIAMI- DADE COUNTY
HIV/AIDS SURVEILLANCE
AIDS, HIV (NOT AIDS) AND TOTAL PREVALENCE THROUGH 2014

Total prevalence through 2014, as of June 2015

* Living AIDS and Living HIV (not AIDS) [PLWHA - prevalence] is defined as the number of diagnosed cases in eHARS, as of the date specified.

These included cases whose current residence is Miami-Dade County regardless of where they were diagnosed.

* LIVING CASES by DIAGNOSIS						
GENDER	AIDS		HIV (Not AIDS)		Total Prevalence	
	Cases	Col %	Cases	Col %	Cases	Col %
Female	3,838	29%	3,346	27%	7,184	28%
Male	9,614	71%	9,244	73%	18,858	72%
Total Prevalence	13,452	100%	12,590	100%	26,042	100%

* LIVING CASES by DIAGNOSIS							* LIVING CASES by GENDER					
RACE/ETHNICITY	AIDS		HIV (Not AIDS)		Total Prevalence		FEMALE		MALE		Total Prevalence	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic (All Races)	5,472	41%	5,644	45%	11,116	43%	1,648	23%	9,468	50%	11,116	43%
Not Hispanic, Black	6,335	47%	5,202	41%	11,537	44%	5,099	71%	6,438	34%	11,537	44%
Not Hispanic, White	1,425	11%	1,595	13%	3,020	12%	335	5%	2,685	14%	3,020	12%
Not Hispanic, Other	220	2%	149	1%	369	1%	102	1%	267	1%	369	1%
Total Prevalence	13,452	100%	12,590	100%	26,042	100%	7,184	100%	18,858	100%	26,042	100%

RACE/ETHNICITY BY GENDER	* Adult Prevalence						* Pediatric Prevalence						* TOTAL Prevalence					
	Female		Male		Total Adult		Female		Male		Total Pediatric		Total Female		Total Male		Total Prevalence	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic (All Races)	1,647	23.0%	9,465	50.2%	11,112	42.7%	1	7.7%	3	16.7%	4	12.9%	1,648	22.9%	9,468	50.2%	11,116	42.7%
Not Hispanic, Black	5,087	70.9%	6,423	34.1%	11,510	44.3%	12	92.3%	15	83.3%	27	87.1%	5,099	71.0%	6,438	34.1%	11,537	44.3%
Not Hispanic, White	335	4.7%	2,685	14.3%	3,020	11.6%	0	0.0%	0	0.0%	0	0.0%	335	4.7%	2,685	14.2%	3,020	11.6%
Not Hispanic, Other	102	1.4%	267	1.4%	369	1.4%	0	0.0%	0	0.0%	0	0.0%	102	1.4%	267	1.4%	369	1.4%
Total Prevalence	7,171	100%	18,840	100%	26,011	100%	13	100%	18	100%	31	100%	7,184	100%	18,858	100%	26,042	100%

(Continue next Page)

FLORIDA DEPARTMENT OF HEALTH IN MIAMI- DADE COUNTY
HIV/AIDS SURVEILLANCE
AIDS, HIV (NOT AIDS) AND TOTAL PREVALENCE THROUGH 2014

Total prevalence through 2014, as of June 2015

* Living AIDS and Living HIV (not AIDS) [PLWHA - prevalence] is defined as the number of diagnosed cases in eHARS, as of the date specified.

These included cases whose current residence is Miami-Dade County regardless of where they were diagnosed.

	* LIVING CASES by DIAGNOSIS						* LIVING CASES by GENDER					
	AIDS		HIV (Not AIDS)		Total Prevalence		FEMALE		MALE		Total Prevalence	
CURRENT AGE	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
00-12 years	8	0%	23	0%	31	0%	13	0%	18	0%	31	0%
13-19 years	42	0%	107	1%	149	1%	72	1%	77	0%	149	1%
20-24 years	189	1%	521	4%	710	3%	202	3%	508	3%	710	3%
25-29 years	403	3%	1,028	8%	1,431	5%	374	5%	1,057	6%	1,431	5%
30-39 years	1,342	10%	2,610	21%	3,952	15%	1,220	17%	2,732	14%	3,952	15%
40-49 years	3,657	27%	3,606	29%	7,263	28%	1,936	27%	5,327	28%	7,263	28%
50-59 years	4,973	37%	3,161	25%	8,134	31%	2,164	30%	5,970	32%	8,134	31%
60+ years	2,838	21%	1,534	12%	4,372	17%	1,203	17%	3,169	17%	4,372	17%
Total Prevalence	13,452	100%	12,590	100%	26,042	100%	7,184	100%	18,858	100%	26,042	100%

* LIVING CASES by DIAGNOSIS and GENDER							
EXPOSURE CATEGORY ⁽¹⁾	AIDS		HIV (Not AIDS)		Total Prevalence		
	Cases	Col %	Cases	Col %	Cases	Col %	
ADULT MALE						% of Male	% of Total
Adult male-to-male sexual contact [MSM]	6,315	66%	7,026	76%	13,341	71%	51%
Adult injection drug use [IDU]	657	7%	298	3%	955	5%	4%
Adult MSM & IDU	459	5%	244	3%	703	4%	3%
Adult heterosexual contact [HTRSX]	2,058	21%	1,612	17%	3,670	19%	14%
Adult other risk	121	1%	50	1%	171	1%	1%
Total Adult Male Prevalence	9,610	100%	9,230	100%	18,840	100%	
ADULT FEMALE						% of Female	% of Total
Adult injection drug use [IDU]	504	13%	241	7%	745	10%	3%
Adult heterosexual contact [HTRSX]	3,200	83%	3,023	91%	6,223	87%	24%
Adult other risk	130	3%	73	2%	203	3%	1%
Total Adult Female Prevalence	3,834	100%	3,337	100%	7,171	100%	
PEDIATRIC (Current age 0-12)						% Pediatric	% of Total
Mother with/at risk for HIV infection	8	100%	23	100%	31	100%	0%
Risk not diagnosed/Other	0	0%	0	0%	0	0%	0%
Total Pediatric Prevalence	8	100%	23	100%	31	100%	
Total Prevalence	13,452		12,590		26,042		100%

⁽¹⁾ No identified risk [NIR] redistributed

**FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
ONE-IN STATEMENTS**

* ONE-IN Statements for Adults (**>=13**) Living with HIV or AIDS [PLWHA] through 2014 in Miami-Dade & Florida,

ADULT MALE LIVING WITH HIV OR AIDS	
MIAMI-DADE	FLORIDA
• One in 61 White adult male in Miami-Dade is living with HIV or AIDS	• One in 170 White adult male
• One in 26 Black adult male in Miami-Dade is living with HIV or AIDS	• One in 38 Black adult male
• One in 75 Hispanic adult male in Miami-Dade is living with HIV or AIDS	• One in 98 Hispanic adult male
• One in 89 other race adult male in Miami-Dade is living with HIV or AIDS	• One in 200 Other adult male
One in 56 adult male in Miami-Dade is living with HIV or AIDS	One in 103 adult male in Florida

ADULT FEMALE LIVING WITH HIV OR AIDS	
MIAMI-DADE	FLORIDA
• One in 461 White adult female in Miami-Dade is living with HIV or AIDS	• One in 1,049 White adult female
• One in 37 Black adult female in Miami-Dade is living with HIV or AIDS	• One in 60 Black adult female
• One in 473 Hispanic adult female in Miami-Dade is living with HIV or AIDS	• One in 422 Hispanic adult female
• One in 259 other race adult female in Miami-Dade is living with HIV or AIDS	• One in 573 Other adult female
One in 160 adult female in Miami-Dade is living with HIV or AIDS	One in 275 adult female in Florida

TOTAL ADULTS OF ALL SEXES LIVING WITH HIV OR AIDS	
MIAMI-DADE	FLORIDA
• One in 106 White adult in Miami-Dade is living with HIV or AIDS	• One in 298 White adult
• One in 31 Black adult in Miami-Dade is living with HIV or AIDS	• One in 47 Black adult
• One in 134 Hispanic adult in Miami-Dade is living with HIV or AIDS	• One in 161 Hispanic adult
• One in 136 other race adult in Miami-Dade is living with HIV or AIDS	• One in 307 Other adult race
One in 85 adult resident in Miami-Dade is living with HIV or AIDS	One in 151 adult Floridian

Note: Excluding Department of Correction [DOC] cases at county level. Florida totals include DOC cases.

These statements are updated by the Florida Bureau of Communicable Disease, HIV/AIDS Section, every June of following year.

* Living data now reflects those living on our area regardless of where diagnosed. You cannot compare this year's data with last year's since they were run separately

**FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
ONE-IN STATEMENTS**

*** ONE-IN Statements for Total Persons (all ages) Living with HIV or AIDS [PLWHA] through 2014 in Miami-Dade & Florida**

TOTAL MALE LIVING WITH HIV OR AIDS	
MIAMI-DADE	FLORIDA
• One in 73 White male in Miami-Dade is living with HIV or AIDS	• One in 193 White male
• One in 32 Black male in Miami-Dade is living with HIV or AIDS	• One in 48 Black male
• One in 88 Hispanic male in Miami-Dade is living with HIV or AIDS	• One in 122 Hispanic male
• One in 108 other race male in Miami-Dade is living with HIV or AIDS	• One in 262 Other male
One in 67 male in Miami-Dade is living with HIV or AIDS	One in 121 male in Florida

TOTAL FEMALE LIVING WITH HIV OR AIDS	
MIAMI-DADE	FLORIDA
• One in 551 White female in Miami-Dade is living with HIV or AIDS	• One in 1,176 White female
• One in 45 Black female in Miami-Dade is living with HIV or AIDS	• One in 74 Black female
• One in 546 Hispanic female in Miami-Dade is living with HIV or AIDS	• One in 514 Hispanic female
• One in 309 other race female in Miami-Dade is living with HIV or AIDS	• One in 724 Other female
One in 187 female in Miami-Dade is living with HIV or AIDS	One in 320 female in Florida

TOTAL ALL SEXES LIVING WITH HIV OR AIDS	
MIAMI-DADE	FLORIDA
• One in 126 White in Miami-Dade is living with HIV or AIDS	• One in 336 White
• One in 38 Black in Miami-Dade is living with HIV or AIDS	• One in 59 Black
• One in 156 Hispanic in Miami-Dade is living with HIV or AIDS	• One in 198 Hispanic
• One in 164 other race in Miami-Dade is living with HIV or AIDS	• One in 394 Other race
One in 100 Miami-Dade resident is living with HIV or AIDS	One in 178 Floridian

Note: Excluding Department of Correction [DOC] cases at county level. Florida totals include DOC cases.

These statements are updated by the Florida Bureau of Communicable Disease, HIV/AIDS Section, every June of following year.

* Living data now reflects those living on our area regardless of where diagnosed. You cannot compare this year's data with last year's since they were run separately

**FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
USEFUL WEBSITE LINKS**

Below are several website that may be useful for HIV/AIDS related information.

USEFUL WEBSITE LINKS	
ORGANIZATIONS / SITES	ELECTRONIC ADDRESS
Data from the HIV Counseling and Testing (Florida & all Counties)	http://www.floridahealth.gov/diseases-and-conditions/aids/prevention/2013-testing-data.html
Center for Disease Control and Prevention [CDC]	http://www.cdc.gov
Center for Disease Control and Prevention [CDC] HIV/AIDS Statistics and Surveillance	http://www.cdc.gov/hiv/topics/surveillance/
Center for Disease Control and Prevention [CDC] Morbidity and Mortality Weekly Report [MMWR]	http://www.cdc.gov/mmwr/
Florida Community Health Assessment Resource Tool Set [Florida CHARTS]	http://www.floridacharts.com/charts/default.aspx
Florida Department of Health in Miami-Dade County	http://miamidade.floridahealth.gov
Florida Department of Health, Bureau of Communicable Disease, HIV/AIDS and Hepatitis Section.	http://www.floridahealth.gov/diseases-and-conditions/aids/index.html
Organización Panamericana de la Salud [PAHO] (Pan American Health Organization)	http://www.paho.org
The Test Miami Initiative	http://www.testmiami.org/index.aspx
United Nations Program on HIV/AIDS [UNAIDS]	http://www.unaids.org/
US Census Bureau.	http://www.census.gov
US Census Bureau. HIV/AIDS Surveillance	http://www.census.gov/ipc/www/hivaidsn.html
World Health Organization [WHO]	http://www.who.int