

Mission:

To protect, promote & improve the health of all people in Florida through integrated state, county & community efforts.



Vision: To be the Healthiest State in the Nation

Rick Scott  
Governor

John H. Armstrong, MD, FACS  
State Surgeon General & Secretary

**FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY**  
**HIV/AIDS SURVEILLANCE**  
**MONTHLY HIV/AIDS SURVEILLANCE REPORT**

**NOVEMBER 2015**

**AIDS CASES (EXCLUDING DEPARTMENT OF CORRECTION [DOC] CASES)** *(AIDS Worksheet)*

- AIDS cases by age group and gender (Excluding Department of Correction - DOC).
- AIDS cases by age group, race/ethnicity & gender, showing Haitians separated (Excluding DOC)
- AIDS cases by year of report and gender (Excluding DOC)
- Adult & pediatric AIDS cases by race/ethnicity and gender (Excluding DOC)
- AIDS cases by exposure category and gender among Adult and Pediatric (Excluding DOC)
- Adult AIDS cases by exposure category, race/ethnicity and gender (Excluding DOC)
- Pediatric AIDS cases by exposure category, race/ethnicity and gender.
- Adult Hispanic/Latino AIDS cases by country of origin and gender (Excluding DOC)
- Adult Hispanic/Latino AIDS cases by country of origin, exposure category and gender (Excluding DOC)
- Haitian born adult AIDS cases by exposure category and gender (Excluding DOC)
- Department of Correction [DOC] Adult AIDS cases by race/ethnicity and gender.

**HIV CASES (EXCLUDING DEPARTMENT OF CORRECTION [DOC] CASES)** *(HIV Worksheet)*

- HIV (not AIDS) cases by age group and gender (Excluding Department of Correction - DOC)
- HIV (not AIDS) cases by age group, race/ethnicity & gender, showing Haitians separated (Excluding DOC)
- HIV (not AIDS) cases by year of report and gender (Excluding DOC)
- Adult & pediatric HIV (not AIDS) cases by race/ethnicity and gender (Excluding DOC)
- HIV (not AIDS) cases by exposure category and gender among Adult and Pediatric (Excluding DOC)
- Adult HIV (not AIDS) cases by exposure category, race/ethnicity and gender (Excluding DOC)
- Adult Hispanic/Latino HIV (not AIDS) cases by country of origin and gender (Excluding DOC)
- Adult Hispanic/Latino HIV (not AIDS) cases by country of origin, exposure category and gender (Excluding DOC)

*(Continue next Page)*

Florida Department of Health  
Miami-Dade County  
Epidemiology, Disease Control, and Immunization Services  
8600 NW 17th Street, suite 200, Miami, Florida 33126  
PHONE: 305/470-5660 - FAX 305/470-5533

www.FloridaHealth.com  
TWITTER: HealthyFLA  
FACEBOOK: FLDepartmentofHealth  
YOUTUBE: fldoh  
FLICKR: HealthyFla  
PINTEREST: HealthyFla

**Mission:**

To protect, promote & improve the health of all people in Florida through integrated state, county & community efforts.



Vision: To be the Healthiest State in the Nation

Rick Scott  
Governor

John H. Armstrong, MD, FACS  
State Surgeon General & Secretary

Haitian born adult HIV (not AIDS) cases by country of origin, exposure category and gender (Excluding DOC)  
Department of Correction [DOC] Adult HIV (not AIDS) cases by race/ethnicity and gender.

**PERINATAL EXPOSED CASES REPORTED SINCE NOVEMBER 20<sup>th</sup>, 2006** (*PERINATAL EXPOSED Worksheet*)

- All EXPOSED perinatal pediatric cases born in Miami-Dade by year of birth and diagnosis status since November 20th, 2006.
- All EXPOSED perinatal pediatric cases born in Miami-Dade by year of birth and race/ethnicity since November 20th, 2006.
- All EXPOSED perinatal pediatric cases born in Miami-Dade by year of birth and Mother HIV status since November 20th, 2006.
- All EXPOSED perinatal pediatric cases born in Miami-Dade by diagnosis and Mother HIV status since November 20th, 2006.
- All EXPOSED perinatal pediatric cases born in Miami-Dade by diagnosis status and HIV category since November 20th, 2006.
- CONFIRMED infected perinatal cases born in Miami-Dade, known HIV or AIDS by year of birth, 2000-2015.
- All EXPOSED perinatal pediatric cases born in Miami-Dade by hospital of birth and diagnosis status since November 20th, 2006.

**AIDS AND HIV (NOT AIDS) PREVALENCE** (*PLWHA*)

- Total prevalence by diagnosis category.
- Total prevalence by gender.
- Total prevalence by race/ethnicity.
- Total prevalence by current age group.
- Total prevalence by exposure category.

**ONE-IN STATEMENTS** (*ONE-IN STATEMENTS Worksheet*)

- One-in statements for persons (all ages) living with HIV or AIDS through 2013 (all ages) in Miami-Dade & Florida.
- One-in statements for adult ( $\geq 13$ ) persons living with HIV or AIDS through 2013 in Miami-Dade & Florida.

**USEFUL WEBSITES LINKS** (*WEBSITE Worksheet*)

- Useful websites for HIV/AIDS related information.

**FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY**  
**HIV/AIDS Surveillance**  
**Cumulative Number of Reported AIDS Cases**

**NOVEMBER 2015**

<i>AIDS Cases by age group and gender (Excluding Department of Correction - DOC)</i>							<i>AIDS Cases by age group, race/ethnicity &amp; gender, showing Haitians separated (Excluding DOC)</i>											
AIDS Cases by Age Group & Gender	Female		Male		TOTAL AIDS		Hispanic/Latino		Black		White		Haitian		Other <sup>(1)</sup>		TOTAL AIDS	
	Cases	Col %	Cases	Col %	Cases	Col %	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male
Under 5	210	2.2%	196	0.7%	406	1.1%	29	29	169	151	5	7	6	8	1	1	210	196
5-12	53	0.6%	55	0.2%	108	0.3%	10	11	33	36	4	2	5	5	1	1	53	55
13-19	171	1.8%	134	0.5%	305	0.9%	20	42	127	83	5	2	15	6	4	1	171	134
20-29	1,715	18.0%	3,238	12.4%	4,953	13.9%	281	1,397	1,102	1,030	76	501	236	262	20	48	1,715	3,238
30-39	3,298	34.6%	9,492	36.3%	12,790	35.8%	537	4,102	2,000	2,685	163	1,667	556	890	42	148	3,298	9,492
40-49	2,462	25.8%	7,838	29.9%	10,300	28.8%	462	3,174	1,418	2,526	127	1,259	413	767	42	112	2,462	7,838
50-59	1,104	11.6%	3,613	13.8%	4,717	13.2%	241	1,455	565	1,250	57	479	216	373	25	56	1,104	3,613
60-64	266	2.8%	857	3.3%	1,123	3.1%	67	330	122	319	10	112	62	81	5	15	266	857
65-69	148	1.6%	429	1.6%	577	1.6%	29	152	76	170	5	56	35	42	3	9	148	429
>=70	113	1.2%	319	1.2%	432	1.2%	34	126	46	117	12	35	17	33	4	8	113	319
Unknown	0	0.0%	0	0.0%	0	0.0%	0	0	0	0	0	0	0	0	0	0	0	0
<b>Total AIDS</b>	<b>9,540</b>	<b>100%</b>	<b>26,171</b>	<b>100%</b>	<b>35,711</b>	<b>100%</b>	<b>1,710</b>	<b>10,818</b>	<b>5,658</b>	<b>8,367</b>	<b>464</b>	<b>4,120</b>	<b>1,561</b>	<b>2,467</b>	<b>147</b>	<b>399</b>	<b>9,540</b>	<b>26,171</b>

<sup>(1)</sup> Other Includes American Indian/Alaska Native, Asian, Native Hawaiian, Pacific Islander, Legacy Asian & Multi Race

*AIDS Cases by year of report and gender (Excluding DOC)*

AIDS Cases by Year Report & Gender	Female		Male		TOTAL AIDS	
	Cases	Row %	Cases	Row %	Cases	Col %
1981	0	0.0%	4	100%	4	0.0%
1982	7	18.4%	31	81.6%	38	0.1%
1983	16	16.3%	82	83.7%	98	0.3%
1984	18	11.9%	133	88.1%	151	0.4%
1985	29	15.3%	161	84.7%	190	0.5%
1986	71	17.8%	329	82.3%	400	1.1%
1987	63	13.5%	405	86.5%	468	1.3%
1988	109	16.4%	554	83.6%	663	1.9%
1989	195	19.9%	784	80.1%	979	2.7%
1990	171	19.0%	730	81.0%	901	2.5%
1991	362	19.1%	1,537	80.9%	1,899	5.3%
1992	304	20.4%	1,185	79.6%	1,489	4.2%
1993	443	20.9%	1,680	79.1%	2,123	5.9%
1994	748	23.6%	2,415	76.4%	3,163	8.9%
1995	668	27.9%	1,723	72.1%	2,391	6.7%
1996	579	27.1%	1,560	72.9%	2,139	6.0%
1997	432	28.3%	1,094	71.7%	1,526	4.3%
1998	475	31.6%	1,030	68.4%	1,505	4.2%
1999	357	29.1%	870	70.9%	1,227	3.4%

AIDS Cases by Year & Gender (Cont)	Female		Male		TOTAL AIDS	
	Cases	Row %	Cases	Row %	Cases	Col %
2000	378	31.7%	816	68.3%	1,194	3.3%
2001	372	32.7%	764	67.3%	1,136	3.2%
2002	324	29.1%	791	70.9%	1,115	3.1%
2003	305	30.0%	710	70.0%	1,015	2.8%
2004	411	31.5%	892	68.5%	1,303	3.6%
2005	392	33.1%	791	66.9%	1,183	3.3%
2006	396	35.0%	736	65.0%	1,132	3.2%
2007	275	34.6%	520	65.4%	795	2.2%
2008	325	31.0%	724	69.0%	1,049	2.9%
2009	256	30.8%	575	69.2%	831	2.3%
2010	199	30.3%	458	69.7%	657	1.8%
2011	236	33.0%	479	67.0%	715	2.0%
2012	159	26.5%	442	73.5%	601	1.7%
2013	190	28.2%	483	71.8%	673	1.9%
2014	145	27.7%	378	72.3%	523	1.5%
2015	130	29.9%	305	70.1%	435	1.2%
<b>Total Adult AIDS</b>	<b>9,540</b>	<b>26.7%</b>	<b>26,171</b>	<b>73.3%</b>	<b>35,711</b>	<b>100%</b>

(Continue next Page)

**FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY**  
**HIV/AIDS Surveillance**  
**Cumulative Number of Reported AIDS Cases**

**NOVEMBER 2015**

*Adult & Pediatric AIDS cases by race/ethnicity and gender (Excluding DOC)*

AIDS by Race/ Ethnicity *	Adult AIDS						Pediatric AIDS						TOTAL AIDS CASES					
	Female		Male		Total Adult		Female		Male		Total Pediatric		Total Female		Total Male		Total Cases	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)	1,687	18.2%	10,804	41.7%	12,491	35.5%	39	14.8%	40	15.9%	79	15.4%	1,726	18.1%	10,844	41.4%	12,570	35.2%
American Indian/Alaska Native	1	0.0%	2	0.0%	3	0.0%	0	0.0%	0	0.0%	0	0.0%	1	0.0%	2	0.0%	3	0.0%
Asian	2	0.0%	21	0.1%	23	0.1%	0	0.0%	0	0.0%	0	0.0%	2	0.0%	21	0.1%	23	0.1%
Black or African American	6,970	75.1%	10,582	40.8%	17,552	49.9%	213	81.0%	200	79.7%	413	80.4%	7,183	75.3%	10,782	41.2%	17,965	50.3%
Native Hawaiian/Pacific Islander	1	0.0%	1	0.0%	2	0.0%	0	0.0%	0	0.0%	0	0.0%	1	0.0%	1	0.0%	2	0.0%
White	455	4.9%	4,115	15.9%	4,570	13.0%	9	3.4%	9	3.6%	18	3.5%	464	4.9%	4,124	15.8%	4,588	12.8%
Legacy Asian	2	0.0%	12	0.0%	14	0.0%	0	0.0%	0	0.0%	0	0.0%	2	0.0%	12	0.0%	14	0.0%
Multi-Race	159	1.7%	383	1.5%	542	1.5%	2	0.8%	2	0.8%	4	0.8%	161	1.7%	385	1.5%	546	1.5%
Unknown	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
<b>Total AIDS</b>	<b>9,277</b>	<b>100%</b>	<b>25,920</b>	<b>100%</b>	<b>35,197</b>	<b>100%</b>	<b>263</b>	<b>100%</b>	<b>251</b>	<b>100%</b>	<b>514</b>	<b>100%</b>	<b>9,540</b>	<b>100%</b>	<b>26,171</b>	<b>100%</b>	<b>35,711</b>	<b>100%</b>

\* This new category created by CDC, is to support the ability to record an ethnicity and multiple races for an individual, necessitated by new federal OMB guidelines for reporting race and ethnicity.

*AIDS Cases by exposure category and gender among Adult and Pediatric (Excluding DOC)*

Exposure Category among adult AIDS	Adult AIDS					
	Female		Male		Total Adult	
	Cases	Col %	Cases	Col %	Cases	Col %
Adult male-to-male sexual contact [MSM]			14,428	55.7%	14,428	41.0%
Adult injection drug use [IDU]	2,052	22.1%	3,197	12.3%	5,249	14.9%
Adult MSM & IDU			1,388	5.4%	1,388	3.9%
Adult heterosexual contact [HTRSX]	6,175	66.6%	4,111	15.9%	10,286	29.2%
Adult other risk*	168	1.8%	192	0.7%	360	1.0%
Adult no risk factor reported [NRR]	882	9.5%	2,604	10.0%	3,486	9.9%
<b>Total adult AIDS</b>	<b>9,277</b>	<b>100%</b>	<b>25,920</b>	<b>100%</b>	<b>35,197</b>	<b>100%</b>

\* Other risk includes: Adult receiving clotting factor, Hemophiliac, Perinatal exposure w/HIV age at 13+ years

Exposure Category among Pediatric AIDS	Pediatric AIDS					
	Female		Male		Total Pediatric	
	Cases	Col %	Cases	Col %	Cases	Col %
Perinatal exposure [PERINATAL]	260	98.9%	243	96.8%	503	97.9%
Child receiving clotting factor [HEMOPH]	0	0.0%	0	0.0%	0	0.0%
Child receiving transfusion/transplant	2	0.8%	5	2.0%	7	1.4%
Child other risk confirmed [OTHER]	0	0.0%	1	0.4%	1	0.2%
Child no risk factor reported [NRR]	1	0.4%	2	0.8%	3	0.6%
<b>Total Pediatric AIDS</b>	<b>263</b>	<b>100%</b>	<b>251</b>	<b>100%</b>	<b>514</b>	<b>100%</b>

(Continue next Page)

**FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY  
HIV/AIDS Surveillance  
Cumulative Number of Reported AIDS Cases**

**NOVEMBER 2015**

*Adult AIDS cases by exposure category, race/ethnicity and gender (Excluding DOC)*

<b>ADULT FEMALE AIDS CASES</b>														
Exposure Category/ Race/Ethnicity	MALE-TO-MALE SEXUAL CONTACT		INJECTION DRUG USE [IDU]		MSM & IDU		HETEROSEXUAL CONTACT		OTHER* RISK		NO REPORTED RISK [NRR]		TOTAL ADULT FEMALE	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
	Hispanic/Latino (All Races)			244	11.9%			1,284	20.8%	32	19.0%	127	14.4%	1,687
American Indian/Alaska Native			0	0.0%			1	0.0%	0	0.0%	0	0.0%	1	0.0%
Asian			0	0.0%			2	0.0%	0	0.0%	0	0.0%	2	0.0%
Black or African American			1,561	76.1%			4,581	74.2%	117	69.6%	711	80.6%	6,970	75.1%
Native Hawaiian/Pacific Islander			0	0.0%			1	0.0%	0	0.0%	0	0.0%	1	0.0%
White			203	9.9%			204	3.3%	14	8.3%	34	3.9%	455	4.9%
Legacy Asian			0	0.0%			2	0.0%	0	0.0%	0	0.0%	2	0.0%
Multi-Race			44	2.1%			100	1.6%	5	3.0%	10	1.1%	159	1.7%
<b>Adult Female AIDS</b>			<b>2,052</b>	<b>100%</b>			<b>6,175</b>	<b>100%</b>	<b>168</b>	<b>100%</b>	<b>882</b>	<b>100%</b>	<b>9,277</b>	<b>100%</b>

\* OTHER includes Adult receiving clotting factor, Hemophilia, Perinatal exposure w/HIV age at 13+ years

<b>ADULT MALE AIDS CASES</b>														
Exposure Category/ Race/Ethnicity	MALE-TO-MALE SEXUAL CONTACT		INJECTION DRUG USE [IDU]		MSM & IDU		HETEROSEXUAL CONTACT		OTHER* RISK		NO REPORTED RISK [NRR]		TOTAL ADULT MALE	
	Cases	Col %	Cases	Col %	Cases	Col %	1010	Col %	Cases	Col %	Cases	Col %	Cases	Col %
	Hispanic/Latino (All Races)	7,878	54.6%	711	22.2%	497	35.8%	1,032	25.1%	60	31.3%	626	24.0%	10,804
American Indian/Alaska Native	0	0.0%	1	0.0%	0	0.0%	0	0.0%	0	0.0%	1	0.0%	2	0.0%
Asian	14	0.1%	0	0.0%	0	0.0%	4	0.1%	0	0.0%	3	0.1%	21	0.1%
Black or African American	3,001	20.8%	2,199	68.8%	595	42.9%	2,907	70.7%	82	42.7%	1,798	69.0%	10,582	40.8%
Native Hawaiian/Pacific Islander	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	1	0.0%	1	0.0%
White	3,312	23.0%	238	7.4%	270	19.5%	101	2.5%	45	5.0%	149	5.7%	4,115	15.9%
Legacy Asian	7	0.0%	0	0.0%	0	0.0%	4	0.1%	0	0.0%	1	0.0%	12	0.0%
Multi-Race	216	1.5%	48	1.5%	26	1.9%	63	1.5%	5	2.6%	25	1.0%	383	1.5%
<b>Adult Male AIDS</b>	<b>14,428</b>	<b>100%</b>	<b>3,197</b>	<b>100%</b>	<b>1,388</b>	<b>100%</b>	<b>4,111</b>	<b>100%</b>	<b>192</b>	<b>82%</b>	<b>2,604</b>	<b>100%</b>	<b>25,920</b>	<b>100%</b>
<b>TOTAL ADULT AIDS</b>	<b>14,428</b>	<b>41.0%</b>	<b>5,249</b>	<b>14.9%</b>	<b>1,388</b>	<b>3.9%</b>	<b>10,286</b>	<b>29.2%</b>	<b>360</b>	<b>1.0%</b>	<b>3,486</b>	<b>9.9%</b>	<b>35,197</b>	<b>100%</b>

(Continue next Page)

**FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY  
HIV/AIDS Surveillance  
Cumulative Number of Reported AIDS Cases**

**NOVEMBER 2015**

*Pediatric AIDS cases by exposure category, race/ethnicity and gender (Excluding DOC)*

<b>PEDIATRIC FEMALE AIDS CASES</b>												
Exposure Category/ Race/Ethnicity	PERINATAL		HEMOPHILIAC		TRANSFUSION		OTHER RISK		NO REPORTED		TOTAL FEMALE	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)	37	14.2%	0	#DIV/0!	1	50.0%	0	#DIV/0!	1	100.0%	39	14.8%
Black or African American	212	81.5%	0	#DIV/0!	1	50.0%	0	#DIV/0!	0	0.0%	213	81.0%
White	9	3.5%	0	#DIV/0!	0	0.0%	0	#DIV/0!	0	0.0%	9	3.4%
Multi-Race	2	0.8%	0	#DIV/0!	0	0.0%	0	#DIV/0!	0	0.0%	2	0.8%
<b>Pediatric Female AIDS</b>	<b>260</b>	<b>100%</b>	<b>0</b>	<b>#DIV/0!</b>	<b>2</b>	<b>100%</b>	<b>0</b>	<b>#DIV/0!</b>	<b>1</b>	<b>100%</b>	<b>263</b>	<b>100%</b>

  

<b>PEDIATRIC MALE AIDS CASES</b>												
Exposure Category/ Race/Ethnicity	PERINATAL		HEMOPHILIAC		TRANSFUSION		OTHER RISK		NO REPORTED		TOTAL MALE	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)	35	14.4%	0	#DIV/0!	4	80.0%	0	0.0%	1	50.0%	40	15.9%
Black or African American	197	81.1%	0	#DIV/0!	1	20.0%	1	100.0%	1	50.0%	200	79.7%
White	9	3.7%	0	#DIV/0!	0	0.0%	0	0.0%	0	0.0%	9	3.6%
Multi-Race	2	0.8%	0	#DIV/0!	0	0.0%	0	0.0%	0	0.0%	2	0.8%
<b>Pediatric Male AIDS</b>	<b>243</b>	<b>100%</b>	<b>0</b>	<b>#DIV/0!</b>	<b>5</b>	<b>100%</b>	<b>1</b>	<b>100%</b>	<b>2</b>	<b>100%</b>	<b>251</b>	<b>100%</b>

  

	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %
<b>TOTAL PEDIATRIC AIDS</b>	<b>503</b>	<b>97.9%</b>	<b>0</b>	<b>0.0%</b>	<b>7</b>	<b>1.4%</b>	<b>1</b>	<b>0.2%</b>	<b>3</b>	<b>0.6%</b>	<b>514</b>	<b>100%</b>

*Adult Hispanic/Latino AIDS cases by country of origin and gender (Excluding DOC)*

Country of Origin	ADULT FEMALE AIDS			ADULT MALE AIDS			TOTAL HISPANIC/LATINO		
	Cases	Col %	Row %	Cases	Col %	Row %	Cases	Col %	Row %
Argentina	24	1.4%	13.0%	161	1.5%	87.0%	185	1.5%	100%
Colombia	73	4.3%	12.7%	502	4.6%	87.3%	575	4.6%	100%
Cuba	400	23.7%	7.7%	4,791	44.3%	92.3%	5,191	41.6%	100%
Dominican Republic	74	4.4%	32.5%	154	1.4%	67.5%	228	1.8%	100%
Guatemala	20	1.2%	16.5%	101	0.9%	83.5%	121	1.0%	100%
Honduras	138	8.2%	29.5%	330	3.1%	70.5%	468	3.7%	100%
Mexico	21	1.2%	8.0%	240	2.2%	92.0%	261	2.1%	100%
Nicaragua	82	4.9%	18.4%	364	3.4%	81.6%	446	3.6%	100%
Peru	27	1.6%	13.8%	168	1.6%	86.2%	195	1.6%	100%
Puerto Rico	186	11.0%	17.5%	879	8.1%	82.5%	1,065	8.5%	100%
United States	387	22.9%	20.4%	1,508	14.0%	79.6%	1,895	15.2%	100%
Venezuela	17	1.0%	6.1%	261	2.4%	93.9%	278	2.2%	100%
Other/Unknown Countries	238	14.1%	15.0%	1,345	12.4%	85.0%	1,583	12.7%	100%
<b>Total Adult Hispanic/Latino</b>	<b>1,687</b>	<b>100%</b>	<b>13.5%</b>	<b>10,804</b>	<b>100%</b>	<b>86.5%</b>	<b>12,491</b>	<b>100%</b>	<b>100%</b>

(Continue next Page)

**FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY**  
**HIV/AIDS Surveillance**  
**Cumulative Number of Reported AIDS Cases**

**NOVEMBER 2015**

*Adult Hispanic/Latino AIDS cases by country of origin, exposure category and gender (Excluding DOC)*

ADULT HISPANIC/LATINO FEMALE AIDS CASES															
Country of Origin	MALE-TO-MALE SEXUAL CONTACT		INJECTION DRUG USE [IDU]		MSM & IDU		HETEROSEXUAL CONTACT		OTHER * RISK		NO REPORTED RISK [NRR]		Total Hispanic/Latino Female by Country of Origin		
	Cases	Row %	Cases	Row %	Number	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Col %	Row %
	Argentina			3	12.5%			20	83.3%	0	0.0%	1	4.2%	24	1.4%
Colombia			7	9.6%			54	74.0%	2	2.7%	10	13.7%	73	4.3%	100%
Cuba			55	13.8%			297	74.3%	8	2.0%	40	10.0%	400	23.7%	100%
Dominican Republic			3	4.1%			64	86.5%	0	0.0%	7	9.5%	74	4.4%	100%
Guatemala			0	0.0%			20	100.0%	0	0.0%	0	0.0%	20	1.2%	100%
Honduras			8	5.8%			120	87.0%	1	0.7%	9	6.5%	138	8.2%	100%
Mexico			3	14.3%			16	76.2%	1	4.8%	1	4.8%	21	1.2%	100%
Nicaragua			4	4.9%			67	81.7%	1	1.2%	10	12.2%	82	4.9%	100%
Peru			1	3.7%			26	96.3%	0	0.0%	0	0.0%	27	1.6%	100%
Puerto Rico			49	26.3%			124	66.7%	3	1.6%	10	5.4%	186	11.0%	100%
United States			83	21.4%			271	70.0%	14	3.6%	19	4.9%	387	22.9%	100%
Venezuela			3	17.6%			13	76.5%	0	0.0%	1	5.9%	17	1.0%	100%
Other/Unknown Countries			25	10.5%			192	80.7%	2	0.8%	19	8.0%	238	14.1%	100%
<b>Total adult Hispanic/Latino Female</b>			<b>244</b>	<b>14.5%</b>			<b>1,284</b>	<b>76.1%</b>	<b>32</b>	<b>1.9%</b>	<b>127</b>	<b>7.5%</b>	<b>1,687</b>	<b>100%</b>	<b>100%</b>

\* OTHER includes Adult receiving clotting factor, Hemophilic, Perinatal exposure w/HIV age at 13+ years

ADULT HISPANIC/LATINO MALE AIDS CASES															
Country of Origin	MALE-TO-MALE SEXUAL CONTACT		INJECTION DRUG USE [IDU]		MSM & IDU		HETEROSEXUAL CONTACT		OTHER * RISK		NO REPORTED RISK [NRR]		Total Hispanic/Latino Male by Country of Origin		
	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Col %	Row %
	Argentina	134	83.2%	4	2.5%	7	4.3%	13	8.1%	0	0.0%	3	1.9%	161	1.5%
Colombia	408	81.3%	14	2.8%	18	3.6%	39	7.8%	3	0.6%	20	4.0%	502	4.6%	100%
Cuba	3,699	77.2%	211	4.4%	191	4.0%	390	8.1%	26	0.5%	274	5.7%	4,791	44.3%	100%
Dominican Republic	83	53.9%	8	5.2%	5	3.2%	42	27.3%	1	0.6%	15	9.7%	154	1.4%	100%
Guatemala	53	52.5%	5	5.0%	2	2.0%	29	28.7%	0	0.0%	12	11.9%	101	0.9%	100%
Honduras	212	64.2%	18	5.5%	6	1.8%	68	20.6%	4	1.2%	22	6.7%	330	3.1%	100%
Mexico	162	67.5%	11	4.6%	7	2.9%	40	16.7%	0	0.0%	20	8.3%	240	2.2%	100%
Nicaragua	264	72.5%	10	2.7%	13	3.6%	54	14.8%	1	0.3%	22	6.0%	364	3.4%	100%
Peru	135	80.4%	2	1.2%	2	1.2%	18	10.7%	0	0.0%	11	6.5%	168	1.6%	100%
Puerto Rico	439	49.9%	217	24.7%	100	11.4%	69	7.8%	3	0.3%	51	5.8%	879	8.1%	100%
United States	1,030	68.3%	158	10.5%	112	7.4%	130	8.6%	14	0.9%	64	4.2%	1,508	14.0%	100%
Venezuela	229	87.7%	3	1.1%	2	0.8%	17	6.5%	2	0.8%	8	3.1%	261	2.4%	100%
Other/Unknown Countries	1,030	76.6%	50	3.7%	32	2.4%	123	9.1%	6	0.4%	104	7.7%	1,345	12.4%	100%
<b>Total adult Hispanic/Latino Male</b>	<b>7,878</b>	<b>72.9%</b>	<b>711</b>	<b>6.6%</b>	<b>497</b>	<b>4.6%</b>	<b>1,032</b>	<b>9.6%</b>	<b>60</b>	<b>0.6%</b>	<b>626</b>	<b>5.8%</b>	<b>10,804</b>	<b>100%</b>	<b>100%</b>

	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %
<b>TOTAL ADULT HISPANIC/LATINO</b>	<b>7,878</b>	<b>63.1%</b>	<b>955</b>	<b>7.6%</b>	<b>497</b>	<b>4.0%</b>	<b>2,316</b>	<b>18.5%</b>	<b>92</b>	<b>0.7%</b>	<b>753</b>	<b>6.0%</b>	<b>12,491</b>	<b>100%</b>

**FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY**  
**HIV/AIDS Surveillance**  
**Cumulative Number of Reported AIDS Cases**

**NOVEMBER 2015**

(Continue next Page)

*Haitian born adult AIDS cases by exposure category and gender (Excluding DOC)*

<b>ADULT HAITIAN BORN AIDS CASES</b>														
Exposure Category GENDER	MALE-TO-MALE SEXUAL CONTACT		INJECTION DRUG USE [IDU]		MSM & IDU		HETEROSEXUAL CONTACT		OTHER *		NO REPORTED RISK [NRR]		Total Haitian by Gender	
	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %
	Haitian born Adult Females			56	3.6%			1,159	74.8%	26	1.7%	309	19.9%	1,550
Haitian born Adult Males	539	22.0%	77	3.1%	27	1.1%	905	36.9%	12	0.5%	894	36.4%	2,454	100%
<b>Total Haitian born</b>	<b>539</b>	<b>13.5%</b>	<b>133</b>	<b>3.3%</b>	<b>27</b>	<b>0.7%</b>	<b>2,064</b>	<b>51.5%</b>	<b>38</b>	<b>0.9%</b>	<b>1,203</b>	<b>30.0%</b>	<b>4,004</b>	<b>100%</b>

\* OTHER includes Adult receiving clotting factor, Hemophilic, Perinatal exposure w/HIV age at 13+ years

*Department of Correction [DOC] Adult AIDS cases by race/ethnicity and gender.*

AIDS Cases by Race/Ethnicity & Gender	DOC AIDS Cases					
	Female		Male		Total	
	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)	0	0.0%	91	13.5%	91	13.0%
Black or African American	21	77.8%	479	71.3%	500	71.5%
White	4	14.8%	70	10.4%	74	10.6%
Haitian	1	3.7%	19	2.8%	20	2.9%
Other (1)	1	3.7%	13	1.9%	14	2.0%
<b>Total AIDS</b>	<b>27</b>	<b>100%</b>	<b>672</b>	<b>100%</b>	<b>699</b>	<b>100%</b>

(1) Other Includes American Indian/Alaska Native, Asian, Native Hawaiian, Pacific Islander, Legacy Asian & Multi Race  
 Adjustments are performed on a monthly basis to compensate for duplicate reports state and nation wide and case validation projects.

**FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY**  
**HIV/AIDS Surveillance**  
**Cumulative Number of Reported HIV (Not AIDS) Cases**

**NOVEMBER 2015**

<i>HIV (not AIDS) cases by age group and gender (Excluding Department of Correction - DOC)</i>					<i>HIV (not AIDS) Cases by age group, race/ethnicity &amp; gender, showing Haitians separated (Excluding DOC)</i>													
HIV Cases by Age Group & Gender	Female		Male		TOTAL HIV		Hispanic/Latino		Black		White		Haitian		Other <sup>(1)</sup>		TOTAL HIV	
	Cases	Col %	Cases	Col %	Cases	Col %	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male
Under 5	60	1.5%	47	0.4%	107	0.7%	11	8	47	36	1	0	1	2	0	1	60	47
5-12	36	0.9%	20	0.2%	56	0.4%	6	5	24	12	0	0	6	3	0	0	36	20
13-19	226	5.7%	297	2.6%	523	3.4%	46	125	165	150	6	9	8	10	1	3	226	297
20-29	967	24.2%	2,789	24.2%	3,756	24.2%	217	1,497	584	834	52	334	103	81	11	43	967	2,789
30-39	1,077	26.9%	3,605	31.2%	4,682	30.1%	254	2,024	551	736	75	649	187	155	10	41	1,077	3,605
40-49	925	23.1%	2,904	25.2%	3,829	24.6%	227	1,483	483	693	60	523	140	167	15	38	925	2,904
50-59	509	12.7%	1,311	11.4%	1,820	11.7%	142	539	249	413	17	238	95	102	6	19	509	1,311
60-64	93	2.3%	276	2.4%	369	2.4%	25	105	39	90	3	50	26	25	0	6	93	276
65-69	72	1.8%	161	1.4%	233	1.5%	22	66	33	57	4	24	12	14	1	0	72	161
>=70	34	0.9%	129	1.1%	163	1.0%	6	46	11	52	4	16	12	11	1	4	34	129
Unknown	0	0.0%	0	0.0%	0	0.0%	0	0	0	0	0	0	0	0	0	0	0	0
<b>Total HIV</b>	<b>3,999</b>	<b>100%</b>	<b>11,539</b>	<b>100%</b>	<b>15,538</b>	<b>100%</b>	<b>956</b>	<b>5,898</b>	<b>2,186</b>	<b>3,073</b>	<b>222</b>	<b>1,843</b>	<b>590</b>	<b>570</b>	<b>45</b>	<b>155</b>	<b>3,999</b>	<b>11,539</b>

<sup>(1)</sup> Other Includes American Indian/Alaska Native, Asian, Native Hawaiian, Pacific Islander, Legacy Asian & Multi Race

*HIV (Not AIDS) Cases by year of report and gender (Excluding DOC) HIV start reporting in Florida in July 1997.*

HIV Cases by Year Report & Gender	Female		Male		TOTAL HIV		
	Cases	Row %	Cases	Row %	Cases	Col %	Row %
July-December 1997	122	36.6%	211	63.4%	333	2.1%	100%
1998	270	30.9%	604	69.1%	874	5.6%	100%
1999	260	31.3%	572	68.8%	832	5.4%	100%
2000	234	31.0%	521	69.0%	755	4.9%	100%
2001	239	30.1%	554	69.9%	793	5.1%	100%
2002	287	30.4%	657	69.6%	944	6.1%	100%
2003	233	27.9%	603	72.1%	836	5.4%	100%
2004	228	27.5%	600	72.5%	828	5.3%	100%
2005	224	31.2%	494	68.8%	718	4.6%	100%
2006	182	28.1%	465	71.9%	647	4.2%	100%
2007	224	27.0%	607	73.0%	831	5.3%	100%
2008	235	25.4%	689	74.6%	924	5.9%	100%
2009	182	24.5%	560	75.5%	742	4.8%	100%
2010	172	23.1%	573	76.9%	745	4.8%	100%
2011	180	22.1%	633	77.9%	813	5.2%	100%
2012	160	22.0%	567	78.0%	727	4.7%	100%
2013	204	21.9%	729	78.1%	933	6.0%	100%
2014	171	15.6%	925	84.4%	1,096	7.1%	100%
2015	192	16.5%	975	83.5%	1,167	7.5%	100%
<b>Total Adult HIV</b>	<b>3,999</b>	<b>25.7%</b>	<b>11,539</b>	<b>74.3%</b>	<b>15,538</b>	<b>100%</b>	

(Continue next Page)

**FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY**  
**HIV/AIDS Surveillance**  
**Cumulative Number of Reported HIV (Not AIDS) Cases**

**NOVEMBER 2015**

*Adult & Pediatric HIV (not AIDS) cases by race/ethnicity and gender (Excluding DOC)*

HIV by Race/ Ethnicity *	Adult HIV						Pediatric HIV						TOTAL HIV CASES					
	Female		Male		Total Adult		Female		Male		Total Pediatric		Total Female		Total Male		Total Cases	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)	943	24.2%	5,890	51.3%	6,833	44.4%	17	17.7%	13	19.4%	30	18.4%	960	24.0%	5,903	51.2%	6,863	44.2%
American Indian/Alaska Native	2	0.1%	5	0.0%	7	0.0%	0	0.0%	0	0.0%	0	0.0%	2	0.1%	5	0.0%	7	0.0%
Asian	4	0.1%	30	0.3%	34	0.2%	0	0.0%	0	0.0%	0	0.0%	4	0.1%	30	0.3%	34	0.2%
Black or African American	2,692	69.0%	3,580	31.2%	6,272	40.8%	77	80.2%	53	79.1%	130	79.8%	2,769	69.2%	3,633	31.5%	6,402	41.2%
Native Hawaiian/Pacific Islander	1	0.0%	5	0.0%	6	0.0%	0	0.0%	0	0.0%	0	0.0%	1	0.0%	5	0.0%	6	0.0%
White	222	5.7%	1,844	16.1%	2,066	13.4%	1	1.0%	0	0.0%	1	0.6%	223	5.6%	1,844	16.0%	2,067	13.3%
Legacy Asian	1	0.0%	6	0.1%	7	0.0%	0	0.0%	1	1.5%	1	0.6%	1	0.0%	7	0.1%	8	0.1%
Multi-Race	38	1.0%	112	1.0%	150	1.0%	1	1.0%	0	0.0%	1	0.6%	39	1.0%	112	1.0%	151	1.0%
Unknown	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
<b>Total HIV</b>	<b>3,903</b>	<b>100%</b>	<b>11,472</b>	<b>100%</b>	<b>15,375</b>	<b>100%</b>	<b>96</b>	<b>100%</b>	<b>67</b>	<b>100%</b>	<b>163</b>	<b>100%</b>	<b>3,999</b>	<b>100%</b>	<b>11,539</b>	<b>100%</b>	<b>15,538</b>	<b>100%</b>

\* This new category created by CDC, is to support the ability to record an ethnicity and multiple races for an individual, necessitated by new federal OMB guidelines for reporting race and ethnicity

*HIV (not AIDS) Cases by exposure category and gender among Adult and Pediatric (Excluding DOC)*

Exposure Category among adult HIV cases	Adult HIV					
	Female		Male		Total Adult	
	Cases	Col %	Cases	Col %	Cases	Col %
Adult male-to-male sexual contact [MSM]			7,900	68.9%	7,900	51.4%
Adult injection drug use [IDU]	274	7.0%	336	2.9%	610	4.0%
Adult MSM & IDU			252	2.2%	252	1.6%
Adult heterosexual contact [HTRSX]	3,065	78.5%	1,735	15.1%	4,800	31.2%
Adult other risk*	8	0.2%	7	0.1%	15	0.1%
Adult no risk factor reported [NRR]	556	14.2%	1,242	10.8%	1,798	11.7%
<b>Total adult HIV</b>	<b>3,903</b>	<b>100%</b>	<b>11,472</b>	<b>100%</b>	<b>15,375</b>	<b>100%</b>

\* Other risk includes: Adult receiving clotting factor, Hemophiliac, Perinatal exposure w/HIV age at 13+ years

Exposure Category among Pediatric HIV cases	Pediatric HIV					
	Female		Male		Total Pediatric	
	Cases	Col %	Cases	Col %	Cases	Col %
Perinatal exposure [PERINATAL]	93	96.9%	66	98.5%	159	97.5%
Child receiving clotting factor [HEMOPH]	0	0.0%	0	0.0%	0	0.0%
Child receiving transfusion/transplant	0	0.0%	0	0.0%	0	0.0%
Child other risk confirmed [OTHER]	0	0.0%	0	0.0%	0	0.0%
Child no risk factor reported [NRR]	3	3.1%	1	1.5%	4	2.5%
<b>Total Pediatric HIV</b>	<b>96</b>	<b>100%</b>	<b>67</b>	<b>100%</b>	<b>163</b>	<b>100%</b>

(Continue next Page)

**FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY  
HIV/AIDS Surveillance  
Cumulative Number of Reported HIV (Not AIDS) Cases**

**NOVEMBER 2015**

*Adult HIV (not AIDS) cases by exposure category, race/ethnicity and gender (Excluding DOC)*

<b>ADULT FEMALE HIV CASES</b>														
Exposure Category/ Race/Ethnicity	MALE-TO-MALE SEXUAL CONTACT		INJECTION DRUG USE [IDU]		MSM & IDU		HETEROSEXUAL CONTACT		OTHER * RISK		NO REPORTED RISK [NRR]		TOTAL ADULT FEMALE	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
	Hispanic/Latino (All Races)			67	24.5%			710	23.2%	4	50.0%	162	29.1%	943
American Indian/Alaska Native			0	0.0%			2	0.1%	0	0.0%	0	0.0%	2	0.1%
Asian			0	0.0%			3	0.1%	0	0.0%	1	0.2%	4	0.1%
Black or African American			159	58.0%			2,180	71.1%	2	25.0%	351	63.1%	2,692	69.0%
Native Hawaiian/Pacific Islander			0	0.0%			0	0.0%	0	0.0%	1	0.2%	1	0.0%
White			41	15.0%			143	4.7%	1	12.5%	37	6.7%	222	5.7%
Legacy Asian			0	0.0%			0	0.0%	0	0.0%	1	0.2%	1	0.0%
Multi-Race			7	2.6%			27	0.9%	1	12.5%	3	0.5%	38	1.0%
<b>Adult Female HIV</b>			<b>274</b>	<b>100%</b>			<b>3,065</b>	<b>100%</b>	<b>8</b>	<b>100%</b>	<b>556</b>	<b>100%</b>	<b>3,903</b>	<b>100%</b>

\* OTHER includes Adult receiving clotting factor, Hemophilic, Perinatal exposure w/HIV age at 13+ years

<b>ADULT MALE HIV CASES</b>														
Exposure Category/ Race/Ethnicity	MALE-TO-MALE SEXUAL CONTACT		INJECTION DRUG USE [IDU]		MSM & IDU		HETEROSEXUAL CONTACT		OTHER * RISK		NO REPORTED RISK [NRR]		TOTAL ADULT MALE	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
	Hispanic/Latino (All Races)	4,710	59.6%	102	30.4%	118	46.8%	496	28.6%	1	14.3%	463	37.3%	5,890
American Indian/Alaska Native	2	0.0%	0	0.0%	0	0.0%	2	0.1%	0	0.0%	1	0.1%	5	0.0%
Asian	25	0.3%	0	0.0%	0	0.0%	1	0.1%	0	0.0%	4	0.3%	30	0.3%
Black or African American	1,506	19.1%	191	56.8%	77	30.6%	1,147	66.1%	4	57.1%	655	52.7%	3,580	31.2%
Native Hawaiian/Pacific Islander	4	0.1%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	1	0.1%	5	0.0%
White	1,572	19.9%	40	11.9%	53	21.0%	67	3.9%	2	28.6%	110	8.9%	1,844	16.1%
Legacy Asian	5	0.1%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	1	0.1%	6	0.1%
Multi-Race	76	1.0%	3	0.9%	4	1.6%	22	1.3%	0	0.0%	7	0.6%	112	1.0%
<b>Adult Male HIV</b>	<b>7,900</b>	<b>100%</b>	<b>336</b>	<b>100%</b>	<b>252</b>	<b>100%</b>	<b>1,735</b>	<b>100%</b>	<b>7</b>	<b>100%</b>	<b>1,242</b>	<b>100%</b>	<b>11,472</b>	<b>100%</b>
<b>TOTAL ADULT HIV</b>	<b>7,900</b>	<b>51.4%</b>	<b>610</b>	<b>4.0%</b>	<b>252</b>	<b>1.6%</b>	<b>4,800</b>	<b>31.2%</b>	<b>15</b>	<b>0.1%</b>	<b>1,798</b>	<b>11.7%</b>	<b>15,375</b>	<b>100%</b>

(Continue next Page)

**FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY**  
**HIV/AIDS Surveillance**  
**Cumulative Number of Reported HIV (Not AIDS) Cases**

**NOVEMBER 2015**

*Pediatric HIV (not AIDS) cases by exposure category, race/ethnicity and gender (Excluding DOC)*

<b>PEDIATRIC FEMALE HIV CASES</b>												
Exposure Category/ Race/Ethnicity	PERINATAL		HEMOPHILIAC		TRANSFUSION		OTHER RISK		NO REPORTED		TOTAL FEMALE	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)	15	16.1%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	2	66.7%	17	17.7%
Black or African American	76	81.7%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	1	33.3%	77	80.2%
White	1	1.1%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0	0.0%	1	1.0%
Legacy Asian/Pacific Isl.	0	0.0%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0	0.0%	0	0.0%
Multi-Race	1	1.1%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0	0.0%	1	1.0%
<b>Pediatric Female HIV</b>	<b>93</b>	<b>100%</b>	<b>0</b>	<b>#DIV/0!</b>	<b>0</b>	<b>#DIV/0!</b>	<b>0</b>	<b>#DIV/0!</b>	<b>3</b>	<b>100%</b>	<b>96</b>	<b>100%</b>
<b>PEDIATRIC MALE HIV CASES</b>												
Exposure Category/ Race/Ethnicity	PERINATAL		HEMOPHILIAC		TRANSFUSION		OTHER RISK		NO REPORTED		TOTAL MALE	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)	13	19.7%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0	0.0%	13	19.4%
Black or African American	52	78.8%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	1	100.0%	53	79.1%
White	0	0.0%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0	0.0%	0	0.0%
Legacy Asian/Pacific Isl.	1	1.5%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0	0.0%	1	1.5%
Multi-Race	0	0.0%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0	0.0%	0	0.0%
<b>Pediatric Male HIV</b>	<b>66</b>	<b>100%</b>	<b>0</b>	<b>#DIV/0!</b>	<b>0</b>	<b>#DIV/0!</b>	<b>0</b>	<b>#DIV/0!</b>	<b>1</b>	<b>100%</b>	<b>67</b>	<b>100%</b>
	<b>Cases</b>	<b>Row %</b>	<b>Cases</b>	<b>Row %</b>	<b>Cases</b>	<b>Row %</b>	<b>Cases</b>	<b>Row %</b>	<b>Cases</b>	<b>Row %</b>	<b>Cases</b>	<b>Row %</b>
<b>TOTAL PEDIATRIC HIV</b>	<b>159</b>	<b>97.5%</b>	<b>0</b>	<b>0.0%</b>	<b>0</b>	<b>0.0%</b>	<b>0</b>	<b>0.0%</b>	<b>4</b>	<b>2.5%</b>	<b>163</b>	<b>100%</b>

*Adult Hispanic/Latino HIV (not AIDS) cases by country of origin and gender (Excluding DOC)*

Country of Origin	ADULT FEMALE HIV			ADULT MALE HIV			TOTAL HISPANIC/LATINO		
	Cases	Col %	Row %	Cases	Col %	Row %	Cases	Col %	Row %
Argentina	20	2.1%	12.1%	145	2.5%	87.9%	165	2.4%	100%
Colombia	35	3.7%	11.5%	269	4.6%	88.5%	304	4.4%	100%
Cuba	163	17.3%	8.1%	1,843	31.3%	91.9%	2,006	29.4%	100%
Dominican Republic	35	3.7%	29.7%	83	1.4%	70.3%	118	1.7%	100%
Honduras	67	7.1%	30.7%	151	2.6%	69.3%	218	3.2%	100%
Mexico	8	0.8%	5.4%	141	2.4%	94.6%	149	2.2%	100%
Nicaragua	36	3.8%	19.7%	147	2.5%	80.3%	183	2.7%	100%
Peru	13	1.4%	13.3%	85	1.4%	86.7%	98	1.4%	100%
Puerto Rico	62	6.6%	19.6%	255	4.3%	80.4%	317	4.6%	100%
United States	241	25.6%	16.1%	1,257	21.3%	83.9%	1,498	21.9%	100%
Venezuela	22	2.3%	6.3%	325	5.5%	93.7%	347	5.1%	100%
Other/Unknown Countries	241	25.6%	16.9%	1,189	20.2%	83.1%	1,430	20.9%	100%
<b>Total Adult Hispanic/Latino HIV</b>	<b>943</b>	<b>100%</b>	<b>13.8%</b>	<b>5,890</b>	<b>100%</b>	<b>86.2%</b>	<b>6,833</b>	<b>100%</b>	<b>100%</b>

(Continue next Page)

**FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY**  
**HIV/AIDS Surveillance**  
**Cumulative Number of Reported HIV (Not AIDS) Cases**

**NOVEMBER 2015**

*Adult Hispanic/Latino HIV (not AIDS) cases by country of origin, exposure category and gender (Excluding DOC)*

<b>ADULT HISPANIC/LATINO FEMALE HIV CASES</b>															
Country of Origin	MALE-TO-MALE SEXUAL CONTACT		INJECTION DRUG USE [IDU]		MSM & IDU		HETEROSEXUAL CONTACT		OTHER * RISK		NO REPORTED RISK [NRR]		Total Hispanic/Latino Female by Country of Origin		
	Cases	Row %	Cases	Row %	Number	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Col %	Row %
Argentina			3	15.0%			15	75.0%	0	0.0%	2	10.0%	20	2.1%	100%
Colombia			1	2.9%			30	85.7%	0	0.0%	4	11.4%	35	3.7%	100%
Cuba			8	4.9%			131	80.4%	1	0.6%	23	14.1%	163	17.3%	100%
Dominican Republic			1	2.9%			31	88.6%	0	0.0%	3	8.6%	35	3.7%	100%
Honduras			0	0.0%			59	88.1%	0	0.0%	8	11.9%	67	7.1%	100%
Mexico			2	25.0%			5	62.5%	0	0.0%	1	12.5%	8	0.8%	100%
Nicaragua			0	0.0%			28	77.8%	0	0.0%	8	22.2%	36	3.8%	100%
Peru			1	7.7%			10	76.9%	0	0.0%	2	15.4%	13	1.4%	100%
Puerto Rico			11	17.7%			39	62.9%	0	0.0%	12	19.4%	62	6.6%	100%
United States			32	13.3%			176	73.0%	3	1.2%	30	12.4%	241	25.6%	100%
Venezuela			1	4.5%			20	90.9%	0	0.0%	1	4.5%	22	2.3%	100%
Other/Unknown Countries			7	2.9%			166	68.9%	0	0.0%	68	28.2%	241	25.6%	100%
<b>Total adult Hispanic/Latino Female</b>			<b>67</b>	<b>7.1%</b>			<b>710</b>	<b>75.3%</b>	<b>4</b>	<b>0.4%</b>	<b>162</b>	<b>17.2%</b>	<b>943</b>	<b>100%</b>	<b>100%</b>

OTHER includes Adult receiving clotting factor, Hemophilic, Perinatal exposure w/HIV age at 13+ years

<b>ADULT HISPANIC/LATINO MALE HIV CASES</b>															
Country of Origin	MALE-TO-MALE SEXUAL CONTACT		INJECTION DRUG USE [IDU]		MSM & IDU		HETEROSEXUAL CONTACT		OTHER * RISK		NO REPORTED RISK [NRR]		Total Hispanic/Latino Male by Country of Origin		
	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Col %	Row %
Argentina	126	86.9%	2	1.4%	2	1.4%	10	6.9%	0	0.0%	5	3.4%	145	2.5%	100%
Colombia	223	82.9%	1	0.4%	10	3.7%	18	6.7%	0	0.0%	17	6.3%	269	4.6%	100%
Cuba	1,526	82.8%	20	1.1%	38	2.1%	165	9.0%	1	0.1%	93	5.0%	1,843	31.3%	100%
Dominican Republic	52	62.7%	3	3.6%	3	3.6%	17	20.5%	0	0.0%	8	9.6%	83	1.4%	100%
Honduras	104	68.9%	1	0.7%	3	2.0%	29	19.2%	0	0.0%	14	9.3%	151	2.6%	100%
Mexico	118	83.7%	2	1.4%	1	0.7%	12	8.5%	0	0.0%	8	5.7%	141	2.4%	100%
Nicaragua	113	76.9%	3	2.0%	1	0.7%	18	12.2%	0	0.0%	12	8.2%	147	2.5%	100%
Peru	76	89.4%	1	1.2%	1	1.2%	6	7.1%	0	0.0%	1	1.2%	85	1.4%	100%
Puerto Rico	188	73.7%	30	11.8%	16	6.3%	11	4.3%	0	0.0%	10	3.9%	255	4.3%	100%
United States	1,025	81.5%	27	2.1%	28	2.2%	94	7.5%	0	0.0%	83	6.6%	1,257	21.3%	100%
Venezuela	292	89.8%	0	0.0%	2	0.6%	16	4.9%	0	0.0%	15	4.6%	325	5.5%	100%
Other/Unknown Countries	867	72.9%	12	1.0%	13	1.1%	100	8.4%	0	0.0%	197	16.6%	1,189	20.2%	100%
<b>Total adult Hispanic/Latino Male</b>	<b>4,710</b>	<b>80.0%</b>	<b>102</b>	<b>1.7%</b>	<b>118</b>	<b>2.0%</b>	<b>496</b>	<b>8.4%</b>	<b>1</b>	<b>0.0%</b>	<b>463</b>	<b>7.9%</b>	<b>5,890</b>	<b>100%</b>	<b>100%</b>

	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %
<b>TOTAL ADULT HISPANIC/LATINO</b>	<b>4,710</b>	<b>68.9%</b>	<b>169</b>	<b>2.5%</b>	<b>118</b>	<b>1.7%</b>	<b>1,206</b>	<b>17.6%</b>	<b>5</b>	<b>0.1%</b>	<b>625</b>	<b>9.1%</b>	<b>6,833</b>	<b>100%</b>

(Continue next Page)

**FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY  
HIV/AIDS Surveillance  
Cumulative Number of Reported HIV (Not AIDS) Cases**

**NOVEMBER 2015**

*Haitian born adult HIV cases by exposure category and gender (Excluding DOC)*

<b>ADULT HAITIAN BORN HIV CASES</b>														
Exposure Category GENDER	MALE-TO-MALE SEXUAL CONTACT		INJECTION DRUG USE [IDU]		[MSM & [IDU]		HETEROSEXUAL CONTACT		OTHER* RISK		NO REPORTED RISK [NRR]		Total Haitian by Gender	
	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %
Haitian born Adult Females			11	1.9%			503	86.3%	0	0.0%	69	11.8%	583	100%
Haitian born Adult Males	108	19.1%	7	1.2%	1	0.2%	313	55.4%	0	0.0%	136	24.1%	565	100%
<b>Total Haitian born</b>	<b>108</b>	<b>9.4%</b>	<b>18</b>	<b>1.6%</b>	<b>1</b>	<b>0.1%</b>	<b>816</b>	<b>71.1%</b>	<b>0</b>	<b>0.0%</b>	<b>205</b>	<b>17.9%</b>	<b>1,148</b>	<b>100%</b>

\* OTHER includes Adult receiving clotting factor, Hemophilic, Perinatal exposure w/HIV age at 13+ years

*Department of Correction [DOC] Adult HIV (not AIDS) by race/ethnicity and gender.*

HIV Cases by Race/Ethnicity & Gender	DOC HIV Cases					
	Female		Male		Total	
	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)	5	29.4%	78	17.8%	83	18.3%
Black or African American	9	52.9%	280	64.1%	289	63.7%
White	3	17.6%	61	14.0%	64	14.1%
Haitian	0	0.0%	12	2.7%	12	2.6%
Other (1)	0	0.0%	6	1.4%	6	1.3%
<b>Total HIV</b>	<b>17</b>	<b>100%</b>	<b>437</b>	<b>100%</b>	<b>454</b>	<b>100%</b>

(1) Other Includes American Indian/Alaska Native, Asian, Native Hawaiian, Pacific Islander, Legacy Asian & Multi Race  
Adjustments are performed on a monthly basis to compensate for duplicate reports state and nation wide and case validation projects.

**FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY**  
**HIV/AIDS Surveillance**  
**Perinatal HIV Exposed Cases**

**NOVEMBER 2015**

*All EXPOSED Perinatal pediatric cases born in Miami-Dade by year of birth and diagnosis status since November 20<sup>th</sup>, 2006. <sup>(1)</sup>*

Year of Birth	Perinatal HIV Exposure	Pediatric HIV	Pediatric AIDS	Pediatric seroreverter	Unknown	TOTAL
>=November 20 <sup>th</sup> , 2006	3	0	0	16	0	19
2007	32	1	0	106	0	139
2008	39	1	1	91	0	132
2009	30	2	0	87	0	119
2010	39	3	0	83	0	125
2011	13	1	0	105	0	119
2012	10	1	0	90	0	101
2013	14	2	1	79	0	96
2014	5	1	0	83	0	89
2015	20	3	0	50	0	73
<b>Total</b>	<b>205</b>	<b>15</b>	<b>2</b>	<b>790</b>	<b>0</b>	<b>1,012</b>

*All EXPOSED Perinatal pediatric cases born in Miami-Dade by year of birth and race/ethnicity since November 20<sup>th</sup>, 2006. <sup>(1)</sup>*

Year of Birth	Hispanic	Not Hispanic, Black	Not Hispanic, White	Not Hispanic, Other <sup>(2)</sup>	TOTAL
>=November 20 <sup>th</sup> , 2006	3	15	1	0	19
2007	22	110	5	2	139
2008	19	111	2	0	132
2009	24	91	3	1	119
2010	31	87	5	2	125
2011	21	90	7	1	119
2012	23	68	8	2	101
2013	17	75	3	1	96
2014	15	70	4	0	89
2015	12	59	2	0	73
<b>Total</b>	<b>187</b>	<b>776</b>	<b>40</b>	<b>9</b>	<b>1,012</b>

<sup>(1)</sup> NOTE: An expanded HIV reporting law was implemented on November 20<sup>th</sup>, 2006. Expansion included reportability of cases with virologic evidence of HIV infection. Previously, only Western Blot-confirmed (+) cases were reportable. In addition, reporting is retroactive. Previously, only HIV cases diagnosed after July <sup>st</sup>, 1997, were reportable. A detectable viral load (VL) (or equivalent viral test) is reportable, and is considered evidence of HIV. Other reportable virologic test considered to be evidence of HIV are: P24, ANTIGEN, Nucleic Acid test (NAT/NAAT), viral culture. CD4 counts/percents are reportable, but follow-up is conducted only if it is <200 uL, or <14%.

<sup>(2)</sup> Other Includes American Indian/Alaska Native, Asian, Native Hawaiian, Pacific Islander, Legacy Asian & Multi Race

[\(Continue next Page\)](#)

**FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY**  
**HIV/AIDS Surveillance**  
**Perinatal HIV Exposed Cases**

**NOVEMBER 2015**

*All EXPOSED Perinatal pediatric cases born in Miami-Dade by year of birth and Mother HIV status since November 20<sup>th</sup>, 2006. <sup>(1)</sup>*

Year of Birth	Know HIV (+) before pregnancy	Know HIV (+) during pregnancy	Know HIV (+) at time of delivery	Know HIV (+) sometime before birth	Know HIV (+) sometime after birth	HIV (+) with time unknown	TOTAL
>=November 20 <sup>th</sup> , 2006	16	2	0	0	0	1	19
2007	92	34	10	0	3	0	139
2008	95	35	2	0	0	0	132
2009	87	24	8	0	0	0	119
2010	90	25	5	2	1	2	125
2011	89	24	3	2	1	0	119
2012	75	24	2	0	0	0	101
2013	78	12	2	3	0	1	96
2014	77	11	0	1	0	0	89
2015	60	8	1	0	1	3	73
<b>Total</b>	<b>759</b>	<b>199</b>	<b>33</b>	<b>8</b>	<b>6</b>	<b>7</b>	<b>1,012</b>

*All EXPOSED Perinatal pediatric cases born in Miami-Dade by diagnosis and Mother HIV status since November 20<sup>th</sup>, 2006. <sup>(1)</sup>*

Diagnosis Status	Know HIV (+) before pregnancy	Know HIV (+) during pregnancy	Know HIV (+) at time of delivery	Know HIV (+) sometime before birth	Know HIV (+) sometime after birth	HIV (+) with time unknown	TOTAL
Perinatal HIV Exposure	146	40	11	4	3	2	206
Pediatric HIV	10	1	3	0	1	0	15
Pediatric AIDS	2	0	0	0	0	0	2
Pediatric Seroreverter	601	158	19	4	2	5	789
Unknown	0	0	0	0	0	0	-
<b>Total</b>	<b>759</b>	<b>199</b>	<b>33</b>	<b>8</b>	<b>6</b>	<b>7</b>	<b>1,012</b>

*All EXPOSED Perinatal pediatric cases born in Miami-Dade by diagnosis status and HIV category since November 20<sup>th</sup>, 2006. <sup>(1)</sup>*

Diagnosis Status	HIV (+) Definitive	HIV (+) Presumptive	HIV Indeterminate	HIV (-) Definitive	HIV (-) Presumptive	Unknown	TOTAL
Perinatal HIV Exposure	0	0	205	0	0	0	205
Pediatric HIV	15	0	0	0	0	0	15
Pediatric AIDS	2	0	0	0	0	0	2
Pediatric Seroreverter	0	0	0	577	213	0	790
Unknown	0	0	0	0	0	0	-
<b>Total</b>	<b>17</b>	<b>0</b>	<b>205</b>	<b>577</b>	<b>213</b>	<b>0</b>	<b>1,012</b>

<sup>(1)</sup> NOTE: An expanded HIV reporting law was implemented on November 20<sup>th</sup>, 2006. Expansion included reportability of cases with virologic evidence of HIV infection. Previously, only Western Blot-confirmed (+) cases were reportable. In addition, reporting is retroactive. Previously, only HIV cases diagnosed after July <sup>st</sup>, 1997, were reportable. A detectable viral load (VL) (or equivalent viral test) is reportable, and is considered evidence of HIV. Other reportable virologic test considered to be evidence of HIV are: P24, ANTIGEN, Nucleic Acid test (NAT/NAAT), viral culture. CD4 counts/percents are reportable, but follow-up is conducted only if it is <200 uL, or <14%.

[\(Continue next Page\)](#)

**FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY**  
**HIV/AIDS Surveillance**  
**Perinatal HIV Exposed Cases**

**NOVEMBER 2015**

**CONFIRMED Infected Perinatal Cases, know HIV or AIDS born in Miami-Dade by year of birth, 2000-2015.**

Perinatal HIV/AIDS Cases by Year of Birth	Pediatic HIV		Pediatic AIDS		TOTAL		
	Cases	Row %	Cases	Row %	Cases	Col %	Row %
2000	5	71.4%	2	28.6%	7	13.0%	100%
2001	6	60.0%	4	40.0%	10	18.5%	100%
2002	3	50.0%	3	50.0%	6	11.1%	100%
2003	3	75.0%	1	25.0%	4	7.4%	100%
2004	1	50.0%	1	50.0%	2	3.7%	100%
2005	3	60.0%	2	40.0%	5	9.3%	100%
2006	2	66.7%	1	33.3%	3	5.6%	100%
2007	1	100.0%	0	0.0%	1	1.9%	100%
2008	1	50.0%	1	50.0%	2	3.7%	100%
2009	2	100.0%	0	0.0%	2	3.7%	100%
2010	3	100.0%	0	0.0%	3	5.6%	100%
2011	1	100.0%	0	0.0%	1	1.9%	100%
2012	1	100.0%	0	0.0%	1	1.9%	100%
2013	2	66.7%	1	33.3%	3	5.6%	100%
2014	1	100.0%	0	0.0%	1	1.9%	100%
2015	3	100.0%	0	0.0%	3	5.6%	100%
<b>Total Confirmed Perinatal Cases</b>	<b>38</b>	<b>70%</b>	<b>16</b>	<b>30%</b>	<b>54</b>	<b>100%</b>	<b>100%</b>

(Continue next Page)

**FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY**  
**HIV/AIDS Surveillance**  
**Perinatal HIV Exposed Cases**

**NOVEMBER 2015**

*All EXPOSED Perinatal pediatric cases born in Miami-Dade by hospital of birth and diagnosis status since November 20<sup>th</sup>, 2006. <sup>(1)</sup>*

Hospital of Birth	Perinatal HIV Exposure	Pediatric HIV	Pediatric AIDS	Perinatal Seroreverter	Unknown	TOTAL	TOTAL %
BAPTIST HOSPITAL-MIAMI	4	0	0	2	0	6	0.6%
BROWARD GENERAL MEDICAL CTR.	2	0	0	2	0	4	0.4%
CORAL SPRINGS MEDICAL CTR.	1	0	0	0	0	1	0.1%
HIALEAH HOSPITAL	2	0	0	1	0	3	0.3%
HOMESTEAD HOSPITAL	7	1	0	1	0	9	0.9%
JACKSON N MATERNITY CTR.	0	0	0	2	0	2	0.2%
JACKSON NORTH MEDICAL CTR.	9	3	0	17	0	29	2.9%
JACKSON SOUTH MEDICAL CTR.	2	0	0	15	0	17	1.7%
JACKSON MEMORIAL HOSPITAL	135	7	0	705	0	847	83.7%
KENDALL RMC	1	0	0	1	0	2	0.2%
MEMORIAL HOSPITAL-MIRAMAR	1	0	1	0	0	2	0.2%
MEMORIAL HOSPITAL-SOUTH	1	0	0	0	0	1	0.1%
MEMORIAL HOSPITAL-WEST	1	0	0	2	0	3	0.3%
MEMORIAL HOSPITAL-PEMBROKE PINES	3	0	0	1	0	4	0.4%
MEMORIAL HOSPITAL-HOLLYWOOD	10	0	0	7	0	17	1.7%
MERCY HOSPITAL	2	0	0	0	0	2	0.2%
MIAMI CHILDREN'S HOSPITAL	1	0	0	0	0	1	0.1%
MIAMI-DADE PVT PHYSICIAN-MIAMI	2	0	0	0	0	2	0.2%
MOUNT SINAI MC	1	0	0	1	0	2	0.2%
NORTH SHORE MEDICAL CTR.	14	0	0	22	0	36	3.6%
PLANTATION GENERAL HOSPITAL	1	0	0	1	0	2	0.2%
SOUTH MIAMI HOSPITAL	1	0	0	0	0	1	0.1%
UF HEALTH AT JACKSONVILLE	1	0	0	0	0	1	0.1%
WELLINGTON RMS	1	0	0	0	0	1	0.1%
UNKNOWN	2	4	1	10	0	17	1.7%
<b>TOTAL</b>	<b>205</b>	<b>15</b>	<b>2</b>	<b>790</b>	<b>0</b>	<b>1,012</b>	<b>100%</b>

<sup>(1)</sup> NOTE: An expanded HIV reporting law was implemented on November 20<sup>th</sup>, 2006. Expansion included reportability of cases with virologic evidence of HIV infection. Previously, only Western Blot-confirmed (+) cases were reportable. In addition, reporting is retroactive. Previously, only HIV cases diagnosed after July <sup>st</sup>, 1997, were reportable. A detectable viral load (VL) (or equivalent viral test) is reportable, and is considered evidence of HIV. Other reportable virologic test considered to be evidence of HIV are: P24, ANTIGEN, Nucleic Acid test (NAT/NAAT), viral culture. CD4 counts/percents are reportable, but follow-up is conducted only if it is <200 uL, or <14%

**FLORIDA DEPARTMENT OF HEALTH IN MIAMI- DADE COUNTY  
HIV/AIDS SURVEILLANCE  
AIDS, HIV (NOT AIDS) AND TOTAL PREVALENCE THROUGH 2014**

Total prevalence through 2014, as of June 2015

\* Living AIDS and Living HIV (not AIDS) [PLWHA - prevalence] is defined as the number of diagnosed cases in eHARS, as of the date specified.

These included cases whose current residence is Miami-Dade County regardless of where they were diagnosed.

GENDER	* LIVING CASES by DIAGNOSIS					
	AIDS		HIV (Not AIDS)		Total Prevalence	
	Cases	Col %	Cases	Col %	Cases	Col %
Female	3,838	29%	3,346	27%	7,184	28%
Male	9,614	71%	9,244	73%	18,858	72%
<b>Total Prevalence</b>	<b>13,452</b>	<b>100%</b>	<b>12,590</b>	<b>100%</b>	<b>26,042</b>	<b>100%</b>

RACE/ETHNICITY	* LIVING CASES by DIAGNOSIS						* LIVING CASES by GENDER					
	AIDS		HIV (Not AIDS)		Total Prevalence		FEMALE		MALE		Total Prevalence	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic (All Races)	5,472	41%	5,644	45%	11,116	43%	1,648	23%	9,468	50%	11,116	43%
Not Hispanic, Black	6,335	47%	5,202	41%	11,537	44%	5,099	71%	6,438	34%	11,537	44%
Not Hispanic, White	1,425	11%	1,595	13%	3,020	12%	335	5%	2,685	14%	3,020	12%
Not Hispanic, Other	220	2%	149	1%	369	1%	102	1%	267	1%	369	1%
<b>Total Prevalence</b>	<b>13,452</b>	<b>100%</b>	<b>12,590</b>	<b>100%</b>	<b>26,042</b>	<b>100%</b>	<b>7,184</b>	<b>100%</b>	<b>18,858</b>	<b>100%</b>	<b>26,042</b>	<b>100%</b>

RACE/ETHNICITY BY GENDER	* Adult Prevalence						* Pediatric Prevalence						* TOTAL Prevalence					
	Female		Male		Total Adult		Female		Male		Total Pediatric		Total Female		Total Male		Total Prevalence	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic (All Races)	1,647	23.0%	9,465	50.2%	11,112	42.7%	1	7.7%	3	16.7%	4	12.9%	1,648	22.9%	9,468	50.2%	11,116	42.7%
Not Hispanic, Black	5,087	70.9%	6,423	34.1%	11,510	44.3%	12	92.3%	15	83.3%	27	87.1%	5,099	71.0%	6,438	34.1%	11,537	44.3%
Not Hispanic, White	335	4.7%	2,685	14.3%	3,020	11.6%	0	0.0%	0	0.0%	0	0.0%	335	4.7%	2,685	14.2%	3,020	11.6%
Not Hispanic, Other	102	1.4%	267	1.4%	369	1.4%	0	0.0%	0	0.0%	0	0.0%	102	1.4%	267	1.4%	369	1.4%
<b>Total Prevalence</b>	<b>7,171</b>	<b>100%</b>	<b>18,840</b>	<b>100%</b>	<b>26,011</b>	<b>100%</b>	<b>13</b>	<b>100%</b>	<b>18</b>	<b>100%</b>	<b>31</b>	<b>100%</b>	<b>7,184</b>	<b>100%</b>	<b>18,858</b>	<b>100%</b>	<b>26,042</b>	<b>100%</b>

(Continue next Page)

**FLORIDA DEPARTMENT OF HEALTH IN MIAMI- DADE COUNTY  
HIV/AIDS SURVEILLANCE  
AIDS, HIV (NOT AIDS) AND TOTAL PREVALENCE THROUGH 2014**

Total prevalence through 2014, as of June 2015

\* Living AIDS and Living HIV (not AIDS) [PLWHA - prevalence] is defined as the number of diagnosed cases in eHARS, as of the date specified.

These included cases whose current residence is Miami-Dade County regardless of where they were diagnosed.

CURRENT AGE	* LIVING CASES by DIAGNOSIS						* LIVING CASES by GENDER					
	AIDS		HIV (Not AIDS)		Total Prevalence		FEMALE		MALE		Total Prevalence	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
00-12 years	8	0%	23	0%	31	0%	13	0%	18	0%	31	0%
13-19 years	42	0%	107	1%	149	1%	72	1%	77	0%	149	1%
20-24 years	189	1%	521	4%	710	3%	202	3%	508	3%	710	3%
25-29 years	403	3%	1,028	8%	1,431	5%	374	5%	1,057	6%	1,431	5%
30-39 years	1,342	10%	2,610	21%	3,952	15%	1,220	17%	2,732	14%	3,952	15%
40-49 years	3,657	27%	3,606	29%	7,263	28%	1,936	27%	5,327	28%	7,263	28%
50-59 years	4,973	37%	3,161	25%	8,134	31%	2,164	30%	5,970	32%	8,134	31%
60+ years	2,838	21%	1,534	12%	4,372	17%	1,203	17%	3,169	17%	4,372	17%
<b>Total Prevalence</b>	<b>13,452</b>	<b>100%</b>	<b>12,590</b>	<b>100%</b>	<b>26,042</b>	<b>100%</b>	<b>7,184</b>	<b>100%</b>	<b>18,858</b>	<b>100%</b>	<b>26,042</b>	<b>100%</b>

EXPOSURE CATEGORY <sup>(1)</sup>	* LIVING CASES by DIAGNOSIS and GENDER						% of Male	% of Total
	AIDS		HIV (Not AIDS)		Total Prevalence			
	Cases	Col %	Cases	Col %	Cases	Col %		
<b>ADULT MALE</b>								
Adult male-to-male sexual contact [MSM]	6,315	66%	7,026	76%	13,341	71%	51%	
Adult injection drug use [IDU]	657	7%	298	3%	955	5%	4%	
Adult MSM & IDU	459	5%	244	3%	703	4%	3%	
Adult heterosexual contact [HTRSX]	2,058	21%	1,612	17%	3,670	19%	14%	
Adult other risk	121	1%	50	1%	171	1%	1%	
<b>Total Adult Male Prevalence</b>	<b>9,610</b>	<b>100%</b>	<b>9,230</b>	<b>100%</b>	<b>18,840</b>	<b>100%</b>		
<b>ADULT FEMALE</b>								
Adult injection drug use [IDU]	504	13%	241	7%	745	10%	3%	
Adult heterosexual contact [HTRSX]	3,200	83%	3,023	91%	6,223	87%	24%	
Adult other risk	130	3%	73	2%	203	3%	1%	
<b>Total Adult Female Prevalence</b>	<b>3,834</b>	<b>100%</b>	<b>3,337</b>	<b>100%</b>	<b>7,171</b>	<b>100%</b>		
<b>PEDIATRIC (Current age 0-12)</b>								
Mother with/at risk for HIV infection	8	100%	23	100%	31	100%	0%	
Risk not diagnosed/Other	0	0%	0	0%	0	0%	0%	
<b>Total Pediatric Prevalence</b>	<b>8</b>	<b>100%</b>	<b>23</b>	<b>100%</b>	<b>31</b>	<b>100%</b>		
<b>Total Prevalence</b>	<b>13,452</b>		<b>12,590</b>		<b>26,042</b>		<b>100%</b>	

<sup>(1)</sup> No identified risk [NIR] redistributed

**FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY  
ONE-IN STATEMENTS**

\* **ONE-IN Statements for Adults (>=13) Living with HIV or AIDS [PLWHA] through 2014 in Miami-Dade & Florida,**

<b>ADULT MALE LIVING WITH HIV OR AIDS</b>	
<b>MIAMI-DADE</b>	<b>FLORIDA</b>
• One in 61 White adult male in Miami-Dade is living with HIV or AIDS	• One in 170 White adult male
• One in 26 Black adult male in Miami-Dade is living with HIV or AIDS	• One in 38 Black adult male
• One in 75 Hispanic adult male in Miami-Dade is living with HIV or AIDS	• One in 98 Hispanic adult male
• One in 89 other race adult male in Miami-Dade is living with HIV or AIDS	• One in 200 Other adult male
<b>One in 56 adult male in Miami-Dade is living with HIV or AIDS</b>	<b>One in 103 adult male in Florida</b>

<b>ADULT FEMALE LIVING WITH HIV OR AIDS</b>	
<b>MIAMI-DADE</b>	<b>FLORIDA</b>
• One in 461 White adult female in Miami-Dade is living with HIV or AIDS	• One in 1,049 White adult female
• One in 37 Black adult female in Miami-Dade is living with HIV or AIDS	• One in 60 Black adult female
• One in 473 Hispanic adult female in Miami-Dade is living with HIV or AIDS	• One in 422 Hispanic adult female
• One in 259 other race adult female in Miami-Dade is living with HIV or AIDS	• One in 573 Other adult female
<b>One in 160 adult female in Miami-Dade is living with HIV or AIDS</b>	<b>One in 275 adult female in Florida</b>

<b>TOTAL ADULTS OF ALL SEXES LIVING WITH HIV OR AIDS</b>	
<b>MIAMI-DADE</b>	<b>FLORIDA</b>
• One in 106 White adult in Miami-Dade is living with HIV or AIDS	• One in 298 White adult
• One in 31 Black adult in Miami-Dade is living with HIV or AIDS	• One in 47 Black adult
• One in 134 Hispanic adult in Miami-Dade is living with HIV or AIDS	• One in 161 Hispanic adult
• One in 136 other race adult in Miami-Dade is living with HIV or AIDS	• One in 307 Other adult race
<b>One in 85 adult resident in Miami-Dade is living with HIV or AIDS</b>	<b>One in 151 adult Floridian</b>

Note: Excluding Department of Correction [DOC] cases at county level. Florida totals include DOC cases.

These statements are updated by the Florida Bureau of Communicable Disease, HIV/AIDS Section, every June of following year.

\* **Living data now reflects those living on our area regardless of where diagnosed. You cannot compare this year's data with last year's since they were run separately**

**FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY  
ONE-IN STATEMENTS**

\* **ONE-IN Statements for Total Persons (all ages) Living with HIV or AIDS [PLWHA] through 2014 in Miami-Dade & Florida**

<b>TOTAL MALE LIVING WITH HIV OR AIDS</b>	
<b>MIAMI-DADE</b>	<b>FLORIDA</b>
• One in 73 White male in Miami-Dade is living with HIV or AIDS	• One in 193 White male
• One in 32 Black male in Miami-Dade is living with HIV or AIDS	• One in 48 Black male
• One in 88 Hispanic male in Miami-Dade is living with HIV or AIDS	• One in 122 Hispanic male
• One in 108 other race male in Miami-Dade is living with HIV or AIDS	• One in 262 Other male
<b>One in 67 male in Miami-Dade is living with HIV or AIDS</b>	<b>One in 121 male in Florida</b>

<b>TOTAL FEMALE LIVING WITH HIV OR AIDS</b>	
<b>MIAMI-DADE</b>	<b>FLORIDA</b>
• One in 551 White female in Miami-Dade is living with HIV or AIDS	• One in 1,176 White female
• One in 45 Black female in Miami-Dade is living with HIV or AIDS	• One in 74 Black female
• One in 546 Hispanic female in Miami-Dade is living with HIV or AIDS	• One in 514 Hispanic female
• One in 309 other race female in Miami-Dade is living with HIV or AIDS	• One in 724 Other female
<b>One in 187 female in Miami-Dade is living with HIV or AIDS</b>	<b>One in 320 female in Florida</b>

<b>TOTAL ALL SEXES LIVING WITH HIV OR AIDS</b>	
<b>MIAMI-DADE</b>	<b>FLORIDA</b>
• One in 126 White in Miami-Dade is living with HIV or AIDS	• One in 336 White
• One in 38 Black in Miami-Dade is living with HIV or AIDS	• One in 59 Black
• One in 156 Hispanic in Miami-Dade is living with HIV or AIDS	• One in 198 Hispanic
• One in 164 other race in Miami-Dade is living with HIV or AIDS	• One in 394 Other race
<b>One in 100 Miami-Dade resident is living with HIV or AIDS</b>	<b>One in 178 Floridian</b>

Note: Excluding Department of Correction [DOC] cases at county level. Florida totals include DOC cases.

These statements are updated by the Florida Bureau of Communicable Disease, HIV/AIDS Section, every June of following year.

\* **Living data now reflects those living on our area regardless of where diagnosed. You cannot compare this year's data with last year's since they were run separately**

**FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY  
USEFUL WEBSITE LINKS**

Below are several website that may be useful for HIV/AIDS related information.

<b>USEFUL WEBSITE LINKS</b>	
<b>ORGANIZATIONS / SITES</b>	<b>ELECTRONIC ADDRESS</b>
Data from the HIV Counseling and Testing (Florida & all Counties)	<a href="http://www.floridahealth.gov/diseases-and-conditions/aids/prevention/2013-testing-data.html">http://www.floridahealth.gov/diseases-and-conditions/aids/prevention/2013-testing-data.html</a>
Center for Disease Control and Prevention [CDC]	<a href="http://www.cdc.gov">http://www.cdc.gov</a>
Center for Disease Control and Prevention [CDC] HIV/AIDS Statistics and Surveillance	<a href="http://www.cdc.gov/hiv/topics/surveillance/">http://www.cdc.gov/hiv/topics/surveillance/</a>
Center for Disease Control and Prevention [CDC] Morbidity and Mortality Weekly Report [MMWR]	<a href="http://www.cdc.gov/mmwr/">http://www.cdc.gov/mmwr/</a>
Florida Community Health Assessment Resource Tool Set [Florida CHARTS]	<a href="http://www.floridacharts.com/charts/default.aspx">http://www.floridacharts.com/charts/default.aspx</a>
Florida Department of Health in Miami-Dade County	<a href="http://miamidade.floridahealth.gov">http://miamidade.floridahealth.gov</a>
Florida Department of Health, Bureau of Communicable Disease, HIV/AIDS and Hepatitis Section.	<a href="http://www.floridahealth.gov/diseases-and-conditions/aids/index.html">http://www.floridahealth.gov/diseases-and-conditions/aids/index.html</a>
<i>Organización Panamericana de la Salud</i> [PAHO] (Pan American Health Organization)	<a href="http://www.paho.org">http://www.paho.org</a>
The Test Miami Initiative	<a href="http://www.testmiami.org/index.aspx">http://www.testmiami.org/index.aspx</a>
United Nations Program on HIV/AIDS [UNAIDS]	<a href="http://www.unaids.org/">http://www.unaids.org/</a>
US Census Bureau.	<a href="http://www.census.gov">http://www.census.gov</a>
US Census Bureau. HIV/AIDS Surveillance	<a href="http://www.census.gov/ipc/www/hivaidsn.html">http://www.census.gov/ipc/www/hivaidsn.html</a>
World Health Organization [WHO]	<a href="http://www.who.int">http://www.who.int</a>