

Mission:

To protect, promote & improve the health of all people in Florida through integrated state, county & community efforts.



Vision: To be the Healthiest State in the Nation

Rick Scott  
Governor

John H. Armstrong, MD, FACS  
State Surgeon General & Secretary

**FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY**  
**HIV/AIDS SURVEILLANCE**  
**MONTHLY HIV/AIDS SURVEILLANCE REPORT**

**DECEMBER 2015**

**AIDS CASES (EXCLUDING DEPARTMENT OF CORRECTION [DOC] CASES)** *(AIDS Worksheet)*

- AIDS cases by age group and gender (Excluding Department of Correction - DOC).
- AIDS cases by age group, race/ethnicity & gender, showing Haitians separated (Excluding DOC)
- AIDS cases by year of report and gender (Excluding DOC)
- Adult & pediatric AIDS cases by race/ethnicity and gender (Excluding DOC)
- AIDS cases by exposure category and gender among Adult and Pediatric (Excluding DOC)
- Adult AIDS cases by exposure category, race/ethnicity and gender (Excluding DOC)
- Pediatric AIDS cases by exposure category, race/ethnicity and gender.
- Adult Hispanic/Latino AIDS cases by country of origin and gender (Excluding DOC)
- Adult Hispanic/Latino AIDS cases by country of origin, exposure category and gender (Excluding DOC)
- Haitian born adult AIDS cases by exposure category and gender (Excluding DOC)
- Department of Correction [DOC] Adult AIDS cases by race/ethnicity and gender.

**HIV CASES (EXCLUDING DEPARTMENT OF CORRECTION [DOC] CASES)** *(HIV Worksheet)*

- HIV (not AIDS) cases by age group and gender (Excluding Department of Correction - DOC)
- HIV (not AIDS) cases by age group, race/ethnicity & gender, showing Haitians separated (Excluding DOC)
- HIV (not AIDS) cases by year of report and gender (Excluding DOC)
- Adult & pediatric HIV (not AIDS) cases by race/ethnicity and gender (Excluding DOC)
- HIV (not AIDS) cases by exposure category and gender among Adult and Pediatric (Excluding DOC)
- Adult HIV (not AIDS) cases by exposure category, race/ethnicity and gender (Excluding DOC)
- Adult Hispanic/Latino HIV (not AIDS) cases by country of origin and gender (Excluding DOC)
- Adult Hispanic/Latino HIV (not AIDS) cases by country of origin, exposure category and gender (Excluding DOC)

[\(Continue next Page\)](#)

Florida Department of Health  
Miami-Dade County  
Epidemiology, Disease Control, and Immunization Services  
8600 NW 17th Street, suite 200, Miami, Florida 33126  
PHONE: 305/470-5660 - FAX 305/470-5533

[www.FloridaHealth.com](http://www.FloridaHealth.com)  
TWITTER: HealthyFLA  
FACEBOOK: FLDepartmentofHealth  
YOUTUBE: fldoh  
FLICKR: HealthyFla  
PRINTREST: HealthyFla

Mission:  
To protect, promote & improve the health  
of all people in Florida through integrated  
state, county & community efforts.



Vision: To be the Healthiest State in the Nation

Rick Scott  
Governor

John H. Armstrong, MD, FACS  
State Surgeon General & Secretary

Haitian born adult HIV (not AIDS) cases by country of origin, exposure category and gender (Excluding DOC)  
Department of Correction [DOC] Adult HIV (not AIDS) cases by race/ethnicity and gender.

**PERINATAL EXPOSED CASES REPORTED SINCE NOVEMBER 20<sup>th</sup>, 2006** (*PERINATAL EXPOSED Worksheet*)

- All EXPOSED perinatal pediatric cases born in Miami-Dade by year of birth and diagnosis status since November 20th, 2006.
- All EXPOSED perinatal pediatric cases born in Miami-Dade by year of birth and race/ethnicity since November 20th, 2006.
- All EXPOSED perinatal pediatric cases born in Miami-Dade by year of birth and Mother HIV status since November 20th, 2006.
- All EXPOSED perinatal pediatric cases born in Miami-Dade by diagnosis and Mother HIV status since November 20th, 2006.
- All EXPOSED perinatal pediatric cases born in Miami-Dade by diagnosis status and HIV category since November 20th, 2006.
- CONFIRMED infected perinatal cases born in Miami-Dade, known HIV or AIDS by year of birth, 2000-2015.
- All EXPOSED perinatal pediatric cases born in Miami-Dade by hospital of birth and diagnosis status since November 20th, 2006.

**AIDS AND HIV (NOT AIDS) PREVALENCE** (*PLWHA*)

- Total prevalence by diagnosis category.
- Total prevalence by gender.
- Total prevalence by race/ethnicity.
- Total prevalence by current age group.
- Total prevalence by exposure category.

**ONE-IN STATEMENTS** (*ONE-IN STATEMENTS Worksheet*)

- One-in statements for persons (all ages) living with HIV or AIDS through 2013 (all ages) in Miami-Dade & Florida.
- One-in statements for adult ( $\geq 13$ ) persons living with HIV or AIDS through 2013 in Miami-Dade & Florida.

**USEFUL WEBSITES LINKS** (*WEBSITE Worksheet*)

- Useful websites for HIV/AIDS related information.

Please note that as of January 2016, all HIV/AIDS Data will be based on the following.

Per the Bureau of HIV/AIDS:

Current HIV Infection data by year of report reflects any case meeting the CDC definition of 'HIV infection' which includes all newly reported HIV cases and newly reported AIDS cases with no previous report of HIV in Florida.

If a case is later identified as being previously diagnosed and reported from another state, the case will no longer be reflected as a Florida case and the data will be adjusted accordingly.

Data from the most recent calendar year (2015) are considered provisional and therefore should not be used to confirm or rule out an increase in newly reported cases in Florida.

The final year-end numbers are generated in July of the following year, after duplicate cases are removed from the dataset, as is customary of HIV surveillance in the US.

**FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY**  
**HIV/AIDS Surveillance**  
**Cumulative Number of Reported AIDS Cases**

**DECEMBER 2015**

<i>AIDS Cases by age group and gender (Excluding Department of Correction - DOC)</i>							<i>AIDS Cases by age group, race/ethnicity &amp; gender, showing Haitians separated (Excluding DOC)</i>												
AIDS Cases by Age Group & Gender	Female		Male		TOTAL AIDS		Hispanic/Latino		Black		White		Haitian		Other <sup>(1)</sup>		TOTAL AIDS		
	Cases	Col %	Cases	Col %	Cases	Col %	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	
Under 5	209	2.2%	196	0.7%	405	1.1%	29	29	168	151	5	7	6	8	1	1	209	196	
5-12	53	0.6%	55	0.2%	108	0.3%	10	11	33	36	4	2	5	5	1	1	53	55	
13-19	171	1.8%	134	0.5%	305	0.9%	20	42	127	83	5	2	15	6	4	1	171	134	
20-29	1,718	18.0%	3,243	12.4%	4,961	13.9%	281	1,399	1,105	1,033	76	501	236	262	20	48	1,718	3,243	
30-39	3,300	34.5%	9,494	36.2%	12,794	35.8%	538	4,104	2,001	2,685	163	1,667	556	890	42	148	3,300	9,494	
40-49	2,469	25.8%	7,846	29.9%	10,315	28.9%	463	3,181	1,419	2,527	129	1,258	416	768	42	112	2,469	7,846	
50-59	1,106	11.6%	3,622	13.8%	4,728	13.2%	241	1,461	567	1,251	57	481	216	373	25	56	1,106	3,622	
60-64	268	2.8%	858	3.3%	1,126	3.1%	67	331	123	319	10	112	63	81	5	15	268	858	
65-69	148	1.5%	430	1.6%	578	1.6%	29	152	76	171	5	56	35	42	3	9	148	430	
>=70	113	1.2%	320	1.2%	433	1.2%	34	127	46	117	12	35	17	33	4	8	113	320	
Unknown	0	0.0%	0	0.0%	0	0.0%	0	0	0	0	0	0	0	0	0	0	0	0	
<b>Total AIDS</b>	<b>9,555</b>	<b>100%</b>	<b>26,198</b>	<b>100%</b>	<b>35,753</b>	<b>100%</b>	<b>1,712</b>	<b>10,837</b>	<b>5,665</b>	<b>8,373</b>	<b>466</b>	<b>4,121</b>	<b>1,565</b>	<b>2,468</b>	<b>147</b>	<b>399</b>	<b>9,555</b>	<b>26,198</b>	

<sup>(1)</sup> Other Includes American Indian/Alaska Native, Asian, Native Hawaiian, Pacific Islander, Legacy Asian & Multi Race

*AIDS Cases by year of report and gender (Excluding DOC)*

AIDS Cases by Year Report & Gender	Female		Male		TOTAL AIDS	
	Cases	Row %	Cases	Row %	Cases	Col %
1981	0	0.0%	4	100%	4	0.0%
1982	7	18.4%	31	81.6%	38	0.1%
1983	16	16.3%	82	83.7%	98	0.3%
1984	18	11.9%	133	88.1%	151	0.4%
1985	29	15.3%	161	84.7%	190	0.5%
1986	71	17.8%	329	82.3%	400	1.1%
1987	63	13.5%	405	86.5%	468	1.3%
1988	109	16.4%	554	83.6%	663	1.9%
1989	194	19.8%	784	80.2%	978	2.7%
1990	171	19.0%	730	81.0%	901	2.5%
1991	362	19.1%	1,537	80.9%	1,899	5.3%
1992	304	20.4%	1,185	79.6%	1,489	4.2%
1993	443	20.9%	1,680	79.1%	2,123	5.9%
1994	748	23.6%	2,415	76.4%	3,163	8.8%
1995	668	27.9%	1,723	72.1%	2,391	6.7%
1996	579	27.1%	1,560	72.9%	2,139	6.0%
1997	432	28.3%	1,094	71.7%	1,526	4.3%
1998	475	31.6%	1,030	68.4%	1,505	4.2%
1999	357	29.1%	870	70.9%	1,227	3.4%

AIDS Cases by Year & Gender (Cont)	Female		Male		TOTAL AIDS	
	Cases	Row %	Cases	Row %	Cases	Col %
2000	378	31.7%	816	68.3%	1,194	3.3%
2001	372	32.7%	764	67.3%	1,136	3.2%
2002	324	29.1%	791	70.9%	1,115	3.1%
2003	305	30.0%	710	70.0%	1,015	2.8%
2004	411	31.5%	892	68.5%	1,303	3.6%
2005	392	33.2%	790	66.8%	1,182	3.3%
2006	396	35.0%	736	65.0%	1,132	3.2%
2007	275	34.6%	520	65.4%	795	2.2%
2008	325	31.0%	724	69.0%	1,049	2.9%
2009	256	30.8%	575	69.2%	831	2.3%
2010	199	30.3%	458	69.7%	657	1.8%
2011	236	33.1%	478	66.9%	714	2.0%
2012	159	26.5%	442	73.5%	601	1.7%
2013	189	28.2%	482	71.8%	671	1.9%
2014	145	27.7%	378	72.3%	523	1.5%
2015	147	30.5%	335	69.5%	482	1.3%
<b>Total Adult AIDS</b>	<b>9,555</b>	<b>26.7%</b>	<b>26,198</b>	<b>73.3%</b>	<b>35,753</b>	<b>100%</b>

(Continue next Page)

**FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY  
HIV/AIDS Surveillance  
Cumulative Number of Reported AIDS Cases**

**DECEMBER 2015**

*Adult & Pediatric AIDS cases by race/ethnicity and gender (Excluding DOC)*

AIDS by Race/ Ethnicity *	Adult AIDS						Pediatric AIDS						TOTAL AIDS CASES					
	Female		Male		Total Adult		Female		Male		Total Pediatric		Total Female		Total Male		Total Cases	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)	1,689	18.2%	10,823	41.7%	12,512	35.5%	39	14.9%	40	15.9%	79	15.4%	1,728	18.1%	10,863	41.5%	12,591	35.2%
American Indian/Alaska Native	1	0.0%	2	0.0%	3	0.0%	0	0.0%	0	0.0%	0	0.0%	1	0.0%	2	0.0%	3	0.0%
Asian	2	0.0%	21	0.1%	23	0.1%	0	0.0%	0	0.0%	0	0.0%	2	0.0%	21	0.1%	23	0.1%
Black or African American	6,982	75.1%	10,589	40.8%	17,571	49.9%	212	80.9%	200	79.7%	412	80.3%	7,194	75.3%	10,789	41.2%	17,983	50.3%
Native Hawaiian/Pacific Islander	1	0.0%	1	0.0%	2	0.0%	0	0.0%	0	0.0%	0	0.0%	1	0.0%	1	0.0%	2	0.0%
White	457	4.9%	4,116	15.9%	4,573	13.0%	9	3.4%	9	3.6%	18	3.5%	466	4.9%	4,125	15.7%	4,591	12.8%
Legacy Asian	2	0.0%	12	0.0%	14	0.0%	0	0.0%	0	0.0%	0	0.0%	2	0.0%	12	0.0%	14	0.0%
Multi-Race	159	1.7%	383	1.5%	542	1.5%	2	0.8%	2	0.8%	4	0.8%	161	1.7%	385	1.5%	546	1.5%
Unknown	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
<b>Total AIDS</b>	<b>9,293</b>	<b>100%</b>	<b>25,947</b>	<b>100%</b>	<b>35,240</b>	<b>100%</b>	<b>262</b>	<b>100%</b>	<b>251</b>	<b>100%</b>	<b>513</b>	<b>100%</b>	<b>9,555</b>	<b>100%</b>	<b>26,198</b>	<b>100%</b>	<b>35,753</b>	<b>100%</b>

\* This new category created by CDC, is to support the ability to record an ethnicity and multiple races for an individual, necessitated by new federal OMB guidelines for reporting race and ethnicity.

*AIDS Cases by exposure category and gender among Adult and Pediatric (Excluding DOC)*

Exposure Category among adult AIDS	Adult AIDS					
	Female		Male		Total Adult	
	Cases	Col %	Cases	Col %	Cases	Col %
Adult male-to-male sexual contact [MSM]			14,444	55.7%	14,444	41.0%
Adult injection drug use [IDU]	2,052	22.1%	3,199	12.3%	5,251	14.9%
Adult MSM & IDU	0		1,391	5.4%	1,391	3.9%
Adult heterosexual contact [HTRSX]	6,194	66.7%	4,117	15.9%	10,311	29.3%
Adult other risk*	168	1.8%	192	0.7%	360	1.0%
Adult no risk factor reported [NRR]	879	9.5%	2,604	10.0%	3,483	9.9%
<b>Total adult AIDS</b>	<b>9,293</b>	<b>100%</b>	<b>25,947</b>	<b>100%</b>	<b>35,240</b>	<b>100%</b>

\* Other risk includes: Adult receiving clotting factor, Hemophiliac, Perinatal exposure w/HIV age at 13+ years

Exposure Category among Pediatric AIDS	Pediatric AIDS					
	Female		Male		Total Pediatric	
	Cases	Col %	Cases	Col %	Cases	Col %
Perinatal exposure [PERINATAL]	259	98.9%	243	96.8%	502	97.9%
Child receiving clotting factor [HEMOPH]	0	0.0%	0	0.0%	0	0.0%
Child receiving transfusion/transplant	2	0.8%	5	2.0%	7	1.4%
Child other risk confirmed [OTHER]	0	0.0%	1	0.4%	1	0.2%
Child no risk factor reported [NRR]	1	0.4%	2	0.8%	3	0.6%
<b>Total Pediatric AIDS</b>	<b>262</b>	<b>100%</b>	<b>251</b>	<b>100%</b>	<b>513</b>	<b>100%</b>

(Continue next Page)

**FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY**  
**HIV/AIDS Surveillance**  
**Cumulative Number of Reported AIDS Cases**

**DECEMBER 2015**

*Adult AIDS cases by exposure category, race/ethnicity and gender (Excluding DOC)*

<b>ADULT FEMALE AIDS CASES</b>														
Exposure Category/ Race/Ethnicity	MALE-TO-MALE SEXUAL CONTACT		INJECTION DRUG USE [IDU]		MSM & IDU		HETEROSEXUAL CONTACT		OTHER* RISK		NO REPORTED RISK [NRR]		TOTAL ADULT FEMALE	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
	Hispanic/Latino (All Races)			245	11.9%			1,284	20.7%	32	19.0%	128	14.6%	1,689
American Indian/Alaska Native			0	0.0%			1	0.0%	0	0.0%	0	0.0%	1	0.0%
Asian			0	0.0%			2	0.0%	0	0.0%	0	0.0%	2	0.0%
Black or African American			1,559	76.0%			4,599	74.2%	117	69.6%	707	80.4%	6,982	75.1%
Native Hawaiian/Pacific Islander			0	0.0%			1	0.0%	0	0.0%	0	0.0%	1	0.0%
White			204	9.9%			205	3.3%	14	8.3%	34	3.9%	457	4.9%
Legacy Asian			0	0.0%			2	0.0%	0	0.0%	0	0.0%	2	0.0%
Multi-Race			44	2.1%			100	1.6%	5	3.0%	10	1.1%	159	1.7%
<b>Adult Female AIDS</b>			<b>2,052</b>	<b>100%</b>			<b>6,194</b>	<b>100%</b>	<b>168</b>	<b>100%</b>	<b>879</b>	<b>100%</b>	<b>9,293</b>	<b>100%</b>

\* OTHER includes Adult receiving clotting factor, Hemophilic, Perinatal exposure w/HIV age at 13+ years

<b>ADULT MALE AIDS CASES</b>														
Exposure Category/ Race/Ethnicity	MALE-TO-MALE SEXUAL CONTACT		INJECTION DRUG USE [IDU]		MSM & IDU		HETEROSEXUAL CONTACT		OTHER* RISK		NO REPORTED RISK [NRR]		TOTAL ADULT MALE	
	Cases	Col %	Cases	Col %	Cases	Col %	1010	Col %	Cases	Col %	Cases	Col %	Cases	Col %
	Hispanic/Latino (All Races)	7,891	54.6%	711	22.2%	500	35.9%	1,035	25.1%	60	31.3%	626	24.0%	10,823
American Indian/Alaska Native	0	0.0%	1	0.0%	0	0.0%	0	0.0%	0	0.0%	1	0.0%	2	0.0%
Asian	14	0.1%	0	0.0%	0	0.0%	4	0.1%	0	0.0%	3	0.1%	21	0.1%
Black or African American	3,004	20.8%	2,201	68.8%	595	42.8%	2,910	70.7%	82	42.7%	1,797	69.0%	10,589	40.8%
Native Hawaiian/Pacific Islander	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	1	0.0%	1	0.0%
White	3,312	22.9%	238	7.4%	270	19.4%	101	2.5%	45	5.0%	150	5.8%	4,116	15.9%
Legacy Asian	7	0.0%	0	0.0%	0	0.0%	4	0.1%	0	0.0%	1	0.0%	12	0.0%
Multi-Race	216	1.5%	48	1.5%	26	1.9%	63	1.5%	5	2.6%	25	1.0%	383	1.5%
<b>Adult Male AIDS</b>	<b>14,444</b>	<b>100%</b>	<b>3,199</b>	<b>100%</b>	<b>1,391</b>	<b>100%</b>	<b>4,117</b>	<b>100%</b>	<b>192</b>	<b>82%</b>	<b>2,604</b>	<b>100%</b>	<b>25,947</b>	<b>100%</b>

	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %
<b>TOTAL ADULT AIDS</b>	<b>14,444</b>	<b>41.0%</b>	<b>5,251</b>	<b>14.9%</b>	<b>1,391</b>	<b>3.9%</b>	<b>10,311</b>	<b>29.3%</b>	<b>360</b>	<b>1.0%</b>	<b>3,483</b>	<b>9.9%</b>	<b>35,240</b>	<b>100%</b>

(Continue next Page)

**FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY**  
**HIV/AIDS Surveillance**  
**Cumulative Number of Reported AIDS Cases**

**DECEMBER 2015**

*Pediatric AIDS cases by exposure category, race/ethnicity and gender (Excluding DOC)*

<b>PEDIATRIC FEMALE AIDS CASES</b>												
Exposure Category/ Race/Ethnicity	PERINATAL		HEMOPHILIAC		TRANSFUSION		OTHER RISK		NO REPORTED		TOTAL FEMALE	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)	37	14.3%	0	#DIV/0!	1	50.0%	0	#DIV/0!	1	100.0%	39	14.9%
Black or African American	211	81.5%	0	#DIV/0!	1	50.0%	0	#DIV/0!	0	0.0%	212	80.9%
White	9	3.5%	0	#DIV/0!	0	0.0%	0	#DIV/0!	0	0.0%	9	3.4%
Multi-Race	2	0.8%	0	#DIV/0!	0	0.0%	0	#DIV/0!	0	0.0%	2	0.8%
<b>Pediatric Female AIDS</b>	<b>259</b>	<b>100%</b>	<b>0</b>	<b>#DIV/0!</b>	<b>2</b>	<b>100%</b>	<b>0</b>	<b>#DIV/0!</b>	<b>1</b>	<b>100%</b>	<b>262</b>	<b>100%</b>

  

<b>PEDIATRIC MALE AIDS CASES</b>												
Exposure Category/ Race/Ethnicity	PERINATAL		HEMOPHILIAC		TRANSFUSION		OTHER RISK		NO REPORTED		TOTAL MALE	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)	35	14.4%	0	#DIV/0!	4	80.0%	0	0.0%	1	50.0%	40	15.9%
Black or African American	197	81.1%	0	#DIV/0!	1	20.0%	1	100.0%	1	50.0%	200	79.7%
White	9	3.7%	0	#DIV/0!	0	0.0%	0	0.0%	0	0.0%	9	3.6%
Multi-Race	2	0.8%	0	#DIV/0!	0	0.0%	0	0.0%	0	0.0%	2	0.8%
<b>Pediatric Male AIDS</b>	<b>243</b>	<b>100%</b>	<b>0</b>	<b>#DIV/0!</b>	<b>5</b>	<b>100%</b>	<b>1</b>	<b>100%</b>	<b>2</b>	<b>100%</b>	<b>251</b>	<b>100%</b>

  

	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %
<b>TOTAL PEDIATRIC AIDS</b>	<b>502</b>	<b>97.9%</b>	<b>0</b>	<b>0.0%</b>	<b>7</b>	<b>1.4%</b>	<b>1</b>	<b>0.2%</b>	<b>3</b>	<b>0.6%</b>	<b>513</b>	<b>100%</b>

*Adult Hispanic/Latino AIDS cases by country of origin and gender (Excluding DOC)*

Country of Origin	ADULT FEMALE AIDS			ADULT MALE AIDS			TOTAL HISPANIC/LATINO		
	Cases	Col %	Row %	Cases	Col %	Row %	Cases	Col %	Row %
Argentina	24	1.4%	13.0%	161	1.5%	87.0%	185	1.5%	100%
Colombia	73	4.3%	12.7%	504	4.7%	87.3%	577	4.6%	100%
Cuba	401	23.7%	7.7%	4,802	44.4%	92.3%	5,203	41.6%	100%
Dominican Republic	74	4.4%	32.5%	154	1.4%	67.5%	228	1.8%	100%
Guatemala	20	1.2%	16.5%	101	0.9%	83.5%	121	1.0%	100%
Honduras	138	8.2%	29.5%	330	3.0%	70.5%	468	3.7%	100%
Mexico	21	1.2%	8.0%	240	2.2%	92.0%	261	2.1%	100%
Nicaragua	82	4.9%	18.4%	364	3.4%	81.6%	446	3.6%	100%
Peru	27	1.6%	13.8%	169	1.6%	86.2%	196	1.6%	100%
Puerto Rico	187	11.1%	17.5%	881	8.1%	82.5%	1,068	8.5%	100%
United States	387	22.9%	20.4%	1,511	14.0%	79.6%	1,898	15.2%	100%
Venezuela	17	1.0%	6.1%	261	2.4%	93.9%	278	2.2%	100%
Other/Unknown Countries	238	14.1%	15.0%	1,345	12.4%	85.0%	1,583	12.7%	100%
<b>Total Adult Hispanic/Latino</b>	<b>1,689</b>	<b>100%</b>	<b>13.5%</b>	<b>10,823</b>	<b>100%</b>	<b>86.5%</b>	<b>12,512</b>	<b>100%</b>	<b>100%</b>

(Continue next Page)

**FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY**  
**HIV/AIDS Surveillance**  
**Cumulative Number of Reported AIDS Cases**

**DECEMBER 2015**

*Adult Hispanic/Latino AIDS cases by country of origin, exposure category and gender (Excluding DOC)*

<b>ADULT HISPANIC/LATINO FEMALE AIDS CASES</b>															
Country of Origin	MALE-TO-MALE SEXUAL CONTACT		INJECTION DRUG USE [IDU]		MSM & IDU		HETEROSEXUAL CONTACT		OTHER * RISK		NO REPORTED RISK [NRR]		Total Hispanic/Latino Female by Country of Origin		
	Cases	Row %	Cases	Row %	Number	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Col %	Row %
	Argentina			3	12.5%			20	83.3%	0	0.0%	1	4.2%	24	1.4%
Colombia			7	9.6%			54	74.0%	2	2.7%	10	13.7%	73	4.3%	100%
Cuba			55	13.7%			297	74.1%	8	2.0%	41	10.2%	401	23.7%	100%
Dominican Republic			3	4.1%			64	86.5%	0	0.0%	7	9.5%	74	4.4%	100%
Guatemala			0	0.0%			20	100.0%	0	0.0%	0	0.0%	20	1.2%	100%
Honduras			8	5.8%			120	87.0%	1	0.7%	9	6.5%	138	8.2%	100%
Mexico			3	14.3%			16	76.2%	1	4.8%	1	4.8%	21	1.2%	100%
Nicaragua			4	4.9%			67	81.7%	1	1.2%	10	12.2%	82	4.9%	100%
Peru			1	3.7%			26	96.3%	0	0.0%	0	0.0%	27	1.6%	100%
Puerto Rico			50	26.7%			124	66.3%	3	1.6%	10	5.3%	187	11.1%	100%
United States			83	21.4%			271	70.0%	14	3.6%	19	4.9%	387	22.9%	100%
Venezuela			3	17.6%			13	76.5%	0	0.0%	1	5.9%	17	1.0%	100%
Other/Unknown Countries			25	10.5%			192	80.7%	2	0.8%	19	8.0%	238	14.1%	100%
<b>Total adult Hispanic/Latino Female</b>			<b>245</b>	<b>14.5%</b>			<b>1,284</b>	<b>76.0%</b>	<b>32</b>	<b>1.9%</b>	<b>128</b>	<b>7.6%</b>	<b>1,689</b>	<b>100%</b>	<b>100%</b>

\* OTHER includes Adult receiving clotting factor, Hemophiliac, Perinatal exposure w/HIV age at 13+ years

<b>ADULT HISPANIC/LATINO MALE AIDS CASES</b>															
Country of Origin	MALE-TO-MALE SEXUAL CONTACT		INJECTION DRUG USE [IDU]		MSM & IDU		HETEROSEXUAL CONTACT		OTHER * RISK		NO REPORTED RISK [NRR]		Total Hispanic/Latino Male by Country of Origin		
	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Col %	Row %
	Argentina	134	83.2%	4	2.5%	7	4.3%	13	8.1%	0	0.0%	3	1.9%	161	1.5%
Colombia	410	81.3%	14	2.8%	18	3.6%	39	7.7%	3	0.6%	20	4.0%	504	4.7%	100%
Cuba	3,707	77.2%	211	4.4%	191	4.0%	392	8.2%	26	0.5%	275	5.7%	4,802	44.4%	100%
Dominican Republic	83	53.9%	8	5.2%	5	3.2%	42	27.3%	1	0.6%	15	9.7%	154	1.4%	100%
Guatemala	53	52.5%	5	5.0%	2	2.0%	29	28.7%	0	0.0%	12	11.9%	101	0.9%	100%
Honduras	212	64.2%	18	5.5%	6	1.8%	68	20.6%	4	1.2%	22	6.7%	330	3.0%	100%
Mexico	162	67.5%	11	4.6%	7	2.9%	40	16.7%	0	0.0%	20	8.3%	240	2.2%	100%
Nicaragua	264	72.5%	10	2.7%	13	3.6%	54	14.8%	1	0.3%	22	6.0%	364	3.4%	100%
Peru	136	80.5%	2	1.2%	2	1.2%	18	10.7%	0	0.0%	11	6.5%	169	1.6%	100%
Puerto Rico	439	49.8%	217	24.6%	102	11.6%	69	7.8%	3	0.3%	51	5.8%	881	8.1%	100%
United States	1,033	68.4%	158	10.5%	113	7.5%	130	8.6%	13	0.9%	64	4.2%	1,511	14.0%	100%
Venezuela	229	87.7%	3	1.1%	2	0.8%	17	6.5%	2	0.8%	8	3.1%	261	2.4%	100%
Other/Unknown Countries	1,029	76.5%	50	3.7%	32	2.4%	124	9.2%	7	0.5%	103	7.7%	1,345	12.4%	100%
<b>Total adult Hispanic/Latino Male</b>	<b>7,891</b>	<b>72.9%</b>	<b>711</b>	<b>6.6%</b>	<b>500</b>	<b>4.6%</b>	<b>1,035</b>	<b>9.6%</b>	<b>60</b>	<b>0.6%</b>	<b>626</b>	<b>5.8%</b>	<b>10,823</b>	<b>100%</b>	<b>100%</b>

<b>TOTAL ADULT HISPANIC/LATINO</b>	<b>7,891</b>	<b>63.1%</b>	<b>956</b>	<b>7.6%</b>	<b>500</b>	<b>4.0%</b>	<b>2,319</b>	<b>18.5%</b>	<b>92</b>	<b>0.7%</b>	<b>754</b>	<b>6.0%</b>	<b>12,512</b>	<b>100%</b>
------------------------------------	--------------	--------------	------------	-------------	------------	-------------	--------------	--------------	-----------	-------------	------------	-------------	---------------	-------------

(Continue next Page)

**FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY**  
**HIV/AIDS Surveillance**  
**Cumulative Number of Reported AIDS Cases**

**DECEMBER 2015**

*Haitian born adult AIDS cases by exposure category and gender (Excluding DOC)*

<b>ADULT HAITIAN BORN AIDS CASES</b>														
Exposure Category GENDER	MALE-TO-MALE SEXUAL CONTACT		INJECTION DRUG USE [IDU]		MSM & IDU		HETEROSEXUAL CONTACT		OTHER *		NO REPORTED RISK [NRR]		Total Haitian by Gender	
	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %
	Haitian born Adult Females			56	3.6%			1,165	75.0%	26	1.7%	307	19.8%	1,554
Haitian born Adult Males	539	22.0%	77	3.1%	27	1.1%	906	36.9%	12	0.5%	894	36.4%	2,455	100%
<b>Total Haitian born</b>	<b>539</b>	<b>13.4%</b>	<b>133</b>	<b>3.3%</b>	<b>27</b>	<b>0.7%</b>	<b>2,071</b>	<b>51.7%</b>	<b>38</b>	<b>0.9%</b>	<b>1,201</b>	<b>30.0%</b>	<b>4,009</b>	<b>100%</b>

\* OTHER includes Adult receiving clotting factor, Hemophilic, Perinatal exposure w/HIV age at 13+ years

*Department of Correction [DOC] Adult AIDS cases by race/ethnicity and gender.*

AIDS Cases by Race/Ethnicity & Gender	<b>DOC AIDS Cases</b>					
	Female		Male		Total	
	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)	0	0.0%	92	13.6%	92	13.1%
Black or African American	21	75.0%	481	71.3%	502	71.4%
White	5	17.9%	70	10.4%	75	10.7%
Haitian	1	3.6%	19	2.8%	20	2.8%
Other (1)	1	3.6%	13	1.9%	14	2.0%
<b>Total AIDS</b>	<b>28</b>	<b>100%</b>	<b>675</b>	<b>100%</b>	<b>703</b>	<b>100%</b>

(1) Other Includes American Indian/Alaska Native, Asian, Native Hawaiian, Pacific Islander, Legacy Asian & Multi Race

Adjustments are performed on a monthly basis to compensate for duplicate reports state and nation wide and case validation projects.

**FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY**  
**HIV/AIDS Surveillance**  
**Cumulative Number of Reported HIV (Not AIDS) Cases**

**DECEMBER 2015**

<i>HIV (not AIDS) cases by age group and gender (Excluding Department of Correction - DOC)</i>							<i>HIV (not AIDS) Cases by age group, race/ethnicity &amp; gender, showing Haitians separated (Excluding DOC)</i>											
HIV Cases by Age Group & Gender	Female		Male		TOTAL HIV		Hispanic/Latino		Black		White		Haitian		Other <sup>(1)</sup>		TOTAL HIV	
	Cases	Col %	Cases	Col %	Cases	Col %	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male
Under 5	60	1.5%	47	0.4%	107	0.7%	11	8	47	36	1	0	1	2	0	1	60	47
5-12	36	0.9%	19	0.2%	55	0.4%	6	5	24	11	0	0	6	3	0	0	36	19
13-19	225	5.7%	298	2.6%	523	3.4%	45	124	165	152	6	9	8	10	1	3	225	298
20-29	957	24.1%	2,756	24.3%	3,713	24.3%	214	1,490	579	816	51	327	102	81	11	42	957	2,756
30-39	1,071	27.0%	3,550	31.3%	4,621	30.2%	251	2,007	549	719	75	628	186	155	10	41	1,071	3,550
40-49	919	23.1%	2,839	25.0%	3,758	24.5%	228	1,465	479	668	59	502	138	167	15	37	919	2,839
50-59	507	12.8%	1,267	11.2%	1,774	11.6%	141	524	247	408	17	215	96	101	6	19	507	1,267
60-64	93	2.3%	273	2.4%	366	2.4%	25	104	39	90	3	47	26	26	0	6	93	273
65-69	72	1.8%	160	1.4%	232	1.5%	22	66	33	58	4	22	12	14	1	0	72	160
>=70	34	0.9%	128	1.1%	162	1.1%	6	46	11	52	4	15	12	11	1	4	34	128
Unknown	0	0.0%	0	0.0%	0	0.0%	0	0	0	0	0	0	0	0	0	0	0	0
<b>Total HIV</b>	<b>3,974</b>	<b>100%</b>	<b>11,337</b>	<b>100%</b>	<b>15,311</b>	<b>100%</b>	<b>949</b>	<b>5,839</b>	<b>2,173</b>	<b>3,010</b>	<b>220</b>	<b>1,765</b>	<b>587</b>	<b>570</b>	<b>45</b>	<b>153</b>	<b>3,974</b>	<b>11,337</b>

<sup>(1)</sup> Other Includes American Indian/Alaska Native, Asian, Native Hawaiian, Pacific Islander, Legacy Asian & Multi Race

*HIV (Not AIDS) Cases by year of report and gender (Excluding DOC) HIV start reporting in Florida in July 1997.*

HIV Cases by Year Report & Gender	Female		Male		TOTAL HIV		
	Cases	Row %	Cases	Row %	Cases	Col %	Row %
July-December 1997	122	36.7%	210	63.3%	332	2.2%	100%
1998	269	30.8%	603	69.2%	872	5.7%	100%
1999	259	31.2%	571	68.8%	830	5.4%	100%
2000	234	31.1%	519	68.9%	753	4.9%	100%
2001	239	30.2%	552	69.8%	791	5.2%	100%
2002	287	30.4%	656	69.6%	943	6.2%	100%
2003	233	27.9%	601	72.1%	834	5.4%	100%
2004	227	27.5%	599	72.5%	826	5.4%	100%
2005	222	31.1%	492	68.9%	714	4.7%	100%
2006	181	28.1%	462	71.9%	643	4.2%	100%
2007	224	27.0%	606	73.0%	830	5.4%	100%
2008	233	25.3%	688	74.7%	921	6.0%	100%
2009	180	24.4%	559	75.6%	739	4.8%	100%
2010	172	23.1%	572	76.9%	744	4.9%	100%
2011	179	22.1%	631	77.9%	810	5.3%	100%
2012	159	22.1%	562	77.9%	721	4.7%	100%
2013	194	22.0%	689	78.0%	883	5.8%	100%
2014	160	16.9%	789	83.1%	949	6.2%	100%
2015	200	17.0%	976	83.0%	1,176	7.7%	100%
<b>Total Adult HIV</b>	<b>3,974</b>	<b>26.0%</b>	<b>11,337</b>	<b>74.0%</b>	<b>15,311</b>	<b>100%</b>	

(Continue next Page)

**FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY  
HIV/AIDS Surveillance  
Cumulative Number of Reported HIV (Not AIDS) Cases**

**DECEMBER 2015**

*Adult & Pediatric HIV (not AIDS) cases by race/ethnicity and gender (Excluding DOC)*

HIV by Race/ Ethnicity*	Adult HIV						Pediatric HIV						TOTAL HIV CASES					
	Female		Male		Total Adult		Female		Male		Total Pediatric		Total Female		Total Male		Total Cases	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)	936	24.1%	5,831	51.7%	6,767	44.7%	17	17.7%	13	19.7%	30	18.5%	953	24.0%	5,844	51.5%	6,797	44.4%
American Indian/Alaska Native	2	0.1%	4	0.0%	6	0.0%	0	0.0%	0	0.0%	0	0.0%	2	0.1%	4	0.0%	6	0.0%
Asian	4	0.1%	28	0.2%	32	0.2%	0	0.0%	0	0.0%	0	0.0%	4	0.1%	28	0.2%	32	0.2%
Black or African American	2,676	69.0%	3,518	31.2%	6,194	40.9%	77	80.2%	52	78.8%	129	79.6%	2,753	69.3%	3,570	31.5%	6,323	41.3%
Native Hawaiian/Pacific Islander	1	0.0%	5	0.0%	6	0.0%	0	0.0%	0	0.0%	0	0.0%	1	0.0%	5	0.0%	6	0.0%
White	220	5.7%	1,766	15.7%	1,986	13.1%	1	1.0%	0	0.0%	1	0.6%	221	5.6%	1,766	15.6%	1,987	13.0%
Legacy Asian	1	0.0%	6	0.1%	7	0.0%	0	0.0%	1	1.5%	1	0.6%	1	0.0%	7	0.1%	8	0.1%
Multi-Race	38	1.0%	113	1.0%	151	1.0%	1	1.0%	0	0.0%	1	0.6%	39	1.0%	113	1.0%	152	1.0%
Unknown	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
<b>Total HIV</b>	<b>3,878</b>	<b>100%</b>	<b>11,271</b>	<b>100%</b>	<b>15,149</b>	<b>100%</b>	<b>96</b>	<b>100%</b>	<b>66</b>	<b>100%</b>	<b>162</b>	<b>100%</b>	<b>3,974</b>	<b>100%</b>	<b>11,337</b>	<b>100%</b>	<b>15,311</b>	<b>100%</b>

\* This new category created by CDC, is to support the ability to record an ethnicity and multiple races for an individual, necessitated by new federal OMB guidelines for reporting race and ethnicity.

*HIV (not AIDS) Cases by exposure category and gender among Adult and Pediatric (Excluding DOC)*

Exposure Category among adult HIV cases	Adult HIV					
	Female		Male		Total Adult	
	Cases	Col %	Cases	Col %	Cases	Col %
Adult male-to-male sexual contact [MSM]			7,738	68.7%	7,738	51.1%
Adult injection drug use [IDU]	274	7.1%	331	2.9%	605	4.0%
Adult MSM & IDU			247	2.2%	247	1.6%
Adult heterosexual contact [HTRSX]	3,052	78.7%	1,727	15.3%	4,779	31.5%
Adult other risk*	7	0.2%	5	0.0%	12	0.1%
Adult no risk factor reported [NRR]	545	14.1%	1,223	10.9%	1,768	11.7%
<b>Total adult HIV</b>	<b>3,878</b>	<b>100%</b>	<b>11,271</b>	<b>100%</b>	<b>15,149</b>	<b>100%</b>

\* Other risk includes: Adult receiving clotting factor, Hemophiliac, Perinatal exposure w/HIV age at 13+ years

Exposure Category among Pediatric HIV cases	Pediatric HIV					
	Female		Male		Total Pediatric	
	Cases	Col %	Cases	Col %	Cases	Col %
Perinatal exposure [PERINATAL]	93	96.9%	65	98.5%	158	97.5%
Child receiving clotting factor [HEMOPH]	0	0.0%	0	0.0%	0	0.0%
Child receiving transfusion/transplant	0	0.0%	0	0.0%	0	0.0%
Child other risk confirmed [OTHER]	0	0.0%	0	0.0%	0	0.0%
Child no risk factor reported [NRR]	3	3.1%	1	1.5%	4	2.5%
<b>Total Pediatric HIV</b>	<b>96</b>	<b>100%</b>	<b>66</b>	<b>100%</b>	<b>162</b>	<b>100%</b>

(Continue next Page)

**FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY**  
**HIV/AIDS Surveillance**  
**Cumulative Number of Reported HIV (Not AIDS) Cases**

**DECEMBER 2015**

*Adult HIV (not AIDS) cases by exposure category, race/ethnicity and gender (Excluding DOC)*

<b>ADULT FEMALE HIV CASES</b>														
Exposure Category/ Race/Ethnicity	MALE-TO-MALE SEXUAL CONTACT		INJECTION DRUG USE [IDU]		MSM & IDU		HETEROSEXUAL CONTACT		OTHER * RISK		NO REPORTED RISK [NRR]		TOTAL ADULT FEMALE	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)			66	24.1%			708	23.2%	3	42.9%	159	29.2%	936	24.1%
American Indian/Alaska Native			0	0.0%			2	0.1%	0	0.0%	0	0.0%	2	0.1%
Asian			0	0.0%			3	0.1%	0	0.0%	1	0.2%	4	0.1%
Black or African American			160	58.4%			2,169	71.1%	2	28.6%	345	63.3%	2,676	69.0%
Native Hawaiian/Pacific Islander			0	0.0%			0	0.0%	0	0.0%	1	0.2%	1	0.0%
White			41	15.0%			143	4.7%	1	14.3%	35	6.4%	220	5.7%
Legacy Asian			0	0.0%			0	0.0%	0	0.0%	1	0.2%	1	0.0%
Multi-Race			7	2.6%			27	0.9%	1	14.3%	3	0.6%	38	1.0%
<b>Adult Female HIV</b>			<b>274</b>	<b>100%</b>			<b>3,052</b>	<b>100%</b>	<b>7</b>	<b>100%</b>	<b>545</b>	<b>100%</b>	<b>3,878</b>	<b>100%</b>

\* OTHER includes Adult receiving clotting factor, Hemophiliac, Perinatal exposure w/HIV age at 13+ years

<b>ADULT MALE HIV CASES</b>														
Exposure Category/ Race/Ethnicity	MALE-TO-MALE SEXUAL CONTACT		INJECTION DRUG USE [IDU]		MSM & IDU		HETEROSEXUAL CONTACT		OTHER * RISK		NO REPORTED RISK [NRR]		TOTAL ADULT MALE	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)	4,662	60.2%	101	30.5%	117	47.4%	492	28.5%	0	0.0%	459	37.5%	5,831	51.7%
American Indian/Alaska Native	1	0.0%	0	0.0%	0	0.0%	2	0.1%	0	0.0%	1	0.1%	4	0.0%
Asian	23	0.3%	0	0.0%	0	0.0%	1	0.1%	0	0.0%	4	0.3%	28	0.2%
Black or African American	1,462	18.9%	189	57.1%	75	30.4%	1,145	66.3%	3	60.0%	644	52.7%	3,518	31.2%
Native Hawaiian/Pacific Islander	4	0.1%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	1	0.1%	5	0.0%
White	1,505	19.4%	38	11.5%	50	20.2%	65	3.8%	2	40.0%	106	8.7%	1,766	15.7%
Legacy Asian	5	0.1%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	1	0.1%	6	0.1%
Multi-Race	76	1.0%	3	0.9%	5	2.0%	22	1.3%	0	0.0%	7	0.6%	113	1.0%
<b>Adult Male HIV</b>	<b>7,738</b>	<b>100%</b>	<b>331</b>	<b>100%</b>	<b>247</b>	<b>100%</b>	<b>1,727</b>	<b>100%</b>	<b>5</b>	<b>100%</b>	<b>1,223</b>	<b>100%</b>	<b>11,271</b>	<b>100%</b>

	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %
<b>TOTAL ADULT HIV</b>	<b>7,738</b>	<b>51.1%</b>	<b>605</b>	<b>4.0%</b>	<b>247</b>	<b>1.6%</b>	<b>4,779</b>	<b>31.5%</b>	<b>12</b>	<b>0.1%</b>	<b>1,768</b>	<b>11.7%</b>	<b>15,149</b>	<b>100%</b>

(Continue next Page)

**FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY  
HIV/AIDS Surveillance  
Cumulative Number of Reported HIV (Not AIDS) Cases**

**DECEMBER 2015**

*Pediatric HIV (not AIDS) cases by exposure category, race/ethnicity and gender (Excluding DOC)*

<b>PEDIATRIC FEMALE HIV CASES</b>												
Exposure Category/ Race/Ethnicity	PERINATAL		HEMOPHILIAC		TRANSFUSION		OTHER RISK		NO REPORTED		TOTAL FEMALE	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)	15	16.1%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	2	66.7%	17	17.7%
Black or African American	76	81.7%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	1	33.3%	77	80.2%
White	1	1.1%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0	0.0%	1	1.0%
Legacy Asian/Pacific Isl.	0	0.0%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0	0.0%	0	0.0%
Multi-Race	1	1.1%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0	0.0%	1	1.0%
<b>Pediatric Female HIV</b>	<b>93</b>	<b>100%</b>	<b>0</b>	<b>#DIV/0!</b>	<b>0</b>	<b>#DIV/0!</b>	<b>0</b>	<b>#DIV/0!</b>	<b>3</b>	<b>100%</b>	<b>96</b>	<b>100%</b>

<b>PEDIATRIC MALE HIV CASES</b>												
Exposure Category/ Race/Ethnicity	PERINATAL		HEMOPHILIAC		TRANSFUSION		OTHER RISK		NO REPORTED		TOTAL MALE	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)	13	20.0%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0	0.0%	13	19.7%
Black or African American	51	78.5%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	1	100.0%	52	78.8%
White	0	0.0%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0	0.0%	0	0.0%
Legacy Asian/Pacific Isl.	1	1.5%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0	0.0%	1	1.5%
Multi-Race	0	0.0%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0	0.0%	0	0.0%
<b>Pediatric Male HIV</b>	<b>65</b>	<b>100%</b>	<b>0</b>	<b>#DIV/0!</b>	<b>0</b>	<b>#DIV/0!</b>	<b>0</b>	<b>#DIV/0!</b>	<b>1</b>	<b>100%</b>	<b>66</b>	<b>100%</b>

	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %
<b>TOTAL PEDIATRIC HIV</b>	<b>158</b>	<b>97.5%</b>	<b>0</b>	<b>0.0%</b>	<b>0</b>	<b>0.0%</b>	<b>0</b>	<b>0.0%</b>	<b>4</b>	<b>2.5%</b>	<b>162</b>	<b>100%</b>

*Adult Hispanic/Latino HIV (not AIDS) cases by country of origin and gender (Excluding DOC)*

Country of Origin	ADULT FEMALE HIV			ADULT MALE HIV			TOTAL HISPANIC/LATINO		
	Cases	Col %	Row %	Cases	Col %	Row %	Cases	Col %	Row %
Argentina	20	2.1%	12.1%	145	2.5%	87.9%	165	2.4%	100%
Colombia	35	3.7%	11.7%	264	4.5%	88.3%	299	4.4%	100%
Cuba	161	17.2%	8.0%	1,845	31.6%	92.0%	2,006	29.6%	100%
Dominican Republic	35	3.7%	30.2%	81	1.4%	69.8%	116	1.7%	100%
Honduras	67	7.2%	30.6%	152	2.6%	69.4%	219	3.2%	100%
Mexico	9	1.0%	6.2%	136	2.3%	93.8%	145	2.1%	100%
Nicaragua	35	3.7%	19.3%	146	2.5%	80.7%	181	2.7%	100%
Peru	13	1.4%	13.4%	84	1.4%	86.6%	97	1.4%	100%
Puerto Rico	58	6.2%	19.5%	239	4.1%	80.5%	297	4.4%	100%
United States	239	25.5%	16.3%	1,231	21.1%	83.7%	1,470	21.7%	100%
Venezuela	22	2.4%	6.2%	331	5.7%	93.8%	353	5.2%	100%
Other/Unknown Countries	242	25.9%	17.1%	1,177	20.2%	82.9%	1,419	21.0%	100%
<b>Total Adult Hispanic/Latino HIV</b>	<b>936</b>	<b>100%</b>	<b>13.8%</b>	<b>5,831</b>	<b>100%</b>	<b>86.2%</b>	<b>6,767</b>	<b>100%</b>	<b>100%</b>

(Continue next Page)

**FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY**  
**HIV/AIDS Surveillance**  
**Cumulative Number of Reported HIV (Not AIDS) Cases**

**DECEMBER 2015**

*Adult Hispanic/Latino HIV (not AIDS) cases by country of origin, exposure category and gender (Excluding DOC)*

<b>ADULT HISPANIC/LATINO FEMALE HIV CASES</b>															
Country of Origin	MALE-TO-MALE SEXUAL CONTACT		INJECTION DRUG USE [IDU]		MSM & IDU		HETEROSEXUAL CONTACT		OTHER * RISK		NO REPORTED RISK [NRR]		Total Hispanic/Latino Female by Country of Origin		
	Cases	Row %	Cases	Row %	Number	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Col %	Row %
	Argentina			3	15.0%			15	75.0%	0	0.0%	2	10.0%	20	2.1%
Colombia			1	2.9%			30	85.7%	0	0.0%	4	11.4%	35	3.7%	100%
Cuba			8	5.0%			132	82.0%	0	0.0%	21	13.0%	161	17.2%	100%
Dominican Republic			1	2.9%			31	88.6%	0	0.0%	3	8.6%	35	3.7%	100%
Honduras			0	0.0%			59	88.1%	0	0.0%	8	11.9%	67	7.2%	100%
Mexico			2	22.2%			5	55.6%	0	0.0%	2	22.2%	9	1.0%	100%
Nicaragua			0	0.0%			28	80.0%	0	0.0%	7	20.0%	35	3.7%	100%
Peru			1	7.7%			10	76.9%	0	0.0%	2	15.4%	13	1.4%	100%
Puerto Rico			10	17.2%			37	63.8%	0	0.0%	11	19.0%	58	6.2%	100%
United States			32	13.4%			174	72.8%	3	1.3%	30	12.6%	239	25.5%	100%
Venezuela			1	4.5%			20	90.9%	0	0.0%	1	4.5%	22	2.4%	100%
Other/Unknown Countries			7	2.9%			167	69.0%	0	0.0%	68	28.1%	242	25.9%	100%
<b>Total adult Hispanic/Latino Female</b>			<b>66</b>	<b>7.1%</b>			<b>708</b>	<b>75.6%</b>	<b>3</b>	<b>0.3%</b>	<b>159</b>	<b>17.0%</b>	<b>936</b>	<b>100%</b>	<b>100%</b>

\* OTHER includes Adult receiving clotting factor, Hemophilic, Perinatal exposure w/HIV age at 13+ years

<b>ADULT HISPANIC/LATINO MALE HIV CASES</b>															
Country of Origin	MALE-TO-MALE SEXUAL CONTACT		INJECTION DRUG USE [IDU]		MSM & IDU		HETEROSEXUAL CONTACT		OTHER * RISK		NO REPORTED RISK [NRR]		Total Hispanic/Latino Male by Country of Origin		
	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Col %	Row %
	Argentina	126	86.9%	2	1.4%	2	1.4%	10	6.9%	0	0.0%	5	3.4%	145	2.5%
Colombia	219	83.0%	1	0.4%	9	3.4%	18	6.8%	0	0.0%	17	6.4%	264	4.5%	100%
Cuba	1,532	83.0%	20	1.1%	38	2.1%	163	8.8%	0	0.0%	92	5.0%	1,845	31.6%	100%
Dominican Republic	49	60.5%	3	3.7%	3	3.7%	18	22.2%	0	0.0%	8	9.9%	81	1.4%	100%
Honduras	106	69.7%	1	0.7%	3	2.0%	28	18.4%	0	0.0%	14	9.2%	152	2.6%	100%
Mexico	113	83.1%	2	1.5%	1	0.7%	12	8.8%	0	0.0%	8	5.9%	136	2.3%	100%
Nicaragua	113	77.4%	3	2.1%	1	0.7%	17	11.6%	0	0.0%	12	8.2%	146	2.5%	100%
Peru	75	89.3%	1	1.2%	1	1.2%	6	7.1%	0	0.0%	1	1.2%	84	1.4%	100%
Puerto Rico	172	72.0%	29	12.1%	16	6.7%	11	4.6%	0	0.0%	11	4.6%	239	4.1%	100%
United States	1,000	81.2%	27	2.2%	28	2.3%	93	7.6%	0	0.0%	83	6.7%	1,231	21.1%	100%
Venezuela	297	89.7%	0	0.0%	2	0.6%	16	4.8%	0	0.0%	16	4.8%	331	5.7%	100%
Other/Unknown Countries	860	73.1%	12	1.0%	13	1.1%	100	8.5%	0	0.0%	192	16.3%	1,177	20.2%	100%
<b>Total adult Hispanic/Latino Male</b>	<b>4,662</b>	<b>80.0%</b>	<b>101</b>	<b>1.7%</b>	<b>117</b>	<b>2.0%</b>	<b>492</b>	<b>8.4%</b>	<b>0</b>	<b>0.0%</b>	<b>459</b>	<b>7.9%</b>	<b>5,831</b>	<b>100%</b>	<b>100%</b>

	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %
<b>TOTAL ADULT HISPANIC/LATINO</b>	<b>4,662</b>	<b>68.9%</b>	<b>167</b>	<b>2.5%</b>	<b>117</b>	<b>1.7%</b>	<b>1,200</b>	<b>17.7%</b>	<b>3</b>	<b>0.0%</b>	<b>618</b>	<b>9.1%</b>	<b>6,767</b>	<b>100%</b>

(Continue next Page)

**FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY  
HIV/AIDS Surveillance  
Cumulative Number of Reported HIV (Not AIDS) Cases**

**DECEMBER 2015**

*Haitian born adult HIV cases by exposure category and gender (Excluding DOC)*

<b>ADULT HAITIAN BORN HIV CASES</b>														
Exposure Category GENDER	MALE-TO-MALE SEXUAL CONTACT		INJECTION DRUG USE [IDU]		[MSM\ & [IDU]		HETEROSEXUAL CONTACT		OTHER* RISK		NO REPORTED RISK [NRR]		Total Haitian by Gender	
	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %
	Haitian born Adult Females			11	1.9%			501	86.4%	0	0.0%	68	11.7%	580
Haitian born Adult Males	108	19.1%	7	1.2%	1	0.2%	313	55.4%	0	0.0%	136	24.1%	565	100%
<b>Total Haitian born</b>	<b>108</b>	<b>9.4%</b>	<b>18</b>	<b>1.6%</b>	<b>1</b>	<b>0.1%</b>	<b>814</b>	<b>71.1%</b>	<b>0</b>	<b>0.0%</b>	<b>204</b>	<b>17.8%</b>	<b>1,145</b>	<b>100%</b>

\* OTHER includes Adult receiving clotting factor, Hemophilic, Perinatal exposure w/HIV age at 13+ years

*Department of Correction [DOC] Adult HIV (not AIDS) by race/ethnicity and gender.*

HIV Cases by Race/Ethnicity & Gender	DOC HIV Cases					
	Female		Male		Total	
	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)	5	31.3%	76	17.5%	81	18.0%
Black or African American	8	50.0%	281	64.7%	289	64.2%
White	3	18.8%	59	13.6%	62	13.8%
Haitian	0	0.0%	12	2.8%	12	2.7%
Other (1)	0	0.0%	6	1.4%	6	1.3%
<b>Total HIV</b>	<b>16</b>	<b>100%</b>	<b>434</b>	<b>100%</b>	<b>450</b>	<b>100%</b>

(1) Other Includes American Indian/Alaska Native, Asian, Native Hawaiian, Pacific Islander, Legacy Asian & Multi Race  
Adjustments are performed on a monthly basis to compensate for duplicate reports state and nation wide and case validation projects.

**FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY**  
**HIV/AIDS Surveillance**  
**Perinatal HIV Exposed Cases**

**DECEMBER 2015**

*All EXPOSED Perinatal pediatric cases born in Miami-Dade by year of birth and diagnosis status since November 20<sup>th</sup>, 2006. <sup>(1)</sup>*

Year of Birth	Perinatal HIV Exposure	Pediatric HIV	Pediatric AIDS	Pediatric seroreverter	Unknown	TOTAL
>=November 20 <sup>th</sup> , 2006	3	0	0	16	0	19
2007	32	1	0	106	0	139
2008	39	1	1	91	0	132
2009	30	2	0	87	0	119
2010	39	3	0	83	0	125
2011	13	1	0	105	0	119
2012	10	1	0	90	0	101
2013	12	2	1	81	0	96
2014	4	1	0	84	0	89
2015	26	3	0	53	0	82
<b>Total</b>	<b>208</b>	<b>15</b>	<b>2</b>	<b>796</b>	<b>0</b>	<b>1,021</b>

*All EXPOSED Perinatal pediatric cases born in Miami-Dade by year of birth and race/ethnicity since November 20<sup>th</sup>, 2006. <sup>(1)</sup>*

Year of Birth	Hispanic	Not Hispanic, Black	Not Hispanic, White	Not Hispanic, Other <sup>(2)</sup>	TOTAL
>=November 20 <sup>th</sup> , 2006	3	15	1	0	19
2007	22	110	5	2	139
2008	19	111	2	0	132
2009	24	91	3	1	119
2010	31	87	5	2	125
2011	21	90	7	1	119
2012	23	68	8	2	101
2013	17	75	3	1	96
2014	15	70	4	0	89
2015	13	66	3	0	82
<b>Total</b>	<b>188</b>	<b>783</b>	<b>41</b>	<b>9</b>	<b>1,021</b>

<sup>(1)</sup> NOTE: An expanded HIV reporting law was implemented on November 20<sup>th</sup>, 2006. Expansion included reportability of cases with virologic evidence of HIV infection. Previously, only Western Blot-confirmed (+) cases were reportable. In addition, reporting is retroactive. Previously, only HIV cases diagnosed after July 1<sup>st</sup>, 1997, were reportable. A detectable viral load (VL) (or equivalent viral test) is reportable, and is considered evidence of HIV. Other reportable virologic test considered to be evidence of HIV are: P24, ANTIGEN, Nucleic Acid test (NAT/NAAT), viral culture. CD4 counts/percents are reportable, but follow-up is conducted only if it is <200 uL, or <14%.

<sup>(2)</sup> Other Includes American Indian/Alaska Native, Asian, Native Hawaiian, Pacific Islander, Legacy Asian & Multi Race

[\(Continue next Page\)](#)

**FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY**  
**HIV/AIDS Surveillance**  
**Perinatal HIV Exposed Cases**

**DECEMBER 2015**

*All EXPOSED Perinatal pediatric cases born in Miami-Dade by year of birth and Mother HIV status since November 20<sup>th</sup>, 2006. <sup>(1)</sup>*

Year of Birth	Know HIV (+) before pregnancy	Know HIV (+) during pregnancy	Know HIV (+) at time of delivery	Know HIV (+) sometime before birth	Know HIV (+) sometime after birth	HIV (+) with time unknown	TOTAL
>=November 20 <sup>th</sup> , 2006	16	2	0	0	0	1	19
2007	92	34	10	0	3	0	139
2008	95	35	2	0	0	0	132
2009	87	24	8	0	0	0	119
2010	90	25	5	2	1	2	125
2011	89	24	3	2	1	0	119
2012	75	24	2	0	0	0	101
2013	78	12	2	3	0	1	96
2014	77	11	0	1	0	0	89
2015	68	9	1	0	1	3	82
<b>Total</b>	<b>767</b>	<b>200</b>	<b>33</b>	<b>8</b>	<b>6</b>	<b>7</b>	<b>1,021</b>

*All EXPOSED Perinatal pediatric cases born in Miami-Dade by diagnosis and Mother HIV status since November 20<sup>th</sup>, 2006. <sup>(1)</sup>*

Diagnosis Status	Know HIV (+) before pregnancy	Know HIV (+) during pregnancy	Know HIV (+) at time of delivery	Know HIV (+) sometime before birth	Know HIV (+) sometime after birth	HIV (+) with time unknown	TOTAL
Perinatal HIV Exposure	150	39	11	4	3	1	208
Pediatric HIV	10	1	3	0	1	0	15
Pediatric AIDS	2	0	0	0	0	0	2
Pediatric Seroreverter	605	160	19	4	2	6	796
Unknown	0	0	0	0	0	0	-
<b>Total</b>	<b>767</b>	<b>200</b>	<b>33</b>	<b>8</b>	<b>6</b>	<b>7</b>	<b>1,021</b>

*All EXPOSED Perinatal pediatric cases born in Miami-Dade by diagnosis status and HIV category since November 20<sup>th</sup>, 2006. <sup>(1)</sup>*

Diagnosis Status	HIV (+) Definitive	HIV (+) Presumptive	HIV Indeterminate	HIV (-) Definitive	HIV (-) Presumptive	Unknown	TOTAL
Perinatal HIV Exposure	0	0	208	0	0	0	208
Pediatric HIV	15	0	0	0	0	0	15
Pediatric AIDS	2	0	0	0	0	0	2
Pediatric Seroreverter	0	0	0	579	217	0	796
Unknown	0	0	0	0	0	0	-
<b>Total</b>	<b>17</b>	<b>0</b>	<b>208</b>	<b>579</b>	<b>217</b>	<b>0</b>	<b>1,021</b>

<sup>(1)</sup> NOTE: An expanded HIV reporting law was implemented on November 20<sup>th</sup>, 2006. Expansion included reportability of cases with virologic evidence of HIV infection. Previously, only Western Blot-confirmed (+) cases were reportable. In addition, reporting is retroactive. Previously, only HIV cases diagnosed after July 1<sup>st</sup>, 1997, were reportable. A detectable viral load (VL) (or equivalent viral test) is reportable, and is considered evidence of HIV. Other reportable virologic test considered to be evidence of HIV are: P24, ANTIGEN, Nucleic Acid test (NAT/NAAT), viral culture. CD4 counts/percents are reportable, but follow-up is conducted only if it is <200 uL, or <14%.

[\(Continue next Page\)](#)

**FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY**  
**HIV/AIDS Surveillance**  
**Perinatal HIV Exposed Cases**

**DECEMBER 2015**

*CONFIRMED Infected Perinatal Cases, know HIV or AIDS born in Miami-Dade by year of birth, 2000-2015.*

Perinatal HIV/AIDS Cases by Year of Birth	Pediatric HIV		Pediatric AIDS		TOTAL		
	Cases	Row %	Cases	Row %	Cases	Col %	Row %
2000	5	71.4%	2	28.6%	7	13.0%	100%
2001	6	60.0%	4	40.0%	10	18.5%	100%
2002	3	50.0%	3	50.0%	6	11.1%	100%
2003	3	75.0%	1	25.0%	4	7.4%	100%
2004	1	50.0%	1	50.0%	2	3.7%	100%
2005	3	60.0%	2	40.0%	5	9.3%	100%
2006	2	66.7%	1	33.3%	3	5.6%	100%
2007	1	100.0%	0	0.0%	1	1.9%	100%
2008	1	50.0%	1	50.0%	2	3.7%	100%
2009	2	100.0%	0	0.0%	2	3.7%	100%
2010	3	100.0%	0	0.0%	3	5.6%	100%
2011	1	100.0%	0	0.0%	1	1.9%	100%
2012	1	100.0%	0	0.0%	1	1.9%	100%
2013	2	66.7%	1	33.3%	3	5.6%	100%
2014	1	100.0%	0	0.0%	1	1.9%	100%
2015	3	100.0%	0	0.0%	3	5.6%	100%
<b>Total Confirmed Perinatal Cases</b>	<b>38</b>	<b>70%</b>	<b>16</b>	<b>30%</b>	<b>54</b>	<b>100%</b>	<b>100%</b>

(Continue next Page)

**FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY**  
**HIV/AIDS Surveillance**  
**Perinatal HIV Exposed Cases**

**DECEMBER 2015**

*All EXPOSED Perinatal pediatric cases born in Miami-Dade by hospital of birth and diagnosis status since November 20<sup>th</sup>, 2006. <sup>(1)</sup>*

Hospital of Birth	Perinatal HIV Exposure	Pediatric HIV	Pediatric AIDS	Perinatal Seroreverter	Unknown	TOTAL	TOTAL %
BAPTIST HOSPITAL-MIAMI	4	0	0	2	0	6	0.6%
BROWARD GENERAL MEDICAL CTR.	2	0	0	2	0	4	0.4%
CORAL SPRINGS MEDICAL CTR.	1	0	0	0	0	1	0.1%
HIALEAH HOSPITAL	2	0	0	1	0	3	0.3%
HOMESTEAD HOSPITAL	7	1	0	1	0	9	0.9%
JACKSON N MATERNITY CTR.	0	0	0	2	0	2	0.2%
JACKSON NORTH MEDICAL CTR.	9	3	0	17	0	29	2.8%
JACKSON SOUTH MEDICAL CTR.	2	0	0	15	0	17	1.7%
JACKSON MEMORIAL HOSPITAL	137	7	0	710	0	854	83.6%
KENDALL RMC	1	0	0	1	0	2	0.2%
MEMORIAL HOSPITAL-MIRAMAR	1	0	1	0	0	2	0.2%
MEMORIAL HOSPITAL-SOUTH	1	0	0	0	0	1	0.1%
MEMORIAL HOSPITAL-WEST	1	0	0	2	0	3	0.3%
MEMORIAL HOSPITAL-PEMBROKE PINES	3	0	0	1	0	4	0.4%
MEMORIAL HOSPITAL-HOLLYWOOD	10	0	0	7	0	17	1.7%
MERCY HOSPITAL	2	0	0	0	0	2	0.2%
MIAMI CHILDREN'S HOSPITAL	1	0	0	0	0	1	0.1%
MIAMI-DADE PVT PHYSICIAN-MIAMI	2	0	0	0	0	2	0.2%
MOUNT SINAI MC	1	0	0	1	0	2	0.2%
NORTH SHORE MEDICAL CTR.	15	0	0	23	0	38	3.7%
PLANTATION GENERAL HOSPITAL	1	0	0	1	0	2	0.2%
SOUTH MIAMI HOSPITAL	1	0	0	0	0	1	0.1%
UF HEALTH AT JACKSONVILLE	1	0	0	0	0	1	0.1%
WELLINGTON RMS	1	0	0	0	0	1	0.1%
UNKNOWN	2	4	1	10	0	17	1.7%
<b>TOTAL</b>	<b>208</b>	<b>15</b>	<b>2</b>	<b>796</b>	<b>0</b>	<b>1,021</b>	<b>100%</b>

<sup>(1)</sup> NOTE: An expanded HIV reporting law was implemented on November 20<sup>th</sup>, 2006. Expansion included reportability of cases with virologic evidence of HIV infection. Previously, only Western Blot-confirmed (+) cases were reportable. In addition, reporting is retroactive. Previously, only HIV cases diagnosed after July 1<sup>st</sup>, 1997, were reportable. A detectable viral load (VL) (or equivalent viral test) is reportable, and is considered evidence of HIV. Other reportable virologic test considered to be evidence of HIV are: P24, ANTIGEN, Nucleic Acid test (NAT/NAAT), viral culture. CD4 counts/percents are reportable, but follow-up is conducted only if it is <200 uL, or <14%

**FLORIDA DEPARTMENT OF HEALTH IN MIAMI- DADE COUNTY  
HIV/AIDS SURVEILLANCE  
AIDS, HIV (NOT AIDS) AND TOTAL PREVALENCE THROUGH 2014**

Total prevalence through 2014, as of June 2015, excluding Department of Correction [DOC] cases

\* Living AIDS and Living HIV (not AIDS) [PLWHA - prevalence] is defined as the number of diagnosed cases in eHARS, as of the date specified.

These included cases whose current residence is Miami-Dade County regardless of where they were diagnosed.

* LIVING CASES by DIAGNOSIS						
GENDER	AIDS		HIV (Not AIDS)		Total Prevalence	
	Cases	Col %	Cases	Col %	Cases	Col %
Female	3,838	29%	3,346	27%	7,184	28%
Male	9,614	71%	9,244	73%	18,858	72%
<b>Total Prevalence</b>	<b>13,452</b>	<b>100%</b>	<b>12,590</b>	<b>100%</b>	<b>26,042</b>	<b>100%</b>

RACE/ETHNICITY	* LIVING CASES by DIAGNOSIS						* LIVING CASES by GENDER					
	AIDS		HIV (Not AIDS)		Total Prevalence		FEMALE		MALE		Total Prevalence	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic (All Races)	5,472	41%	5,644	45%	11,116	43%	1,648	23%	9,468	50%	11,116	43%
Not Hispanic, Black	6,335	47%	5,202	41%	11,537	44%	5,099	71%	6,438	34%	11,537	44%
Not Hispanic, White	1,425	11%	1,595	13%	3,020	12%	335	5%	2,685	14%	3,020	12%
Not Hispanic, Other	220	2%	149	1%	369	1%	102	1%	267	1%	369	1%
<b>Total Prevalence</b>	<b>13,452</b>	<b>100%</b>	<b>12,590</b>	<b>100%</b>	<b>26,042</b>	<b>100%</b>	<b>7,184</b>	<b>100%</b>	<b>18,858</b>	<b>100%</b>	<b>26,042</b>	<b>100%</b>

RACE/ETHNICITY BY GENDER	* Adult Prevalence						* Pediatric Prevalence						* TOTAL Prevalence					
	Female		Male		Total Adult		Female		Male		Total Pediatric		Total Female		Total Male		Total Prevalence	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic (All Races)	1,647	23.0%	9,465	50.2%	<b>11,112</b>	42.7%	1	7.7%	3	16.7%	<b>4</b>	<b>12.9%</b>	1,648	22.9%	9,468	50.2%	<b>11,116</b>	<b>42.7%</b>
Not Hispanic, Black	5,087	70.9%	6,423	34.1%	<b>11,510</b>	44.3%	12	92.3%	15	83.3%	<b>27</b>	<b>87.1%</b>	5,099	71.0%	6,438	34.1%	<b>11,537</b>	<b>44.3%</b>
Not Hispanic, White	335	4.7%	2,685	14.3%	<b>3,020</b>	11.6%	0	0.0%	0	0.0%	<b>0</b>	<b>0.0%</b>	335	4.7%	2,685	14.2%	<b>3,020</b>	<b>11.6%</b>
Not Hispanic, Other	102	1.4%	267	1.4%	<b>369</b>	1.4%	0	0.0%	0	0.0%	<b>0</b>	<b>0.0%</b>	102	1.4%	267	1.4%	<b>369</b>	<b>1.4%</b>
<b>Total Prevalence</b>	<b>7,171</b>	<b>100%</b>	<b>18,840</b>	<b>100%</b>	<b>26,011</b>	<b>100%</b>	<b>13</b>	<b>100%</b>	<b>18</b>	<b>100%</b>	<b>31</b>	<b>100%</b>	<b>7,184</b>	<b>100%</b>	<b>18,858</b>	<b>100%</b>	<b>26,042</b>	<b>100%</b>

(Continue next Page)

**FLORIDA DEPARTMENT OF HEALTH IN MIAMI- DADE COUNTY  
HIV/AIDS SURVEILLANCE  
AIDS, HIV (NOT AIDS) AND TOTAL PREVALENCE THROUGH 2014**

Total prevalence through 2014, as of June 2015, excluding Department of Correction [DOC] cases

\* Living AIDS and Living HIV (not AIDS) [PLWHA - prevalence] is defined as the number of diagnosed cases in eHARS, as of the date specified.

These included cases whose current residence is Miami-Dade County regardless of where they were diagnosed.

CURRENT AGE	* LIVING CASES by DIAGNOSIS						* LIVING CASES by GENDER					
	AIDS		HIV (Not AIDS)		Total Prevalence		FEMALE		MALE		Total Prevalence	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
00-12 years	8	0%	23	0%	31	0%	13	0%	18	0%	31	0%
13-19 years	42	0%	107	1%	149	1%	72	1%	77	0%	149	1%
20-24 years	189	1%	521	4%	710	3%	202	3%	508	3%	710	3%
25-29 years	403	3%	1,028	8%	1,431	5%	374	5%	1,057	6%	1,431	5%
30-39 years	1,342	10%	2,610	21%	3,952	15%	1,220	17%	2,732	14%	3,952	15%
40-49 years	3,657	27%	3,606	29%	7,263	28%	1,936	27%	5,327	28%	7,263	28%
50-59 years	4,973	37%	3,161	25%	8,134	31%	2,164	30%	5,970	32%	8,134	31%
60+ years	2,838	21%	1,534	12%	4,372	17%	1,203	17%	3,169	17%	4,372	17%
<b>Total Prevalence</b>	<b>13,452</b>	<b>100%</b>	<b>12,590</b>	<b>100%</b>	<b>26,042</b>	<b>100%</b>	<b>7,184</b>	<b>100%</b>	<b>18,858</b>	<b>100%</b>	<b>26,042</b>	<b>100%</b>

EXPOSURE CATEGORY <sup>(1)</sup>	* LIVING CASES by DIAGNOSIS and GENDER						% of Male	% of Total
	AIDS		HIV (Not AIDS)		Total Prevalence			
	Cases	Col %	Cases	Col %	Cases	Col %		
<b>ADULT MALE</b>								
Adult male-to-male sexual contact [MSM]	6,315	66%	7,026	76%	13,341	71%	51%	
Adult injection drug use [IDU]	657	7%	298	3%	955	5%	4%	
Adult MSM & IDU	459	5%	244	3%	703	4%	3%	
Adult heterosexual contact [HTRSX]	2,058	21%	1,612	17%	3,670	19%	14%	
Adult other risk	121	1%	50	1%	171	1%	1%	
<b>Total Adult Male Prevalence</b>	<b>9,610</b>	<b>100%</b>	<b>9,230</b>	<b>100%</b>	<b>18,840</b>	<b>100%</b>		
<b>ADULT FEMALE</b>								
Adult injection drug use [IDU]	504	13%	241	7%	745	10%	3%	
Adult heterosexual contact [HTRSX]	3,200	83%	3,023	91%	6,223	87%	24%	
Adult other risk	130	3%	73	2%	203	3%	1%	
<b>Total Adult Female Prevalence</b>	<b>3,834</b>	<b>100%</b>	<b>3,337</b>	<b>100%</b>	<b>7,171</b>	<b>100%</b>		
<b>PEDIATRIC (Current age 0-12)</b>								
Mother with/at risk for HIV infection	8	100%	23	100%	31	100%	0%	
Risk not diagnosed/Other	0	0%	0	0%	0	0%	0%	
<b>Total Pediatric Prevalence</b>	<b>8</b>	<b>100%</b>	<b>23</b>	<b>100%</b>	<b>31</b>	<b>100%</b>		
<b>Total Prevalence</b>	<b>13,452</b>		<b>12,590</b>		<b>26,042</b>		<b>100%</b>	

<sup>(1)</sup> No identified risk [NIR] redistributed

**FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY  
ONE-IN STATEMENTS**

\* ONE-IN Statements for Adults (>=13) Living with HIV or AIDS [PLWHA] through 2014 in Miami-Dade & Florida,

<b>ADULT MALE LIVING WITH HIV OR AIDS</b>	
<b>MIAMI-DADE</b>	<b>FLORIDA</b>
• One in 61 White adult male in Miami-Dade is living with HIV or AIDS	• One in 170 White adult male
• One in 26 Black adult male in Miami-Dade is living with HIV or AIDS	• One in 38 Black adult male
• One in 75 Hispanic adult male in Miami-Dade is living with HIV or AIDS	• One in 98 Hispanic adult male
• One in 89 other race adult male in Miami-Dade is living with HIV or AIDS	• One in 200 Other adult male
<b>One in 56 adult male in Miami-Dade is living with HIV or AIDS</b>	<b>One in 103 adult male in Florida</b>

<b>ADULT FEMALE LIVING WITH HIV OR AIDS</b>	
<b>MIAMI-DADE</b>	<b>FLORIDA</b>
• One in 461 White adult female in Miami-Dade is living with HIV or AIDS	• One in 1,049 White adult female
• One in 37 Black adult female in Miami-Dade is living with HIV or AIDS	• One in 60 Black adult female
• One in 473 Hispanic adult female in Miami-Dade is living with HIV or AIDS	• One in 422 Hispanic adult female
• One in 259 other race adult female in Miami-Dade is living with HIV or AIDS	• One in 573 Other adult female
<b>One in 160 adult female in Miami-Dade is living with HIV or AIDS</b>	<b>One in 275 adult female in Florida</b>

<b>TOTAL ADULTS OF ALL SEXES LIVING WITH HIV OR AIDS</b>	
<b>MIAMI-DADE</b>	<b>FLORIDA</b>
• One in 106 White adult in Miami-Dade is living with HIV or AIDS	• One in 298 White adult
• One in 31 Black adult in Miami-Dade is living with HIV or AIDS	• One in 47 Black adult
• One in 134 Hispanic adult in Miami-Dade is living with HIV or AIDS	• One in 161 Hispanic adult
• One in 136 other race adult in Miami-Dade is living with HIV or AIDS	• One in 307 Other adult race
<b>One in 85 adult resident in Miami-Dade is living with HIV or AIDS</b>	<b>One in 151 adult Floridian</b>

Note: Excluding Department of Correction [DOC] cases at county level. Florida totals include DOC cases.

These statements are updated by the Florida Bureau of Communicable Disease, HIV/AIDS Section, every June of following year.

\* Living data now reflects those living on our area regardless of where diagnosed. You cannot compare this year's data with last year's since they were run separately

**FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY  
ONE-IN STATEMENTS**

**\* ONE-IN Statements for Total Persons (all ages) Living with HIV or AIDS [PLWHA] through 2014 in Miami-Dade & Florida**

<b>TOTAL MALE LIVING WITH HIV OR AIDS</b>	
<b>MIAMI-DADE</b>	<b>FLORIDA</b>
• One in 73 White male in Miami-Dade is living with HIV or AIDS	• One in 193 White male
• One in 32 Black male in Miami-Dade is living with HIV or AIDS	• One in 48 Black male
• One in 88 Hispanic male in Miami-Dade is living with HIV or AIDS	• One in 122 Hispanic male
• One in 108 other race male in Miami-Dade is living with HIV or AIDS	• One in 262 Other male
<b>One in 67 male in Miami-Dade is living with HIV or AIDS</b>	<b>One in 121 male in Florida</b>

<b>TOTAL FEMALE LIVING WITH HIV OR AIDS</b>	
<b>MIAMI-DADE</b>	<b>FLORIDA</b>
• One in 551 White female in Miami-Dade is living with HIV or AIDS	• One in 1,176 White female
• One in 45 Black female in Miami-Dade is living with HIV or AIDS	• One in 74 Black female
• One in 546 Hispanic female in Miami-Dade is living with HIV or AIDS	• One in 514 Hispanic female
• One in 309 other race female in Miami-Dade is living with HIV or AIDS	• One in 724 Other female
<b>One in 187 female in Miami-Dade is living with HIV or AIDS</b>	<b>One in 320 female in Florida</b>

<b>TOTAL ALL SEXES LIVING WITH HIV OR AIDS</b>	
<b>MIAMI-DADE</b>	<b>FLORIDA</b>
• One in 126 White in Miami-Dade is living with HIV or AIDS	• One in 336 White
• One in 38 Black in Miami-Dade is living with HIV or AIDS	• One in 59 Black
• One in 156 Hispanic in Miami-Dade is living with HIV or AIDS	• One in 198 Hispanic
• One in 164 other race in Miami-Dade is living with HIV or AIDS	• One in 394 Other race
<b>One in 100 Miami-Dade resident is living with HIV or AIDS</b>	<b>One in 178 Floridian</b>

Note: Excluding Department of Correction [DOC] cases at county level. Florida totals include DOC cases.

These statements are updated by the Florida Bureau of Communicable Disease, HIV/AIDS Section, every June of following year.

\* Living data now reflects those living on our area regardless of where diagnosed. You cannot compare this year's data with last year's since they were run separately

**FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY  
USEFUL WEBSITE LINKS**

Below are several website that may be useful for HIV/AIDS related information.

<b>USEFUL WEBSITE LINKS</b>	
<b>ORGANIZATIONS / SITES</b>	<b>ELECTRONIC ADDRESS</b>
Data from the HIV Counseling and Testing (Florida & all Counties)	<a href="http://www.floridahealth.gov/diseases-and-conditions/aids/prevention/2013-testing-data.html">http://www.floridahealth.gov/diseases-and-conditions/aids/prevention/2013-testing-data.html</a>
Center for Disease Control and Prevention [CDC]	<a href="http://www.cdc.gov">http://www.cdc.gov</a>
Center for Disease Control and Prevention [CDC] HIV/AIDS Statistics and Surveillance	<a href="http://www.cdc.gov/hiv/topics/surveillance/">http://www.cdc.gov/hiv/topics/surveillance/</a>
Center for Disease Control and Prevention [CDC] Morbidity and Mortality Weekly Report [MMWR]	<a href="http://www.cdc.gov/mmwr/">http://www.cdc.gov/mmwr/</a>
Florida Community Health Assessment Resource Tool Set [Florida CHARTS]	<a href="http://www.floridacharts.com/charts/default.aspx">http://www.floridacharts.com/charts/default.aspx</a>
Florida Department of Health in Miami-Dade County	<a href="http://miamidade.floridahealth.gov">http://miamidade.floridahealth.gov</a>
Florida Department of Health, Bureau of Communicable Disease, HIV/AIDS and Hepatitis Section.	<a href="http://www.floridahealth.gov/diseases-and-conditions/aids/index.html">http://www.floridahealth.gov/diseases-and-conditions/aids/index.html</a>
<i>Organización Panamericana de la Salud</i> [PAHO] (Pan American Health Organization)	<a href="http://www.paho.org">http://www.paho.org</a>
The Test Miami Initiative	<a href="http://www.testmiami.org/index.aspx">http://www.testmiami.org/index.aspx</a>
United Nations Program on HIV/AIDS [UNAIDS]	<a href="http://www.unaids.org/">http://www.unaids.org/</a>
US Census Bureau.	<a href="http://www.census.gov">http://www.census.gov</a>
US Census Bureau. HIV/AIDS Surveillance	<a href="http://www.census.gov/ipc/www/hivaidsn.html">http://www.census.gov/ipc/www/hivaidsn.html</a>
World Health Organization [WHO]	<a href="http://www.who.int">http://www.who.int</a>