

Mission:

To protect, promote & improve the health of all people in Florida through integrated state, county & community efforts.



Vision: To be the **Healthiest State** in the Nation

Rick Scott
Governor

John H. Armstrong, MD, FACS
State Surgeon General & Secretary

FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
HIV/AIDS SURVEILLANCE
MONTHLY HIV/AIDS SURVEILLANCE REPORT

JANUARY 2015

AIDS CASES (EXCLUDING DEPARTMENT OF CORRECTION [DOC] CASES) *(AIDS Worksheet)*

- AIDS cases by age group and gender (Excluding Department of Correction - DOC).
- AIDS cases by age group, race/ethnicity & gender, showing Haitians separated (Excluding DOC)
- AIDS cases by year of report and gender (Excluding DOC)
- Adult & pediatric AIDS cases by race/ethnicity and gender (Excluding DOC)
- AIDS cases by exposure category and gender among Adult and Pediatric (Excluding DOC)
- Adult AIDS cases by exposure category, race/ethnicity and gender (Excluding DOC)
- Pediatric AIDS cases by exposure category, race/ethnicity and gender.
- Adult Hispanic/Latino AIDS cases by country of origin and gender (Excluding DOC)
- Adult Hispanic/Latino AIDS cases by country of origin, exposure category and gender (Excluding DOC)
- Haitian born adult AIDS cases by exposure category and gender (Excluding DOC)
- Department of Correction [DOC] Adult AIDS cases by race/ethnicity and gender.

HIV CASES (EXCLUDING DEPARTMENT OF CORRECTION [DOC] CASES) *(HIV Worksheet)*

- HIV (not AIDS) cases by age group and gender (Excluding Department of Correction - DOC)
- HIV (not AIDS) cases by age group, race/ethnicity & gender, showing Haitians separated (Excluding DOC)
- HIV (not AIDS) cases by year of report and gender (Excluding DOC)
- Adult & pediatric HIV (not AIDS) cases by race/ethnicity and gender (Excluding DOC)
- HIV (not AIDS) cases by exposure category and gender among Adult and Pediatric (Excluding DOC)
- Adult HIV (not AIDS) cases by exposure category, race/ethnicity and gender (Excluding DOC)
- Adult Hispanic/Latino HIV (not AIDS) cases by country of origin and gender (Excluding DOC)
- Adult Hispanic/Latino HIV (not AIDS) cases by country of origin, exposure category and gender (Excluding DOC)

[\(Continue next Page\)](#)

Florida Department of Health

Miami-Dade County
Epidemiology, Disease Control, and Immunization Services
8600 NW 17th Street, suite 200, Miami, Florida 33126
PHONE: 305/470-5660 - FAX 305/470-5533

www.FloridaHealth.com

TWITTER: HealthyFLA
FACEBOOK: FLDepartmentofHealth
YOUTUBE: fidoh
FLICKR: HealthyFla
PRINTREST: HealthyFla

Mission:

To protect, promote & improve the health of all people in Florida through integrated state, county & community efforts.



Vision: To be the **Healthiest State** in the Nation

Rick Scott
Governor

John H. Armstrong, MD, FACS
State Surgeon General & Secretary

Haitian born adult HIV (not AIDS) cases by country of origin, exposure category and gender (Excluding DOC)
Department of Correction [DOC] Adult HIV (not AIDS) cases by race/ethnicity and gender.

PERINATAL EXPOSED CASES REPORTED SINCE NOVEMBER 20th, 2006 (*PERINATAL EXPOSED Worksheet*)

- All EXPOSED perinatal pediatric cases born in Miami-Dade by year of birth and diagnosis status since November 20th, 2006.
- All EXPOSED perinatal pediatric cases born in Miami-Dade by year of birth and race/ethnicity since November 20th, 2006.
- All EXPOSED perinatal pediatric cases born in Miami-Dade by year of birth and Mother HIV status since November 20th, 2006.
- All EXPOSED perinatal pediatric cases born in Miami-Dade by diagnosis and Mother HIV status since November 20th, 2006.
- All EXPOSED perinatal pediatric cases born in Miami-Dade by diagnosis status and HIV category since November 20th, 2006.
- CONFIRMED infected perinatal cases born in Miami-Dade, known HIV or AIDS by year of birth, 2000-2015.
- All EXPOSED perinatal pediatric cases born in Miami-Dade by hospital of birth and diagnosis status since November 20th, 2006.

AIDS AND HIV (NOT AIDS) PREVALENCE (*PLWHA*)

- Total prevalence by diagnosis category.
- Total prevalence by gender.
- Total prevalence by race/ethnicity.
- Total prevalence by current age group.
- Total prevalence by exposure category.

ONE-IN STATEMENTS (*ONE-IN STATEMENTS Worksheet*)

- One-in statements for persons (all ages) living with HIV or AIDS through 2013 (all ages) in Miami-Dade & Florida.
- One-in statements for adult (>=13) persons living with HIV or AIDS through 2013 in Miami-Dade & Florida.

USEFUL WEBSITES LINKS (*WEBSITE Worksheet*)

- Useful websites for HIV/AIDS related information.

Florida Department of Health

Miami-Dade County
Epidemiology, Disease Control, and Immunization Services
8600 NW 17th Street, suite 200, Miami, Florida 33126
PHONE: 305/470-5660 - FAX 305/470-5533

www.FloridaHealth.com

TWITTER: HealthyFLA
FACEBOOK: FLDepartmentofHealth
YOUTUBE: fidoh
FLICKR: HealthyFla
PINTREST: HealthyFla

FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
HIV/AIDS Surveillance

Please note that as of January 2016, all HIV/AIDS Data will be based on the following.

Per the Bureau of HIV/AIDS:

Current HIV Infection data by year of report reflects any case meeting the CDC definition of 'HIV infection' which includes all newly reported HIV cases and newly reported AIDS cases with no previous report of HIV in Florida.

If a case is later identified as being previously diagnosed and reported from another state, the case will no longer be reflected as a Florida case and the data will be adjusted accordingly.

Data from the most recent calendar year (2015) are considered provisional and therefore should not be used to confirm or rule out an increase in newly reported cases in Florida.

The final year-end numbers are generated in July of the following year, after duplicate cases are removed from the dataset, as is customary of HIV surveillance in the US

**FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
HIV/AIDS Surveillance
Cumulative Number of Reported AIDS Cases**

JANUARY 2015

<i>AIDS Cases by age group and gender (Excluding Department of Correction - DOC)</i>							<i>AIDS Cases by age group, race/ethnicity & gender, showing Haitians separated (Excluding DOC)</i>											
AIDS Cases by Age Group & Gender	Female		Male		TOTAL AIDS		Hispanic/Latino		Black		White		Haitian		Other ⁽¹⁾		TOTAL AIDS	
	Cases	Col %	Cases	Col %	Cases	Col %	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male
Under 5	209	2.2%	196	0.7%	405	1.1%	29	29	168	151	5	7	6	8	1	1	209	196
5-12	53	0.6%	55	0.2%	108	0.3%	10	11	33	36	4	2	5	5	1	1	53	55
13-19	171	1.8%	134	0.5%	305	0.9%	20	42	127	83	5	2	15	6	4	1	171	134
20-29	1,718	18.0%	3,247	12.4%	4,965	13.9%	281	1,401	1,105	1,035	76	501	236	262	20	48	1,718	3,247
30-39	3,300	34.5%	9,501	36.2%	12,801	35.8%	538	4,107	2,001	2,687	163	1,668	556	891	42	148	3,300	9,501
40-49	2,472	25.9%	7,853	30.0%	10,325	28.9%	463	3,185	1,421	2,528	129	1,259	417	768	42	113	2,472	7,853
50-59	1,110	11.6%	3,625	13.8%	4,735	13.2%	241	1,463	570	1,251	57	481	217	374	25	56	1,110	3,625
60-64	268	2.8%	858	3.3%	1,126	3.1%	67	331	123	319	10	112	63	81	5	15	268	858
65-69	148	1.5%	430	1.6%	578	1.6%	29	152	76	171	5	56	35	42	3	9	148	430
>=70	113	1.2%	320	1.2%	433	1.2%	34	127	46	117	12	35	17	33	4	8	113	320
Unknown	0	0.0%	0	0.0%	0	0.0%	0	0	0	0	0	0	0	0	0	0	0	0
Total AIDS	9,562	100%	26,219	100%	35,781	100%	1,712	10,848	5,670	8,378	466	4,123	1,567	2,470	147	400	9,562	26,219

⁽¹⁾ Other Includes American Indian/Alaska Native, Asian, Native Hawaiian, Pacific Islander, Legacy Asian & Multi Race

AIDS Cases by year of report and gender (Excluding DOC)

AIDS Cases by Year Report & Gender	Female		Male		TOTAL AIDS	
	Cases	Row %	Cases	Row %	Cases	Col %
1981	0	0.0%	4	100%	4	0.0%
1982	7	22.6%	31	81.6%	38	0.1%
1983	16	19.5%	82	83.7%	98	0.3%
1984	18	13.5%	133	88.1%	151	0.4%
1985	29	18.0%	161	84.7%	190	0.5%
1986	71	21.6%	329	82.3%	400	1.1%
1987	63	15.6%	405	86.5%	468	1.3%
1988	109	19.7%	554	83.6%	663	1.9%
1989	194	24.7%	784	80.2%	978	2.7%
1990	171	23.4%	730	81.0%	901	2.5%
1991	362	23.6%	1,537	80.9%	1,899	5.3%
1992	304	25.7%	1,185	79.6%	1,489	4.2%
1993	443	26.4%	1,680	79.1%	2,123	5.9%
1994	748	31.0%	2,415	76.4%	3,163	8.8%
1995	668	38.8%	1,723	72.1%	2,391	6.7%
1996	579	37.1%	1,560	72.9%	2,139	6.0%
1997	432	39.5%	1,093	71.7%	1,525	4.3%
1998	475	46.1%	1,030	68.4%	1,505	4.2%
1999	357	41.0%	870	70.9%	1,227	3.4%

AIDS Cases by Year & Gender (Cont)	Female		Male		TOTAL AIDS	
	Cases	Row %	Cases	Row %	Cases	Col %
2000	378	46.3%	816	68.3%	1,194	3.3%
2001	372	48.7%	764	67.3%	1,136	3.2%
2002	324	41.0%	791	70.9%	1,115	3.1%
2003	305	43.0%	710	70.0%	1,015	2.8%
2004	411	46.1%	892	68.5%	1,303	3.6%
2005	392	49.6%	790	66.8%	1,182	3.3%
2006	396	53.8%	736	65.0%	1,132	3.2%
2007	275	52.9%	520	65.4%	795	2.2%
2008	325	44.9%	724	69.0%	1,049	2.9%
2009	256	44.5%	575	69.2%	831	2.3%
2010	199	43.4%	458	69.7%	657	1.8%
2011	236	49.4%	478	66.9%	714	2.0%
2012	159	36.0%	442	73.5%	601	1.7%
2013	189	39.2%	482	71.8%	671	1.9%
2014	145	38.4%	378	72.3%	523	1.5%
2015	147	43.9%	335	69.5%	482	1.3%
2016	7	31.8%	22	75.9%	29	0.1%
Total Adult AIDS	9,562	36.5%	26,219	73.3%	35,781	100%

(Continue next Page)

FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
HIV/AIDS Surveillance
Cumulative Number of Reported AIDS Cases

JANUARY 2015

Adult & Pediatric AIDS cases by race/ethnicity and gender (Excluding DOC)

AIDS by Race/ Ethnicity *	Adult AIDS						Pediatric AIDS						TOTAL AIDS CASES					
	Female		Male		Total Adult		Female		Male		Total Pediatric		Total Female		Total Male		Total Cases	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)	1,689	18.2%	10,834	41.7%	12,523	35.5%	39	14.9%	40	15.9%	79	15.4%	1,728	18.1%	10,874	41.5%	12,602	35.2%
American Indian/Alaska Native	1	0.0%	2	0.0%	3	0.0%	0	0.0%	0	0.0%	0	0.0%	1	0.0%	2	0.0%	3	0.0%
Asian	2	0.0%	21	0.1%	23	0.1%	0	0.0%	0	0.0%	0	0.0%	2	0.0%	21	0.1%	23	0.1%
Black or African American	6,989	75.2%	10,596	40.8%	17,585	49.9%	212	80.9%	200	79.7%	412	80.3%	7,201	75.3%	10,796	41.2%	17,997	50.3%
Native Hawaiian/Pacific Islander	1	0.0%	1	0.0%	2	0.0%	0	0.0%	0	0.0%	0	0.0%	1	0.0%	1	0.0%	2	0.0%
White	457	4.9%	4,118	15.9%	4,575	13.0%	9	3.4%	9	3.6%	18	3.5%	466	4.9%	4,127	15.7%	4,593	12.8%
Legacy Asian	2	0.0%	12	0.0%	14	0.0%	0	0.0%	0	0.0%	0	0.0%	2	0.0%	12	0.0%	14	0.0%
Multi-Race	159	1.7%	384	1.5%	543	1.5%	2	0.8%	2	0.8%	4	0.8%	161	1.7%	386	1.5%	547	1.5%
Unknown	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Total AIDS	9,300	100%	25,968	100%	35,268	100%	262	100%	251	100%	513	100%	9,562	100%	26,219	100%	35,781	100%

* This new category created by CDC, is to support the ability to record an ethnicity and multiple races for an individual, necessitated by new federal OMB guidelines for reporting race and ethnicity.

AIDS Cases by exposure category and gender among Adult and Pediatric (Excluding DOC)

Exposure Category among adult AIDS	Adult AIDS					
	Female		Male		Total Adult	
	Cases	Col %	Cases	Col %	Cases	Col %
Adult male-to-male sexual contact [MSM]			14,464	55.7%	14,464	41.0%
Adult injection drug use [IDU]	2,052	22.1%	3,200	12.3%	5,252	14.9%
Adult MSM & IDU			1,391	5.4%	1,391	3.9%
Adult heterosexual contact [HTRSX]	6,200	66.7%	4,116	15.9%	10,316	29.3%
Adult other risk*	168	1.8%	192	0.7%	360	1.0%
Adult no risk factor reported [NRR]	880	9.5%	2,605	10.0%	3,485	9.9%
Total adult AIDS	9,300	100%	25,968	100%	35,268	100%

* Other risk includes: Adult receiving clotting factor, Hemophilic, Perinatal exposure w/HIV age at 13+ years

Exposure Category among Pediatric AIDS	Pediatric AIDS					
	Female		Male		Total Pediatric	
	Cases	Col %	Cases	Col %	Cases	Col %
Perinatal exposure [PERINATAL]	259	98.9%	243	96.8%	502	97.9%
Child receiving clotting factor [HEMOPH]	0	0.0%	0	0.0%	0	0.0%
Child receiving transfusion/transplant	2	0.8%	5	2.0%	7	1.4%
Child other risk confirmed [OTHER]	0	0.0%	1	0.4%	1	0.2%
Child no risk factor reported [NRR]	1	0.4%	2	0.8%	3	0.6%
Total Pediatric AIDS	262	100%	251	100%	513	100%

(Continue next Page)

FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
HIV/AIDS Surveillance
Cumulative Number of Reported AIDS Cases

JANUARY 2015

Adult AIDS cases by exposure category, race/ethnicity and gender (Excluding DOC)

ADULT FEMALE AIDS CASES														
Exposure Category/ Race/Ethnicity	MALE-TO-MALE SEXUAL CONTACT		INJECTION DRUG USE [IDU]		MSM & IDU		HETEROSEXUAL CONTACT		OTHER* RISK		NO REPORTED RISK [NRR]		TOTAL ADULT FEMALE	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
	Hispanic/Latino (All Races)			245	11.9%			1,285	20.7%	32	19.0%	127	14.4%	1,689
American Indian/Alaska Native			0	0.0%			1	0.0%	0	0.0%	0	0.0%	1	0.0%
Asian			0	0.0%			2	0.0%	0	0.0%	0	0.0%	2	0.0%
Black or African American			1,559	76.0%			4,604	74.3%	117	69.6%	709	80.6%	6,989	75.2%
Native Hawaiian/Pacific Islander			0	0.0%			1	0.0%	0	0.0%	0	0.0%	1	0.0%
White			204	9.9%			205	3.3%	14	8.3%	34	3.9%	457	4.9%
Legacy Asian			0	0.0%			2	0.0%	0	0.0%	0	0.0%	2	0.0%
Multi-Race			44	2.1%			100	1.6%	5	3.0%	10	1.1%	159	1.7%
Adult Female AIDS			2,052	100%			6,200	100%	168	100%	880	100%	9,300	100%

* OTHER includes Adult receiving clotting factor, Hemophilic, Perinatal exposure w/HIV age at 13+ years

ADULT MALE AIDS CASES														
Exposure Category/ Race/Ethnicity	MALE-TO-MALE SEXUAL CONTACT		INJECTION DRUG USE [IDU]		MSM & IDU		HETEROSEXUAL CONTACT		OTHER* RISK		NO REPORTED RISK [NRR]		TOTAL ADULT MALE	
	Cases	Col %	Cases	Col %	Cases	Col %	1010	Col %	Cases	Col %	Cases	Col %	Cases	Col %
	Hispanic/Latino (All Races)	7,899	54.6%	712	22.3%	500	35.9%	1,037	25.2%	60	31.3%	626	24.0%	10,834
American Indian/Alaska Native	0	0.0%	1	0.0%	0	0.0%	0	0.0%	0	0.0%	1	0.0%	2	0.0%
Asian	14	0.1%	0	0.0%	0	0.0%	4	0.1%	0	0.0%	3	0.1%	21	0.1%
Black or African American	3,013	20.8%	2,201	68.8%	595	42.8%	2,907	70.6%	82	42.7%	1,798	69.0%	10,596	40.8%
Native Hawaiian/Pacific Islander	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	1	0.0%	1	0.0%
White	3,314	22.9%	238	7.4%	270	19.4%	101	2.5%	45	5.0%	150	5.8%	4,118	15.9%
Legacy Asian	7	0.0%	0	0.0%	0	0.0%	4	0.1%	0	0.0%	1	0.0%	12	0.0%
Multi-Race	217	1.5%	48	1.5%	26	1.9%	63	1.5%	5	2.6%	25	1.0%	384	1.5%
Adult Male AIDS	14,464	100%	3,200	100%	1,391	100%	4,116	100%	192	82%	2,605	100%	25,968	100%

	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %
TOTAL ADULT AIDS	14,464	41.0%	5,252	14.9%	1,391	3.9%	10,316	29.3%	360	1.0%	3,485	9.9%	35,268	100%

(Continue next Page)

FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
HIV/AIDS Surveillance
Cumulative Number of Reported AIDS Cases

JANUARY 2015

Pediatric AIDS cases by exposure category, race/ethnicity and gender (Excluding DOC)

PEDIATRIC FEMALE AIDS CASES												
Exposure Category/ Race/Ethnicity	PERINATAL		HEMOPHILIAC		TRANSFUSION		OTHER RISK		NO REPORTED		TOTAL FEMALE	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)	37	14.3%	0	#DIV/0!	1	50.0%	0	#DIV/0!	1	100.0%	39	14.9%
Black or African American	211	81.5%	0	#DIV/0!	1	50.0%	0	#DIV/0!	0	0.0%	212	80.9%
White	9	3.5%	0	#DIV/0!	0	0.0%	0	#DIV/0!	0	0.0%	9	3.4%
Multi-Race	2	0.8%	0	#DIV/0!	0	0.0%	0	#DIV/0!	0	0.0%	2	0.8%
Pediatric Female AIDS	259	100%	0	#DIV/0!	2	100%	0	#DIV/0!	1	100%	262	100%

PEDIATRIC MALE AIDS CASES												
Exposure Category/ Race/Ethnicity	PERINATAL		HEMOPHILIAC		TRANSFUSION		OTHER RISK		NO REPORTED		TOTAL MALE	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)	35	14.4%	0	#DIV/0!	4	80.0%	0	0.0%	1	50.0%	40	15.9%
Black or African American	197	81.1%	0	#DIV/0!	1	20.0%	1	100.0%	1	50.0%	200	79.7%
White	9	3.7%	0	#DIV/0!	0	0.0%	0	0.0%	0	0.0%	9	3.6%
Multi-Race	2	0.8%	0	#DIV/0!	0	0.0%	0	0.0%	0	0.0%	2	0.8%
Pediatric Male AIDS	243	100%	0	#DIV/0!	5	100%	1	100%	2	100%	251	100%

	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %
TOTAL PEDIATRIC AIDS	502	97.9%	0	0.0%	7	1.4%	1	0.2%	3	0.6%	513	100%

Adult Hispanic/Latino AIDS cases by country of origin and gender (Excluding DOC)

Country of Origin	ADULT FEMALE AIDS			ADULT MALE AIDS			TOTAL HISPANIC/LATINO		
	Cases	Col %	Row %	Cases	Col %	Row %	Cases	Col %	Row %
Argentina	24	1.4%	13.0%	161	1.5%	87.0%	185	1.5%	100%
Colombia	73	4.3%	12.6%	505	4.7%	87.4%	578	4.6%	100%
Cuba	401	23.7%	7.7%	4,808	44.4%	92.3%	5,209	41.6%	100%
Dominican Republic	74	4.4%	32.5%	154	1.4%	67.5%	228	1.8%	100%
Guatemala	20	1.2%	16.5%	101	0.9%	83.5%	121	1.0%	100%
Honduras	138	8.2%	29.5%	330	3.0%	70.5%	468	3.7%	100%
Mexico	21	1.2%	8.0%	240	2.2%	92.0%	261	2.1%	100%
Nicaragua	82	4.9%	18.4%	364	3.4%	81.6%	446	3.6%	100%
Peru	27	1.6%	13.7%	170	1.6%	86.3%	197	1.6%	100%
Puerto Rico	187	11.1%	17.5%	883	8.2%	82.5%	1,070	8.5%	100%
United States	387	22.9%	20.4%	1,511	13.9%	79.6%	1,898	15.2%	100%
Venezuela	17	1.0%	6.1%	261	2.4%	93.9%	278	2.2%	100%
Other/Unknown Countries	238	14.1%	15.0%	1,346	12.4%	85.0%	1,584	12.6%	100%
Total Adult Hispanic/Latino	1,689	100%	13.5%	10,834	100%	86.5%	12,523	100%	100%

(Continue next Page)

FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
HIV/AIDS Surveillance
Cumulative Number of Reported AIDS Cases

JANUARY 2015

Adult Hispanic/Latino AIDS cases by country of origin, exposure category and gender (Excluding DOC)

ADULT HISPANIC/LATINO FEMALE AIDS CASES															
Country of Origin	MALE-TO-MALE		INJECTION		MSM & IDU		HETEROSEXUAL		OTHER *		NO REPORTED		Total Hispanic/Latino Female		
	SEXUAL CONTACT		DRUG USE [IDU]				CONTACT		RISK		RISK [NRR]		by Country of Origin		
	Cases	Row %	Cases	Row %	Number	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Col %	Row %
Argentina			3	12.5%			20	83.3%	0	0.0%	1	4.2%	24	1.4%	100%
Colombia			7	9.6%			54	74.0%	2	2.7%	10	13.7%	73	4.3%	100%
Cuba			55	13.7%			297	74.1%	8	2.0%	41	10.2%	401	23.7%	100%
Dominican Republic			3	4.1%			64	86.5%	0	0.0%	7	9.5%	74	4.4%	100%
Guatemala			0	0.0%			20	100.0%	0	0.0%	0	0.0%	20	1.2%	100%
Honduras			8	5.8%			121	87.7%	1	0.7%	8	5.8%	138	8.2%	100%
Mexico			3	14.3%			16	76.2%	1	4.8%	1	4.8%	21	1.2%	100%
Nicaragua			4	4.9%			67	81.7%	1	1.2%	10	12.2%	82	4.9%	100%
Peru			1	3.7%			26	96.3%	0	0.0%	0	0.0%	27	1.6%	100%
Puerto Rico			50	26.7%			124	66.3%	3	1.6%	10	5.3%	187	11.1%	100%
United States			83	21.4%			271	70.0%	14	3.6%	19	4.9%	387	22.9%	100%
Venezuela			3	17.6%			13	76.5%	0	0.0%	1	5.9%	17	1.0%	100%
Other/Unknown Countries			25	10.5%			192	80.7%	2	0.8%	19	8.0%	238	14.1%	100%
Total adult Hispanic/Latino Female			245	14.5%			1,285	76.1%	32	1.9%	127	7.5%	1,689	100%	100%

* OTHER includes Adult receiving clotting factor, Hemophilia, Perinatal exposure w/HIV age at 13+ years

ADULT HISPANIC/LATINO MALE AIDS CASES															
Country of Origin	MALE-TO-MALE		INJECTION		MSM & IDU		HETEROSEXUAL		OTHER*		NO REPORTED		Total Hispanic/Latino Male		
	SEXUAL CONTACT		DRUG USE [IDU]				CONTACT		RISK		RISK [NRR]		by Country of Origin		
	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Col %	Row %
Argentina	134	83.2%	4	2.5%	7	4.3%	13	8.1%	0	0.0%	3	1.9%	161	1.5%	100%
Colombia	410	81.2%	15	3.0%	18	3.6%	39	7.7%	3	0.6%	20	4.0%	505	4.7%	100%
Cuba	3,712	77.2%	211	4.4%	191	4.0%	393	8.2%	26	0.5%	275	5.7%	4,808	44.4%	100%
Dominican Republic	83	53.9%	8	5.2%	5	3.2%	42	27.3%	1	0.6%	15	9.7%	154	1.4%	100%
Guatemala	53	52.5%	5	5.0%	2	2.0%	29	28.7%	0	0.0%	12	11.9%	101	0.9%	100%
Honduras	212	64.2%	18	5.5%	6	1.8%	68	20.6%	4	1.2%	22	6.7%	330	3.0%	100%
Mexico	162	67.5%	11	4.6%	7	2.9%	40	16.7%	0	0.0%	20	8.3%	240	2.2%	100%
Nicaragua	264	72.5%	10	2.7%	13	3.6%	54	14.8%	1	0.3%	22	6.0%	364	3.4%	100%
Peru	137	80.6%	2	1.2%	2	1.2%	18	10.6%	0	0.0%	11	6.5%	170	1.6%	100%
Puerto Rico	440	49.8%	217	24.6%	102	11.6%	70	7.9%	3	0.3%	51	5.8%	883	8.2%	100%
United States	1,034	68.4%	158	10.5%	113	7.5%	130	8.6%	14	0.9%	62	4.1%	1,511	13.9%	100%
Venezuela	229	87.7%	3	1.1%	2	0.8%	17	6.5%	2	0.8%	8	3.1%	261	2.4%	100%
Other/Unknown Countries	1,029	76.4%	50	3.7%	32	2.4%	124	9.2%	6	0.4%	105	7.8%	1,346	12.4%	100%
Total adult Hispanic/Latino Male	7,899	72.9%	712	6.6%	500	4.6%	1,037	9.6%	60	0.6%	626	5.8%	10,834	100%	100%

TOTAL ADULT HISPANIC/LATINO	7,899	63.1%	957	7.6%	500	4.0%	2,322	18.5%	92	0.7%	753	6.0%	12,523	100%
------------------------------------	--------------	--------------	------------	-------------	------------	-------------	--------------	--------------	-----------	-------------	------------	-------------	---------------	-------------

(Continue next Page)

FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
HIV/AIDS Surveillance
Cumulative Number of Reported AIDS Cases

JANUARY 2015

Haitian born adult AIDS cases by exposure category and gender (Excluding DOC)

ADULT HAITIAN BORN AIDS CASES														
Exposure Category GENDER	MALE-TO-MALE SEXUAL CONTACT		INJECTION DRUG USE [IDU]		MSM & IDU		HETEROSEXUAL CONTACT		OTHER *		NO REPORTED RISK [NRR]		Total Haitian by Gender	
	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %
	Haitian born Adult Females			56	3.6%			1,167	75.0%	26	1.7%	307	19.7%	1,556
Haitian born Adult Males	541	22.0%	77	3.1%	27	1.1%	905	36.8%	12	0.5%	895	36.4%	2,457	100%
Total Haitian born	541	13.5%	133	3.3%	27	0.7%	2,072	51.6%	38	0.9%	1,202	30.0%	4,013	100%

* OTHER includes Adult receiving clotting factor, Hemophiliac, Perinatal exposure w/HIV age at 13+ years

Department of Correction [DOC] Adult AIDS cases by race/ethnicity and gender.

AIDS Cases by Race/Ethnicity & Gender	DOC AIDS Cases					
	Female		Male		Total	
	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)	0	0.0%	92	13.6%	92	13.1%
Black or African American	21	75.0%	481	71.3%	502	71.4%
White	5	17.9%	70	10.4%	75	10.7%
Haitian	1	3.6%	19	2.8%	20	2.8%
Other (1)	1	3.6%	13	1.9%	14	2.0%
Total AIDS	28	100%	675	100%	703	100%

(1) Other Includes American Indian/Alaska Native, Asian, Native Hawaiian, Pacific Islander, Legacy Asian & Multi Race

Adjustments are performed on a monthly basis to compensate for duplicate reports state and nation wide and case validation projects.

**FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
HIV/AIDS Surveillance
Cumulative Number of Reported HIV (Not AIDS) Cases**

JANUARY 2015

<i>HIV (not AIDS) cases by age group and gender (Excluding Department of Correction - DOC)</i>							<i>HIV (not AIDS) Cases by age group, race/ethnicity & gender, showing Haitians separated (Excluding DOC)</i>												
HIV Cases by Age Group & Gender	Female		Male		TOTAL HIV		Hispanic/Latino		Black		White		Haitian		Other ⁽¹⁾		TOTAL HIV		
	Cases	Col %	Cases	Col %	Cases	Col %	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	
Under 5	62	1.6%	47	0.4%	109	0.7%	13	8	47	36	1	0	1	2	0	1	62	47	
5-12	36	0.9%	19	0.2%	55	0.4%	6	5	24	11	0	0	6	3	0	0	36	19	
13-19	226	5.7%	302	2.6%	528	3.4%	45	126	166	154	6	9	8	10	1	3	226	302	
20-29	962	24.1%	2,779	24.4%	3,741	24.3%	216	1,504	582	821	51	329	102	82	11	43	962	2,779	
30-39	1,076	26.9%	3,571	31.3%	4,647	30.2%	254	2,028	551	719	75	628	186	155	10	41	1,076	3,571	
40-49	920	23.0%	2,852	25.0%	3,772	24.5%	229	1,476	479	670	59	501	138	167	15	38	920	2,852	
50-59	510	12.8%	1,276	11.2%	1,786	11.6%	141	527	248	411	19	218	96	101	6	19	510	1,276	
60-64	93	2.3%	274	2.4%	367	2.4%	25	104	39	90	3	47	26	27	0	6	93	274	
65-69	73	1.8%	161	1.4%	234	1.5%	23	67	33	58	4	22	12	14	1	0	73	161	
>=70	36	0.9%	128	1.1%	164	1.1%	6	46	11	52	4	15	14	11	1	4	36	128	
Unknown	0	0.0%	0	0.0%	0	0.0%	0	0	0	0	0	0	0	0	0	0	0	0	
Total HIV	3,994	100%	11,409	100%	15,403	100%	958	5,891	2,180	3,022	222	1,769	589	572	45	155	3,994	11,409	

⁽¹⁾ Other Includes American Indian/Alaska Native, Asian, Native Hawaiian, Pacific Islander, Legacy Asian & Multi Race

HIV (Not AIDS) Cases by year of report and gender (Excluding DOC) HIV start reporting in Florida in July 1997.

HIV Cases by Year Report & Gender	Female		Male		TOTAL HIV	
	Cases	Row %	Cases	Row %	Cases	Col %
July-December 1997	122	36.7%	210	63.3%	332	2.2%
1998	269	30.8%	603	69.2%	872	5.7%
1999	259	31.2%	571	68.8%	830	5.4%
2000	234	31.1%	519	68.9%	753	4.9%
2001	239	30.2%	552	69.8%	791	5.1%
2002	287	30.4%	656	69.6%	943	6.1%
2003	233	27.9%	601	72.1%	834	5.4%
2004	227	27.5%	598	72.5%	825	5.4%
2005	222	31.1%	491	68.9%	713	4.6%
2006	181	28.1%	462	71.9%	643	4.2%
2007	224	27.0%	605	73.0%	829	5.4%
2008	233	25.4%	686	74.6%	919	6.0%
2009	179	24.3%	559	75.7%	738	4.8%
2010	171	23.0%	571	77.0%	742	4.8%
2011	179	22.1%	631	77.9%	810	5.3%
2012	159	22.1%	562	77.9%	721	4.7%

HIV Cases by Year Report & Gender	Female		Male		TOTAL HIV	
	Cases	Row %	Cases	Row %	Cases	Col %
2013	194	22.0%	687	78.0%	881	5.7%
2014	160	16.9%	788	83.1%	948	6.2%
2015	199	17.0%	972	83.0%	1,171	7.6%
2016	23	21.3%	85	78.7%	108	0.7%
Total HIV	3,994	25.9%	11,409	74.1%	15,403	100%

(Continue next Page)

**FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
HIV/AIDS Surveillance
Cumulative Number of Reported HIV (Not AIDS) Cases**

JANUARY 2015

Adult & Pediatric HIV (not AIDS) cases by race/ethnicity and gender (Excluding DOC)

HIV by Race/ Ethnicity *	Adult HIV						Pediatric HIV						TOTAL HIV CASES					
	Female		Male		Total Adult		Female		Male		Total Pediatric		Total Female		Total Male		Total Cases	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)	943	24.2%	5,883	51.9%	6,826	44.8%	19	19.4%	13	19.7%	32	19.5%	962	24.1%	5,896	51.7%	6,858	44.5%
American Indian/Alaska Native	2	0.1%	4	0.0%	6	0.0%	0	0.0%	0	0.0%	0	0.0%	2	0.1%	4	0.0%	6	0.0%
Asian	4	0.1%	30	0.3%	34	0.2%	0	0.0%	0	0.0%	0	0.0%	4	0.1%	30	0.3%	34	0.2%
Black or African American	2,685	68.9%	3,532	31.1%	6,217	40.8%	77	78.6%	52	78.8%	129	78.7%	2,762	69.2%	3,584	31.4%	6,346	41.2%
Native Hawaiian/Pacific Islander	1	0.0%	5	0.0%	6	0.0%	0	0.0%	0	0.0%	0	0.0%	1	0.0%	5	0.0%	6	0.0%
White	222	5.7%	1,770	15.6%	1,992	13.1%	1	1.0%	0	0.0%	1	0.6%	223	5.6%	1,770	15.5%	1,993	12.9%
Legacy Asian	1	0.0%	6	0.1%	7	0.0%	0	0.0%	1	1.5%	1	0.6%	1	0.0%	7	0.1%	8	0.1%
Multi-Race	38	1.0%	113	1.0%	151	1.0%	1	1.0%	0	0.0%	1	0.6%	39	1.0%	113	1.0%	152	1.0%
Unknown	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Total HIV	3,896	100%	11,343	100%	15,239	100%	98	100%	66	100%	164	100%	3,994	100%	11,409	100%	15,403	100%

* This new category created by CDC, is to support the ability to record an ethnicity and multiple races for an individual, necessitated by new federal OMB guidelines for reporting race and ethnicity.

HIV (not AIDS) Cases by exposure category and gender among Adult and Pediatric (Excluding DOC)

Exposure Category among adult HIV cases	Adult HIV					
	Female		Male		Total Adult	
	Cases	Col %	Cases	Col %	Cases	Col %
Adult male-to-male sexual contact [MSM]			7,799	68.8%	7,799	51.2%
Adult injection drug use [IDU]	274	7.0%	331	2.9%	605	4.0%
Adult MSM & IDU			248	2.2%	248	1.6%
Adult heterosexual contact [HTRSX]	3,066	78.7%	1,728	15.2%	4,794	31.5%
Adult other risk*	7	0.2%	5	0.0%	12	0.1%
Adult no risk factor reported [NRR]	549	14.1%	1,232	10.9%	1,781	11.7%
Total adult HIV	3,896	100%	11,343	100%	15,239	100%

* Other risk includes: Adult receiving clotting factor, Hemophiliac, Perinatal exposure w/HIV age at 13+ years

Exposure Category among Pediatric HIV cases	Pediatric HIV					
	Female		Male		Total Pediatric	
	Cases	Col %	Cases	Col %	Cases	Col %
Perinatal exposure [PERINATAL]	95	96.9%	65	98.5%	160	97.6%
Child receiving clotting factor [HEMOPH]	0	0.0%	0	0.0%	0	0.0%
Child receiving transfusion/transplant	0	0.0%	0	0.0%	0	0.0%
Child other risk confirmed [OTHER]	0	0.0%	0	0.0%	0	0.0%
Child no risk factor reported [NRR]	3	3.1%	1	1.5%	4	2.4%
Total Pediatric HIV	98	100%	66	100%	164	100%

(Continue next Page)

**FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
HIV/AIDS Surveillance
Cumulative Number of Reported HIV (Not AIDS) Cases**

JANUARY 2015

Adult HIV (not AIDS) cases by exposure category, race/ethnicity and gender (Excluding DOC)

ADULT FEMALE HIV CASES														
Exposure Category/ Race/Ethnicity	MALE-TO-MALE SEXUAL CONTACT		INJECTION DRUG USE [IDU]		MSM & IDU		HETEROSEXUAL CONTACT		OTHER * RISK		NO REPORTED RISK [NRR]		TOTAL ADULT FEMALE	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
	Hispanic/Latino (All Races)			66	24.1%			712	23.2%	3	42.9%	162	29.5%	943
American Indian/Alaska Native			0	0.0%			2	0.1%	0	0.0%	0	0.0%	2	0.1%
Asian			0	0.0%			3	0.1%	0	0.0%	1	0.2%	4	0.1%
Black or African American			160	58.4%			2,177	71.0%	2	28.6%	346	63.0%	2,685	68.9%
Native Hawaiian/Pacific Islander			0	0.0%			0	0.0%	0	0.0%	1	0.2%	1	0.0%
White			41	15.0%			145	4.7%	1	14.3%	35	6.4%	222	5.7%
Legacy Asian			0	0.0%			0	0.0%	0	0.0%	1	0.2%	1	0.0%
Multi-Race			7	2.6%			27	0.9%	1	14.3%	3	0.5%	38	1.0%
Adult Female HIV			274	100%			3,066	100%	7	100%	549	100%	3,896	100%

* OTHER includes Adult receiving clotting factor, Hemophilic, Perinatal exposure w/HIV age at 13+ years

ADULT MALE HIV CASES														
Exposure Category/ Race/Ethnicity	MALE-TO-MALE SEXUAL CONTACT		INJECTION DRUG USE [IDU]		MSM & IDU		HETEROSEXUAL CONTACT		OTHER * RISK		NO REPORTED RISK [NRR]		TOTAL ADULT MALE	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
	Hispanic/Latino (All Races)	4,708	60.4%	101	30.5%	117	47.2%	492	28.5%	0	0.0%	465	37.7%	5,883
American Indian/Alaska Native	2	0.0%	0	0.0%	0	0.0%	1	0.1%	0	0.0%	1	0.1%	4	0.0%
Asian	24	0.3%	0	0.0%	1	0.4%	1	0.1%	0	0.0%	4	0.3%	30	0.3%
Black or African American	1,473	18.9%	189	57.1%	75	30.2%	1,147	66.4%	3	60.0%	645	52.4%	3,532	31.1%
Native Hawaiian/Pacific Islander	4	0.1%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	1	0.1%	5	0.0%
White	1,507	19.3%	38	11.5%	50	20.2%	65	3.8%	2	40.0%	108	8.8%	1,770	15.6%
Legacy Asian	5	0.1%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	1	0.1%	6	0.1%
Multi-Race	76	1.0%	3	0.9%	5	2.0%	22	1.3%	0	0.0%	7	0.6%	113	1.0%
Adult Male HIV	7,799	100%	331	100%	248	100%	1,728	100%	5	100%	1,232	100%	11,343	100%

	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %
TOTAL ADULT HIV	7,799	51.2%	605	4.0%	248	1.6%	4,794	31.5%	12	0.1%	1,781	11.7%	15,239	100%

(Continue next Page)

**FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
HIV/AIDS Surveillance
Cumulative Number of Reported HIV (Not AIDS) Cases**

JANUARY 2015

Pediatric HIV (not AIDS) cases by exposure category, race/ethnicity and gender (Excluding DOC)

PEDIATRIC FEMALE HIV CASES												
Exposure Category/ Race/Ethnicity	PERINATAL		HEMOPHILIAC		TRANSFUSION		OTHER RISK		NO REPORTED		TOTAL FEMALE	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)	17	17.9%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	2	66.7%	19	19.4%
Black or African American	76	80.0%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	1	33.3%	77	78.6%
White	1	1.1%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0	0.0%	1	1.0%
Legacy Asian/Pacific Isl.	0	0.0%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0	0.0%	0	0.0%
Multi-Race	1	1.1%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0	0.0%	1	1.0%
Pediatric Female HIV	95	100%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	3	100%	98	100%

PEDIATRIC MALE HIV CASES												
Exposure Category/ Race/Ethnicity	PERINATAL		HEMOPHILIAC		TRANSFUSION		OTHER RISK		NO REPORTED		TOTAL MALE	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)	13	20.0%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0	0.0%	13	19.7%
Black or African American	51	78.5%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	1	100.0%	52	78.8%
White	0	0.0%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0	0.0%	0	0.0%
Legacy Asian/Pacific Isl.	1	1.5%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0	0.0%	1	1.5%
Multi-Race	0	0.0%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0	0.0%	0	0.0%
Pediatric Male HIV	65	100%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	1	100%	66	100%

	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %
TOTAL PEDIATRIC HIV	160	97.6%	0	0.0%	0	0.0%	0	0.0%	4	2.4%	164	100%

Adult Hispanic/Latino HIV (not AIDS) cases by country of origin and gender (Excluding DOC)

Country of Origin	ADULT FEMALE HIV			ADULT MALE HIV			TOTAL HISPANIC/LATINO		
	Cases	Col %	Row %	Cases	Col %	Row %	Cases	Col %	Row %
Argentina	21	2.2%	12.7%	145	2.5%	87.3%	166	2.4%	100%
Colombia	35	3.7%	11.5%	269	4.6%	88.5%	304	4.5%	100%
Cuba	163	17.3%	8.0%	1,868	31.8%	92.0%	2,031	29.8%	100%
Dominican Republic	35	3.7%	30.2%	81	1.4%	69.8%	116	1.7%	100%
Honduras	68	7.2%	30.6%	154	2.6%	69.4%	222	3.3%	100%
Mexico	9	1.0%	6.2%	137	2.3%	93.8%	146	2.1%	100%
Nicaragua	35	3.7%	19.3%	146	2.5%	80.7%	181	2.7%	100%
Peru	13	1.4%	13.3%	85	1.4%	86.7%	98	1.4%	100%
Puerto Rico	58	6.2%	19.5%	239	4.1%	80.5%	297	4.4%	100%
United States	241	25.6%	16.3%	1,241	21.1%	83.7%	1,482	21.7%	100%
Venezuela	22	2.3%	6.1%	336	5.7%	93.9%	358	5.2%	100%
Other/Unknown Countries	243	25.8%	17.1%	1,182	20.1%	82.9%	1,425	20.9%	100%
Total Adult Hispanic/Latino HIV	943	100%	13.8%	5,883	100%	86.2%	6,826	100%	100%

(Continue next Page)

**FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
HIV/AIDS Surveillance
Cumulative Number of Reported HIV (Not AIDS) Cases**

JANUARY 2015

Adult Hispanic/Latino HIV (not AIDS) cases by country of origin, exposure category and gender (Excluding DOC)

ADULT HISPANIC/LATINO FEMALE HIV CASES															
Country of Origin	MALE-TO-MALE SEXUAL CONTACT		INJECTION DRUG USE [IDU]		MSM & IDU		HETEROSEXUAL CONTACT		OTHER * RISK		NO REPORTED RISK [NRR]		Total Hispanic/Latino Female by Country of Origin		
	Cases	Row %	Cases	Row %	Number	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Col %	Row %
	Argentina			3	14.3%			16	76.2%	0	0.0%	2	9.5%	21	2.2%
Colombia			1	2.9%			30	85.7%	0	0.0%	4	11.4%	35	3.7%	100%
Cuba			8	4.9%			133	81.6%	0	0.0%	22	13.5%	163	17.3%	100%
Dominican Republic			1	2.9%			31	88.6%	0	0.0%	3	8.6%	35	3.7%	100%
Honduras			0	0.0%			59	86.8%	0	0.0%	9	13.2%	68	7.2%	100%
Mexico			2	22.2%			5	55.6%	0	0.0%	2	22.2%	9	1.0%	100%
Nicaragua			0	0.0%			28	80.0%	0	0.0%	7	20.0%	35	3.7%	100%
Peru			1	7.7%			10	76.9%	0	0.0%	2	15.4%	13	1.4%	100%
Puerto Rico			10	17.2%			37	63.8%	0	0.0%	11	19.0%	58	6.2%	100%
United States			32	13.3%			176	73.0%	3	1.2%	30	12.4%	241	25.6%	100%
Venezuela			1	4.5%			20	90.9%	0	0.0%	1	4.5%	22	2.3%	100%
Other/Unknown Countries			7	2.9%			167	68.7%	0	0.0%	69	28.4%	243	25.8%	100%
Total adult Hispanic/Latino Female			66	7.0%			712	75.5%	3	0.3%	162	17.2%	943	100%	100%

* OTHER includes Adult receiving clotting factor, Hemophiliac, Perinatal exposure w/HIV age at 13+ years

ADULT HISPANIC/LATINO MALE HIV CASES															
Country of Origin	MALE-TO-MALE SEXUAL CONTACT		INJECTION DRUG USE [IDU]		MSM & IDU		HETEROSEXUAL CONTACT		OTHER * RISK		NO REPORTED RISK [NRR]		Total Hispanic/Latino Male by Country of Origin		
	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Col %	Row %
	Argentina	126	86.9%	2	1.4%	2	1.4%	10	6.9%	0	0.0%	5	3.4%	145	2.5%
Colombia	222	82.5%	1	0.4%	9	3.3%	18	6.7%	0	0.0%	19	7.1%	269	4.6%	100%
Cuba	1,554	83.2%	20	1.1%	38	2.0%	163	8.7%	0	0.0%	93	5.0%	1,868	31.8%	100%
Dominican Republic	49	60.5%	3	3.7%	3	3.7%	18	22.2%	0	0.0%	8	9.9%	81	1.4%	100%
Honduras	108	70.1%	1	0.6%	3	1.9%	28	18.2%	0	0.0%	14	9.1%	154	2.6%	100%
Mexico	114	83.2%	2	1.5%	1	0.7%	12	8.8%	0	0.0%	8	5.8%	137	2.3%	100%
Nicaragua	113	77.4%	3	2.1%	1	0.7%	17	11.6%	0	0.0%	12	8.2%	146	2.5%	100%
Peru	76	89.4%	1	1.2%	1	1.2%	6	7.1%	0	0.0%	1	1.2%	85	1.4%	100%
Puerto Rico	172	72.0%	29	12.1%	16	6.7%	11	4.6%	0	0.0%	11	4.6%	239	4.1%	100%
United States	1,007	81.1%	27	2.2%	28	2.3%	93	7.5%	0	0.0%	86	6.9%	1,241	21.1%	100%
Venezuela	302	89.9%	0	0.0%	2	0.6%	16	4.8%	0	0.0%	16	4.8%	336	5.7%	100%
Other/Unknown Countries	865	73.2%	12	1.0%	13	1.1%	100	8.5%	0	0.0%	192	16.2%	1,182	20.1%	100%
Total adult Hispanic/Latino Ma	4,708	80.0%	101	1.7%	117	2.0%	492	8.4%	0	0.0%	465	7.9%	5,883	100%	100%

	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %
TOTAL ADULT HISPANIC/LATINO	4,708	69.0%	167	2.4%	117	1.7%	1,204	17.6%	3	0.0%	627	9.2%	6,826	100%

(Continue next Page)

FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
HIV/AIDS Surveillance
Cumulative Number of Reported HIV (Not AIDS) Cases

JANUARY 2015

Haitian born adult HIV cases by exposure category and gender (Excluding DOC)

ADULT HAITIAN BORN HIV CASES														
Exposure Category GENDER	MALE-TO-MALE SEXUAL CONTACT		INJECTION DRUG USE [IDU]		[MSM\ & [IDU]		HETEROSEXUAL CONTACT		OTHER* RISK		NO REPORTED RISK [NRR]		Total Haitian by Gender	
	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %
	Haitian born Adult Females			11	1.9%			503	86.4%	0	0.0%	68	11.7%	582
Haitian born Adult Males	110	19.4%	7	1.2%	1	0.2%	313	55.2%	0	0.0%	136	24.0%	567	100%
Total Haitian born	110	9.6%	18	1.6%	1	0.1%	816	71.0%	0	0.0%	204	17.8%	1,149	100%

* OTHER includes Adult receiving clotting factor, Hemophiliac, Perinatal exposure w/HIV age at 13+ years

Department of Correction [DOC] Adult HIV (not AIDS) by race/ethnicity and gender.

HIV Cases by Race/Ethnicity & Gender	DOC HIV Cases					
	Female		Male		Total	
	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)	5	31.3%	76	17.6%	81	18.0%
Black or African American	8	50.0%	280	64.7%	288	64.1%
White	3	18.8%	59	13.6%	62	13.8%
Haitian	0	0.0%	12	2.8%	12	2.7%
Other (1)	0	0.0%	6	1.4%	6	1.3%
Total HIV	16	100%	433	100%	449	100%

(1) Other Includes American Indian/Alaska Native, Asian, Native Hawaiian, Pacific Islander, Legacy Asian & Multi Race
Adjustments are performed on a monthly basis to compensate for duplicate reports state and nation wide and case validation projects.

FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
HIV/AIDS Surveillance
Perinatal HIV Exposed Cases

JANUARY 2015

All EXPOSED Perinatal pediatric cases born in Miami-Dade by year of birth and diagnosis status since November 20th, 2006. ⁽¹⁾

Year of Birth	Perinatal HIV Exposure	Pediatric HIV	Pediatric AIDS	Pediatric seroreverter	Unknown	TOTAL
>=November 20 th , 2006	3	0	0	16	0	19
2007	32	1	0	106	0	139
2008	39	1	1	91	0	132
2009	30	2	0	87	0	119
2010	39	3	0	83	0	125
2011	13	1	0	105	0	119
2012	10	1	0	90	0	101
2013	12	2	1	81	0	96
2014	4	1	0	84	0	89
2015	21	5	0	62	0	88
2016	1	0	0	0	0	1
Total	204	17	2	805	0	1,028

All EXPOSED Perinatal pediatric cases born in Miami-Dade by year of birth and race/ethnicity since November 20th, 2006. ⁽¹⁾

Year of Birth	Hispanic	Not Hispanic, Black	Not Hispanic, White	Not Hispanic, Other ⁽²⁾	TOTAL
>=November 20 th , 2006	3	15	1	0	19
2007	22	110	5	2	139
2008	19	111	2	0	132
2009	24	91	3	1	119
2010	31	87	5	2	125
2011	21	90	7	1	119
2012	23	68	8	2	101
2013	17	75	3	1	96
2014	15	70	4	0	89
2014	17	68	3	0	88
2015	0	1	0	0	1
Total	192	786	41	9	1,028

⁽¹⁾ NOTE: An expanded HIV reporting law was implemented on November 20th, 2006. Expansion included reportability of cases with virologic evidence of HIV infection. Previously, only Western Blot-confirmed (+) cases were reportable. In addition, reporting is retroactive. Previously, only HIV cases diagnosed after July 1st, 1997, were reportable. A detectable viral load (VL) (or equivalent viral test) is reportable, and is considered evidence of HIV. Other reportable virologic test considered to be evidence of HIV are: P24, ANTIGEN, Nucleic Acid test (NAT/NAAT), viral culture. CD4 counts/percents are reportable, but follow-up is conducted only if it is <200 uL, or <14%.

⁽²⁾ Other Includes American Indian/Alaska Native, Asian, Native Hawaiian, Pacific Islander, Legacy Asian & Multi Race

[\(Continue next Page\)](#)

FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
HIV/AIDS Surveillance
Perinatal HIV Exposed Cases

JANUARY 2015

All EXPOSED Perinatal pediatric cases born in Miami-Dade by year of birth and Mother HIV status since November 20th, 2006. ⁽¹⁾

Year of Birth	Know HIV (+) before pregnancy	Know HIV (+) during pregnancy	Know HIV (+) at time of delivery	Know HIV (+) sometime before birth	Know HIV (+) sometime after birth	HIV (+) with time unknown	TOTAL
>=November 20 th , 2006	16	2	0	0	0	1	19
2007	92	34	10	0	3	0	139
2008	95	35	2	0	0	0	132
2009	87	24	8	0	0	0	119
2010	90	25	5	2	1	2	125
2011	89	24	3	2	1	0	119
2012	75	24	2	0	0	0	101
2013	78	12	2	3	0	1	96
2014	77	11	0	1	0	0	89
2014	73	10	1	0	1	3	88
2015	0	1	0	0	0	0	1
Total	772	202	33	8	6	7	1,028

All EXPOSED Perinatal pediatric cases born in Miami-Dade by diagnosis and Mother HIV status since November 20th, 2006. ⁽¹⁾

Diagnosis Status	Know HIV (+) before pregnancy	Know HIV (+) during pregnancy	Know HIV (+) at time of delivery	Know HIV (+) sometime before birth	Know HIV (+) sometime after birth	HIV (+) with time unknown	TOTAL
Perinatal HIV Exposure	145	40	11	4	3	1	204
Pediatric HIV	12	1	3	0	1	0	17
Pediatric AIDS	2	0	0	0	0	0	2
Pediatric Seroreverter	613	161	19	4	2	6	805
Unknown	0	0	0	0	0	0	-
Total	772	202	33	8	6	7	1,028

All EXPOSED Perinatal pediatric cases born in Miami-Dade by diagnosis status and HIV category since November 20th, 2006. ⁽¹⁾

Diagnosis Status	HIV (+) Definitive	HIV (+) Presumptive	HIV Indeterminate	HIV (-) Definitive	HIV (-) Presumptive	Unknown	TOTAL
Perinatal HIV Exposure	0	0	204	0	0	0	204
Pediatric HIV	17	0	0	0	0	0	17
Pediatric AIDS	2	0	0	0	0	0	2
Pediatric Seroreverter	0	0	0	582	223	0	805
Unknown	0	0	0	0	0	0	-
Total	19	0	204	582	223	0	1,028

⁽¹⁾ NOTE: An expanded HIV reporting law was implemented on November 20th, 2006. Expansion included reportability of cases with virologic evidence of HIV infection. Previously, only Western Blot-confirmed (+) cases were reportable. In addition, reporting is retroactive. Previously, only HIV cases diagnosed after July 1st, 1997, were reportable. A detectable viral load (VL) (or equivalent viral test) is reportable, and is considered evidence of HIV. Other reportable virologic test considered to be evidence of HIV are: P24, ANTIGEN, Nucleic Acid test (NAT/NAAT), viral culture. CD4 counts/percents are reportable, but follow-up is conducted only if it is <200 uL, or <14%. (Continue next Page)

FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
HIV/AIDS Surveillance
Perinatal HIV Exposed Cases

JANUARY 2015

CONFIRMED Infected Perinatal Cases, know HIV or AIDS born in Miami-Dade by year of birth, 2000-2015.

Perinatal HIV/AIDS Cases by Year of Birth	Pediatric HIV		Pediatric AIDS		TOTAL		
	Cases	Row %	Cases	Row %	Cases	Col %	Row %
2000	5	71.4%	2	28.6%	7	12.5%	100%
2001	6	60.0%	4	40.0%	10	17.9%	100%
2002	3	50.0%	3	50.0%	6	10.7%	100%
2003	3	75.0%	1	25.0%	4	7.1%	100%
2004	1	50.0%	1	50.0%	2	3.6%	100%
2005	3	60.0%	2	40.0%	5	8.9%	100%
2006	2	66.7%	1	33.3%	3	5.4%	100%
2007	1	100.0%	0	0.0%	1	1.8%	100%
2008	1	50.0%	1	50.0%	2	3.6%	100%
2009	2	100.0%	0	0.0%	2	3.6%	100%
2010	3	100.0%	0	0.0%	3	5.4%	100%
2011	1	100.0%	0	0.0%	1	1.8%	100%
2012	1	100.0%	0	0.0%	1	1.8%	100%
2013	2	66.7%	1	33.3%	3	5.4%	100%
2014	1	100.0%	0	0.0%	1	1.8%	100%
2015	5	100.0%	0	0.0%	5	8.9%	100%
2016	0	#DIV/0!	0	#DIV/0!	0	0.0%	#DIV/0!
Total Confirmed Perinatal Cases	40	71%	16	29%	56	100%	100%

(Continue next Page)

FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
HIV/AIDS Surveillance
Perinatal HIV Exposed Cases

JANUARY 2015

All EXPOSED Perinatal pediatric cases born in Miami-Dade by hospital of birth and diagnosis status since November 20th, 2006. ⁽¹⁾

Hospital of Birth	Perinatal HIV Exposure	Pediatric HIV	Pediatric AIDS	Perinatal Seroreverter	Unknown	TOTAL	TOTAL %
BAPTIST HOSPITAL-MIAMI	4	0	0	2	0	6	0.6%
BROWARD GENERAL MEDICAL CTR.	2	0	0	2	0	4	0.4%
CORAL SPRINGS MEDICAL CTR.	1	0	0	0	0	1	0.1%
HIALEAH HOSPITAL	2	0	0	1	0	3	0.3%
HOMESTEAD HOSPITAL	8	1	0	1	0	10	1.0%
JACKSON N MATERNITY CTR.	0	0	0	2	0	2	0.2%
JACKSON NORTH MEDICAL CTR.	8	3	0	18	0	29	2.8%
JACKSON SOUTH MEDICAL CTR.	2	0	0	15	0	17	1.7%
JACKSON MEMORIAL HOSPITAL	134	7	0	715	0	856	83.3%
KENDALL RMC	1	0	0	1	0	2	0.2%
MEMORIAL HOSPITAL-MIRAMAR	1	0	1	0	0	2	0.2%
MEMORIAL HOSPITAL-SOUTH	1	0	0	0	0	1	0.1%
MEMORIAL HOSPITAL-WEST	1	0	0	2	0	3	0.3%
MEMORIAL HOSPITAL-PEMBROKE PINES	3	0	0	1	0	4	0.4%
MEMORIAL HOSPITAL-HOLLYWOOD	11	0	0	7	0	18	1.8%
MERCY HOSPITAL	2	0	0	0	0	2	0.2%
MIAMI CHILDREN'S HOSPITAL	1	0	0	0	0	1	0.1%
MIAMI-DADE PVT PHYSICIAN-MIAMI	2	0	0	0	0	2	0.2%
MOUNT SINAI MC	1	0	0	1	0	2	0.2%
NORTH SHORE MEDICAL CTR.	13	2	0	26	0	41	4.0%
PLANTATION GENERAL HOSPITAL	1	0	0	1	0	2	0.2%
SOUTH MIAMI HOSPITAL	1	0	0	0	0	1	0.1%
UF HEALTH AT JACKSONVILLE	1	0	0	0	0	1	0.1%
WELLINGTON RMS	1	0	0	0	0	1	0.1%
UNKNOWN	2	4	1	10	0	17	1.7%
TOTAL	204	17	2	805	0	1,028	100%

⁽¹⁾ NOTE: An expanded HIV reporting law was implemented on November 20th, 2006. Expansion included reportability of cases with virologic evidence of HIV infection. Previously, only Western Blot-confirmed (+) cases were reportable. In addition, reporting is retroactive. Previously, only HIV cases diagnosed after July 1st, 1997, were reportable. A detectable viral load (VL) (or equivalent viral test) is reportable, and is considered evidence of HIV. Other reportable virologic test considered to be evidence of HIV are: P24, ANTIGEN, Nucleic Acid test (NAT/NAAT), viral culture. CD4 counts/percents are reportable, but follow-up is conducted only if it is <200 uL, or <14%.

**FLORIDA DEPARTMENT OF HEALTH IN MIAMI- DADE COUNTY
HIV/AIDS SURVEILLANCE
AIDS, HIV (NOT AIDS) AND TOTAL PREVALENCE THROUGH 2014**

Total prevalence through 2014, as of June 2015, excluding Department of Correction [DOC] cases

* Living AIDS and Living HIV (not AIDS) [PLWHA - prevalence] is defined as the number of diagnosed cases in eHARS, as of the date specified.

These included cases whose current residence is Miami-Dade County regardless of where they were diagnosed.

* LIVING CASES by DIAGNOSIS						
GENDER	AIDS		HIV (Not AIDS)		Total Prevalence	
	Cases	Col %	Cases	Col %	Cases	Col %
Female	3,838	29%	3,346	27%	7,184	28%
Male	9,614	71%	9,244	73%	18,858	72%
Total Prevalence	13,452	100%	12,590	100%	26,042	100%

RACE/ETHNICITY	* LIVING CASES by DIAGNOSIS				* LIVING CASES by GENDER				Total Prevalence			
	AIDS		HIV (Not AIDS)		FEMALE		MALE		Cases	Col %		
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %		
Hispanic (All Races)	5,472	41%	5,644	45%	11,116	43%	1,648	23%	9,468	50%	11,116	43%
Not Hispanic, Black	6,335	47%	5,202	41%	11,537	44%	5,099	71%	6,438	34%	11,537	44%
Not Hispanic, White	1,425	11%	1,595	13%	3,020	12%	335	5%	2,685	14%	3,020	12%
Not Hispanic, Other	220	2%	149	1%	369	1%	102	1%	267	1%	369	1%
Total Prevalence	13,452	100%	12,590	100%	26,042	100%	7,184	100%	18,858	100%	26,042	100%

RACE/ETHNICITY BY GENDER	* Adult Prevalence						* Pediatric Prevalence						* TOTAL Prevalence					
	Female		Male		Total Adult		Female		Male		Total Pediatric		Total Female		Total Male		Total Prevalence	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic (All Races)	1,647	23.0%	9,465	50.2%	11,112	42.7%	1	7.7%	3	16.7%	4	12.9%	1,648	22.9%	9,468	50.2%	11,116	42.7%
Not Hispanic, Black	5,087	70.9%	6,423	34.1%	11,510	44.3%	12	92.3%	15	83.3%	27	87.1%	5,099	71.0%	6,438	34.1%	11,537	44.3%
Not Hispanic, White	335	4.7%	2,685	14.3%	3,020	11.6%	0	0.0%	0	0.0%	0	0.0%	335	4.7%	2,685	14.2%	3,020	11.6%
Not Hispanic, Other	102	1.4%	267	1.4%	369	1.4%	0	0.0%	0	0.0%	0	0.0%	102	1.4%	267	1.4%	369	1.4%
Total Prevalence	7,171	100%	18,840	100%	26,011	100%	13	100%	18	100%	31	100%	7,184	100%	18,858	100%	26,042	100%

(Continue next Page)

**FLORIDA DEPARTMENT OF HEALTH IN MIAMI- DADE COUNTY
HIV/AIDS SURVEILLANCE
AIDS, HIV (NOT AIDS) AND TOTAL PREVALENCE THROUGH 2014**

Total prevalence through 2014, as of June 2015, excluding Department of Correction [DOC] cases

* Living AIDS and Living HIV (not AIDS) [PLWHA - prevalence] is defined as the number of diagnosed cases in eHARS, as of the date specified.

These included cases whose current residence is Miami-Dade County regardless of where they were diagnosed.

CURRENT AGE	* LIVING CASES by DIAGNOSIS						* LIVING CASES by GENDER					
	AIDS		HIV (Not AIDS)		Total Prevalence		FEMALE		MALE		Total Prevalence	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
00-12 years	8	0%	23	0%	31	0%	13	0%	18	0%	31	0%
13-19 years	42	0%	107	1%	149	1%	72	1%	77	0%	149	1%
20-24 years	189	1%	521	4%	710	3%	202	3%	508	3%	710	3%
25-29 years	403	3%	1,028	8%	1,431	5%	374	5%	1,057	6%	1,431	5%
30-39 years	1,342	10%	2,610	21%	3,952	15%	1,220	17%	2,732	14%	3,952	15%
40-49 years	3,657	27%	3,606	29%	7,263	28%	1,936	27%	5,327	28%	7,263	28%
50-59 years	4,973	37%	3,161	25%	8,134	31%	2,164	30%	5,970	32%	8,134	31%
60+ years	2,838	21%	1,534	12%	4,372	17%	1,203	17%	3,169	17%	4,372	17%
Total Prevalence	13,452	100%	12,590	100%	26,042	100%	7,184	100%	18,858	100%	26,042	100%

EXPOSURE CATEGORY ⁽¹⁾	* LIVING CASES by DIAGNOSIS and GENDER						% of Male	% of Total
	AIDS		HIV (Not AIDS)		Total Prevalence			
	Cases	Col %	Cases	Col %	Cases	Col %		
ADULT MALE								
Adult male-to-male sexual contact [MSM]	6,315	66%	7,026	76%	13,341	71%	51%	
Adult injection drug use [IDU]	657	7%	298	3%	955	5%	4%	
Adult MSM & IDU	459	5%	244	3%	703	4%	3%	
Adult heterosexual contact [HTRSX]	2,058	21%	1,612	17%	3,670	19%	14%	
Adult other risk	121	1%	50	1%	171	1%	1%	
Total Adult Male Prevalence	9,610	100%	9,230	100%	18,840	100%		
ADULT FEMALE								
Adult injection drug use [IDU]	504	13%	241	7%	745	10%	3%	
Adult heterosexual contact [HTRSX]	3,200	83%	3,023	91%	6,223	87%	24%	
Adult other risk	130	3%	73	2%	203	3%	1%	
Total Adult Female Prevalence	3,834	100%	3,337	100%	7,171	100%		
PEDIATRIC (Current age 0-12)								
Mother with/at risk for HIV infection	8	100%	23	100%	31	100%	0%	
Risk not diagnosed/Other	0	0%	0	0%	0	0%	0%	
Total Pediatric Prevalence	8	100%	23	100%	31	100%		
Total Prevalence	13,452		12,590		26,042		100%	

⁽¹⁾ No identified risk [NIR] redistributed

(Continue next Page)

**FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
ONE-IN STATEMENTS**

* **ONE-IN Statements for Adults (>=13) Living with HIV or AIDS [PLWHA] through 2014 in Miami-Dade & Florida,**

ADULT MALE LIVING WITH HIV OR AIDS	
MIAMI-DADE	FLORIDA
• One in 61 White adult male in Miami-Dade is living with HIV or AIDS	• One in 170 White adult male
• One in 26 Black adult male in Miami-Dade is living with HIV or AIDS	• One in 38 Black adult male
• One in 75 Hispanic adult male in Miami-Dade is living with HIV or AIDS	• One in 98 Hispanic adult male
• One in 89 other race adult male in Miami-Dade is living with HIV or AIDS	• One in 200 Other adult male
One in 56 adult male in Miami-Dade is living with HIV or AIDS	One in 103 adult male in Florida

ADULT FEMALE LIVING WITH HIV OR AIDS	
MIAMI-DADE	FLORIDA
• One in 461 White adult female in Miami-Dade is living with HIV or AIDS	• One in 1,049 White adult female
• One in 37 Black adult female in Miami-Dade is living with HIV or AIDS	• One in 60 Black adult female
• One in 473 Hispanic adult female in Miami-Dade is living with HIV or AIDS	• One in 422 Hispanic adult female
• One in 259 other race adult female in Miami-Dade is living with HIV or AIDS	• One in 573 Other adult female
One in 160 adult female in Miami-Dade is living with HIV or AIDS	One in 275 adult female in Florida

TOTAL ADULTS OF ALL SEXES LIVING WITH HIV OR AIDS	
MIAMI-DADE	FLORIDA
• One in 106 White adult in Miami-Dade is living with HIV or AIDS	• One in 298 White adult
• One in 31 Black adult in Miami-Dade is living with HIV or AIDS	• One in 47 Black adult
• One in 134 Hispanic adult in Miami-Dade is living with HIV or AIDS	• One in 161 Hispanic adult
• One in 136 other race adult in Miami-Dade is living with HIV or AIDS	• One in 307 Other adult race
One in 85 adult resident in Miami-Dade is living with HIV or AIDS	One in 151 adult Floridian

Note: Excluding Department of Correction [DOC] cases at county level. Florida totals include DOC cases.

These statements are updated by the Florida Bureau of Communicable Disease, HIV/AIDS Section, every June of following year.

* **Living data now reflects those living on our area regardless of where diagnosed. You cannot compare this year's data with last year's since they were run separately**

**FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
ONE-IN STATEMENTS**

* **ONE-IN Statements for Total Persons (all ages) Living with HIV or AIDS [PLWHA] through 2014 in Miami-Dade & Florida**

TOTAL MALE LIVING WITH HIV OR AIDS	
MIAMI-DADE	FLORIDA
• One in 73 White male in Miami-Dade is living with HIV or AIDS	• One in 193 White male
• One in 32 Black male in Miami-Dade is living with HIV or AIDS	• One in 48 Black male
• One in 88 Hispanic male in Miami-Dade is living with HIV or AIDS	• One in 122 Hispanic male
• One in 108 other race male in Miami-Dade is living with HIV or AIDS	• One in 262 Other male
One in 67 male in Miami-Dade is living with HIV or AIDS	One in 121 male in Florida

TOTAL FEMALE LIVING WITH HIV OR AIDS	
MIAMI-DADE	FLORIDA
• One in 551 White female in Miami-Dade is living with HIV or AIDS	• One in 1,176 White female
• One in 45 Black female in Miami-Dade is living with HIV or AIDS	• One in 74 Black female
• One in 546 Hispanic female in Miami-Dade is living with HIV or AIDS	• One in 514 Hispanic female
• One in 309 other race female in Miami-Dade is living with HIV or AIDS	• One in 724 Other female
One in 187 female in Miami-Dade is living with HIV or AIDS	One in 320 female in Florida

TOTAL ALL SEXES LIVING WITH HIV OR AIDS	
MIAMI-DADE	FLORIDA
• One in 126 White in Miami-Dade is living with HIV or AIDS	• One in 336 White
• One in 38 Black in Miami-Dade is living with HIV or AIDS	• One in 59 Black
• One in 156 Hispanic in Miami-Dade is living with HIV or AIDS	• One in 198 Hispanic
• One in 164 other race in Miami-Dade is living with HIV or AIDS	• One in 394 Other race
One in 100 Miami-Dade resident is living with HIV or AIDS	One in 178 Floridian

Note: Excluding Department of Correction [DOC] cases at county level. Florida totals include DOC cases.

These statements are updated by the Florida Bureau of Communicable Disease, HIV/AIDS Section, every June of following year.

* **Living data now reflects those living on our area regardless of where diagnosed. You cannot compare this year's data with last year's since they were run separately**

**FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
USEFUL WEBSITE LINKS**

Below are several website that may be useful for HIV/AIDS related information.

USEFUL WEBSITE LINKS	
ORGANIZATIONS / SITES	ELECTRONIC ADDRESS
Data from the HIV Counseling and Testing (Florida & all Counties)	http://www.floridahealth.gov/diseases-and-conditions/aids/prevention/2013-testing-data.html
Center for Disease Control and Prevention [CDC]	http://www.cdc.gov
Center for Disease Control and Prevention [CDC] HIV/AIDS Statistics and Surveillance	http://www.cdc.gov/hiv/topics/surveillance/
Center for Disease Control and Prevention [CDC] Morbidity and Mortality Weekly Report [MMWR]	http://www.cdc.gov/mmwr/
Florida Community Health Assessment Resource Tool Set [Florida CHARTS]	http://www.floridacharts.com/charts/default.aspx
Florida Department of Health in Miami-Dade County	http://miamidade.floridahealth.gov
Florida Department of Health, Bureau of Communicable Disease, HIV/AIDS and Hepatitis Section.	http://www.floridahealth.gov/diseases-and-conditions/aids/index.html
<i>Organización Panamericana de la Salud</i> [PAHO] (Pan American Health Organization)	http://www.paho.org
The Test Miami Initiative	http://www.testmiami.org/index.aspx
United Nations Program on HIV/AIDS [UNAIDS]	http://www.unaids.org/
US Census Bureau.	http://www.census.gov
US Census Bureau. HIV/AIDS Surveillance	http://www.census.gov/ipc/www/hivaidn.html
World Health Organization [WHO]	http://www.who.int