

**Mission:**

To protect, promote & improve the health of all people in Florida through integrated state, county & community efforts.



**Vision:** To be the Healthiest State in the Nation

**Rick Scott**  
Governor

**Celeste Phillip, MD, MPH**  
Interim State Surgeon General

**FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY**  
**HIV/AIDS SURVEILLANCE**  
**MONTHLY HIV/AIDS SURVEILLANCE REPORT**

**MARCH 2016**

**AIDS CASES (EXCLUDING DEPARTMENT OF CORRECTION [DOC] CASES)** *(AIDS Worksheet)*

- AIDS cases by age group and gender (Excluding Department of Correction - DOC).
- AIDS cases by age group, race/ethnicity & gender, showing Haitians separated (Excluding DOC)
- AIDS cases by year of report and gender (Excluding DOC)
- Adult & pediatric AIDS cases by race/ethnicity and gender (Excluding DOC)
- AIDS cases by exposure category and gender among Adult and Pediatric (Excluding DOC)
- Adult AIDS cases by exposure category, race/ethnicity and gender (Excluding DOC)
- Pediatric AIDS cases by exposure category, race/ethnicity and gender.
- Adult Hispanic/Latino AIDS cases by country of origin and gender (Excluding DOC)
- Adult Hispanic/Latino AIDS cases by country of origin, exposure category and gender (Excluding DOC)
- Haitian born adult AIDS cases by exposure category and gender (Excluding DOC)
- Department of Correction [DOC] Adult AIDS cases by race/ethnicity and gender.

**HIV CASES (EXCLUDING DEPARTMENT OF CORRECTION [DOC] CASES)** *(HIV Worksheet)*

- HIV (not AIDS) cases by age group and gender (Excluding Department of Correction - DOC)
- HIV (not AIDS) cases by age group, race/ethnicity & gender, showing Haitians separated (Excluding DOC)
- HIV (not AIDS) cases by year of report and gender (Excluding DOC)
- Adult & pediatric HIV (not AIDS) cases by race/ethnicity and gender (Excluding DOC)
- HIV (not AIDS) cases by exposure category and gender among Adult and Pediatric (Excluding DOC)
- Adult HIV (not AIDS) cases by exposure category, race/ethnicity and gender (Excluding DOC)
- Adult Hispanic/Latino HIV (not AIDS) cases by country of origin and gender (Excluding DOC)
- Adult Hispanic/Latino HIV (not AIDS) cases by country of origin, exposure category and gender (Excluding DOC)

[\(Continue next Page\)](#)

**Florida Department of Health**

Miami-Dade County  
Epidemiology, Disease Control, and Immunization Services  
8600 NW 17th Street, suite 200, Miami, Florida 33126  
PHONE: 305/470-5660 - FAX 305/470-5533

**www.FloridaHealth.com**

TWITTER: HealthyFLA  
FACEBOOK: FLDepartmentofHealth  
YOUTUBE: fidoh  
FLICKR: HealthyFla  
PRINTREST: HealthyFla

**Mission:**

To protect, promote & improve the health of all people in Florida through integrated state, county & community efforts.



**Vision:** To be the **Healthiest State** in the Nation

**Rick Scott**  
Governor

**John H. Armstrong, MD, FACS**  
State Surgeon General & Secretary

Haitian born adult HIV (not AIDS) cases by country of origin, exposure category and gender (Excluding DOC)  
Department of Correction [DOC] Adult HIV (not AIDS) cases by race/ethnicity and gender.

**PERINATAL EXPOSED CASES REPORTED SINCE NOVEMBER 20<sup>th</sup>, 2006** (*PERINATAL EXPOSED Worksheet*)

- All EXPOSED perinatal pediatric cases born in Miami-Dade by year of birth and diagnosis status since November 20th, 2006.
- All EXPOSED perinatal pediatric cases born in Miami-Dade by year of birth and race/ethnicity since November 20th, 2006.
- All EXPOSED perinatal pediatric cases born in Miami-Dade by year of birth and Mother HIV status since November 20th, 2006.
- All EXPOSED perinatal pediatric cases born in Miami-Dade by diagnosis and Mother HIV status since November 20th, 2006.
- All EXPOSED perinatal pediatric cases born in Miami-Dade by diagnosis status and HIV category since November 20th, 2006.
- CONFIRMED infected perinatal cases born in Miami-Dade, known HIV or AIDS by year of birth, 2000-2015.
- All EXPOSED perinatal pediatric cases born in Miami-Dade by hospital of birth and diagnosis status since November 20th, 2006.

**AIDS AND HIV (NOT AIDS) PREVALENCE** (*PLWHA*)

- Total prevalence by diagnosis category.
- Total prevalence by gender.
- Total prevalence by race/ethnicity.
- Total prevalence by current age group.
- Total prevalence by exposure category.

**ONE-IN STATEMENTS** (*ONE-IN STATEMENTS Worksheet*)

- One-in statements for persons (all ages) living with HIV or AIDS through 2013 (all ages) in Miami-Dade & Florida.
- One-in statements for adult ( $\geq 13$ ) persons living with HIV or AIDS through 2013 in Miami-Dade & Florida.

**USEFUL WEBSITES LINKS** (*WEBSITE Worksheet*)

- Useful websites for HIV/AIDS related information.

**Florida Department of Health**

Miami-Dade County  
Epidemiology, Disease Control, and Immunization Services  
8600 NW 17th Street, suite 200, Miami, Florida 33126  
PHONE: 305/470-5660 - FAX 305/470-5533

**www.FloridaHealth.com**

TWITTER: HealthyFLA  
FACEBOOK: FLDepartmentofHealth  
YOUTUBE: fidoh  
FLICKR: HealthyFla  
PINTREST: HealthyFla

FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY  
HIV/AIDS Surveillance

Please note that as of January 2016, all HIV/AIDS Data will be based on the following.

Per the Bureau of HIV/AIDS:

Current HIV Infection data by year of report reflects any case meeting the CDC definition of 'HIV infection' which includes all newly reported HIV cases and newly reported AIDS cases with no previous report of HIV in Florida.

If a case is later identified as being previously diagnosed and reported from another state, the case will no longer be reflected as a Florida case and the data will be adjusted accordingly.

Data from the most recent calendar year (2015) are considered provisional and therefore should not be used to confirm or rule out an increase in newly reported cases in Florida.

The final year-end numbers are generated in July of the following year, after duplicate cases are removed from the dataset, as is customary of HIV surveillance in the US

**FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY  
HIV/AIDS Surveillance  
Cumulative Number of Reported AIDS Cases**

**MARCH 2016**

AIDS Cases by age group and gender (Excluding Department of Correction - DOC)							AIDS Cases by age group, race/ethnicity & gender, showing Haitians separated (Excluding DOC)											
AIDS Cases by Age Group & Gender	Female		Male		TOTAL AIDS		Hispanic/Latino		Black		White		Haitian		Other <sup>(1)</sup>		TOTAL AIDS	
	Cases	Col %	Cases	Col %	Cases	Col %	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male
Under 5	209	2.2%	196	0.7%	405	1.1%	29	29	168	151	5	7	6	8	1	1	209	196
5-12	53	0.6%	55	0.2%	108	0.3%	10	11	33	36	4	2	5	5	1	1	53	55
13-19	171	1.8%	134	0.5%	305	0.9%	20	42	127	83	5	2	15	6	4	1	171	134
20-29	1,727	18.0%	3,257	12.4%	4,984	13.9%	282	1,406	1,113	1,039	76	502	237	262	19	48	1,727	3,257
30-39	3,309	34.5%	9,523	36.2%	12,832	35.8%	542	4,119	2,004	2,692	165	1,668	556	894	42	150	3,309	9,523
40-49	2,475	25.8%	7,864	29.9%	10,339	28.8%	463	3,189	1,423	2,531	129	1,260	418	770	42	114	2,475	7,864
50-59	1,118	11.7%	3,638	13.8%	4,756	13.3%	244	1,469	574	1,258	57	482	218	374	25	55	1,118	3,638
60-64	270	2.8%	863	3.3%	1,133	3.2%	68	331	124	320	10	114	63	83	5	15	270	863
65-69	149	1.6%	435	1.7%	584	1.6%	30	152	77	174	5	57	34	43	3	9	149	435
>=70	113	1.2%	321	1.2%	434	1.2%	34	127	46	118	12	35	17	33	4	8	113	321
Unknown	0	0.0%	0	0.0%	0	0.0%	0	0	0	0	0	0	0	0	0	0	0	0
<b>Total AIDS</b>	<b>9,594</b>	<b>100%</b>	<b>26,286</b>	<b>100%</b>	<b>35,880</b>	<b>100%</b>	<b>1,722</b>	<b>10,875</b>	<b>5,689</b>	<b>8,402</b>	<b>468</b>	<b>4,129</b>	<b>1,569</b>	<b>2,478</b>	<b>146</b>	<b>402</b>	<b>9,594</b>	<b>26,286</b>

<sup>(1)</sup> Other Includes American Indian/Alaska Native, Asian, Native Hawaiian, Pacific Islander, Legacy Asian & Multi Race

**AIDS Cases by year of report and gender (Excluding DOC)**

AIDS Cases by Year Report & Gender	Female		Male		TOTAL AIDS	
	Cases	Row %	Cases	Row %	Cases	Col %
1981	0	0.0%	4	100%	4	0.0%
1982	7	22.6%	31	81.6%	38	0.1%
1983	16	19.5%	82	83.7%	98	0.3%
1984	18	13.5%	133	88.1%	151	0.4%
1985	29	18.0%	161	84.7%	190	0.5%
1986	71	21.6%	329	82.3%	400	1.1%
1987	63	15.6%	405	86.5%	468	1.3%
1988	109	19.7%	554	83.6%	663	1.8%
1989	194	24.7%	784	80.2%	978	2.7%
1990	171	23.4%	730	81.0%	901	2.5%
1991	362	23.6%	1,537	80.9%	1,899	5.3%
1992	304	25.7%	1,185	79.6%	1,489	4.1%
1993	443	26.4%	1,680	79.1%	2,123	5.9%
1994	748	31.0%	2,415	76.4%	3,163	8.8%
1995	668	38.8%	1,723	72.1%	2,391	6.7%
1996	579	37.1%	1,560	72.9%	2,139	6.0%
1997	432	39.5%	1,093	71.7%	1,525	4.3%
1998	475	46.1%	1,030	68.4%	1,505	4.2%
1999	357	41.1%	869	70.9%	1,226	3.4%

AIDS Cases by Year & Gender (Cont)	Female		Male		TOTAL AIDS	
	Cases	Row %	Cases	Row %	Cases	Col %
2000	378	46.3%	816	68.3%	1,194	3.3%
2001	372	48.7%	764	67.3%	1,136	3.2%
2002	323	40.9%	789	71.0%	1,112	3.1%
2003	304	42.8%	710	70.0%	1,014	2.8%
2004	410	46.0%	891	68.5%	1,301	3.6%
2005	392	49.7%	789	66.8%	1,181	3.3%
2006	396	53.9%	735	65.0%	1,131	3.2%
2007	275	53.1%	518	65.3%	793	2.2%
2008	324	45.0%	720	69.0%	1,044	2.9%
2009	255	44.5%	573	69.2%	828	2.3%
2010	199	43.4%	458	69.7%	657	1.8%
2011	234	49.2%	476	67.0%	710	2.0%
2012	158	36.0%	439	73.5%	597	1.7%
2013	189	39.5%	479	71.7%	668	1.9%
2014	146	38.5%	379	72.2%	525	1.5%
2015	148	44.3%	334	69.3%	482	1.3%
2016	45	40.5%	111	71.2%	156	0.4%
<b>Total Adult AIDS</b>	<b>9,594</b>	<b>36.5%</b>	<b>26,286</b>	<b>73.3%</b>	<b>35,880</b>	<b>100%</b>

(Continue next Page)

**FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY**  
**HIV/AIDS Surveillance**  
**Cumulative Number of Reported AIDS Cases**

**MARCH 2016**

*Adult & Pediatric AIDS cases by race/ethnicity and gender (Excluding DOC)*

AIDS by Race/ Ethnicity *	Adult AIDS						Pediatric AIDS						TOTAL AIDS CASES					
	Female		Male		Total Adult		Female		Male		Total Pediatric		Total Female		Total Male		Total Cases	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)	1,699	18.2%	10,863	41.7%	12,562	35.5%	39	14.9%	40	15.9%	79	15.4%	1,738	18.1%	10,903	41.5%	12,641	35.2%
American Indian/Alaska Native	1	0.0%	2	0.0%	3	0.0%	0	0.0%	0	0.0%	0	0.0%	1	0.0%	2	0.0%	3	0.0%
Asian	2	0.0%	22	0.1%	24	0.1%	0	0.0%	0	0.0%	0	0.0%	2	0.0%	22	0.1%	24	0.1%
Black or African American	7,010	75.1%	10,627	40.8%	17,637	49.9%	212	80.9%	200	79.7%	412	80.3%	7,222	75.3%	10,827	41.2%	18,049	50.3%
Native Hawaiian/Pacific Islander	1	0.0%	1	0.0%	2	0.0%	0	0.0%	0	0.0%	0	0.0%	1	0.0%	1	0.0%	2	0.0%
White	459	4.9%	4,124	15.8%	4,583	13.0%	9	3.4%	9	3.6%	18	3.5%	468	4.9%	4,133	15.7%	4,601	12.8%
Legacy Asian	2	0.0%	12	0.0%	14	0.0%	0	0.0%	0	0.0%	0	0.0%	2	0.0%	12	0.0%	14	0.0%
Multi-Race	158	1.7%	384	1.5%	542	1.5%	2	0.8%	2	0.8%	4	0.8%	160	1.7%	386	1.5%	546	1.5%
Unknown	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
<b>Total AIDS</b>	<b>9,332</b>	<b>100%</b>	<b>26,035</b>	<b>100%</b>	<b>35,367</b>	<b>100%</b>	<b>262</b>	<b>100%</b>	<b>251</b>	<b>100%</b>	<b>513</b>	<b>100%</b>	<b>9,594</b>	<b>100%</b>	<b>26,286</b>	<b>100%</b>	<b>35,880</b>	<b>100%</b>

\* This new category created by CDC, is to support the ability to record an ethnicity and multiple races for an individual, necessitated by new federal OMB guidelines for reporting race and ethnicity.

*AIDS Cases by exposure category and gender among Adult and Pediatric (Excluding DOC)*

Exposure Category among adult AIDS	Adult AIDS					
	Female		Male		Total Adult	
	Cases	Col %	Cases	Col %	Cases	Col %
Adult male-to-male sexual contact [MSM]			14,513	55.7%	14,513	41.0%
Adult injection drug use [IDU]	2,055	22.0%	3,194	12.3%	5,249	14.8%
Adult MSM & IDU			1,399	5.4%	1,399	4.0%
Adult heterosexual contact [HTRSX]	6,231	66.8%	4,134	15.9%	10,365	29.3%
Adult other risk*	168	1.8%	193	0.7%	361	1.0%
Adult no risk factor reported [NRR]	878	9.4%	2,602	10.0%	3,480	9.8%
<b>Total adult AIDS</b>	<b>9,332</b>	<b>100%</b>	<b>26,035</b>	<b>100%</b>	<b>35,367</b>	<b>100%</b>

\* Other risk includes: Adult receiving clotting factor, Hemophilic, Perinatal exposure w/HIV age at 13+ years

Exposure Category among Pediatric AIDS	Pediatric AIDS					
	Female		Male		Total Pediatric	
	Cases	Col %	Cases	Col %	Cases	Col %
Perinatal exposure [PERINATAL]	259	98.9%	243	96.8%	502	97.9%
Child receiving clotting factor [HEMOPH]	0	0.0%	0	0.0%	0	0.0%
Child receiving transfusion/transplant	2	0.8%	5	2.0%	7	1.4%
Child other risk confirmed [OTHER]	0	0.0%	1	0.4%	1	0.2%
Child no risk factor reported [NRR]	1	0.4%	2	0.8%	3	0.6%
<b>Total Pediatric AIDS</b>	<b>262</b>	<b>100%</b>	<b>251</b>	<b>100%</b>	<b>513</b>	<b>100%</b>

(Continue next Page)

**FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY  
HIV/AIDS Surveillance  
Cumulative Number of Reported AIDS Cases**

**MARCH 2016**

*Adult AIDS cases by exposure category, race/ethnicity and gender (Excluding DOC)*

<b>ADULT FEMALE AIDS CASES</b>														
Exposure Category/ Race/Ethnicity	MALE-TO-MALE SEXUAL CONTACT		INJECTION DRUG USE [IDU]		MSM & IDU		HETEROSEXUAL CONTACT		OTHER* RISK		NO REPORTED RISK [NRR]		TOTAL ADULT FEMALE	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
	Hispanic/Latino (All Races)			246	12.0%			1,295	20.8%	32	19.0%	126	14.4%	1,699
American Indian/Alaska Native			0	0.0%			1	0.0%	0	0.0%	0	0.0%	1	0.0%
Asian			0	0.0%			2	0.0%	0	0.0%	0	0.0%	2	0.0%
Black or African American			1,560	75.9%			4,625	74.2%	117	69.6%	708	80.6%	7,010	75.1%
Native Hawaiian/Pacific Islander			0	0.0%			1	0.0%	0	0.0%	0	0.0%	1	0.0%
White			205	10.0%			206	3.3%	14	8.3%	34	3.9%	459	4.9%
Legacy Asian			0	0.0%			2	0.0%	0	0.0%	0	0.0%	2	0.0%
Multi-Race			44	2.1%			99	1.6%	5	3.0%	10	1.1%	158	1.7%
<b>Adult Female AIDS</b>			<b>2,055</b>	<b>100%</b>			<b>6,231</b>	<b>100%</b>	<b>168</b>	<b>100%</b>	<b>878</b>	<b>100%</b>	<b>9,332</b>	<b>100%</b>

\* OTHER includes Adult receiving clotting factor, Hemophilic, Perinatal exposure w/HIV age at 13+ years

<b>ADULT MALE AIDS CASES</b>														
Exposure Category/ Race/Ethnicity	MALE-TO-MALE SEXUAL CONTACT		INJECTION DRUG USE [IDU]		MSM & IDU		HETEROSEXUAL CONTACT		OTHER* RISK		NO REPORTED RISK [NRR]		TOTAL ADULT MALE	
	Cases	Col %	Cases	Col %	Cases	Col %	1010	Col %	Cases	Col %	Cases	Col %	Cases	Col %
	Hispanic/Latino (All Races)	7,926	54.6%	710	22.2%	499	35.7%	1,043	25.2%	61	31.6%	624	24.0%	10,863
American Indian/Alaska Native	0	0.0%	1	0.0%	0	0.0%	0	0.0%	0	0.0%	1	0.0%	2	0.0%
Asian	15	0.1%	0	0.0%	0	0.0%	4	0.1%	0	0.0%	3	0.1%	22	0.1%
Black or African American	3,032	20.9%	2,197	68.8%	601	43.0%	2,917	70.6%	83	43.0%	1,797	69.1%	10,627	40.8%
Native Hawaiian/Pacific Islander	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	1	0.0%	1	0.0%
White	3,315	22.8%	238	7.5%	273	19.5%	103	2.5%	45	5.0%	150	5.8%	4,124	15.8%
Legacy Asian	7	0.0%	0	0.0%	0	0.0%	4	0.1%	0	0.0%	1	0.0%	12	0.0%
Multi-Race	218	1.5%	48	1.5%	26	1.9%	63	1.5%	4	2.1%	25	1.0%	384	1.5%
<b>Adult Male AIDS</b>	<b>14,513</b>	<b>100%</b>	<b>3,194</b>	<b>100%</b>	<b>1,399</b>	<b>100%</b>	<b>4,134</b>	<b>100%</b>	<b>193</b>	<b>82%</b>	<b>2,602</b>	<b>100%</b>	<b>26,035</b>	<b>100%</b>

	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %
<b>TOTAL ADULT AIDS</b>	<b>14,513</b>	<b>41.0%</b>	<b>5,249</b>	<b>14.8%</b>	<b>1,399</b>	<b>4.0%</b>	<b>10,365</b>	<b>29.3%</b>	<b>361</b>	<b>1.0%</b>	<b>3,480</b>	<b>9.8%</b>	<b>35,367</b>	<b>100%</b>

(Continue next Page)

**FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY**  
**HIV/AIDS Surveillance**  
**Cumulative Number of Reported AIDS Cases**

**MARCH 2016**

*Pediatric AIDS cases by exposure category, race/ethnicity and gender (Excluding DOC)*

<b>PEDIATRIC FEMALE AIDS CASES</b>												
Exposure Category/ Race/Ethnicity	PERINATAL		HEMOPHILIAC		TRANSFUSION		OTHER RISK		NO REPORTED		TOTAL FEMALE	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)	37	14.3%	0	#DIV/0!	1	50.0%	0	#DIV/0!	1	100.0%	39	14.9%
Black or African American	211	81.5%	0	#DIV/0!	1	50.0%	0	#DIV/0!	0	0.0%	212	80.9%
White	9	3.5%	0	#DIV/0!	0	0.0%	0	#DIV/0!	0	0.0%	9	3.4%
Multi-Race	2	0.8%	0	#DIV/0!	0	0.0%	0	#DIV/0!	0	0.0%	2	0.8%
<b>Pediatric Female AIDS</b>	<b>259</b>	<b>100%</b>	<b>0</b>	<b>#DIV/0!</b>	<b>2</b>	<b>100%</b>	<b>0</b>	<b>#DIV/0!</b>	<b>1</b>	<b>100%</b>	<b>262</b>	<b>100%</b>

  

<b>PEDIATRIC MALE AIDS CASES</b>												
Exposure Category/ Race/Ethnicity	PERINATAL		HEMOPHILIAC		TRANSFUSION		OTHER RISK		NO REPORTED		TOTAL MALE	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)	35	14.4%	0	#DIV/0!	4	80.0%	0	0.0%	1	50.0%	40	15.9%
Black or African American	197	81.1%	0	#DIV/0!	1	20.0%	1	100.0%	1	50.0%	200	79.7%
White	9	3.7%	0	#DIV/0!	0	0.0%	0	0.0%	0	0.0%	9	3.6%
Multi-Race	2	0.8%	0	#DIV/0!	0	0.0%	0	0.0%	0	0.0%	2	0.8%
<b>Pediatric Male AIDS</b>	<b>243</b>	<b>100%</b>	<b>0</b>	<b>#DIV/0!</b>	<b>5</b>	<b>100%</b>	<b>1</b>	<b>100%</b>	<b>2</b>	<b>100%</b>	<b>251</b>	<b>100%</b>

  

	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %
<b>TOTAL PEDIATRIC AIDS</b>	<b>502</b>	<b>97.9%</b>	<b>0</b>	<b>0.0%</b>	<b>7</b>	<b>1.4%</b>	<b>1</b>	<b>0.2%</b>	<b>3</b>	<b>0.6%</b>	<b>513</b>	<b>100%</b>

*Adult Hispanic/Latino AIDS cases by country of origin and gender (Excluding DOC)*

Country of Origin	ADULT FEMALE AIDS			ADULT MALE AIDS			TOTAL HISPANIC/LATINO		
	Cases	Col %	Row %	Cases	Col %	Row %	Cases	Col %	Row %
Argentina	24	1.4%	12.6%	166	1.5%	87.4%	190	1.5%	100%
Colombia	74	4.4%	12.7%	507	4.7%	87.3%	581	4.6%	100%
Cuba	404	23.8%	7.7%	4,822	44.4%	92.3%	5,226	41.6%	100%
Dominican Republic	74	4.4%	32.3%	155	1.4%	67.7%	229	1.8%	100%
Guatemala	20	1.2%	16.3%	103	0.9%	83.7%	123	1.0%	100%
Honduras	138	8.1%	29.4%	332	3.1%	70.6%	470	3.7%	100%
Mexico	21	1.2%	8.0%	241	2.2%	92.0%	262	2.1%	100%
Nicaragua	83	4.9%	18.5%	365	3.4%	81.5%	448	3.6%	100%
Peru	26	1.5%	13.2%	171	1.6%	86.8%	197	1.6%	100%
Puerto Rico	189	11.1%	17.6%	882	8.1%	82.4%	1,071	8.5%	100%
United States	395	23.2%	20.7%	1,509	13.9%	79.3%	1,904	15.2%	100%
Venezuela	17	1.0%	6.0%	264	2.4%	94.0%	281	2.2%	100%
Other/Unknown Countries	234	13.8%	14.8%	1,346	12.4%	85.2%	1,580	12.6%	100%
<b>Total Adult Hispanic/Latino</b>	<b>1,699</b>	<b>100%</b>	<b>13.5%</b>	<b>10,863</b>	<b>100%</b>	<b>86.5%</b>	<b>12,562</b>	<b>100%</b>	<b>100%</b>

(Continue next Page)

**FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY  
HIV/AIDS Surveillance  
Cumulative Number of Reported AIDS Cases**

**MARCH 2016**

*Adult Hispanic/Latino AIDS cases by country of origin, exposure category and gender (Excluding DOC)*

<b>ADULT HISPANIC/LATINO FEMALE AIDS CASES</b>															
Country of Origin	MALE-TO-MALE SEXUAL CONTACT		INJECTION DRUG USE [IDU]		MSM & IDU		HETEROSEXUAL CONTACT		OTHER * RISK		NO REPORTED RISK [NRR]		Total Hispanic/Latino Female by Country of Origin		
	Cases	Row %	Cases	Row %	Number	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Col %	Row %
	Argentina			3	12.5%			20	83.3%	0	0.0%	1	4.2%	24	1.4%
Colombia			7	9.5%			55	74.3%	2	2.7%	10	13.5%	74	4.4%	100%
Cuba			55	13.6%			300	74.3%	8	2.0%	41	10.1%	404	23.8%	100%
Dominican Republic			3	4.1%			64	86.5%	0	0.0%	7	9.5%	74	4.4%	100%
Guatemala			0	0.0%			20	100.0%	0	0.0%	0	0.0%	20	1.2%	100%
Honduras			8	5.8%			121	87.7%	1	0.7%	8	5.8%	138	8.1%	100%
Mexico			3	14.3%			16	76.2%	1	4.8%	1	4.8%	21	1.2%	100%
Nicaragua			4	4.8%			68	81.9%	1	1.2%	10	12.0%	83	4.9%	100%
Peru			1	3.8%			25	96.2%	0	0.0%	0	0.0%	26	1.5%	100%
Puerto Rico			50	26.5%			126	66.7%	3	1.6%	10	5.3%	189	11.1%	100%
United States			84	21.3%			278	70.4%	14	3.5%	19	4.8%	395	23.2%	100%
Venezuela			3	17.6%			13	76.5%	0	0.0%	1	5.9%	17	1.0%	100%
Other/Unknown Countries			25	10.7%			189	80.8%	2	0.9%	18	7.7%	234	13.8%	100%
<b>Total adult Hispanic/Latino Female</b>			<b>246</b>	<b>14.5%</b>			<b>1,295</b>	<b>76.2%</b>	<b>32</b>	<b>1.9%</b>	<b>126</b>	<b>7.4%</b>	<b>1,699</b>	<b>100%</b>	<b>100%</b>

\* OTHER includes Adult receiving clotting factor, Hemophilia, Perinatal exposure w/HIV age at 13+ years

<b>ADULT HISPANIC/LATINO MALE AIDS CASES</b>															
Country of Origin	MALE-TO-MALE SEXUAL CONTACT		INJECTION DRUG USE [IDU]		MSM & IDU		HETEROSEXUAL CONTACT		OTHER * RISK		NO REPORTED RISK [NRR]		Total Hispanic/Latino Male by Country of Origin		
	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Col %	Row %
	Argentina	138	83.1%	4	2.4%	7	4.2%	14	8.4%	0	0.0%	3	1.8%	166	1.5%
Colombia	410	80.9%	15	3.0%	18	3.6%	41	8.1%	3	0.6%	20	3.9%	507	4.7%	100%
Cuba	3,725	77.3%	211	4.4%	192	4.0%	393	8.2%	26	0.5%	275	5.7%	4,822	44.4%	100%
Dominican Republic	84	54.2%	8	5.2%	5	3.2%	42	27.1%	1	0.6%	15	9.7%	155	1.4%	100%
Guatemala	55	53.4%	5	4.9%	2	1.9%	29	28.2%	0	0.0%	12	11.7%	103	0.9%	100%
Honduras	212	63.9%	18	5.4%	6	1.8%	70	21.1%	4	1.2%	22	6.6%	332	3.1%	100%
Mexico	163	67.6%	11	4.6%	7	2.9%	40	16.6%	0	0.0%	20	8.3%	241	2.2%	100%
Nicaragua	267	73.2%	10	2.7%	13	3.6%	53	14.5%	1	0.3%	21	5.8%	365	3.4%	100%
Peru	138	80.7%	2	1.2%	2	1.2%	18	10.5%	0	0.0%	11	6.4%	171	1.6%	100%
Puerto Rico	440	49.9%	216	24.5%	102	11.6%	70	7.9%	3	0.3%	51	5.8%	882	8.1%	100%
United States	1,035	68.6%	157	10.4%	111	7.4%	130	8.6%	14	0.9%	62	4.1%	1,509	13.9%	100%
Venezuela	231	87.5%	3	1.1%	2	0.8%	18	6.8%	2	0.8%	8	3.0%	264	2.4%	100%
Other/Unknown Countries	1,028	76.4%	50	3.7%	32	2.4%	125	9.3%	7	0.5%	104	7.7%	1,346	12.4%	100%
<b>Total adult Hispanic/Latino Male</b>	<b>7,926</b>	<b>73.0%</b>	<b>710</b>	<b>6.5%</b>	<b>499</b>	<b>4.6%</b>	<b>1,043</b>	<b>9.6%</b>	<b>61</b>	<b>0.6%</b>	<b>624</b>	<b>5.7%</b>	<b>10,863</b>	<b>100%</b>	<b>100%</b>
<b>TOTAL ADULT HISPANIC/LATINO</b>	<b>7,926</b>	<b>63.1%</b>	<b>956</b>	<b>7.6%</b>	<b>499</b>	<b>4.0%</b>	<b>2,338</b>	<b>18.6%</b>	<b>93</b>	<b>0.7%</b>	<b>750</b>	<b>6.0%</b>	<b>12,562</b>	<b>100%</b>	

(Continue next Page)

**FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY**  
**HIV/AIDS Surveillance**  
**Cumulative Number of Reported AIDS Cases**

**MARCH 2016**

*Haitian born adult AIDS cases by exposure category and gender (Excluding DOC)*

<b>ADULT HAITIAN BORN AIDS CASES</b>														
Exposure Category GENDER	MALE-TO-MALE SEXUAL CONTACT		INJECTION DRUG USE [IDU]		MSM & IDU		HETEROSEXUAL CONTACT		OTHER *		NO REPORTED RISK [NRR]		Total Haitian by Gender	
	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %
	Haitian born Adult Females			56	3.6%			1,168	75.0%	26	1.7%	308	19.8%	1,558
Haitian born Adult Males	547	22.2%	76	3.1%	28	1.1%	908	36.8%	12	0.5%	894	36.3%	2,465	100%
<b>Total Haitian born</b>	<b>547</b>	<b>13.6%</b>	<b>132</b>	<b>3.3%</b>	<b>28</b>	<b>0.7%</b>	<b>2,076</b>	<b>51.6%</b>	<b>38</b>	<b>0.9%</b>	<b>1,202</b>	<b>29.9%</b>	<b>4,023</b>	<b>100%</b>

\* OTHER includes Adult receiving clotting factor, Hemophilia, Perinatal exposure w/HIV age at 13+ years

*Department of Correction [DOC] Adult AIDS cases by race/ethnicity and gender.*

AIDS Cases by Race/Ethnicity & Gender	<b>DOC AIDS Cases</b>					
	Female		Male		Total	
	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)	0	0.0%	93	13.8%	93	13.3%
Black or African American	21	77.8%	479	71.1%	500	71.3%
White	4	14.8%	70	10.4%	74	10.6%
Haitian	1	3.7%	19	2.8%	20	2.9%
Other (1)	1	3.7%	13	1.9%	14	2.0%
<b>Total AIDS</b>	<b>27</b>	<b>100%</b>	<b>674</b>	<b>100%</b>	<b>701</b>	<b>100%</b>

(1) Other Includes American Indian/Alaska Native, Asian, Native Hawaiian, Pacific Islander, Legacy Asian & Multi Race

Adjustments are performed on a monthly basis to compensate for duplicate reports state and nation wide and case validation projects.

**FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY  
HIV/AIDS Surveillance  
Cumulative Number of Reported HIV (Not AIDS) Cases**

**MARCH 2016**

<i>HIV (not AIDS) cases by age group and gender (Excluding Department of Correction - DOC)</i>							<i>HIV (not AIDS) Cases by age group, race/ethnicity &amp; gender, showing Haitians separated (Excluding DOC)</i>												
HIV Cases by Age Group & Gender	Female		Male		TOTAL HIV		Hispanic/Latino		Black		White		Haitian		Other <sup>(1)</sup>		TOTAL HIV		
	Cases	Col %	Cases	Col %	Cases	Col %	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	
Under 5	62	1.6%	46	0.4%	108	0.7%	13	8	47	35	1	0	1	2	0	1	62	46	
5-12	35	0.9%	19	0.2%	54	0.3%	5	5	24	11	0	0	6	3	0	0	35	19	
13-19	226	5.7%	310	2.7%	536	3.4%	45	131	166	156	6	9	8	11	1	3	226	310	
20-29	961	24.1%	2,824	24.5%	3,785	24.4%	221	1,530	576	831	51	337	102	82	11	44	961	2,824	
30-39	1,074	26.9%	3,614	31.3%	4,688	30.2%	253	2,060	550	729	74	630	187	154	10	41	1,074	3,614	
40-49	918	23.0%	2,882	25.0%	3,800	24.5%	226	1,501	476	672	61	506	140	165	15	38	918	2,882	
50-59	512	12.8%	1,286	11.1%	1,798	11.6%	141	533	248	410	19	223	98	101	6	19	512	1,286	
60-64	94	2.4%	275	2.4%	369	2.4%	25	105	39	91	3	46	27	26	0	7	94	275	
65-69	74	1.9%	164	1.4%	238	1.5%	24	69	33	57	4	24	12	14	1	0	74	164	
>=70	36	0.9%	129	1.1%	165	1.1%	6	46	11	52	4	15	14	12	1	4	36	129	
Unknown	0	0.0%	0	0.0%	0	0.0%	0	0	0	0	0	0	0	0	0	0	0	0	
<b>Total HIV</b>	<b>3,992</b>	<b>100%</b>	<b>11,549</b>	<b>100%</b>	<b>15,541</b>	<b>100%</b>	<b>959</b>	<b>5,988</b>	<b>2,170</b>	<b>3,044</b>	<b>223</b>	<b>1,790</b>	<b>595</b>	<b>570</b>	<b>45</b>	<b>157</b>	<b>3,992</b>	<b>11,549</b>	

<sup>(1)</sup> Other Includes American Indian/Alaska Native, Asian, Native Hawaiian, Pacific Islander, Legacy Asian & Multi Race

*HIV (Not AIDS) Cases by year of report and gender (Excluding DOC) HIV start reporting in Florida in July 1997.*

HIV Cases by Year Report & Gender	Female		Male		TOTAL HIV	
	Cases	Row %	Cases	Row %	Cases	Col %
July-December 1997	121	36.7%	209	63.3%	330	2.1%
1998	267	30.8%	600	69.2%	867	5.6%
1999	256	31.0%	571	69.0%	827	5.3%
2000	233	31.0%	518	69.0%	751	4.8%
2001	239	30.3%	550	69.7%	789	5.1%
2002	286	30.4%	654	69.6%	940	6.0%
2003	231	27.9%	597	72.1%	828	5.3%
2004	225	27.4%	596	72.6%	821	5.3%
2005	222	31.3%	488	68.7%	710	4.6%
2006	179	28.1%	459	71.9%	638	4.1%
2007	222	26.9%	603	73.1%	825	5.3%
2008	227	25.0%	681	75.0%	908	5.8%
2009	176	24.0%	556	76.0%	732	4.7%
2010	168	22.8%	568	77.2%	736	4.7%
2011	176	21.9%	628	78.1%	804	5.2%
2012	158	22.1%	556	77.9%	714	4.6%

HIV Cases by Year Report & Gender	Female		Male		TOTAL HIV	
	Cases	Row %	Cases	Row %	Cases	Col %
2013	194	22.1%	682	77.9%	876	5.6%
2014	160	16.9%	784	83.1%	944	6.1%
2015	194	17.0%	950	83.0%	1,144	7.4%
2016	58	16.2%	299	83.8%	357	2.3%
<b>Total HIV</b>	<b>3,992</b>	<b>25.7%</b>	<b>11,549</b>	<b>74.3%</b>	<b>15,541</b>	<b>100%</b>

(Continue next Page)

**FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY  
HIV/AIDS Surveillance  
Cumulative Number of Reported HIV (Not AIDS) Cases**

**MARCH 2016**

*Adult & Pediatric HIV (not AIDS) cases by race/ethnicity and gender (Excluding DOC)*

HIV by Race/ Ethnicity *	Adult HIV						Pediatric HIV						TOTAL HIV CASES					
	Female		Male		Total Adult		Female		Male		Total Pediatric		Total Female		Total Male		Total Cases	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)	946	24.3%	5,980	52.1%	6,926	45.0%	18	18.6%	13	20.0%	31	19.1%	964	24.1%	5,993	51.9%	6,957	44.8%
American Indian/Alaska Native	2	0.1%	5	0.0%	7	0.0%	0	0.0%	0	0.0%	0	0.0%	2	0.1%	5	0.0%	7	0.0%
Asian	4	0.1%	32	0.3%	36	0.2%	0	0.0%	0	0.0%	0	0.0%	4	0.1%	32	0.3%	36	0.2%
Black or African American	2,680	68.8%	3,553	30.9%	6,233	40.5%	77	79.4%	51	78.5%	128	79.0%	2,757	69.1%	3,604	31.2%	6,361	40.9%
Native Hawaiian/Pacific Islander	1	0.0%	5	0.0%	6	0.0%	0	0.0%	0	0.0%	0	0.0%	1	0.0%	5	0.0%	6	0.0%
White	223	5.7%	1,791	15.6%	2,014	13.1%	1	1.0%	0	0.0%	1	0.6%	224	5.6%	1,791	15.5%	2,015	13.0%
Legacy Asian	1	0.0%	6	0.1%	7	0.0%	0	0.0%	1	1.5%	1	0.6%	1	0.0%	7	0.1%	8	0.1%
Multi-Race	38	1.0%	112	1.0%	150	1.0%	1	1.0%	0	0.0%	1	0.6%	39	1.0%	112	1.0%	151	1.0%
Unknown	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
<b>Total HIV</b>	<b>3,895</b>	<b>100%</b>	<b>11,484</b>	<b>100%</b>	<b>15,379</b>	<b>100%</b>	<b>97</b>	<b>100%</b>	<b>65</b>	<b>100%</b>	<b>162</b>	<b>100%</b>	<b>3,992</b>	<b>100%</b>	<b>11,549</b>	<b>100%</b>	<b>15,541</b>	<b>100%</b>

\* This new category created by CDC, is to support the ability to record an ethnicity and multiple races for an individual, necessitated by new federal OMB guidelines for reporting race and ethnicity.

*HIV (not AIDS) Cases by exposure category and gender among Adult and Pediatric (Excluding DOC)*

Exposure Category among adult HIV cases	Adult HIV					
	Female		Male		Total Adult	
	Cases	Col %	Cases	Col %	Cases	Col %
Adult male-to-male sexual contact [MSM]			7,947	69.2%	7,947	51.7%
Adult injection drug use [IDU]	277	7.1%	331	2.9%	608	4.0%
Adult MSM & IDU			252	2.2%	252	1.6%
Adult heterosexual contact [HTRSX]	3,060	78.6%	1,728	15.0%	4,788	31.1%
Adult other risk*	7	0.2%	5	0.0%	12	0.1%
Adult no risk factor reported [NRR]	551	14.1%	1,221	10.6%	1,772	11.5%
<b>Total adult HIV</b>	<b>3,895</b>	<b>100%</b>	<b>11,484</b>	<b>100%</b>	<b>15,379</b>	<b>100%</b>

\* Other risk includes: Adult receiving clotting factor, Hemophiliac, Perinatal exposure w/HIV age at 13+ years

Exposure Category among Pediatric HIV cases	Pediatric HIV					
	Female		Male		Total Pediatric	
	Cases	Col %	Cases	Col %	Cases	Col %
Perinatal exposure [PERINATAL]	94	96.9%	64	98.5%	158	97.5%
Child receiving clotting factor [HEMOPH]	0	0.0%	0	0.0%	0	0.0%
Child receiving transfusion/transplant	0	0.0%	0	0.0%	0	0.0%
Child other risk confirmed [OTHER]	0	0.0%	0	0.0%	0	0.0%
Child no risk factor reported [NRR]	3	3.1%	1	1.5%	4	2.5%
<b>Total Pediatric HIV</b>	<b>97</b>	<b>100%</b>	<b>65</b>	<b>100%</b>	<b>162</b>	<b>100%</b>

(Continue next Page)

**FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY  
HIV/AIDS Surveillance  
Cumulative Number of Reported HIV (Not AIDS) Cases**

**MARCH 2016**

*Adult HIV (not AIDS) cases by exposure category, race/ethnicity and gender (Excluding DOC)*

<b>ADULT FEMALE HIV CASES</b>														
Exposure Category/ Race/Ethnicity	MALE-TO-MALE SEXUAL CONTACT		INJECTION DRUG USE [IDU]		MSM & IDU		HETEROSEXUAL CONTACT		OTHER * RISK		NO REPORTED RISK [NRR]		TOTAL ADULT FEMALE	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
	Hispanic/Latino (All Races)			67	24.2%			713	23.3%	3	42.9%	163	29.6%	946
American Indian/Alaska Native			0	0.0%			2	0.1%	0	0.0%	0	0.0%	2	0.1%
Asian			0	0.0%			3	0.1%	0	0.0%	1	0.2%	4	0.1%
Black or African American			161	58.1%			2,170	70.9%	2	28.6%	347	63.0%	2,680	68.8%
Native Hawaiian/Pacific Islander			0	0.0%			0	0.0%	0	0.0%	1	0.2%	1	0.0%
White			42	15.2%			145	4.7%	1	14.3%	35	6.4%	223	5.7%
Legacy Asian			0	0.0%			0	0.0%	0	0.0%	1	0.2%	1	0.0%
Multi-Race			7	2.5%			27	0.9%	1	14.3%	3	0.5%	38	1.0%
<b>Adult Female HIV</b>			<b>277</b>	<b>100%</b>			<b>3,060</b>	<b>100%</b>	<b>7</b>	<b>100%</b>	<b>551</b>	<b>100%</b>	<b>3,895</b>	<b>100%</b>

\* OTHER includes Adult receiving clotting factor, Hemophilic, Perinatal exposure w/HIV age at 13+ years

<b>ADULT MALE HIV CASES</b>														
Exposure Category/ Race/Ethnicity	MALE-TO-MALE SEXUAL CONTACT		INJECTION DRUG USE [IDU]		MSM & IDU		HETEROSEXUAL CONTACT		OTHER * RISK		NO REPORTED RISK [NRR]		TOTAL ADULT MALE	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
	Hispanic/Latino (All Races)	4,801	60.4%	101	30.5%	121	48.0%	497	28.8%	0	0.0%	460	37.7%	5,980
American Indian/Alaska Native	4	0.1%	0	0.0%	0	0.0%	1	0.1%	0	0.0%	0	0.0%	5	0.0%
Asian	26	0.3%	0	0.0%	1	0.4%	1	0.1%	0	0.0%	4	0.3%	32	0.3%
Black or African American	1,504	18.9%	189	57.1%	75	29.8%	1,142	66.1%	3	60.0%	640	52.4%	3,553	30.9%
Native Hawaiian/Pacific Islander	4	0.1%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	1	0.1%	5	0.0%
White	1,528	19.2%	38	11.5%	50	19.8%	65	3.8%	2	40.0%	108	8.8%	1,791	15.6%
Legacy Asian	5	0.1%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	1	0.1%	6	0.1%
Multi-Race	75	0.9%	3	0.9%	5	2.0%	22	1.3%	0	0.0%	7	0.6%	112	1.0%
<b>Adult Male HIV</b>	<b>7,947</b>	<b>100%</b>	<b>331</b>	<b>100%</b>	<b>252</b>	<b>100%</b>	<b>1,728</b>	<b>100%</b>	<b>5</b>	<b>100%</b>	<b>1,221</b>	<b>100%</b>	<b>11,484</b>	<b>100%</b>

	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %
<b>TOTAL ADULT HIV</b>	<b>7,947</b>	<b>51.7%</b>	<b>608</b>	<b>4.0%</b>	<b>252</b>	<b>1.6%</b>	<b>4,788</b>	<b>31.1%</b>	<b>12</b>	<b>0.1%</b>	<b>1,772</b>	<b>11.5%</b>	<b>15,379</b>	<b>100%</b>

(Continue next Page)

**FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY  
HIV/AIDS Surveillance  
Cumulative Number of Reported HIV (Not AIDS) Cases**

**MARCH 2016**

*Pediatric HIV (not AIDS) cases by exposure category, race/ethnicity and gender (Excluding DOC)*

PEDIATRIC FEMALE HIV CASES												
Exposure Category/ Race/Ethnicity	PERINATAL		HEMOPHILIAC		TRANSFUSION		OTHER RISK		NO REPORTED		TOTAL FEMALE	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)	16	17.0%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	2	66.7%	18	18.6%
Black or African American	76	80.9%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	1	33.3%	77	79.4%
White	1	1.1%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0	0.0%	1	1.0%
Legacy Asian/Pacific Isl.	0	0.0%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0	0.0%	0	0.0%
Multi-Race	1	1.1%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0	0.0%	1	1.0%
<b>Pediatric Female HIV</b>	<b>94</b>	<b>100%</b>	<b>0</b>	<b>#DIV/0!</b>	<b>0</b>	<b>#DIV/0!</b>	<b>0</b>	<b>#DIV/0!</b>	<b>3</b>	<b>100%</b>	<b>97</b>	<b>100%</b>

PEDIATRIC MALE HIV CASES												
Exposure Category/ Race/Ethnicity	PERINATAL		HEMOPHILIAC		TRANSFUSION		OTHER RISK		NO REPORTED		TOTAL MALE	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)	13	20.3%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0	0.0%	13	20.0%
Black or African American	50	78.1%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	1	100.0%	51	78.5%
White	0	0.0%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0	0.0%	0	0.0%
Legacy Asian/Pacific Isl.	1	1.6%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0	0.0%	1	1.5%
Multi-Race	0	0.0%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0	0.0%	0	0.0%
<b>Pediatric Male HIV</b>	<b>64</b>	<b>100%</b>	<b>0</b>	<b>#DIV/0!</b>	<b>0</b>	<b>#DIV/0!</b>	<b>0</b>	<b>#DIV/0!</b>	<b>1</b>	<b>100%</b>	<b>65</b>	<b>100%</b>

	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %
<b>TOTAL PEDIATRIC HIV</b>	<b>158</b>	<b>97.5%</b>	<b>0</b>	<b>0.0%</b>	<b>0</b>	<b>0.0%</b>	<b>0</b>	<b>0.0%</b>	<b>4</b>	<b>2.5%</b>	<b>162</b>	<b>100%</b>

*Adult Hispanic/Latino HIV (not AIDS) cases by country of origin and gender (Excluding DOC)*

Country of Origin	ADULT FEMALE HIV			ADULT MALE HIV			TOTAL HISPANIC/LATINO		
	Cases	Col %	Row %	Cases	Col %	Row %	Cases	Col %	Row %
Argentina	21	2.2%	12.7%	144	2.4%	87.3%	165	2.4%	100%
Colombia	36	3.8%	11.6%	275	4.6%	88.4%	311	4.5%	100%
Cuba	164	17.3%	7.8%	1,927	32.2%	92.2%	2,091	30.2%	100%
Dominican Republic	35	3.7%	29.2%	85	1.4%	70.8%	120	1.7%	100%
Honduras	67	7.1%	30.0%	156	2.6%	70.0%	223	3.2%	100%
Mexico	9	1.0%	6.0%	140	2.3%	94.0%	149	2.2%	100%
Nicaragua	35	3.7%	19.3%	146	2.4%	80.7%	181	2.6%	100%
Peru	14	1.5%	14.1%	85	1.4%	85.9%	99	1.4%	100%
Puerto Rico	60	6.3%	19.7%	245	4.1%	80.3%	305	4.4%	100%
United States	241	25.5%	16.2%	1,248	20.9%	83.8%	1,489	21.5%	100%
Venezuela	22	2.3%	6.1%	341	5.7%	93.9%	363	5.2%	100%
Other/Unknown Countries	242	25.6%	16.9%	1,188	19.9%	83.1%	1,430	20.6%	100%
<b>Total Adult Hispanic/Latino HIV</b>	<b>946</b>	<b>100%</b>	<b>13.7%</b>	<b>5,980</b>	<b>100%</b>	<b>86.3%</b>	<b>6,926</b>	<b>100%</b>	<b>100%</b>

(Continue next Page)

**FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY  
HIV/AIDS Surveillance  
Cumulative Number of Reported HIV (Not AIDS) Cases**

**MARCH 2016**

*Adult Hispanic/Latino HIV (not AIDS) cases by country of origin, exposure category and gender (Excluding DOC)*

<b>ADULT HISPANIC/LATINO FEMALE HIV CASES</b>															
Country of Origin	MALE-TO-MALE SEXUAL CONTACT		INJECTION DRUG USE [IDU]		MSM & IDU		HETEROSEXUAL CONTACT		OTHER * RISK		NO REPORTED RISK [NRR]		Total Hispanic/Latino Female by Country of Origin		
	Cases	Row %	Cases	Row %	Number	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Col %	Row %
	Argentina			3	14.3%			16	76.2%	0	0.0%	2	9.5%	21	2.2%
Colombia			2	5.6%			30	83.3%	0	0.0%	4	11.1%	36	3.8%	100%
Cuba			8	4.9%			132	80.5%	0	0.0%	24	14.6%	164	17.3%	100%
Dominican Republic			1	2.9%			31	88.6%	0	0.0%	3	8.6%	35	3.7%	100%
Honduras			1	1.5%			57	85.1%	0	0.0%	9	13.4%	67	7.1%	100%
Mexico			2	22.2%			5	55.6%	0	0.0%	2	22.2%	9	1.0%	100%
Nicaragua			0	0.0%			28	80.0%	0	0.0%	7	20.0%	35	3.7%	100%
Peru			1	7.1%			11	78.6%	0	0.0%	2	14.3%	14	1.5%	100%
Puerto Rico			10	16.7%			39	65.0%	0	0.0%	11	18.3%	60	6.3%	100%
United States			32	13.3%			176	73.0%	3	1.2%	30	12.4%	241	25.5%	100%
Venezuela			1	4.5%			20	90.9%	0	0.0%	1	4.5%	22	2.3%	100%
Other/Unknown Countries			6	2.5%			168	69.4%	0	0.0%	68	28.1%	242	25.6%	100%
<b>Total adult Hispanic/Latino Female</b>			<b>67</b>	<b>7.1%</b>			<b>713</b>	<b>75.4%</b>	<b>3</b>	<b>0.3%</b>	<b>163</b>	<b>17.2%</b>	<b>946</b>	<b>100%</b>	<b>100%</b>

\* OTHER includes Adult receiving clotting factor, Hemophiliac, Perinatal exposure w/HIV age at 13+ years

<b>ADULT HISPANIC/LATINO MALE HIV CASES</b>															
Country of Origin	MALE-TO-MALE SEXUAL CONTACT		INJECTION DRUG USE [IDU]		MSM & IDU		HETEROSEXUAL CONTACT		OTHER * RISK		NO REPORTED RISK [NRR]		Total Hispanic/Latino Male by Country of Origin		
	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Col %	Row %
	Argentina	126	87.5%	2	1.4%	2	1.4%	9	6.3%	0	0.0%	5	3.5%	144	2.4%
Colombia	233	84.7%	1	0.4%	9	3.3%	17	6.2%	0	0.0%	15	5.5%	275	4.6%	100%
Cuba	1,606	83.3%	20	1.0%	39	2.0%	168	8.7%	0	0.0%	94	4.9%	1,927	32.2%	100%
Dominican Republic	53	62.4%	3	3.5%	3	3.5%	18	21.2%	0	0.0%	8	9.4%	85	1.4%	100%
Honduras	109	69.9%	1	0.6%	3	1.9%	29	18.6%	0	0.0%	14	9.0%	156	2.6%	100%
Mexico	117	83.6%	2	1.4%	1	0.7%	12	8.6%	0	0.0%	8	5.7%	140	2.3%	100%
Nicaragua	114	78.1%	3	2.1%	1	0.7%	17	11.6%	0	0.0%	11	7.5%	146	2.4%	100%
Peru	76	89.4%	1	1.2%	1	1.2%	6	7.1%	0	0.0%	1	1.2%	85	1.4%	100%
Puerto Rico	178	72.7%	29	11.8%	17	6.9%	11	4.5%	0	0.0%	10	4.1%	245	4.1%	100%
United States	1,012	81.1%	27	2.2%	29	2.3%	96	7.7%	0	0.0%	84	6.7%	1,248	20.9%	100%
Venezuela	307	90.0%	0	0.0%	2	0.6%	16	4.7%	0	0.0%	16	4.7%	341	5.7%	100%
Other/Unknown Countries	870	73.2%	12	1.0%	14	1.2%	98	8.2%	0	0.0%	194	16.3%	1,188	19.9%	100%
<b>Total adult Hispanic/Latino Ma</b>	<b>4,801</b>	<b>80.3%</b>	<b>101</b>	<b>1.7%</b>	<b>121</b>	<b>2.0%</b>	<b>497</b>	<b>8.3%</b>	<b>0</b>	<b>0.0%</b>	<b>460</b>	<b>7.7%</b>	<b>5,980</b>	<b>100%</b>	<b>100%</b>

	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %
<b>TOTAL ADULT HISPANIC/LATINO</b>	<b>4,801</b>	<b>69.3%</b>	<b>168</b>	<b>2.4%</b>	<b>121</b>	<b>1.7%</b>	<b>1,210</b>	<b>17.5%</b>	<b>3</b>	<b>0.0%</b>	<b>623</b>	<b>9.0%</b>	<b>6,926</b>	<b>100%</b>

(Continue next Page)

**FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY**  
**HIV/AIDS Surveillance**  
**Cumulative Number of Reported HIV (Not AIDS) Cases**

**MARCH 2016**

*Haitian born adult HIV cases by exposure category and gender (Excluding DOC)*

<b>ADULT HAITIAN BORN HIV CASES</b>														
Exposure Category GENDER	MALE-TO-MALE SEXUAL CONTACT		INJECTION DRUG USE [IDU]		[MSM\ & [IDU]		HETEROSEXUAL CONTACT		OTHER* RISK		NO REPORTED RISK [NRR]		Total Haitian by Gender	
	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %
	Haitian born Adult Females			11	1.9%			508	86.4%	0	0.0%	69	11.7%	<b>588</b>
Haitian born Adult Males	111	19.6%	7	1.2%	1	0.2%	309	54.7%	0	0.0%	137	24.2%	<b>565</b>	<b>100%</b>
<b>Total Haitian born</b>	<b>111</b>	<b>9.6%</b>	<b>18</b>	<b>1.6%</b>	<b>1</b>	<b>0.1%</b>	<b>817</b>	<b>70.9%</b>	<b>0</b>	<b>0.0%</b>	<b>206</b>	<b>17.9%</b>	<b>1,153</b>	<b>100%</b>

\* OTHER includes Adult receiving clotting factor, Hemophiliac, Perinatal exposure w/HIV age at 13+ years

*Department of Correction [DOC] Adult HIV (not AIDS) by race/ethnicity and gender.*

HIV Cases by Race/Ethnicity & Gender	<b>DOC HIV Cases</b>					
	Female		Male		Total	
	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)	5	33.3%	78	18.0%	<b>83</b>	<b>18.5%</b>
Black or African American	7	46.7%	277	63.8%	<b>284</b>	<b>63.3%</b>
White	3	20.0%	61	14.1%	<b>64</b>	<b>14.3%</b>
Haitian	0	0.0%	12	2.8%	<b>12</b>	<b>2.7%</b>
Other (1)	0	0.0%	6	1.4%	<b>6</b>	<b>1.3%</b>
<b>Total HIV</b>	<b>15</b>	<b>100%</b>	<b>434</b>	<b>100%</b>	<b>449</b>	<b>100%</b>

(1) Other Includes American Indian/Alaska Native, Asian, Native Hawaiian, Pacific Islander, Legacy Asian & Multi Race  
Adjustments are performed on a monthly basis to compensate for duplicate reports state and nation wide and case validation projects.

**FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY**  
**HIV/AIDS Surveillance**  
**Perinatal HIV Exposed Cases**

**MARCH 2016**

*All EXPOSED Perinatal pediatric cases born in Miami-Dade by year of birth and diagnosis status since November 20<sup>th</sup>, 2006. <sup>(1)</sup>*

Year of Birth	Perinatal HIV Exposure	Pediatric HIV	Pediatric AIDS	Pediatric seroreverter	Unknown	TOTAL
>=November 20 <sup>th</sup> , 2006	3	0	0	16	0	19
2007	32	1	0	106	0	139
2008	39	1	1	91	0	132
2009	30	2	0	87	0	119
2010	39	3	0	83	0	125
2011	13	1	0	105	0	119
2012	10	1	0	90	0	101
2013	12	2	1	81	0	96
2014	4	1	0	84	0	89
2015	21	5	0	70	0	96
2016	9	0	0	5	0	14
<b>Total</b>	<b>212</b>	<b>17</b>	<b>2</b>	<b>818</b>	<b>0</b>	<b>1,049</b>

*All EXPOSED Perinatal pediatric cases born in Miami-Dade by year of birth and race/ethnicity since November 20<sup>th</sup>, 2006. <sup>(1)</sup>*

Year of Birth	Hispanic	Not Hispanic, Black	Not Hispanic, White	Not Hispanic, Other <sup>(2)</sup>	TOTAL
>=November 20 <sup>th</sup> , 2006	3	15	1	0	19
2007	22	110	5	2	139
2008	19	111	2	0	132
2009	24	91	3	1	119
2010	31	87	5	2	125
2011	21	90	7	1	119
2012	23	68	8	2	101
2013	17	75	3	1	96
2014	15	70	4	0	89
2015	18	76	2	0	96
2016	1	12	1	0	14
<b>Total</b>	<b>194</b>	<b>805</b>	<b>41</b>	<b>9</b>	<b>1,049</b>

<sup>(1)</sup> NOTE: An expanded HIV reporting law was implemented on November 20<sup>th</sup>, 2006. Expansion included reportability of cases with virologic evidence of HIV infection. Previously, only Western Blot-confirmed (+) cases were reportable. In addition, reporting is retroactive. Previously, only HIV cases diagnosed after July 1<sup>st</sup>, 1997, were reportable. A detectable viral load (VL) (or equivalent viral test) is reportable, and is considered evidence of HIV. Other reportable virologic test considered to be evidence of HIV are: P24, ANTIGEN, Nucleic Acid test (NAT/NAAT), viral culture. CD4 counts/percents are reportable, but follow-up is conducted only if it is <200 uL, or <14%.

<sup>(2)</sup> Other Includes American Indian/Alaska Native, Asian, Native Hawaiian, Pacific Islander, Legacy Asian & Multi Race

[\(Continue next Page\)](#)

**FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY**  
**HIV/AIDS Surveillance**  
**Perinatal HIV Exposed Cases**

**MARCH 2016**

*All EXPOSED Perinatal pediatric cases born in Miami-Dade by year of birth and Mother HIV status since November 20<sup>th</sup>, 2006. <sup>(1)</sup>*

Year of Birth	Know HIV (+) before pregnancy	Know HIV (+) during pregnancy	Know HIV (+) at time of delivery	Know HIV (+) sometime before birth	Know HIV (+) sometime after birth	HIV (+) with time unknown	TOTAL
>=November 20 <sup>th</sup> , 2006	16	2	0	0	0	1	19
2007	92	34	10	0	3	0	139
2008	95	35	2	0	0	0	132
2009	87	24	8	0	0	0	119
2010	90	25	5	2	1	2	125
2011	89	24	3	2	1	0	119
2012	75	24	2	0	0	0	101
2013	78	12	2	3	0	1	96
2014	77	11	0	1	0	0	89
2015	79	11	1	1	1	3	96
2016	9	4	0	1	0	0	14
<b>Total</b>	<b>787</b>	<b>206</b>	<b>33</b>	<b>10</b>	<b>6</b>	<b>7</b>	<b>1,049</b>

*All EXPOSED Perinatal pediatric cases born in Miami-Dade by diagnosis and Mother HIV status since November 20<sup>th</sup>, 2006. <sup>(1)</sup>*

Diagnosis Status	Know HIV (+) before pregnancy	Know HIV (+) during pregnancy	Know HIV (+) at time of delivery	Know HIV (+) sometime before birth	Know HIV (+) sometime after birth	HIV (+) with time unknown	TOTAL
Perinatal HIV Exposure	151	41	11	5	3	1	212
Pediatric HIV	12	1	3	0	1	0	17
Pediatric AIDS	2	0	0	0	0	0	2
Pediatric Seroreverter	622	164	19	5	2	6	818
Unknown	0	0	0	0	0	0	-
<b>Total</b>	<b>787</b>	<b>206</b>	<b>33</b>	<b>10</b>	<b>6</b>	<b>7</b>	<b>1,049</b>

*All EXPOSED Perinatal pediatric cases born in Miami-Dade by diagnosis status and HIV category since November 20<sup>th</sup>, 2006. <sup>(1)</sup>*

Diagnosis Status	HIV (+) Definitive	HIV (+) Presumptive	HIV Indeterminate	HIV (-) Definitive	HIV (-) Presumptive	Unknown	TOTAL
Perinatal HIV Exposure	0	0	212	0	0	0	212
Pediatric HIV	17	0	0	0	0	0	17
Pediatric AIDS	2	0	0	0	0	0	2
Pediatric Seroreverter	0	0	0	593	225	0	818
Unknown	0	0	0	0	0	0	-
<b>Total</b>	<b>19</b>	<b>0</b>	<b>212</b>	<b>593</b>	<b>225</b>	<b>0</b>	<b>1,049</b>

<sup>(1)</sup> NOTE: An expanded HIV reporting law was implemented on November 20<sup>th</sup>, 2006. Expansion included reportability of cases with virologic evidence of HIV infection. Previously, only Western Blot-confirmed (+) cases were reportable. In addition, reporting is retroactive. Previously, only HIV cases diagnosed after July 1<sup>st</sup>, 1997, were reportable. A detectable viral load (VL) (or equivalent viral test) is reportable, and is considered evidence of HIV. Other reportable virologic test considered to be evidence of HIV are: P24, ANTIGEN, Nucleic Acid test (NAT/NAAT), viral culture. CD4 counts/percents are reportable, but follow-up is conducted only if it is <200 uL, or <14%. (Continue next Page)

**FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY**  
**HIV/AIDS Surveillance**  
**Perinatal HIV Exposed Cases**

**MARCH 2016**

*CONFIRMED Infected Perinatal Cases, know HIV or AIDS born in Miami-Dade by year of birth, 2000-2015.*

Perinatal HIV/AIDS Cases by Year of Birth	Pediatric HIV		Pediatric AIDS		TOTAL		
	Cases	Row %	Cases	Row %	Cases	Col %	Row %
2000	5	71.4%	2	28.6%	7	12.5%	100%
2001	6	60.0%	4	40.0%	10	17.9%	100%
2002	3	50.0%	3	50.0%	6	10.7%	100%
2003	3	75.0%	1	25.0%	4	7.1%	100%
2004	1	50.0%	1	50.0%	2	3.6%	100%
2005	3	60.0%	2	40.0%	5	8.9%	100%
2006	2	66.7%	1	33.3%	3	5.4%	100%
2007	1	100.0%	0	0.0%	1	1.8%	100%
2008	1	50.0%	1	50.0%	2	3.6%	100%
2009	2	100.0%	0	0.0%	2	3.6%	100%
2010	3	100.0%	0	0.0%	3	5.4%	100%
2011	1	100.0%	0	0.0%	1	1.8%	100%
2012	1	100.0%	0	0.0%	1	1.8%	100%
2013	2	66.7%	1	33.3%	3	5.4%	100%
2014	1	100.0%	0	0.0%	1	1.8%	100%
2015	5	100.0%	0	0.0%	5	8.9%	100%
2016	0	#DIV/0!	0	#DIV/0!	0	0.0%	#DIV/0!
<b>Total Confirmed Perinatal Cases</b>	<b>40</b>	<b>71%</b>	<b>16</b>	<b>29%</b>	<b>56</b>	<b>100%</b>	<b>100%</b>

(Continue next Page)

**FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY**  
**HIV/AIDS Surveillance**  
**Perinatal HIV Exposed Cases**

**MARCH 2016**

*All EXPOSED Perinatal pediatric cases born in Miami-Dade by hospital of birth and diagnosis status since November 20<sup>th</sup>, 2006. <sup>(1)</sup>*

Hospital of Birth	Perinatal HIV Exposure	Pediatric HIV	Pediatric AIDS	Perinatal Seroreverter	Unknown	TOTAL	TOTAL %
BAPTIST HOSPITAL-MIAMI	3	0	0	3	0	6	0.6%
BROWARD GENERAL MEDICAL CTR.	2	0	0	2	0	4	0.4%
CORAL SPRINGS MEDICAL CTR.	1	0	0	0	0	1	0.1%
HIALEAH HOSPITAL	2	0	0	1	0	3	0.3%
HOMESTEAD HOSPITAL	8	1	0	1	0	10	1.0%
JACKSON N MATERNITY CTR.	0	0	0	2	0	2	0.2%
JACKSON NORTH MEDICAL CTR.	8	3	0	18	0	29	2.8%
JACKSON SOUTH MEDICAL CTR.	2	0	0	15	0	17	1.6%
JACKSON MEMORIAL HOSPITAL	144	7	0	723	0	874	83.3%
KENDALL RMC	1	0	0	1	0	2	0.2%
MEMORIAL HOSPITAL-MIRAMAR	1	0	1	0	0	2	0.2%
MEMORIAL HOSPITAL-SOUTH	1	0	0	0	0	1	0.1%
MEMORIAL HOSPITAL-WEST	1	0	0	2	0	3	0.3%
MEMORIAL HOSPITAL-PEMBROKE PINES	3	0	0	1	0	4	0.4%
MEMORIAL HOSPITAL-HOLLYWOOD	11	0	0	8	0	19	1.8%
MERCY HOSPITAL	2	0	0	0	0	2	0.2%
MIAMI CHILDREN'S HOSPITAL	1	0	0	0	0	1	0.1%
MIAMI-DADE PVT PHYSICIAN-MIAMI	2	0	0	0	0	2	0.2%
MOUNT SINAI MC	1	0	0	1	0	2	0.2%
NORTH SHORE MEDICAL CTR.	12	2	0	28	0	42	4.0%
PLANTATION GENERAL HOSPITAL	1	0	0	1	0	2	0.2%
SOUTH MIAMI HOSPITAL	1	0	0	0	0	1	0.1%
UF HEALTH AT JACKSONVILLE	1	0	0	0	0	1	0.1%
WELLINGTON RMS	1	0	0	0	0	1	0.1%
UNKNOWN	2	4	1	11	0	18	1.7%
<b>TOTAL</b>	<b>212</b>	<b>17</b>	<b>2</b>	<b>818</b>	<b>0</b>	<b>1,049</b>	<b>100%</b>

<sup>(1)</sup> NOTE: An expanded HIV reporting law was implemented on November 20<sup>th</sup>, 2006. Expansion included reportability of cases with virologic evidence of HIV infection. Previously, only Western Blot-confirmed (+) cases were reportable. In addition, reporting is retroactive. Previously, only HIV cases diagnosed after July 1<sup>st</sup>, 1997, were reportable. A detectable viral load (VL) (or equivalent viral test) is reportable, and is considered evidence of HIV. Other reportable virologic test considered to be evidence of HIV are: P24, ANTIGEN, Nucleic Acid test (NAT/NAAT), viral culture. CD4 counts/percents are reportable, but follow-up is conducted only if it is <200 uL, or <14%.

**FLORIDA DEPARTMENT OF HEALTH IN MIAMI- DADE COUNTY  
HIV/AIDS SURVEILLANCE  
AIDS, HIV (NOT AIDS) AND TOTAL PREVALENCE THROUGH 2014**

Total prevalence through 2014, as of June 2015, excluding Department of Correction [DOC] cases

\* Living AIDS and Living HIV (not AIDS) [PLWHA - prevalence] is defined as the number of diagnosed cases in eHARS, as of the date specified.

These included cases whose current residence is Miami-Dade County regardless of where they were diagnosed.

* LIVING CASES by DIAGNOSIS						
GENDER	AIDS		HIV (Not AIDS)		Total Prevalence	
	Cases	Col %	Cases	Col %	Cases	Col %
Female	3,838	29%	3,346	27%	7,184	28%
Male	9,614	71%	9,244	73%	18,858	72%
<b>Total Prevalence</b>	<b>13,452</b>	<b>100%</b>	<b>12,590</b>	<b>100%</b>	<b>26,042</b>	<b>100%</b>

RACE/ETHNICITY	* LIVING CASES by DIAGNOSIS				* LIVING CASES by GENDER				Total Prevalence			
	AIDS		HIV (Not AIDS)		FEMALE		MALE		Cases	Col %		
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %		
Hispanic (All Races)	5,472	41%	5,644	45%	11,116	43%	1,648	23%	9,468	50%	11,116	43%
Not Hispanic, Black	6,335	47%	5,202	41%	11,537	44%	5,099	71%	6,438	34%	11,537	44%
Not Hispanic, White	1,425	11%	1,595	13%	3,020	12%	335	5%	2,685	14%	3,020	12%
Not Hispanic, Other	220	2%	149	1%	369	1%	102	1%	267	1%	369	1%
<b>Total Prevalence</b>	<b>13,452</b>	<b>100%</b>	<b>12,590</b>	<b>100%</b>	<b>26,042</b>	<b>100%</b>	<b>7,184</b>	<b>100%</b>	<b>18,858</b>	<b>100%</b>	<b>26,042</b>	<b>100%</b>

RACE/ETHNICITY BY GENDER	* Adult Prevalence						* Pediatric Prevalence						* TOTAL Prevalence					
	Female		Male		Total Adult		Female		Male		Total Pediatric		Total Female		Total Male		Total Prevalence	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic (All Races)	1,647	23.0%	9,465	50.2%	11,112	42.7%	1	7.7%	3	16.7%	4	12.9%	1,648	22.9%	9,468	50.2%	11,116	42.7%
Not Hispanic, Black	5,087	70.9%	6,423	34.1%	11,510	44.3%	12	92.3%	15	83.3%	27	87.1%	5,099	71.0%	6,438	34.1%	11,537	44.3%
Not Hispanic, White	335	4.7%	2,685	14.3%	3,020	11.6%	0	0.0%	0	0.0%	0	0.0%	335	4.7%	2,685	14.2%	3,020	11.6%
Not Hispanic, Other	102	1.4%	267	1.4%	369	1.4%	0	0.0%	0	0.0%	0	0.0%	102	1.4%	267	1.4%	369	1.4%
<b>Total Prevalence</b>	<b>7,171</b>	<b>100%</b>	<b>18,840</b>	<b>100%</b>	<b>26,011</b>	<b>100%</b>	<b>13</b>	<b>100%</b>	<b>18</b>	<b>100%</b>	<b>31</b>	<b>100%</b>	<b>7,184</b>	<b>100%</b>	<b>18,858</b>	<b>100%</b>	<b>26,042</b>	<b>100%</b>

(Continue next Page)

**FLORIDA DEPARTMENT OF HEALTH IN MIAMI- DADE COUNTY  
HIV/AIDS SURVEILLANCE  
AIDS, HIV (NOT AIDS) AND TOTAL PREVALENCE THROUGH 2014**

Total prevalence through 2014, as of June 2015, excluding Department of Correction [DOC] cases

\* Living AIDS and Living HIV (not AIDS) [PLWHA - prevalence] is defined as the number of diagnosed cases in eHARS, as of the date specified.

These included cases whose current residence is Miami-Dade County regardless of where they were diagnosed.

CURRENT AGE	* LIVING CASES by DIAGNOSIS						* LIVING CASES by GENDER					
	AIDS		HIV (Not AIDS)		Total Prevalence		FEMALE		MALE		Total Prevalence	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
00-12 years	8	0%	23	0%	31	0%	13	0%	18	0%	31	0%
13-19 years	42	0%	107	1%	149	1%	72	1%	77	0%	149	1%
20-24 years	189	1%	521	4%	710	3%	202	3%	508	3%	710	3%
25-29 years	403	3%	1,028	8%	1,431	5%	374	5%	1,057	6%	1,431	5%
30-39 years	1,342	10%	2,610	21%	3,952	15%	1,220	17%	2,732	14%	3,952	15%
40-49 years	3,657	27%	3,606	29%	7,263	28%	1,936	27%	5,327	28%	7,263	28%
50-59 years	4,973	37%	3,161	25%	8,134	31%	2,164	30%	5,970	32%	8,134	31%
60+ years	2,838	21%	1,534	12%	4,372	17%	1,203	17%	3,169	17%	4,372	17%
<b>Total Prevalence</b>	<b>13,452</b>	<b>100%</b>	<b>12,590</b>	<b>100%</b>	<b>26,042</b>	<b>100%</b>	<b>7,184</b>	<b>100%</b>	<b>18,858</b>	<b>100%</b>	<b>26,042</b>	<b>100%</b>

EXPOSURE CATEGORY <sup>(1)</sup>	* LIVING CASES by DIAGNOSIS and GENDER						% of Male	% of Total
	AIDS		HIV (Not AIDS)		Total Prevalence			
	Cases	Col %	Cases	Col %	Cases	Col %		
<b>ADULT MALE</b>								
Adult male-to-male sexual contact [MSM]	6,315	66%	7,026	76%	13,341	71%	51%	
Adult injection drug use [IDU]	657	7%	298	3%	955	5%	4%	
Adult MSM & IDU	459	5%	244	3%	703	4%	3%	
Adult heterosexual contact [HTRSX]	2,058	21%	1,612	17%	3,670	19%	14%	
Adult other risk	121	1%	50	1%	171	1%	1%	
<b>Total Adult Male Prevalence</b>	<b>9,610</b>	<b>100%</b>	<b>9,230</b>	<b>100%</b>	<b>18,840</b>	<b>100%</b>		
<b>ADULT FEMALE</b>								
Adult injection drug use [IDU]	504	13%	241	7%	745	10%	3%	
Adult heterosexual contact [HTRSX]	3,200	83%	3,023	91%	6,223	87%	24%	
Adult other risk	130	3%	73	2%	203	3%	1%	
<b>Total Adult Female Prevalence</b>	<b>3,834</b>	<b>100%</b>	<b>3,337</b>	<b>100%</b>	<b>7,171</b>	<b>100%</b>		
<b>PEDIATRIC (Current age 0-12)</b>								
Mother with/at risk for HIV infection	8	100%	23	100%	31	100%	0%	
Risk not diagnosed/Other	0	0%	0	0%	0	0%	0%	
<b>Total Pediatric Prevalence</b>	<b>8</b>	<b>100%</b>	<b>23</b>	<b>100%</b>	<b>31</b>	<b>100%</b>		
<b>Total Prevalence</b>	<b>13,452</b>		<b>12,590</b>		<b>26,042</b>		<b>100%</b>	

<sup>(1)</sup> No identified risk [NIR] redistributed

(Continue next Page)

**FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY  
ONE-IN STATEMENTS**

\* **ONE-IN Statements for Adults (>=13) Living with HIV or AIDS [PLWHA] through 2014 in Miami-Dade & Florida,**

<b>ADULT MALE LIVING WITH HIV OR AIDS</b>	
<b>MIAMI-DADE</b>	<b>FLORIDA</b>
• One in 61 White adult male in Miami-Dade is living with HIV or AIDS	• One in 170 White adult male
• One in 26 Black adult male in Miami-Dade is living with HIV or AIDS	• One in 38 Black adult male
• One in 75 Hispanic adult male in Miami-Dade is living with HIV or AIDS	• One in 98 Hispanic adult male
• One in 89 other race adult male in Miami-Dade is living with HIV or AIDS	• One in 200 Other adult male
<b>One in 56 adult male in Miami-Dade is living with HIV or AIDS</b>	<b>One in 103 adult male in Florida</b>

<b>ADULT FEMALE LIVING WITH HIV OR AIDS</b>	
<b>MIAMI-DADE</b>	<b>FLORIDA</b>
• One in 461 White adult female in Miami-Dade is living with HIV or AIDS	• One in 1,049 White adult female
• One in 37 Black adult female in Miami-Dade is living with HIV or AIDS	• One in 60 Black adult female
• One in 473 Hispanic adult female in Miami-Dade is living with HIV or AIDS	• One in 422 Hispanic adult female
• One in 259 other race adult female in Miami-Dade is living with HIV or AIDS	• One in 573 Other adult female
<b>One in 160 adult female in Miami-Dade is living with HIV or AIDS</b>	<b>One in 275 adult female in Florida</b>

<b>TOTAL ADULTS OF ALL SEXES LIVING WITH HIV OR AIDS</b>	
<b>MIAMI-DADE</b>	<b>FLORIDA</b>
• One in 106 White adult in Miami-Dade is living with HIV or AIDS	• One in 298 White adult
• One in 31 Black adult in Miami-Dade is living with HIV or AIDS	• One in 47 Black adult
• One in 134 Hispanic adult in Miami-Dade is living with HIV or AIDS	• One in 161 Hispanic adult
• One in 136 other race adult in Miami-Dade is living with HIV or AIDS	• One in 307 Other adult race
<b>One in 85 adult resident in Miami-Dade is living with HIV or AIDS</b>	<b>One in 151 adult Floridian</b>

Note: Excluding Department of Correction [DOC] cases at county level. Florida totals include DOC cases.

These statements are updated by the Florida Bureau of Communicable Disease, HIV/AIDS Section, every June of following year.

\* **Living data now reflects those living on our area regardless of where diagnosed. You cannot compare this year's data with last year's since they were run separately**

**FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY  
ONE-IN STATEMENTS**

\* **ONE-IN Statements for Total Persons (all ages) Living with HIV or AIDS [PLWHA] through 2014 in Miami-Dade & Florida**

<b>TOTAL MALE LIVING WITH HIV OR AIDS</b>	
<b>MIAMI-DADE</b>	<b>FLORIDA</b>
• One in 73 White male in Miami-Dade is living with HIV or AIDS	• One in 193 White male
• One in 32 Black male in Miami-Dade is living with HIV or AIDS	• One in 48 Black male
• One in 88 Hispanic male in Miami-Dade is living with HIV or AIDS	• One in 122 Hispanic male
• One in 108 other race male in Miami-Dade is living with HIV or AIDS	• One in 262 Other male
<b>One in 67 male in Miami-Dade is living with HIV or AIDS</b>	<b>One in 121 male in Florida</b>

<b>TOTAL FEMALE LIVING WITH HIV OR AIDS</b>	
<b>MIAMI-DADE</b>	<b>FLORIDA</b>
• One in 551 White female in Miami-Dade is living with HIV or AIDS	• One in 1,176 White female
• One in 45 Black female in Miami-Dade is living with HIV or AIDS	• One in 74 Black female
• One in 546 Hispanic female in Miami-Dade is living with HIV or AIDS	• One in 514 Hispanic female
• One in 309 other race female in Miami-Dade is living with HIV or AIDS	• One in 724 Other female
<b>One in 187 female in Miami-Dade is living with HIV or AIDS</b>	<b>One in 320 female in Florida</b>

<b>TOTAL ALL SEXES LIVING WITH HIV OR AIDS</b>	
<b>MIAMI-DADE</b>	<b>FLORIDA</b>
• One in 126 White in Miami-Dade is living with HIV or AIDS	• One in 336 White
• One in 38 Black in Miami-Dade is living with HIV or AIDS	• One in 59 Black
• One in 156 Hispanic in Miami-Dade is living with HIV or AIDS	• One in 198 Hispanic
• One in 164 other race in Miami-Dade is living with HIV or AIDS	• One in 394 Other race
<b>One in 100 Miami-Dade resident is living with HIV or AIDS</b>	<b>One in 178 Floridian</b>

Note: Excluding Department of Correction [DOC] cases at county level. Florida totals include DOC cases.

These statements are updated by the Florida Bureau of Communicable Disease, HIV/AIDS Section, every June of following year.

\* **Living data now reflects those living on our area regardless of where diagnosed. You cannot compare this year's data with last year's since they were run separately**

**FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY  
USEFUL WEBSITE LINKS**

Below are several website that may be useful for HIV/AIDS related information.

<b>USEFUL WEBSITE LINKS</b>	
<b>ORGANIZATIONS / SITES</b>	<b>ELECTRONIC ADDRESS</b>
Data from the HIV Counseling and Testing (Florida & all Counties)	<a href="http://www.floridahealth.gov/diseases-and-conditions/aids/prevention/2013-testing-data.html">http://www.floridahealth.gov/diseases-and-conditions/aids/prevention/2013-testing-data.html</a>
Center for Disease Control and Prevention [CDC]	<a href="http://www.cdc.gov">http://www.cdc.gov</a>
Center for Disease Control and Prevention [CDC] HIV/AIDS Statistics and Surveillance	<a href="http://www.cdc.gov/hiv/topics/surveillance/">http://www.cdc.gov/hiv/topics/surveillance/</a>
Center for Disease Control and Prevention [CDC] Morbidity and Mortality Weekly Report [MMWR]	<a href="http://www.cdc.gov/mmwr/">http://www.cdc.gov/mmwr/</a>
Florida Community Health Assessment Resource Tool Set [Florida CHARTS]	<a href="http://www.floridacharts.com/charts/default.aspx">http://www.floridacharts.com/charts/default.aspx</a>
Florida Department of Health in Miami-Dade County	<a href="http://miamidade.floridahealth.gov">http://miamidade.floridahealth.gov</a>
Florida Department of Health, Bureau of Communicable Disease, HIV/AIDS and Hepatitis Section.	<a href="http://www.floridahealth.gov/diseases-and-conditions/aids/index.html">http://www.floridahealth.gov/diseases-and-conditions/aids/index.html</a>
<i>Organización Panamericana de la Salud</i> [PAHO] (Pan American Health Organization)	<a href="http://www.paho.org">http://www.paho.org</a>
The Test Miami Initiative	<a href="http://www.testmiami.org/index.aspx">http://www.testmiami.org/index.aspx</a>
United Nations Program on HIV/AIDS [UNAIDS]	<a href="http://www.unaids.org/">http://www.unaids.org/</a>
US Census Bureau.	<a href="http://www.census.gov">http://www.census.gov</a>
US Census Bureau. HIV/AIDS Surveillance	<a href="http://www.census.gov/ipc/www/hivaidn.html">http://www.census.gov/ipc/www/hivaidn.html</a>
World Health Organization [WHO]	<a href="http://www.who.int">http://www.who.int</a>