

Mission:

To protect, promote & improve the health of all people in Florida through integrated state, county & community efforts.



Vision: To be the Healthiest State in the Nation

Rick Scott
Governor

John H. Armstrong, MD, FACS
State Surgeon General & Secretary

FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
HIV/AIDS SURVEILLANCE
MONTHLY HIV/AIDS SURVEILLANCE REPORT

FEBRUARY 2015

AIDS CASES (EXCLUDING DEPARTMENT OF CORRECTION [DOC] CASES) *(AIDS Worksheet)*

- AIDS cases by age group and gender (Excluding Department of Correction - DOC).
- AIDS cases by age group, race/ethnicity & gender, showing Haitians separated (Excluding DOC)
- AIDS cases by year of report and gender (Excluding DOC)
- Adult & pediatric AIDS cases by race/ethnicity and gender (Excluding DOC)
- Adult & pediatric AIDS cases by mortality status and gender (Excluding DOC)
- AIDS cases by exposure category and gender among Adult and Pediatric (Excluding DOC)
- Adult AIDS cases by exposure category, race/ethnicity and gender (Excluding DOC)
- Pediatric AIDS cases by exposure category, race/ethnicity and gender.
- Adult Hispanic/Latino AIDS cases by country of origin and gender (Excluding DOC)
- Adult Hispanic/Latino AIDS cases by country of origin, exposure category and gender (Excluding DOC)
- Haitian born adult AIDS cases by exposure category and gender (Excluding DOC)
- Department of Correction [DOC] Adult AIDS cases and total people living with AIDS by race/ethnicity and gender.

HIV CASES (EXCLUDING DEPARTMENT OF CORRECTION [DOC] CASES) *(HIV Worksheet)*

- HIV (not AIDS) cases by age group and gender (Excluding Department of Correction - DOC)
- HIV (not AIDS) cases by age group, race/ethnicity & gender, showing Haitians separated (Excluding DOC)
- HIV (not AIDS) cases by year of report and gender (Excluding DOC)
- Adult & pediatric HIV (not AIDS) cases by race/ethnicity and gender (Excluding DOC)
- Adult & pediatric HIV (not AIDS) cases by mortality status and gender (Excluding DOC)
- HIV (not AIDS) cases by exposure category and gender among Adult and Pediatric (Excluding DOC)
- Adult HIV (not AIDS) cases by exposure category, race/ethnicity and gender (Excluding DOC)

[\(Continue next Page\)](#)

Florida Department of Health
Miami-Dade County
Epidemiology, Disease Control, and Immunization Services
8600 NW 17th Street, suite 200, Miami, Florida 33126
PHONE: 305/470-5660 - FAX 305/470-5533

www.FloridaHealth.com
TWITTER: HealthyFLA
FACEBOOK: FLDepartmentofHealth
YOUTUBE: fldoh
FLICKR: HealthyFla
PINTEREST: HealthyFla

Mission:

To protect, promote & improve the health of all people in Florida through integrated state, county & community efforts.



Vision: To be the Healthiest State in the Nation

Rick Scott
Governor

John H. Armstrong, MD, FACS
State Surgeon General & Secretary

Adult Hispanic/Latino HIV (not AIDS) cases by country of origin and gender (Excluding DOC)
Adult Hispanic/Latino HIV (not AIDS) cases by country of origin, exposure category and gender (Excluding DOC)
Haitian born adult HIV (not AIDS) cases by country of origin, exposure category and gender (Excluding DOC)
Department of Correction [DOC] Adult HIV (not AIDS) cases and total people living with HIV by race/ethnicity and gender.

PERINATAL EXPOSED CASES REPORTED SINCE NOVEMBER 20th, 2006 (*PERINATAL EXPOSED Worksheet*)

All EXPOSED perinatal pediatric cases born in Miami-Dade by year of birth and diagnosis status since November 20th, 2006.
All EXPOSED perinatal pediatric cases born in Miami-Dade by year of birth and race/ethnicity since November 20th, 2006.
All EXPOSED perinatal pediatric cases born in Miami-Dade by year of birth and Mother HIV status since November 20th, 2006.
All EXPOSED perinatal pediatric cases born in Miami-Dade by diagnosis and Mother HIV status since November 20th, 2006.
All EXPOSED perinatal pediatric cases born in Miami-Dade by diagnosis status and HIV category since November 20th, 2006.
CONFIRMED infected perinatal cases born in Miami-Dade, known HIV or AIDS by year of birth, 2000-2013.
All EXPOSED perinatal pediatric cases born in Miami-Dade by hospital of birth and diagnosis status since November 20th, 2006.

ONE-IN STATEMENTS (*ONE-IN STATEMENTS Worksheet*)

One-in statements for persons (all ages) living with HIV or AIDS through 2013 (all ages) in Miami-Dade & Florida.
One-in statements for adult (≥ 13) persons living with HIV or AIDS through 2013 in Miami-Dade & Florida.

USEFUL WEBSITES LINKS (*WEBSITE Worksheet*)

Useful websites for HIV/AIDS related information.

FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
HIV/AIDS Surveillance
Cumulative Number of Reported AIDS Cases

FEBRUARY 2015

<i>AIDS Cases by age group and gender (Excluding Department of Correction - DOC)</i>							<i>AIDS Cases by age group, race/ethnicity & gender, showing Haitians separated (Excluding DOC)</i>											
AIDS Cases by Age Group & Gender	Female		Male		TOTAL AIDS		Hispanic/Latino		Black		White		Haitian		Other ⁽¹⁾		TOTAL AIDS	
	Cases	Col %	Cases	Col %	Cases	Col %	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male
Under 5	190	2.0%	169	0.7%	359	1.0%	25	25	155	128	4	8	5	7	1	1	190	169
5-12	56	0.6%	61	0.2%	117	0.3%	12	12	34	43	5	1	4	5	1	0	56	61
13-19	165	1.7%	126	0.5%	291	0.8%	18	41	122	77	5	2	16	6	4	0	165	126
20-29	1,718	18.2%	3,221	12.4%	4,939	14.0%	281	1,386	1,106	1,024	77	500	234	262	20	49	1,718	3,221
30-39	3,268	34.6%	9,429	36.4%	12,697	35.9%	526	4,050	1,988	2,673	161	1,666	552	892	41	148	3,268	9,429
40-49	2,443	25.9%	7,780	30.0%	10,223	28.9%	457	3,138	1,406	2,512	127	1,255	412	765	41	110	2,443	7,780
50-59	1,081	11.5%	3,561	13.7%	4,642	13.1%	237	1,425	554	1,238	57	478	209	365	24	55	1,081	3,561
60-64	260	2.8%	838	3.2%	1,098	3.1%	67	325	119	311	9	112	60	76	5	14	260	838
65-69	144	1.5%	424	1.6%	568	1.6%	29	151	73	169	5	55	34	41	3	8	144	424
>=70	111	1.2%	311	1.2%	422	1.2%	33	122	45	115	12	35	17	31	4	8	111	311
Unknown	0	0.0%	0	0.0%	0	0.0%	0	0	0	0	0	0	0	0	0	0	0	0
Total AIDS	9,436	100%	25,920	100%	35,356	100%	1,685	10,675	5,602	8,290	462	4,112	1,543	2,450	144	393	9,436	25,920

⁽¹⁾ Other Includes American Indian/Alaska Native, Asian, Native Hawaiian, Pacific Islander, Legacy Asian & Multi Race

AIDS Cases by year of report and gender (Excluding DOC)

AIDS Cases by Year Report & Gender	Female		Male		TOTAL AIDS	
	Cases	Row %	Cases	Row %	Cases	Col %
1981	0	0.0%	4	100%	4	0.0%
1982	7	18.4%	31	81.6%	38	0.1%
1983	16	16.3%	82	83.7%	98	0.3%
1984	18	11.9%	133	88.1%	151	0.4%
1985	29	15.3%	161	84.7%	190	0.5%
1986	71	17.4%	337	82.6%	408	1.2%
1987	67	13.7%	422	86.3%	489	1.4%
1988	118	16.6%	593	83.4%	711	2.0%
1989	209	20.2%	824	79.8%	1,033	2.9%
1990	183	19.4%	759	80.6%	942	2.7%
1991	394	19.7%	1,606	80.3%	2,000	5.7%
1992	342	20.9%	1,297	79.1%	1,639	4.6%
1993	632	22.5%	2,171	77.5%	2,803	7.9%
1994	670	23.5%	2,177	76.5%	2,847	8.1%
1995	593	28.0%	1,523	72.0%	2,116	6.0%
1996	528	27.0%	1,424	73.0%	1,952	5.5%
1997	420	28.3%	1,066	71.7%	1,486	4.2%
1998	465	31.7%	1,001	68.3%	1,466	4.1%
1999	356	29.3%	858	70.7%	1,214	3.4%

AIDS Cases by Year & Gender (Cont)	Female		Male		TOTAL AIDS	
	Cases	Row %	Cases	Row %	Cases	Col %
2000	376	31.6%	812	68.4%	1,188	3.4%
2001	369	32.8%	756	67.2%	1,125	3.2%
2002	303	29.1%	737	70.9%	1,040	2.9%
2003	297	30.4%	680	69.6%	977	2.8%
2004	400	31.3%	879	68.7%	1,279	3.6%
2005	385	33.1%	778	66.9%	1,163	3.3%
2006	389	34.7%	732	65.3%	1,121	3.2%
2007	271	35.1%	501	64.9%	772	2.2%
2008	323	31.1%	716	68.9%	1,039	2.9%
2009	256	30.8%	575	69.2%	831	2.4%
2010	201	30.5%	458	69.5%	659	1.9%
2011	238	33.2%	478	66.8%	716	2.0%
2012	159	26.5%	442	73.5%	601	1.7%
2013	191	28.2%	487	71.8%	678	1.9%
2014	144	27.8%	374	72.2%	518	1.5%
2015	16	25.8%	46	74.2%	62	0.2%
Total Adult AIDS	9,436	26.7%	25,920	73.3%	35,356	100%

(Continue next Page)

FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
HIV/AIDS Surveillance
Cumulative Number of Reported AIDS Cases

FEBRUARY 2015

Adult & Pediatric AIDS cases by race/ethnicity and gender (Excluding DOC)

AIDS by Race/ Ethnicity *	Adult AIDS						Pediatric AIDS						TOTAL AIDS CASES					
	Female		Male		Total Adult		Female		Male		Total Pediatric		Total Female		Total Male		Total Cases	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)	1,664	18.1%	10,657	41.5%	12,321	35.3%	37	15.0%	37	16.1%	74	15.5%	1,701	18.0%	10,694	41.3%	12,395	35.1%
American Indian/Alaska Native	1	0.0%	2	0.0%	3	0.0%	0	0.0%	0	0.0%	0	0.0%	1	0.0%	2	0.0%	3	0.0%
Asian	2	0.0%	21	0.1%	23	0.1%	0	0.0%	0	0.0%	0	0.0%	2	0.0%	21	0.1%	23	0.1%
Black or African American	6,911	75.2%	10,512	40.9%	17,423	50.0%	198	80.5%	183	79.6%	381	80.0%	7,109	75.3%	10,695	41.3%	17,804	50.4%
Native Hawaiian/Pacific Islander	1	0.0%	1	0.0%	2	0.0%	0	0.0%	0	0.0%	0	0.0%	1	0.0%	1	0.0%	2	0.0%
White	453	4.9%	4,107	16.0%	4,560	13.1%	9	3.7%	9	3.9%	18	3.8%	462	4.9%	4,116	15.9%	4,578	12.9%
Legacy Asian	2	0.0%	12	0.0%	14	0.0%	0	0.0%	0	0.0%	0	0.0%	2	0.0%	12	0.0%	14	0.0%
Multi-Race	156	1.7%	378	1.5%	534	1.5%	2	0.8%	1	0.4%	3	0.6%	158	1.7%	379	1.5%	537	1.5%
Unknown	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Total AIDS	9,190	100%	25,690	100%	34,880	100%	246	100%	230	100%	476	100%	9,436	100%	25,920	100%	35,356	100%

Adult & Pediatric AIDS cases by mortality status and gender (Excluding DOC)

Mortality Status among AIDS cases	Adult AIDS						Pediatric AIDS						TOTAL AIDS CASES					
	Female		Male		Total Adult		Female		Male		Total Pediatric		Total Female		Total Male		Total Cases	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Alive	3,999	43.5%	9,991	38.9%	13,990	40.1%	75	30.5%	80	34.8%	155	32.6%	4,074	43.2%	10,071	38.9%	14,145	40.0%
Deaths	5,191	56.5%	15,699	61.1%	20,890	59.9%	171	69.5%	150	65.2%	321	67.4%	5,362	56.8%	15,849	61.1%	21,211	60.0%
Total AIDS	9,190	100%	25,690	100%	34,880	100%	246	100%	230	100%	476	100%	9,436	100%	25,920	100%	35,356	100%

* This new category created by CDC, is to support the ability to record an ethnicity and multiple races for an individual, necessitated by new federal OMB guidelines for reporting race and ethnicity.

[\(Continue next Page\)](#)

FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
HIV/AIDS Surveillance
Cumulative Number of Reported AIDS Cases

FEBRUARY 2015

AIDS Cases by exposure category and gender among Adult and Pediatric (Excluding DOC)

Exposure Category among adult AIDS	Adult AIDS					
	Female		Male		Total Adult	
	Cases	Col %	Cases	Col %	Cases	Col %
Adult male-to-male sexual contact [MSM]			14,233	55.4%	14,233	40.8%
Adult injection drug use [IDU]	2,039	22.2%	3,197	12.4%	5,236	15.0%
Adult MSM & IDU			1,378	5.4%	1,378	4.0%
Adult heterosexual contact [HTRSX]	6,083	66.2%	4,062	15.8%	10,145	29.1%
Adult other risk*	185	2.0%	212	0.8%	397	1.1%
Adult no risk factor reported [NRR]	883	9.6%	2,608	10.2%	3,491	10.0%
Total adult AIDS	9,190	100%	25,690	100%	34,880	100%

* Other risk includes: Adult receiving clotting factor, Hemophiliac, Perinatal exposure w/HIV age at 13+ years

Exposure Category among Pediatric AIDS	Pediatric AIDS					
	Female		Male		Total Pediatric	
	Cases	Col %	Cases	Col %	Cases	Col %
Perinatal exposure [PERINATAL]	243	98.8%	221	96.1%	464	97.5%
Child receiving clotting factor [HEMOPH]	0	0.0%	1	0.4%	1	0.2%
Child receiving transfusion/transplant	2	0.8%	5	2.2%	7	1.5%
Child other risk confirmed [OTHER]	0	0.0%	1	0.4%	1	0.2%
Child no risk factor reported [NRR]	1	0.4%	2	0.9%	3	0.6%
Total Pediatric AIDS	246	100%	230	100%	476	100%

(Continue next Page)

FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
HIV/AIDS Surveillance
Cumulative Number of Reported AIDS Cases

FEBRUARY 2015

Adult AIDS cases by exposure category, race/ethnicity and gender (Excluding DOC)

ADULT FEMALE AIDS CASES														
Exposure Category/ Race/Ethnicity	MALE-TO-MALE SEXUAL CONTACT		INJECTION DRUG USE [IDU]		MSM & IDU		HETEROSEXUAL CONTACT		OTHER* RISK		NO REPORTED RISK [NRR]		TOTAL ADULT FEMALE	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
	Hispanic/Latino (All Races)			243	11.9%			1,263	20.8%	34	18.4%	124	14.0%	1,664
American Indian/Alaska Native			0	0.0%			1	0.0%	0	0.0%	0	0.0%	1	0.0%
Asian			0	0.0%			2	0.0%	0	0.0%	0	0.0%	2	0.0%
Black or African American			1,554	76.2%			4,511	74.2%	131	70.8%	715	81.0%	6,911	75.2%
Native Hawaiian/Pacific Islander			0	0.0%			1	0.0%	0	0.0%	0	0.0%	1	0.0%
White			200	9.8%			204	3.4%	15	8.1%	34	3.9%	453	4.9%
Legacy Asian			0	0.0%			2	0.0%	0	0.0%	0	0.0%	2	0.0%
Multi-Race			42	2.1%			99	1.6%	5	2.7%	10	1.1%	156	1.7%
Adult Female AIDS			2,039	100%			6,083	100%	185	100%	883	100%	9,190	100%

* OTHER includes Adult receiving clotting factor, Hemophilia, Perinatal exposure w/HIV age at 13+ years

ADULT MALE AIDS CASES														
Exposure Category/ Race/Ethnicity	MALE-TO-MALE SEXUAL CONTACT		INJECTION DRUG USE [IDU]		MSM & IDU		HETEROSEXUAL CONTACT		OTHER* RISK		NO REPORTED RISK [NRR]		TOTAL ADULT MALE	
	Cases	Col %	Cases	Col %	Cases	Col %	1010	Col %	Cases	Col %	Cases	Col %	Cases	Col %
	Hispanic/Latino (All Races)	7,755	54.5%	713	22.3%	491	35.6%	1,013	24.9%	63	29.7%	622	23.8%	10,657
American Indian/Alaska Native	0	0.0%	1	0.0%	0	0.0%	0	0.0%	0	0.0%	1	0.0%	2	0.0%
Asian	14	0.1%	0	0.0%	0	0.0%	4	0.1%	0	0.0%	3	0.1%	21	0.1%
Black or African American	2,944	20.7%	2,195	68.7%	593	43.0%	2,878	70.9%	99	46.7%	1,803	69.1%	10,512	40.9%
Native Hawaiian/Pacific Islander	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	1	0.0%	1	0.0%
White	3,302	23.2%	239	7.5%	269	19.5%	99	2.4%	45	21.2%	153	5.9%	4,107	16.0%
Legacy Asian	7	0.0%	0	0.0%	0	0.0%	4	0.1%	0	0.0%	1	0.0%	12	0.0%
Multi-Race	211	1.5%	49	1.5%	25	1.8%	64	1.6%	5	2.4%	24	0.9%	378	1.5%
Adult Male AIDS	14,233	100%	3,197	100%	1,378	100%	4,062	100%	212	100%	2,608	100%	25,690	100%
TOTAL ADULT AIDS	14,233	40.8%	5,236	15.0%	1,378	4.0%	10,145	29.1%	397	1.1%	3,491	10.0%	34,880	100%

(Continue next Page)

FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
HIV/AIDS Surveillance
Cumulative Number of Reported AIDS Cases

FEBRUARY 2015

Pediatric AIDS cases by exposure category, race/ethnicity and gender (Excluding DOC)

PEDIATRIC FEMALE AIDS CASES												
Exposure Category/ Race/Ethnicity	PERINATAL		HEMOPHILIAC		TRANSFUSION		OTHER RISK		NO REPORTED		TOTAL FEMALE	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)	35	14.4%	0	#DIV/0!	1	50.0%	0	#DIV/0!	1	100.0%	37	15.0%
Black or African American	197	81.1%	0	#DIV/0!	1	50.0%	0	#DIV/0!	0	0.0%	198	80.5%
White	9	3.7%	0	#DIV/0!	0	0.0%	0	#DIV/0!	0	0.0%	9	3.7%
Multi-Race	2	0.8%	0	#DIV/0!	0	0.0%	0	#DIV/0!	0	0.0%	2	0.8%
Pediatric Female AIDS	243	100%	0	#DIV/0!	2	100%	0	#DIV/0!	1	100%	246	100%

PEDIATRIC MALE AIDS CASES												
Exposure Category/ Race/Ethnicity	PERINATAL		HEMOPHILIAC		TRANSFUSION		OTHER RISK		NO REPORTED		TOTAL MALE	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)	32	14.5%	0	0.0%	4	80.0%	0	0.0%	1	50.0%	37	16.1%
Black or African American	179	81.0%	1	100.0%	1	20.0%	1	100.0%	1	50.0%	183	79.6%
White	9	4.1%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	9	3.9%
Multi-Race	1	0.5%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	1	0.4%
Pediatric Male AIDS	221	100%	1	100%	5	100%	1	100%	2	100%	230	100%

	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %
TOTAL PEDIATRIC AIDS	464	97.5%	1	0.2%	7	1.5%	1	0.2%	3	0.6%	476	100%

Adult Hispanic/Latino AIDS cases by country of origin and gender (Excluding DOC)

Country of Origin	ADULT FEMALE AIDS			ADULT MALE AIDS			TOTAL HISPANIC/LATINO		
	Cases	Col %	Row %	Cases	Col %	Row %	Cases	Col %	Row %
Argentina	24	1.4%	13.3%	157	1.5%	86.7%	181	1.5%	100%
Colombia	69	4.1%	12.3%	494	4.6%	87.7%	563	4.6%	100%
Cuba	395	23.7%	7.7%	4,723	44.3%	92.3%	5,118	41.5%	100%
Dominican Republic	72	4.3%	32.0%	153	1.4%	68.0%	225	1.8%	100%
Honduras	132	7.9%	28.6%	329	3.1%	71.4%	461	3.7%	100%
Mexico	21	1.3%	8.3%	233	2.2%	91.7%	254	2.1%	100%
Nicaragua	80	4.8%	18.4%	355	3.3%	81.6%	435	3.5%	100%
Peru	26	1.6%	13.4%	168	1.6%	86.6%	194	1.6%	100%
Puerto Rico	181	10.9%	17.2%	869	8.2%	82.8%	1,050	8.5%	100%
United States	383	23.0%	20.5%	1,488	14.0%	79.5%	1,871	15.2%	100%
Venezuela	16	1.0%	5.9%	257	2.4%	94.1%	273	2.2%	100%
Other/Unknown Countries	265	15.9%	15.6%	1,431	13.4%	84.4%	1,696	13.8%	100%
Total Adult Hispanic/Latino	1,664	100%	13.5%	10,657	100%	86.5%	12,321	100%	100%

(Continue next Page)

FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
HIV/AIDS Surveillance
Cumulative Number of Reported AIDS Cases

FEBRUARY 2015

Adult Hispanic/Latino AIDS cases by country of origin, exposure category and gender (Excluding DOC)

ADULT HISPANIC/LATINO FEMALE AIDS CASES															
Country of Origin	MALE-TO-MALE SEXUAL CONTACT		INJECTION DRUG USE [IDU]		MSM & IDU		HETEROSEXUAL CONTACT		OTHER * RISK		NO REPORTED RISK [NRR]		Total Hispanic/Latino Female by Country of Origin		
	Cases	Row %	Cases	Row %	Number	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Col %	Row %
	Argentina			3	12.5%			20	83.3%	0	0.0%	1	4.2%	24	1.4%
Colombia			7	10.1%			51	73.9%	2	2.9%	9	13.0%	69	4.1%	100%
Cuba			55	13.9%			292	73.9%	8	2.0%	40	10.1%	395	23.7%	100%
Dominican Republic			3	4.2%			62	86.1%	0	0.0%	7	9.7%	72	4.3%	100%
Honduras			8	6.1%			115	87.1%	1	0.8%	8	6.1%	132	7.9%	100%
Mexico			3	14.3%			16	76.2%	1	4.8%	1	4.8%	21	1.3%	100%
Nicaragua			4	5.0%			65	81.3%	1	1.3%	10	12.5%	80	4.8%	100%
Peru			1	3.8%			25	96.2%	0	0.0%	0	0.0%	26	1.6%	100%
Puerto Rico			47	26.0%			122	67.4%	3	1.7%	9	5.0%	181	10.9%	100%
United States			84	21.9%			264	68.9%	16	4.2%	19	5.0%	383	23.0%	100%
Venezuela			3	18.8%			12	75.0%	0	0.0%	1	6.3%	16	1.0%	100%
Other/Unknown Countries			25	9.4%			219	82.6%	2	0.8%	19	7.2%	265	15.9%	100%
Total adult Hispanic/Latino Female			243	14.6%			1,263	75.9%	34	2.0%	124	7.5%	1,664	100%	100%

* OTHER includes Adult receiving clotting factor, Hemophilic, Perinatal exposure w/HIV age at 13+ years

ADULT HISPANIC/LATINO MALE AIDS CASES															
Country of Origin	MALE-TO-MALE SEXUAL CONTACT		INJECTION DRUG USE [IDU]		MSM & IDU		HETEROSEXUAL CONTACT		OTHER * RISK		NO REPORTED RISK [NRR]		Total Hispanic/Latino Male by Country of Origin		
	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Col %	Row %
	Argentina	130	82.8%	4	2.5%	7	4.5%	13	8.3%	0	0.0%	3	1.9%	157	1.5%
Colombia	401	81.2%	14	2.8%	18	3.6%	39	7.9%	3	0.6%	19	3.8%	494	4.6%	100%
Cuba	3,635	77.0%	211	4.5%	190	4.0%	385	8.2%	26	0.6%	276	5.8%	4,723	44.3%	100%
Dominican Republic	83	54.2%	8	5.2%	5	3.3%	42	27.5%	1	0.7%	14	9.2%	153	1.4%	100%
Honduras	210	63.8%	19	5.8%	5	1.5%	68	20.7%	5	1.5%	22	6.7%	329	3.1%	100%
Mexico	158	67.8%	11	4.7%	7	3.0%	38	16.3%	0	0.0%	19	8.2%	233	2.2%	100%
Nicaragua	260	73.2%	10	2.8%	13	3.7%	51	14.4%	0	0.0%	21	5.9%	355	3.3%	100%
Peru	135	80.4%	2	1.2%	2	1.2%	18	10.7%	0	0.0%	11	6.5%	168	1.6%	100%
Puerto Rico	430	49.5%	217	25.0%	100	11.5%	68	7.8%	3	0.3%	51	5.9%	869	8.2%	100%
United States	1,014	68.1%	159	10.7%	110	7.4%	128	8.6%	17	1.1%	60	4.0%	1,488	14.0%	100%
Venezuela	225	87.5%	3	1.2%	2	0.8%	17	6.6%	2	0.8%	8	3.1%	257	2.4%	100%
Other/Unknown Countries	1,074	75.1%	55	3.8%	32	2.2%	146	10.2%	6	0.4%	118	8.2%	1,431	13.4%	100%
Total adult Hispanic/Latino Male	7,755	72.8%	713	6.7%	491	4.6%	1,013	9.5%	63	0.6%	622	5.8%	10,657	100%	100%

	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %
TOTAL ADULT HISPANIC/LATINO	7,755	62.9%	956	7.8%	491	4.0%	2,276	18.5%	97	0.8%	746	6.1%	12,321	100%

(Continue next Page)

**FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
HIV/AIDS Surveillance
Cumulative Number of Reported AIDS Cases**

FEBRUARY 2015

Haitian born adult AIDS cases by exposure category and gender (Excluding DOC)

ADULT HAITIAN BORN AIDS CASES														
Exposure Category GENDER	MALE-TO-MALE SEXUAL CONTACT		INJECTION DRUG USE [IDU]		MSM & IDU		HETEROSEXUAL CONTACT		OTHER *		NO REPORTED RISK [NRR]		Total Haitian by Gender	
	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %
	Haitian born Adult Females			56	3.7%			1,141	74.4%	27	1.8%	310	20.2%	1,534
Haitian born Adult Males	534	21.9%	76	3.1%	27	1.1%	892	36.6%	13	0.5%	896	36.8%	2,438	100%
Total Haitian born	534	13.4%	132	3.3%	27	0.7%	2,033	51.2%	40	1.0%	1,206	30.4%	3,972	100%

* OTHER includes Adult receiving clotting factor, Hemophilic, Perinatal exposure w/HIV age at 13+ years

Department of Correction [DOC] Adult AIDS cases and total people living with AIDS by race/ethnicity and gender.

AIDS Cases by Race/Ethnicity & Gender	DOC AIDS Cases						Total Reported People Living with AIDS (1)					
	Female		Male		Total		Female		Male		Total	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)	0	0.0%	90	13.4%	90	12.8%	898	22.0%	4,779	47.5%	5,677	40.1%
Black or African American	21	77.8%	482	71.5%	503	71.8%	2,148	52.7%	2,736	27.2%	4,884	34.5%
White	4	14.8%	70	10.4%	74	10.6%	177	4.3%	1,393	13.8%	1,570	11.1%
Haitian	1	3.7%	19	2.8%	20	2.9%	790	19.4%	998	9.9%	1,788	12.6%
Other (2)	1	3.7%	13	1.9%	14	2.0%	61	1.5%	165	1.6%	226	1.6%
Total AIDS	27	100%	674	100%	701	100%	4,074	100%	10,071	100%	14,145	100%

(1) PROVISIONAL DATA. PLW/AIDS cases has been updated by Florida Department of Health, Bureau of Communicable Disease, HIV/AIDS & Hepatitis Section, in June 2014 using National Death Index [NDI] latest information for death cases. Total reported people living with AIDS are those reported cases regardless of where they are currently living.

(2) Other Includes American Indian/Alaska Native, Asian, Native Hawaiian, Pacific Islander, Legacy Asian & Multi Race

Adjustments are performed on a monthly basis to compensate for duplicate reports state and nation wide and case validation projects.

FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
HIV/AIDS Surveillance
Cumulative Number of Reported HIV (Not AIDS) Cases

FEBRUARY 2015

<i>HIV (not AIDS) cases by age group and gender (Excluding Department of Correction - DOC)</i>					<i>HIV (not AIDS) Cases by age group, race/ethnicity & gender, showing Haitians separated (Excluding DOC)</i>													
HIV Cases by Age Group & Gender	Female		Male		TOTAL HIV		Hispanic/Latino		Black		White		Haitian		Other ⁽¹⁾		TOTAL HIV	
	Cases	Col %	Cases	Col %	Cases	Col %	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male
Under 5	47	1.2%	44	0.4%	91	0.6%	8	8	37	34	1	0	1	1	0	1	47	44
5-12	32	0.8%	17	0.2%	49	0.3%	5	5	22	10	0	0	5	2	0	0	32	17
13-19	224	5.7%	282	2.6%	506	3.4%	44	112	166	147	5	9	8	10	1	4	224	282
20-29	959	24.4%	2,579	23.6%	3,538	23.8%	214	1,355	576	792	49	315	109	78	11	39	959	2,579
30-39	1,079	27.4%	3,430	31.4%	4,509	30.3%	251	1,894	557	711	74	629	187	156	10	40	1,079	3,430
40-49	912	23.2%	2,796	25.6%	3,708	24.9%	217	1,398	483	681	54	511	142	167	16	39	912	2,796
50-59	490	12.5%	1,244	11.4%	1,734	11.7%	132	489	247	417	14	221	91	101	6	16	490	1,244
60-64	93	2.4%	271	2.5%	364	2.4%	24	103	40	87	3	48	26	27	0	6	93	271
65-69	68	1.7%	152	1.4%	220	1.5%	20	61	32	56	4	20	11	15	1	0	68	152
>=70	31	0.8%	120	1.1%	151	1.0%	4	43	10	51	4	12	12	10	1	4	31	120
Unknown	0	0.0%	0	0.0%	0	0.0%	0	0	0	0	0	0	0	0	0	0	0	0
Total HIV	3,935	100%	10,935	100%	14,870	100%	919	5,468	2,170	2,986	208	1,765	592	567	46	149	3,935	10,935

⁽¹⁾ Other Includes American Indian/Alaska Native, Asian, Native Hawaiian, Pacific Islander, Legacy Asian & Multi Race

HIV (Not AIDS) Cases by year of report and gender (Excluding DOC) HIV start reporting in Florida in July 1997.

HIV Cases by Year Report & Gender	Female		Male		TOTAL HIV		
	Cases	Row %	Cases	Row %	Cases	Col %	Row %
July-December 1997	125	37.1%	212	62.9%	337	2.3%	100%
1998	273	31.0%	608	69.0%	881	5.9%	100%
1999	264	31.5%	575	68.5%	839	5.6%	100%
2000	237	31.2%	523	68.8%	760	5.1%	100%
2001	247	30.6%	560	69.4%	807	5.4%	100%
2002	289	30.4%	661	69.6%	950	6.4%	100%
2003	238	28.1%	610	71.9%	848	5.7%	100%
2004	229	27.5%	605	72.5%	834	5.6%	100%
2005	231	31.6%	499	68.4%	730	4.9%	100%
2006	187	28.5%	470	71.5%	657	4.4%	100%
2007	227	26.9%	616	73.1%	843	5.7%	100%
2008	242	25.5%	706	74.5%	948	6.4%	100%
2009	191	25.0%	572	75.0%	763	5.1%	100%
2010	180	23.6%	582	76.4%	762	5.1%	100%
2011	185	22.4%	641	77.6%	826	5.6%	100%
2012	168	22.5%	578	77.5%	746	5.0%	100%
2013	214	22.2%	751	77.8%	965	6.5%	100%
2014	181	15.9%	959	84.1%	1,140	7.7%	100%
2015	27	11.5%	207	88.5%	234	1.6%	100%
Total Adult HIV	3,935	26.5%	10,935	73.5%	14,870	100%	

(Continue next Page)

FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
HIV/AIDS Surveillance
Cumulative Number of Reported HIV (Not AIDS) Cases

FEBRUARY 2015

Adult & Pediatric HIV (not AIDS) cases by race/ethnicity and gender (Excluding DOC)

HIV by Race/ Ethnicity *	Adult HIV						Pediatric HIV						TOTAL HIV CASES					
	Female		Male		Total Adult		Female		Male		Total Pediatric		Total Female		Total Male		Total Cases	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)	910	23.6%	5,460	50.2%	6,370	43.2%	13	16.5%	13	21.3%	26	18.6%	923	23.5%	5,473	50.1%	6,396	43.0%
American Indian/Alaska Native	2	0.1%	5	0.0%	7	0.0%	0	0.0%	0	0.0%	0	0.0%	2	0.1%	5	0.0%	7	0.0%
Asian	4	0.1%	28	0.3%	32	0.2%	0	0.0%	0	0.0%	0	0.0%	4	0.1%	28	0.3%	32	0.2%
Black or African American	2,691	69.8%	3,497	32.2%	6,188	42.0%	64	81.0%	47	77.0%	111	79.3%	2,755	70.0%	3,544	32.4%	6,299	42.4%
Native Hawaiian/Pacific Islander	1	0.0%	4	0.0%	5	0.0%	0	0.0%	0	0.0%	0	0.0%	1	0.0%	4	0.0%	5	0.0%
White	208	5.4%	1,766	16.2%	1,974	13.4%	1	1.3%	0	0.0%	1	0.7%	209	5.3%	1,766	16.1%	1,975	13.3%
Legacy Asian	1	0.0%	6	0.1%	7	0.0%	0	0.0%	1	1.6%	1	0.7%	1	0.0%	7	0.1%	8	0.1%
Multi-Race	39	1.0%	108	1.0%	147	1.0%	1	1.3%	0	0.0%	1	0.7%	40	1.0%	108	1.0%	148	1.0%
Unknown	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Total HIV	3,856	100%	10,874	100%	14,730	100%	79	100%	61	100%	140	100%	3,935	100%	10,935	100%	14,870	100%

Adult & Pediatric HIV (not AIDS) cases by mortality status and gender (Excluding DOC)

Mortality Status among HIV cases	Adult HIV						Pediatric HIV						TOTAL HIV CASES					
	Female		Male		Total Adult		Female		Male		Total Pediatric		Total Female		Total Male		Total Cases	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Alive	3,488	90.5%	9,951	91.5%	13,439	91.2%	78	98.7%	59	96.7%	137	97.9%	3,566	90.6%	10,010	91.5%	13,576	91.3%
Deaths	368	9.5%	923	8.5%	1,291	8.8%	1	1.3%	2	3.3%	3	2.1%	369	9.4%	925	8.5%	1,294	8.7%
Total HIV	3,856	100%	10,874	100%	14,730	100%	79	100%	61	100%	140	100%	3,935	100%	10,935	100%	14,870	100%

* This new category created by CDC, is to support the ability to record an ethnicity and multiple races for an individual, necessitated by new federal OMB guidelines for reporting race and ethnicity;

[\(Continue next Page\)](#)

FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
HIV/AIDS Surveillance
Cumulative Number of Reported HIV (Not AIDS) Cases

FEBRUARY 2015

HIV (not AIDS) Cases by exposure category and gender among Adult and Pediatric (Excluding DOC)

Exposure Category among adult HIV cases	Adult HIV					
	Female		Male		Total Adult	
	Cases	Col %	Cases	Col %	Cases	Col %
Adult male-to-male sexual contact [MSM]			7,328	67.4%	7,328	49.7%
Adult injection drug use [IDU]	276	7.2%	333	3.1%	609	4.1%
Adult MSM & IDU			242	2.2%	242	1.6%
Adult heterosexual contact [HTRSX]	3,016	78.2%	1,710	15.7%	4,726	32.1%
Adult other risk*	9	0.2%	4	0.0%	13	0.1%
Adult no risk factor reported [NRR]	555	14.4%	1,257	11.6%	1,812	12.3%
Total adult HIV	3,856	100%	10,874	100%	14,730	100%

* Other risk includes: Adult receiving clotting factor, Hemophiliac, Perinatal exposure w/HIV age at 13+ years

Exposure Category among Pediatric HIV cases	Pediatric HIV					
	Female		Male		Total Pediatric	
	Cases	Col %	Cases	Col %	Cases	Col %
Perinatal exposure [PERINATAL]	76	96.2%	61	100.0%	137	97.9%
Child receiving clotting factor [HEMOPH]	0	0.0%	0	0.0%	0	0.0%
Child receiving transfusion/transplant	0	0.0%	0	0.0%	0	0.0%
Child other risk confirmed [OTHER]	0	0.0%	0	0.0%	0	0.0%
Child no risk factor reported [NRR]	3	3.8%	0	0.0%	3	2.1%
Total Pediatric HIV	79	100%	61	100%	140	100%

(Continue next Page)

FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
HIV/AIDS Surveillance
Cumulative Number of Reported HIV (Not AIDS) Cases

FEBRUARY 2015

Adult HIV (not AIDS) cases by exposure category, race/ethnicity and gender (Excluding DOC)

ADULT FEMALE HIV CASES														
Exposure Category/ Race/Ethnicity	MALE-TO-MALE SEXUAL CONTACT		INJECTION DRUG USE [IDU]		MSM & IDU		HETEROSEXUAL CONTACT		OTHER * RISK		NO REPORTED RISK [NRR]		TOTAL ADULT FEMALE	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
	Hispanic/Latino (All Races)			64	23.2%			686	22.7%	4	44.4%	156	28.1%	910
American Indian/Alaska Native			0	0.0%			2	0.1%	0	0.0%	0	0.0%	2	0.1%
Asian			0	0.0%			3	0.1%	0	0.0%	1	0.2%	4	0.1%
Black or African American			167	60.5%			2,162	71.7%	3	33.3%	359	64.7%	2,691	69.8%
Native Hawaiian/Pacific Islander			0	0.0%			0	0.0%	0	0.0%	1	0.2%	1	0.0%
White			38	13.8%			135	4.5%	1	11.1%	34	6.1%	208	5.4%
Legacy Asian			0	0.0%			0	0.0%	0	0.0%	1	0.2%	1	0.0%
Multi-Race			7	2.5%			28	0.9%	1	11.1%	3	0.5%	39	1.0%
Adult Female HIV			276	100%			3,016	100%	9	100%	555	100%	3,856	100%

* OTHER includes Adult receiving clotting factor, Hemophilic, Perinatal exposure w/HIV age at 13+ years

ADULT MALE HIV CASES														
Exposure Category/ Race/Ethnicity	MALE-TO-MALE SEXUAL CONTACT		INJECTION DRUG USE [IDU]		MSM & IDU		HETEROSEXUAL CONTACT		OTHER * RISK		NO REPORTED RISK [NRR]		TOTAL ADULT MALE	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
	Hispanic/Latino (All Races)	4,297	58.6%	101	30.3%	113	46.7%	482	28.2%	0	0.0%	467	37.2%	5,460
American Indian/Alaska Native	2	0.0%	0	0.0%	0	0.0%	2	0.1%	0	0.0%	1	0.1%	5	0.0%
Asian	23	0.3%	0	0.0%	0	0.0%	1	0.1%	0	0.0%	4	0.3%	28	0.3%
Black or African American	1,424	19.4%	191	57.4%	74	30.6%	1,139	66.6%	3	75.0%	666	53.0%	3,497	32.2%
Native Hawaiian/Pacific Islander	4	0.1%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	4	0.0%
White	1,502	20.5%	37	11.1%	51	21.1%	64	3.7%	1	25.0%	111	8.8%	1,766	16.2%
Legacy Asian	5	0.1%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	1	0.1%	6	0.1%
Multi-Race	71	1.0%	4	1.2%	4	1.7%	22	1.3%	0	0.0%	7	0.6%	108	1.0%
Adult Male HIV	7,328	100%	333	100%	242	100%	1,710	100%	4	100%	1,257	100%	10,874	100%
TOTAL ADULT HIV	7,328	49.7%	609	4.1%	242	1.6%	4,726	32.1%	13	0.1%	1,812	12.3%	14,730	100%

(Continue next Page)

FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
HIV/AIDS Surveillance
Cumulative Number of Reported HIV (Not AIDS) Cases

FEBRUARY 2015

Pediatric HIV (not AIDS) cases by exposure category, race/ethnicity and gender (Excluding DOC)

PEDIATRIC FEMALE HIV CASES												
Exposure Category/ Race/Ethnicity	PERINATAL		HEMOPHILIAC		TRANSFUSION		OTHER RISK		NO REPORTED		TOTAL FEMALE	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)	11	14.5%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	2	66.7%	13	16.5%
Black or African American	63	82.9%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	1	33.3%	64	81.0%
White	1	1.3%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0	0.0%	1	1.3%
Legacy Asian/Pacific Isl.	0	0.0%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0	0.0%	0	0.0%
Multi-Race	1	1.3%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0	0.0%	1	1.3%
Pediatric Female HIV	76	100%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	3	100%	79	100%

PEDIATRIC MALE HIV CASES												
Exposure Category/ Race/Ethnicity	PERINATAL		HEMOPHILIAC		TRANSFUSION		OTHER RISK		NO REPORTED		TOTAL MALE	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)	13	21.3%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	13	21.3%
Black or African American	47	77.0%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	47	77.0%
White	0	0.0%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0	0.0%
Legacy Asian/Pacific Isl.	1	1.6%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	1	1.6%
Multi-Race	0	0.0%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0	0.0%
Pediatric Male HIV	61	100%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	61	100%

	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %
TOTAL PEDIATRIC HIV	137	97.9%	0	0.0%	0	0.0%	0	0.0%	3	2.1%	140	100%

Adult Hispanic/Latino HIV (not AIDS) cases by country of origin and gender (Excluding DOC)

Country of Origin	ADULT FEMALE HIV			ADULT MALE HIV			TOTAL HISPANIC/LATINO		
	Cases	Col %	Row %	Cases	Col %	Row %	Cases	Col %	Row %
Argentina	21	2.3%	13.3%	137	2.5%	86.7%	158	2.5%	100%
Colombia	36	4.0%	12.5%	251	4.6%	87.5%	287	4.5%	100%
Cuba	151	16.6%	8.4%	1,649	30.2%	91.6%	1,800	28.3%	100%
Dominican Republic	35	3.8%	30.4%	80	1.5%	69.6%	115	1.8%	100%
Honduras	66	7.3%	31.9%	141	2.6%	68.1%	207	3.2%	100%
Mexico	8	0.9%	5.8%	130	2.4%	94.2%	138	2.2%	100%
Nicaragua	33	3.6%	18.4%	146	2.7%	81.6%	179	2.8%	100%
Peru	13	1.4%	13.4%	84	1.5%	86.6%	97	1.5%	100%
Puerto Rico	58	6.4%	19.7%	237	4.3%	80.3%	295	4.6%	100%
United States	232	25.5%	16.6%	1,163	21.3%	83.4%	1,395	21.9%	100%
Venezuela	22	2.4%	7.2%	282	5.2%	92.8%	304	4.8%	100%
Other/Unknown Countries	235	25.8%	16.8%	1,160	21.2%	83.2%	1,395	21.9%	100%
Total Adult Hispanic/Latino HIV	910	100%	14.3%	5,460	100%	85.7%	6,370	100%	100%

(Continue next Page)

**FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
HIV/AIDS Surveillance
Cumulative Number of Reported HIV (Not AIDS) Cases**

FEBRUARY 2015

Adult Hispanic/Latino HIV (not AIDS) cases by country of origin, exposure category and gender (Excluding DOC)

ADULT HISPANIC/LATINO FEMALE HIV CASES															
Country of Origin	MALE-TO-MALE SEXUAL CONTACT		INJECTION DRUG USE [IDU]		MSM & IDU		HETEROSEXUAL CONTACT		OTHER * RISK		NO REPORTED RISK [NRR]		Total Hispanic/Latino Female by Country of Origin		
	Cases	Row %	Cases	Row %	Number	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Col %	Row %
Argentina			4	19.0%			15	71.4%	0	0.0%	2	9.5%	21	2.3%	100%
Colombia			1	2.8%			30	83.3%	0	0.0%	5	13.9%	36	4.0%	100%
Cuba			8	5.3%			119	78.8%	1	0.7%	23	15.2%	151	16.6%	100%
Dominican Republic			1	2.9%			31	88.6%	0	0.0%	3	8.6%	35	3.8%	100%
Honduras			0	0.0%			58	87.9%	0	0.0%	8	12.1%	66	7.3%	100%
Mexico			2	25.0%			5	62.5%	0	0.0%	1	12.5%	8	0.9%	100%
Nicaragua			0	0.0%			26	78.8%	0	0.0%	7	21.2%	33	3.6%	100%
Peru			1	7.7%			10	76.9%	0	0.0%	2	15.4%	13	1.4%	100%
Puerto Rico			10	17.2%			36	62.1%	0	0.0%	12	20.7%	58	6.4%	100%
United States			29	12.5%			169	72.8%	3	1.3%	31	13.4%	232	25.5%	100%
Venezuela			1	4.5%			20	90.9%	0	0.0%	1	4.5%	22	2.4%	100%
Other/Unknown Countries			7	3.0%			167	71.1%	0	0.0%	61	26.0%	235	25.8%	100%
Total adult Hispanic/Latino Female			64	7.0%			686	75.4%	4	0.4%	156	17.1%	910	100%	100%

OTHER includes Adult receiving clotting factor, Hemophilic, Perinatal exposure w/HIV age at 13+ years

ADULT HISPANIC/LATINO MALE HIV CASES															
Country of Origin	MALE-TO-MALE SEXUAL CONTACT		INJECTION DRUG USE [IDU]		MSM & IDU		HETEROSEXUAL CONTACT		OTHER * RISK		NO REPORTED RISK [NRR]		Total Hispanic/Latino Male by Country of Origin		
	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Col %	Row %
Argentina	119	86.9%	2	1.5%	2	1.5%	9	6.6%	0	0.0%	5	3.6%	137	2.5%	100%
Colombia	207	82.5%	1	0.4%	9	3.6%	18	7.2%	0	0.0%	16	6.4%	251	4.6%	100%
Cuba	1,343	81.4%	20	1.2%	36	2.2%	157	9.5%	0	0.0%	93	5.6%	1,649	30.2%	100%
Dominican Republic	49	61.3%	3	3.8%	3	3.8%	16	20.0%	0	0.0%	9	11.3%	80	1.5%	100%
Honduras	94	66.7%	1	0.7%	3	2.1%	28	19.9%	0	0.0%	15	10.6%	141	2.6%	100%
Mexico	108	83.1%	2	1.5%	1	0.8%	10	7.7%	0	0.0%	9	6.9%	130	2.4%	100%
Nicaragua	111	76.0%	3	2.1%	1	0.7%	22	15.1%	0	0.0%	9	6.2%	146	2.7%	100%
Peru	75	89.3%	1	1.2%	1	1.2%	6	7.1%	0	0.0%	1	1.2%	84	1.5%	100%
Puerto Rico	170	71.7%	30	12.7%	16	6.8%	10	4.2%	0	0.0%	11	4.6%	237	4.3%	100%
United States	935	80.4%	28	2.4%	26	2.2%	91	7.8%	0	0.0%	83	7.1%	1,163	21.3%	100%
Venezuela	251	89.0%	0	0.0%	2	0.7%	15	5.3%	0	0.0%	14	5.0%	282	5.2%	100%
Other/Unknown Countries	835	72.0%	10	0.9%	13	1.1%	100	8.6%	0	0.0%	202	17.4%	1,160	21.2%	100%
Total adult Hispanic/Latino Male	4,297	78.7%	101	1.8%	113	2.1%	482	8.8%	0	0.0%	467	8.6%	5,460	100%	100%

	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %
TOTAL ADULT HISPANIC/LATINO	4,297	67.5%	165	2.6%	113	1.8%	1,168	18.3%	4	0.1%	623	9.8%	6,370	100%

(Continue next Page)

FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
HIV/AIDS Surveillance
Cumulative Number of Reported HIV (Not AIDS) Cases

FEBRUARY 2015

Haitian born adult HIV cases by exposure category and gender (Excluding DOC)

ADULT HAITIAN BORN HIV CASES														
Exposure Category GENDER	MALE-TO-MALE SEXUAL CONTACT		INJECTION DRUG USE [IDU]		[MSM & [IDU]		HETEROSEXUAL CONTACT		OTHER* RISK		NO REPORTED RISK [NRR]		Total Haitian by Gender	
	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %
	Haitian born Adult Females			12	2.0%			503	85.8%	0	0.0%	71	12.1%	586
Haitian born Adult Males	104	18.4%	7	1.2%	1	0.2%	310	55.0%	0	0.0%	142	25.2%	564	100%
Total Haitian born	104	9.0%	19	1.7%	1	0.1%	813	70.7%	0	0.0%	213	18.5%	1,150	100%

* OTHER includes Adult receiving clotting factor, Hemophilic, Perinatal exposure w/HIV age at 13+ years

Department of Correction [DOC] Adult HIV (not AIDS) and total people living with HIV by race/ethnicity and gender.

HIV Cases by Race/Ethnicity & Gender	DOC HIV Cases						Total Reported People Living with HIV (1)					
	Female		Male		Total		Female		Male		Total	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)	5	33.3%	77	17.5%	82	18.0%	850	23.8%	5,179	51.7%	6,029	44.4%
Black or African American	7	46.7%	285	64.8%	292	64.2%	1,956	54.9%	2,577	25.7%	4,533	33.4%
White	3	20.0%	59	13.4%	62	13.6%	184	5.2%	1,631	16.3%	1,815	13.4%
Haitian	0	0.0%	12	2.7%	12	2.6%	540	15.1%	496	5.0%	1,036	7.6%
Other (2)	0	0.0%	7	1.6%	7	1.5%	36	1.0%	127	1.3%	163	1.2%
Total HIV	15	100%	440	100%	455	100%	3,566	100%	10,010	100%	13,576	100%

(1) PROVISIONAL DATA. PLW/AIDS cases has been updated by Florida Department of Health, Bureau of Communicable Disease, HIV/AIDS & Hepatitis Section, in June 2014 using National Death Index [NDI] latest information for death cases. Total reported people living with AIDS are those reported cases regardless of where they are currently living.

(2) Other Includes American Indian/Alaska Native, Asian, Native Hawaiian, Pacific Islander, Legacy Asian & Multi Race
 Adjustments are performed on a monthly basis to compensate for duplicate reports state and nation wide and case validation projects.

FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
HIV/AIDS Surveillance
Perinatal HIV Exposed Cases

FEBRUARY 2015

All EXPOSED Perinatal pediatric cases born in Miami-Dade by year of birth and diagnosis status since November 20th, 2006. ⁽¹⁾

Year of Birth	Perinatal HIV Exposure	Pediatric HIV	Pediatric AIDS	Pediatric seroreverter	Unknown	TOTAL
>=November 20 th , 2006	3	0	0	16	0	19
2007	32	1	0	106	0	139
2008	39	1	1	91	0	132
2009	31	2	0	86	0	119
2010	39	3	0	83	0	125
2011	13	1	0	105	0	119
2012	10	1	0	90	0	101
2013	18	2	1	75	0	96
2014	14	1	0	73	0	88
2015	7	1	0	2	0	10
Total	206	13	2	727	0	948

All EXPOSED Perinatal pediatric cases born in Miami-Dade by year of birth and race/ethnicity since November 20th, 2006. ⁽¹⁾

Year of Birth	Hispanic	Not Hispanic, Black	Not Hispanic, White	Not Hispanic, Other ⁽²⁾	TOTAL
>=November 20 th , 2006	3	15	1	0	19
2007	22	110	5	2	139
2008	19	111	2	0	132
2009	24	91	3	1	119
2010	31	87	5	2	125
2011	21	90	7	1	119
2012	23	68	8	2	101
2013	16	75	4	1	96
2014	15	69	4	0	88
2015	2	8	0	0	10
Total	176	724	39	9	948

⁽¹⁾ NOTE: An expanded HIV reporting law was implemented on November 20th, 2006. Expansion included reportability of cases with virologic evidence of HIV infection. Previously, only Western Blot-confirmed (+) cases were reportable. In addition, reporting is retroactive. Previously, only HIV cases diagnosed after July st, 1997, were reportable. A detectable viral load (VL) (or equivalent viral test) is reportable, and is considered evidence of HIV. Other reportable virologic test considered to be evidence of HIV are: P24, ANTIGEN, Nucleic Acid test (NAT/NAAT), viral culture. CD4 counts/percents are reportable, but follow-up is conducted only if it is <200 uL, or <14%.

⁽²⁾ Other Includes American Indian/Alaska Native, Asian, Native Hawaiian, Pacific Islander, Legacy Asian & Multi Race

[\(Continue next Page\)](#)

FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
HIV/AIDS Surveillance
Perinatal HIV Exposed Cases

FEBRUARY 2015

All EXPOSED Perinatal pediatric cases born in Miami-Dade by year of birth and Mother HIV status since November 20th, 2006. ⁽¹⁾

Year of Birth	Know HIV (+) before pregnancy	Know HIV (+) during pregnancy	Know HIV (+) at time of delivery	Know HIV (+) sometime before birth	Know HIV (+) sometime after birth	HIV (+) with time unknown	TOTAL
>=November 20 th , 2006	16	2	0	0	0	1	19
2007	93	34	9	1	2	0	139
2008	94	35	2	0	0	1	132
2009	85	24	8	1	0	1	119
2010	88	25	5	3	1	3	125
2011	90	23	3	2	1	0	119
2012	75	24	2	0	0	0	101
2013	79	11	2	3	0	1	96
2014	76	11	0	1	0	0	88
2015	10	0	0	0	0	0	10
Total	706	189	31	11	4	7	948

All EXPOSED Perinatal pediatric cases born in Miami-Dade by diagnosis and Mother HIV status since November 20th, 2006. ⁽¹⁾

Diagnosis Status	Know HIV (+) before pregnancy	Know HIV (+) during pregnancy	Know HIV (+) at time of delivery	Know HIV (+) sometime before birth	Know HIV (+) sometime after birth	HIV (+) with time unknown	TOTAL
Perinatal HIV Exposure	148	40	12	4	1	1	206
Pediatric HIV	9	1	2	0	1	0	13
Pediatric AIDS	2	0	0	0	0	0	2
Pediatric Seroreverter	547	148	17	7	2	6	727
Unknown	0	0	0	0	0	0	0
Total	706	189	31	11	4	7	948

All EXPOSED Perinatal pediatric cases born in Miami-Dade by diagnosis status and HIV category since November 20th, 2006. ⁽¹⁾

Diagnosis Status	HIV (+) Definitive	HIV (+) Presumptive	HIV Indeterminate	HIV (-) Definitive	HIV (-) Presumptive	Unknown	TOTAL
Perinatal HIV Exposure	0	0	206	0	0	0	206
Pediatric HIV	13	0	0	0	0	0	13
Pediatric AIDS	2	0	0	0	0	0	2
Pediatric Seroreverter	0	0	0	521	206	0	727
Unknown	0	0	0	0	0	0	0
Total	15	0	206	521	206	0	948

⁽¹⁾ NOTE: An expanded HIV reporting law was implemented on November 20th, 2006. Expansion included reportability of cases with virologic evidence of HIV infection. Previously, only Western Blot-confirmed (+) cases were reportable. In addition, reporting is retroactive. Previously, only HIV cases diagnosed after July st, 1997, were reportable. A detectable viral load (VL) (or equivalent viral test) is reportable, and is considered evidence of HIV. Other reportable virologic test considered to be evidence of HIV are: P24, ANTIGEN, Nucleic Acid test (NAT/NAAT), viral culture. CD4 counts/percents are reportable, but follow-up is conducted only if it is <200 uL, or <14%.

[\(Continue next Page\)](#)

FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
HIV/AIDS Surveillance
Perinatal HIV Exposed Cases

FEBRUARY 2015

CONFIRMED Infected Perinatal Cases, know HIV or AIDS born in Miami-Dade by year of birth, 2000-2014.

Perinatal HIV/AIDS Cases by Year of Birth	Pediatric HIV		Pediatric AIDS		TOTAL		
	Cases	Row %	Cases	Row %	Cases	Col %	Row %
2000	3	60.0%	2	40.0%	5	10.6%	100%
2001	3	42.9%	4	57.1%	7	14.9%	100%
2002	3	50.0%	3	50.0%	6	12.8%	100%
2003	3	75.0%	1	25.0%	4	8.5%	100%
2004	1	50.0%	1	50.0%	2	4.3%	100%
2005	3	60.0%	2	40.0%	5	10.6%	100%
2006	2	66.7%	1	33.3%	3	6.4%	100%
2007	1	100.0%	0	0.0%	1	2.1%	100%
2008	1	50.0%	1	50.0%	2	4.3%	100%
2009	2	100.0%	0	0.0%	2	4.3%	100%
2010	3	100.0%	0	0.0%	3	6.4%	100%
2011	1	100.0%	0	0.0%	1	2.1%	100%
2012	1	100.0%	0	0.0%	1	2.1%	100%
2013	2	66.7%	1	33.3%	3	6.4%	100%
2014	1	100.0%	0	0.0%	1	2.1%	100%
2015	1	100.0%	0	0.0%	1	2.1%	100%
Total Confirmed Perinatal Cases	31	66%	16	34%	47	100%	100%

(Continue next Page)

FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
HIV/AIDS Surveillance
Perinatal HIV Exposed Cases

FEBRUARY 2015

All EXPOSED Perinatal pediatric cases born in Miami-Dade by hospital of birth and diagnosis status since November 20th, 2006. ⁽¹⁾

Hospital of Birth	Perinatal HIV Exposure	Pediatric HIV	Pediatric AIDS	Perinatal Seroreverter	Unknown	TOTAL	TOTAL %
BAPTIST HOSPITAL-MIAMI	3	0	0	1		4	0.4%
BROWARD GENERAL MEDICAL CTR.	2	0	0	2		4	0.4%
CORAL SPRINGS MEDICAL CTR.	1	0	0	0		1	0.1%
HIALEAH HOSPITAL	3	0	0	0		3	0.3%
HOMESTEAD HOSPITAL	5	1	0	1		7	0.7%
JACKSON N MATERNITY CTR.	0	0	0	2		2	0.2%
JACKSON NORTH MEDICAL CTR.	7	2	0	15		24	2.5%
JACKSON SOUTH MEDICAL CTR.	2	0	0	15		17	1.8%
JACKSON MEMORIAL HOSPITAL	143	6	0	653		802	84.6%
KENDALL RMC	1	0	0	1		2	0.2%
MEMORIAL HOSPITAL-MIRAMAR	1	0	1	0		2	0.2%
MEMORIAL HOSPITAL-SOUTH	1	0	0	0		1	0.1%
MEMORIAL HOSPITAL-WEST	0	0	0	2		2	0.2%
MEMORIAL HOSPITAL-PEMBROKE PINES	3	0	0	1		4	0.4%
MEMORIAL HOSPITAL-HOLLYWOOD	9	0	0	6		15	1.6%
MERCY HOSPITAL	2	0	0	0		2	0.2%
MIAMI CHILDREN'S HOSPITAL	1	0	0	0		1	0.1%
MIAMI-DADE PVT PHYSICIAN-MIAMI	2	0	0	0		2	0.2%
MOUNT SINAI MC	0	0	0	1		1	0.1%
NORTH SHORE MEDICAL CTR.	13	0	0	17		30	3.2%
PLANTATION GENERAL HOSPITAL	1	0	0	1		2	0.2%
SOUTH MIAMI HOSPITAL	1	0	0	0		1	0.1%
UF HEALTH AT JACKSONVILLE	1	0	0	0		1	0.1%
WELLINGTON RMS	1	0	0	0		1	0.1%
UNKNOWN	3	4	1	9		17	1.8%
TOTAL	206	13	2	727	0	948	100%

⁽¹⁾ NOTE: An expanded HIV reporting law was implemented on November 20th, 2006. Expansion included reportability of cases with virologic evidence of HIV infection. Previously, only Western Blot-confirmed (+) cases were reportable. In addition, reporting is retroactive. Previously, only HIV cases diagnosed after July st, 1997, were reportable. A detectable viral load (VL) (or equivalent viral test) is reportable, and is considered evidence of HIV. Other reportable virologic test considered to be evidence of HIV are: P24, ANTIGEN, Nucleic Acid test (NAT/NAAT), viral culture. CD4 counts/percents are reportable, but follow-up is conducted only if it is <200 uL, or <14%

**FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
ONE-IN STATEMENTS**

ONE-IN Statements for Adults (>=13) Living with HIV or AIDS [PLWHA] through 2013 in Miami-Dade & Florida,

ADULT MALE LIVING WITH HIV OR AIDS	
MIAMI-DADE	FLORIDA
• One in 57 White adult male in Miami-Dade is living with HIV or AIDS	• One in 187 White adult male
• One in 25 Black adult male in Miami-Dade is living with HIV or AIDS	• One in 40 Black adult male
• One in 75 Hispanic adult male in Miami-Dade is living with HIV or AIDS	• One in 106 Hispanic adult male
• One in 84 other race adult male in Miami-Dade is living with HIV or AIDS	• One in 219 Other adult male
One in 55 adult male in Miami-Dade is living with HIV or AIDS	One in 111 adult male in Florida

ADULT FEMALE LIVING WITH HIV OR AIDS	
MIAMI-DADE	FLORIDA
• One in 446 White adult female in Miami-Dade is living with HIV or AIDS	• One in 1,080 White adult female
• One in 35 Black adult female in Miami-Dade is living with HIV or AIDS	• One in 61 Black adult female
• One in 449 Hispanic adult female in Miami-Dade is living with HIV or AIDS	• One in 462 Hispanic adult female
• One in 237 other race adult female in Miami-Dade is living with HIV or AIDS	• One in 606 Other adult female
One in 152 adult female in Miami-Dade is living with HIV or AIDS	One in 283 adult female in Florida

TOTAL ADULTS OF ALL SEXES LIVING WITH HIV OR AIDS	
MIAMI-DADE	FLORIDA
• One in 99 White adult in Miami-Dade is living with HIV or AIDS	• One in 325 White adult
• One in 30 Black adult in Miami-Dade is living with HIV or AIDS	• One in 49 Black adult
• One in 133 Hispanic adult in Miami-Dade is living with HIV or AIDS	• One in 175 Hispanic adult
• One in 127 other race adult in Miami-Dade is living with HIV or AIDS	• One in 333 Other adult race
One in 83 adult resident in Miami-Dade is living with HIV or AIDS	One in 161 adult Floridian

Note: Excluding Department of Correction [DOC] cases at county level. Florida totals include DOC cases.

These statements are updated by the Florida Bureau of Communicable Disease, HIV/AIDS Section, every June of following year.

**FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
ONE-IN STATEMENTS**

ONE-IN Statements for Total Persons (all ages) Living with HIV or AIDS [PLWHA] through 2013 in Miami-Dade & Florida

TOTAL MALE LIVING WITH HIV OR AIDS	
MIAMI-DADE	FLORIDA
• One in 68 White male in Miami-Dade is living with HIV or AIDS	• One in 212 White male
• One in 32 Black male in Miami-Dade is living with HIV or AIDS	• One in 50 Black male
• One in 89 Hispanic male in Miami-Dade is living with HIV or AIDS	• One in 132 Hispanic male
• One in 102 other race male in Miami-Dade is living with HIV or AIDS	• One in 287 Other male
One in 66 male in Miami-Dade is living with HIV or AIDS	One in 130 male in Florida

TOTAL FEMALE LIVING WITH HIV OR AIDS	
MIAMI-DADE	FLORIDA
• One in 534 White female in Miami-Dade is living with HIV or AIDS	• One in 1,210 White female
• One in 43 Black female in Miami-Dade is living with HIV or AIDS	• One in 75 Black female
• One in 516 Hispanic female in Miami-Dade is living with HIV or AIDS	• One in 562 Hispanic female
• One in 282 other race female in Miami-Dade is living with HIV or AIDS	• One in 763 Other female
One in 178 female in Miami-Dade is living with HIV or AIDS	One in 330 female in Florida

TOTAL ALL SEXES LIVING WITH HIV OR AIDS	
MIAMI-DADE	FLORIDA
• One in 118 White in Miami-Dade is living with HIV or AIDS	• One in 366 White
• One in 37 Black in Miami-Dade is living with HIV or AIDS	• One in 61 Black
• One in 155 Hispanic in Miami-Dade is living with HIV or AIDS	• One in 215 Hispanic
• One in 153 other race in Miami-Dade is living with HIV or AIDS	• One in 427 Other race
One in 98 Miami-Dade resident is living with HIV or AIDS	One in 189 Floridian

Note: Excluding Department of Correction [DOC] cases at county level. Florida totals include DOC cases.

These statements are updated by the Florida Bureau of Communicable Disease, HIV/AIDS Section, every June of following year.

**FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
USEFUL WEBSITE LINKS**

Below are several website that may be useful for HIV/AIDS related information.

USEFUL WEBSITE LINKS	
ORGANIZATIONS / SITES	ELECTRONIC ADDRESS
Data from the HIV Counseling and Testing (Florida & all Counties)	http://www.floridahealth.gov/diseases-and-conditions/aids/prevention/2013-testing-data.html
Center for Disease Control and Prevention [CDC]	http://www.cdc.gov
Center for Disease Control and Prevention. HIV/AIDS Statistics and Surveillance	http://www.cdc.gov/hiv/topics/surveillance/
Center for Disease Control and Prevention. Morbidity and Mortality Weekly Report	http://www.cdc.gov/mmwr/
Florida Community Health Assessment Resource Tool Set [Florida CHARTS]	http://www.floridacharts.com/charts/default.aspx
Florida Department of Health in Miami-Dade County	http://miamidade.floridahealth.gov
Florida Department of Health, Bureau of Communicable Disease, HIV/AIDS and Hepatitis Section.	http://www.floridahealth.gov/diseases-and-conditions/aids/index.html
<i>Organización Panamericana de la Salud</i> [PAHO] (Pan American Health Organization)	http://www.paho.org
The Test Miami Initiative	http://www.testmiami.org/index.aspx
United Nations Program on HIV/AIDS [UNAIDS]	http://www.unaids.org/
US Census Bureau.	http://www.census.gov
US Census Bureau. HIV/AIDS Surveillance	http://www.census.gov/ipc/www/hivaidsn.html
World Health Organization [WHO]	http://www.who.int