

Mission:

To protect, promote & improve the health of all people in Florida through integrated state, county & community efforts.



Vision: To be the Healthiest State in the Nation

Rick Scott
Governor

John H. Armstrong, MD, FACS
State Surgeon General & Secretary

FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
HIV/AIDS SURVEILLANCE
MONTHLY HIV/AIDS SURVEILLANCE REPORT

MARCH 2015

AIDS CASES (EXCLUDING DEPARTMENT OF CORRECTION [DOC] CASES) *(AIDS Worksheet)*

- AIDS cases by age group and gender (Excluding Department of Correction - DOC).
- AIDS cases by age group, race/ethnicity & gender, showing Haitians separated (Excluding DOC)
- AIDS cases by year of report and gender (Excluding DOC)
- Adult & pediatric AIDS cases by race/ethnicity and gender (Excluding DOC)
- Adult & pediatric AIDS cases by mortality status and gender (Excluding DOC)
- AIDS cases by exposure category and gender among Adult and Pediatric (Excluding DOC)
- Adult AIDS cases by exposure category, race/ethnicity and gender (Excluding DOC)
- Pediatric AIDS cases by exposure category, race/ethnicity and gender.
- Adult Hispanic/Latino AIDS cases by country of origin and gender (Excluding DOC)
- Adult Hispanic/Latino AIDS cases by country of origin, exposure category and gender (Excluding DOC)
- Haitian born adult AIDS cases by exposure category and gender (Excluding DOC)
- Department of Correction [DOC] Adult AIDS cases and total people living with AIDS by race/ethnicity and gender.

HIV CASES (EXCLUDING DEPARTMENT OF CORRECTION [DOC] CASES) *(HIV Worksheet)*

- HIV (not AIDS) cases by age group and gender (Excluding Department of Correction - DOC)
- HIV (not AIDS) cases by age group, race/ethnicity & gender, showing Haitians separated (Excluding DOC)
- HIV (not AIDS) cases by year of report and gender (Excluding DOC)
- Adult & pediatric HIV (not AIDS) cases by race/ethnicity and gender (Excluding DOC)
- Adult & pediatric HIV (not AIDS) cases by mortality status and gender (Excluding DOC)
- HIV (not AIDS) cases by exposure category and gender among Adult and Pediatric (Excluding DOC)
- Adult HIV (not AIDS) cases by exposure category, race/ethnicity and gender (Excluding DOC)

[\(Continue next Page\)](#)

Florida Department of Health
Miami-Dade County
Epidemiology, Disease Control, and Immunization Services
8600 NW 17th Street, suite 200, Miami, Florida 33126
PHONE: 305/470-5660 - FAX 305/470-5533

www.FloridaHealth.com
TWITTER: HealthyFLA
FACEBOOK: FLDepartmentofHealth
YOUTUBE: fldoh
FLICKR: HealthyFla
PINTEREST: HealthyFla

Mission:

To protect, promote & improve the health of all people in Florida through integrated state, county & community efforts.



Vision: To be the Healthiest State in the Nation

Rick Scott
Governor

John H. Armstrong, MD, FACS
State Surgeon General & Secretary

Adult Hispanic/Latino HIV (not AIDS) cases by country of origin and gender (Excluding DOC)
Adult Hispanic/Latino HIV (not AIDS) cases by country of origin, exposure category and gender (Excluding DOC)
Haitian born adult HIV (not AIDS) cases by country of origin, exposure category and gender (Excluding DOC)
Department of Correction [DOC] Adult HIV (not AIDS) cases and total people living with HIV by race/ethnicity and gender.

PERINATAL EXPOSED CASES REPORTED SINCE NOVEMBER 20th, 2006 (*PERINATAL EXPOSED Worksheet*)

All EXPOSED perinatal pediatric cases born in Miami-Dade by year of birth and diagnosis status since November 20th, 2006.
All EXPOSED perinatal pediatric cases born in Miami-Dade by year of birth and race/ethnicity since November 20th, 2006.
All EXPOSED perinatal pediatric cases born in Miami-Dade by year of birth and Mother HIV status since November 20th, 2006.
All EXPOSED perinatal pediatric cases born in Miami-Dade by diagnosis and Mother HIV status since November 20th, 2006.
All EXPOSED perinatal pediatric cases born in Miami-Dade by diagnosis status and HIV category since November 20th, 2006.
CONFIRMED infected perinatal cases born in Miami-Dade, known HIV or AIDS by year of birth, 2000-2013.
All EXPOSED perinatal pediatric cases born in Miami-Dade by hospital of birth and diagnosis status since November 20th, 2006.

ONE-IN STATEMENTS (*ONE-IN STATEMENTS Worksheet*)

One-in statements for persons (all ages) living with HIV or AIDS through 2013 (all ages) in Miami-Dade & Florida.
One-in statements for adult (≥ 13) persons living with HIV or AIDS through 2013 in Miami-Dade & Florida.

USEFUL WEBSITES LINKS (*WEBSITE Worksheet*)

Useful websites for HIV/AIDS related information.

FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
HIV/AIDS Surveillance
Cumulative Number of Reported AIDS Cases

MARCH 2015

| <i>AIDS Cases by age group and gender (Excluding Department of Correction - DOC)</i> | | | | | | | <i>AIDS Cases by age group, race/ethnicity & gender, showing Haitians separated (Excluding DOC)</i> | | | | | | | | | | | |
|--|--------------|-------------|---------------|-------------|---------------|-------------|---|---------------|--------------|--------------|------------|--------------|--------------|--------------|----------------------|------------|--------------|---------------|
| AIDS Cases by Age Group & Gender | Female | | Male | | TOTAL AIDS | | Hispanic/Latino | | Black | | White | | Haitian | | Other ⁽¹⁾ | | TOTAL AIDS | |
| | Cases | Col % | Cases | Col % | Cases | Col % | Female | Male | Female | Male | Female | Male | Female | Male | Female | Male | Female | Male |
| Under 5 | 190 | 2.0% | 169 | 0.7% | 359 | 1.0% | 25 | 25 | 155 | 128 | 4 | 8 | 5 | 7 | 1 | 1 | 190 | 169 |
| 5-12 | 56 | 0.6% | 61 | 0.2% | 117 | 0.3% | 12 | 12 | 34 | 43 | 5 | 1 | 4 | 5 | 1 | 0 | 56 | 61 |
| 13-19 | 167 | 1.8% | 126 | 0.5% | 293 | 0.8% | 18 | 41 | 124 | 77 | 5 | 2 | 16 | 6 | 4 | 0 | 167 | 126 |
| 20-29 | 1,719 | 18.2% | 3,226 | 12.4% | 4,945 | 14.0% | 282 | 1,387 | 1,106 | 1,028 | 77 | 500 | 234 | 262 | 20 | 49 | 1,719 | 3,226 |
| 30-39 | 3,269 | 34.6% | 9,436 | 36.4% | 12,705 | 35.9% | 526 | 4,058 | 1,989 | 2,673 | 161 | 1,665 | 552 | 892 | 41 | 148 | 3,269 | 9,436 |
| 40-49 | 2,446 | 25.9% | 7,790 | 30.0% | 10,236 | 28.9% | 457 | 3,144 | 1,408 | 2,514 | 127 | 1,257 | 412 | 765 | 42 | 110 | 2,446 | 7,790 |
| 50-59 | 1,082 | 11.5% | 3,564 | 13.7% | 4,646 | 13.1% | 237 | 1,426 | 554 | 1,239 | 57 | 478 | 210 | 366 | 24 | 55 | 1,082 | 3,564 |
| 60-64 | 261 | 2.8% | 840 | 3.2% | 1,101 | 3.1% | 68 | 325 | 119 | 311 | 9 | 113 | 60 | 77 | 5 | 14 | 261 | 840 |
| 65-69 | 144 | 1.5% | 426 | 1.6% | 570 | 1.6% | 29 | 152 | 73 | 170 | 5 | 55 | 34 | 41 | 3 | 8 | 144 | 426 |
| >=70 | 111 | 1.2% | 312 | 1.2% | 423 | 1.2% | 33 | 122 | 45 | 116 | 12 | 35 | 17 | 31 | 4 | 8 | 111 | 312 |
| Unknown | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Total AIDS | 9,445 | 100% | 25,950 | 100% | 35,395 | 100% | 1,687 | 10,692 | 5,607 | 8,299 | 462 | 4,114 | 1,544 | 2,452 | 145 | 393 | 9,445 | 25,950 |

⁽¹⁾ Other Includes American Indian/Alaska Native, Asian, Native Hawaiian, Pacific Islander, Legacy Asian & Multi Race

AIDS Cases by year of report and gender (Excluding DOC)

| AIDS Cases by Year Report & Gender | Female | | Male | | TOTAL AIDS | |
|------------------------------------|--------|-------|-------|-------|------------|-------|
| | Cases | Row % | Cases | Row % | Cases | Col % |
| 1981 | 0 | 0.0% | 4 | 100% | 4 | 0.0% |
| 1982 | 7 | 18.4% | 31 | 81.6% | 38 | 0.1% |
| 1983 | 16 | 16.3% | 82 | 83.7% | 98 | 0.3% |
| 1984 | 18 | 11.9% | 133 | 88.1% | 151 | 0.4% |
| 1985 | 29 | 15.3% | 161 | 84.7% | 190 | 0.5% |
| 1986 | 71 | 17.8% | 329 | 82.3% | 400 | 1.1% |
| 1987 | 63 | 13.5% | 405 | 86.5% | 468 | 1.3% |
| 1988 | 109 | 16.4% | 554 | 83.6% | 663 | 1.9% |
| 1989 | 195 | 19.9% | 784 | 80.1% | 979 | 2.8% |
| 1990 | 171 | 19.0% | 730 | 81.0% | 901 | 2.5% |
| 1991 | 362 | 19.1% | 1,537 | 80.9% | 1,899 | 5.4% |
| 1992 | 304 | 20.4% | 1,185 | 79.6% | 1,489 | 4.2% |
| 1993 | 443 | 20.8% | 1,682 | 79.2% | 2,125 | 6.0% |
| 1994 | 748 | 23.6% | 2,415 | 76.4% | 3,163 | 8.9% |
| 1995 | 668 | 27.9% | 1,726 | 72.1% | 2,394 | 6.8% |
| 1996 | 579 | 27.1% | 1,560 | 72.9% | 2,139 | 6.0% |
| 1997 | 432 | 28.3% | 1,094 | 71.7% | 1,526 | 4.3% |
| 1998 | 475 | 31.5% | 1,031 | 68.5% | 1,506 | 4.3% |
| 1999 | 358 | 29.1% | 872 | 70.9% | 1,230 | 3.5% |

| AIDS Cases by Year & Gender (Cont) | Female | | Male | | TOTAL AIDS | |
|------------------------------------|--------------|--------------|---------------|--------------|---------------|-------------|
| | Cases | Row % | Cases | Row % | Cases | Col % |
| 2000 | 379 | 31.7% | 816 | 68.3% | 1,195 | 3.4% |
| 2001 | 372 | 32.7% | 764 | 67.3% | 1,136 | 3.2% |
| 2002 | 324 | 29.1% | 790 | 70.9% | 1,114 | 3.1% |
| 2003 | 306 | 30.1% | 712 | 69.9% | 1,018 | 2.9% |
| 2004 | 412 | 31.6% | 893 | 68.4% | 1,305 | 3.7% |
| 2005 | 392 | 33.1% | 792 | 66.9% | 1,184 | 3.3% |
| 2006 | 396 | 35.0% | 735 | 65.0% | 1,131 | 3.2% |
| 2007 | 276 | 34.8% | 518 | 65.2% | 794 | 2.2% |
| 2008 | 325 | 31.1% | 721 | 68.9% | 1,046 | 3.0% |
| 2009 | 256 | 30.8% | 575 | 69.2% | 831 | 2.3% |
| 2010 | 199 | 30.2% | 460 | 69.8% | 659 | 1.9% |
| 2011 | 238 | 33.2% | 478 | 66.8% | 716 | 2.0% |
| 2012 | 159 | 26.5% | 442 | 73.5% | 601 | 1.7% |
| 2013 | 192 | 28.4% | 484 | 71.6% | 676 | 1.9% |
| 2014 | 145 | 27.7% | 379 | 72.3% | 524 | 1.5% |
| 2015 | 26 | 25.5% | 76 | 74.5% | 102 | 0.3% |
| Total Adult AIDS | 9,445 | 26.7% | 25,950 | 73.3% | 35,395 | 100% |

(Continue next Page)

FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
HIV/AIDS Surveillance
Cumulative Number of Reported AIDS Cases

MARCH 2015

Adult & Pediatric AIDS cases by race/ethnicity and gender (Excluding DOC)

| AIDS by Race/ Ethnicity * | Adult AIDS | | | | | | Pediatric AIDS | | | | | | TOTAL AIDS CASES | | | | | |
|----------------------------------|--------------|-------------|---------------|-------------|---------------|-------------|----------------|-------------|------------|-------------|-----------------|-------------|------------------|-------------|---------------|-------------|---------------|-------------|
| | Female | | Male | | Total Adult | | Female | | Male | | Total Pediatric | | Total Female | | Total Male | | Total Cases | |
| | Cases | Col % | Cases | Col % | Cases | Col % | Cases | Col % | Cases | Col % | Cases | Col % | Cases | Col % | Cases | Col % | Cases | Col % |
| Hispanic/Latino (All Races) | 1,666 | 18.1% | 10,674 | 41.5% | 12,340 | 35.3% | 37 | 15.0% | 37 | 16.1% | 74 | 15.5% | 1,703 | 18.0% | 10,711 | 41.3% | 12,414 | 35.1% |
| American Indian/Alaska Native | 1 | 0.0% | 2 | 0.0% | 3 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 1 | 0.0% | 2 | 0.0% | 3 | 0.0% |
| Asian | 2 | 0.0% | 21 | 0.1% | 23 | 0.1% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 2 | 0.0% | 21 | 0.1% | 23 | 0.1% |
| Black or African American | 6,917 | 75.2% | 10,523 | 40.9% | 17,440 | 49.9% | 198 | 80.5% | 183 | 79.6% | 381 | 80.0% | 7,115 | 75.3% | 10,706 | 41.3% | 17,821 | 50.3% |
| Native Hawaiian/Pacific Islander | 1 | 0.0% | 1 | 0.0% | 2 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 1 | 0.0% | 1 | 0.0% | 2 | 0.0% |
| White | 453 | 4.9% | 4,109 | 16.0% | 4,562 | 13.1% | 9 | 3.7% | 9 | 3.9% | 18 | 3.8% | 462 | 4.9% | 4,118 | 15.9% | 4,580 | 12.9% |
| Legacy Asian | 2 | 0.0% | 12 | 0.0% | 14 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 2 | 0.0% | 12 | 0.0% | 14 | 0.0% |
| Multi-Race | 157 | 1.7% | 378 | 1.5% | 535 | 1.5% | 2 | 0.8% | 1 | 0.4% | 3 | 0.6% | 159 | 1.7% | 379 | 1.5% | 538 | 1.5% |
| Unknown | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| Total AIDS | 9,199 | 100% | 25,720 | 100% | 34,919 | 100% | 246 | 100% | 230 | 100% | 476 | 100% | 9,445 | 100% | 25,950 | 100% | 35,395 | 100% |

Adult & Pediatric AIDS cases by mortality status and gender (Excluding DOC)

| Mortality Status among AIDS cases | Adult AIDS | | | | | | Pediatric AIDS | | | | | | TOTAL AIDS CASES | | | | | |
|---|--------------|-------------|---------------|-------------|---------------|-------------|----------------|-------------|------------|-------------|-----------------|-------------|------------------|-------------|---------------|-------------|---------------|-------------|
| | Female | | Male | | Total Adult | | Female | | Male | | Total Pediatric | | Total Female | | Total Male | | Total Cases | |
| | Cases | Col % | Cases | Col % | Cases | Col % | Cases | Col % | Cases | Col % | Cases | Col % | Cases | Col % | Cases | Col % | Cases | Col % |
| Alive | 4,004 | 43.5% | 10,004 | 38.9% | 14,008 | 40.1% | 75 | 30.5% | 80 | 34.8% | 155 | 32.6% | 4,079 | 43.2% | 10,084 | 38.9% | 14,163 | 40.0% |
| Deaths | 5,195 | 56.5% | 15,716 | 61.1% | 20,911 | 59.9% | 171 | 69.5% | 150 | 65.2% | 321 | 67.4% | 5,366 | 56.8% | 15,866 | 61.1% | 21,232 | 60.0% |
| Total AIDS | 9,199 | 100% | 25,720 | 100% | 34,919 | 100% | 246 | 100% | 230 | 100% | 476 | 100% | 9,445 | 100% | 25,950 | 100% | 35,395 | 100% |

* This new category created by CDC, is to support the ability to record an ethnicity and multiple races for an individual, necessitated by new federal OMB guidelines for reporting race and ethnicity.

[\(Continue next Page\)](#)

FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
HIV/AIDS Surveillance
Cumulative Number of Reported AIDS Cases

MARCH 2015

AIDS Cases by exposure category and gender among Adult and Pediatric (Excluding DOC)

| Exposure Category among adult AIDS | Adult AIDS | | | | | |
|---|--------------|-------------|---------------|-------------|---------------|-------------|
| | Female | | Male | | Total Adult | |
| | Cases | Col % | Cases | Col % | Cases | Col % |
| Adult male-to-male sexual contact [MSM] | | | 14,254 | 55.4% | 14,254 | 40.8% |
| Adult injection drug use [IDU] | 2,041 | 22.2% | 3,197 | 12.4% | 5,238 | 15.0% |
| Adult MSM & IDU | | | 1,378 | 5.4% | 1,378 | 3.9% |
| Adult heterosexual contact [HTRSX] | 6,090 | 66.2% | 4,076 | 15.8% | 10,166 | 29.1% |
| Adult other risk* | 186 | 2.0% | 212 | 0.8% | 398 | 1.1% |
| Adult no risk factor reported [NRR] | 882 | 9.6% | 2,603 | 10.1% | 3,485 | 10.0% |
| Total adult AIDS | 9,199 | 100% | 25,720 | 100% | 34,919 | 100% |

* Other risk includes: Adult receiving clotting factor, Hemophiliac, Perinatal exposure w/HIV age at 13+ years

| Exposure Category among Pediatric AIDS | Pediatric AIDS | | | | | |
|--|----------------|-------------|------------|-------------|-----------------|-------------|
| | Female | | Male | | Total Pediatric | |
| | Cases | Col % | Cases | Col % | Cases | Col % |
| Perinatal exposure [PERINATAL] | 243 | 98.8% | 221 | 96.1% | 464 | 97.5% |
| Child receiving clotting factor [HEMOPH] | 0 | 0.0% | 1 | 0.4% | 1 | 0.2% |
| Child receiving transfusion/transplant | 2 | 0.8% | 5 | 2.2% | 7 | 1.5% |
| Child other risk confirmed [OTHER] | 0 | 0.0% | 1 | 0.4% | 1 | 0.2% |
| Child no risk factor reported [NRR] | 1 | 0.4% | 2 | 0.9% | 3 | 0.6% |
| Total Pediatric AIDS | 246 | 100% | 230 | 100% | 476 | 100% |

(Continue next Page)

FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
HIV/AIDS Surveillance
Cumulative Number of Reported AIDS Cases

MARCH 2015

Adult AIDS cases by exposure category, race/ethnicity and gender (Excluding DOC)

| ADULT FEMALE AIDS CASES | | | | | | | | | | | | | | |
|--------------------------------------|--------------------------------|-------|-----------------------------|-------------|-----------|-------|-------------------------|-------------|----------------|-------------|---------------------------|-------------|-----------------------|-------------|
| Exposure Category/ Race/Ethnicity | MALE-TO-MALE SEXUAL CONTACT | | INJECTION DRUG USE [IDU] | | MSM & IDU | | HETEROSEXUAL CONTACT | | OTHER* RISK | | NO REPORTED RISK [NRR] | | TOTAL ADULT FEMALE | |
| | Cases | Col % | Cases | Col % | Cases | Col % | Cases | Col % | Cases | Col % | Cases | Col % | Cases | Col % |
| | Hispanic/Latino (All Races) | | | 243 | 11.9% | | | 1,265 | 20.8% | 34 | 18.3% | 124 | 14.1% | 1,666 |
| American Indian/Alaska Native | | | 0 | 0.0% | | | 1 | 0.0% | 0 | 0.0% | 0 | 0.0% | 1 | 0.0% |
| Asian | | | 0 | 0.0% | | | 2 | 0.0% | 0 | 0.0% | 0 | 0.0% | 2 | 0.0% |
| Black or African American | | | 1,555 | 76.2% | | | 4,516 | 74.2% | 132 | 71.0% | 714 | 81.0% | 6,917 | 75.2% |
| Native Hawaiian/Pacific Islander | | | 0 | 0.0% | | | 1 | 0.0% | 0 | 0.0% | 0 | 0.0% | 1 | 0.0% |
| White | | | 200 | 9.8% | | | 204 | 3.3% | 15 | 8.1% | 34 | 3.9% | 453 | 4.9% |
| Legacy Asian | | | 0 | 0.0% | | | 2 | 0.0% | 0 | 0.0% | 0 | 0.0% | 2 | 0.0% |
| Multi-Race | | | 43 | 2.1% | | | 99 | 1.6% | 5 | 2.7% | 10 | 1.1% | 157 | 1.7% |
| Adult Female AIDS | | | 2,041 | 100% | | | 6,090 | 100% | 186 | 100% | 882 | 100% | 9,199 | 100% |

* OTHER includes Adult receiving clotting factor, Hemophilia, Perinatal exposure w/HIV age at 13+ years

| ADULT MALE AIDS CASES | | | | | | | | | | | | | | |
|--------------------------------------|--------------------------------|--------------|-----------------------------|--------------|--------------|-------------|-------------------------|--------------|----------------|-------------|---------------------------|--------------|---------------------|-------------|
| Exposure Category/ Race/Ethnicity | MALE-TO-MALE SEXUAL CONTACT | | INJECTION DRUG USE [IDU] | | MSM & IDU | | HETEROSEXUAL CONTACT | | OTHER* RISK | | NO REPORTED RISK [NRR] | | TOTAL ADULT MALE | |
| | Cases | Col % | Cases | Col % | Cases | Col % | 1010 | Col % | Cases | Col % | Cases | Col % | Cases | Col % |
| | Hispanic/Latino (All Races) | 7,771 | 54.5% | 712 | 22.3% | 491 | 35.6% | 1,015 | 24.9% | 63 | 29.7% | 622 | 23.9% | 10,674 |
| American Indian/Alaska Native | 0 | 0.0% | 1 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 1 | 0.0% | 2 | 0.0% |
| Asian | 14 | 0.1% | 0 | 0.0% | 0 | 0.0% | 4 | 0.1% | 0 | 0.0% | 3 | 0.1% | 21 | 0.1% |
| Black or African American | 2,947 | 20.7% | 2,196 | 68.7% | 593 | 43.0% | 2,889 | 70.9% | 99 | 46.7% | 1,799 | 69.1% | 10,523 | 40.9% |
| Native Hawaiian/Pacific Islander | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 1 | 0.0% | 1 | 0.0% |
| White | 3,304 | 23.2% | 239 | 7.5% | 269 | 19.5% | 100 | 2.5% | 45 | 21.2% | 152 | 5.8% | 4,109 | 16.0% |
| Legacy Asian | 7 | 0.0% | 0 | 0.0% | 0 | 0.0% | 4 | 0.1% | 0 | 0.0% | 1 | 0.0% | 12 | 0.0% |
| Multi-Race | 211 | 1.5% | 49 | 1.5% | 25 | 1.8% | 64 | 1.6% | 5 | 2.4% | 24 | 0.9% | 378 | 1.5% |
| Adult Male AIDS | 14,254 | 100% | 3,197 | 100% | 1,378 | 100% | 4,076 | 100% | 212 | 100% | 2,603 | 100% | 25,720 | 100% |
| TOTAL ADULT AIDS | 14,254 | 40.8% | 5,238 | 15.0% | 1,378 | 3.9% | 10,166 | 29.1% | 398 | 1.1% | 3,485 | 10.0% | 34,919 | 100% |

(Continue next Page)

FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
HIV/AIDS Surveillance
Cumulative Number of Reported AIDS Cases

MARCH 2015

Pediatric AIDS cases by exposure category, race/ethnicity and gender (Excluding DOC)

| PEDIATRIC FEMALE AIDS CASES | | | | | | | | | | | | |
|--------------------------------------|------------|-------------|-------------|----------------|-------------|-------------|------------|----------------|-------------|-------------|--------------|-------------|
| Exposure Category/ Race/Ethnicity | PERINATAL | | HEMOPHILIAC | | TRANSFUSION | | OTHER RISK | | NO REPORTED | | TOTAL FEMALE | |
| | Cases | Col % | Cases | Col % | Cases | Col % | Cases | Col % | Cases | Col % | Cases | Col % |
| Hispanic/Latino (All Races) | 35 | 14.4% | 0 | #DIV/0! | 1 | 50.0% | 0 | #DIV/0! | 1 | 100.0% | 37 | 15.0% |
| Black or African American | 197 | 81.1% | 0 | #DIV/0! | 1 | 50.0% | 0 | #DIV/0! | 0 | 0.0% | 198 | 80.5% |
| White | 9 | 3.7% | 0 | #DIV/0! | 0 | 0.0% | 0 | #DIV/0! | 0 | 0.0% | 9 | 3.7% |
| Multi-Race | 2 | 0.8% | 0 | #DIV/0! | 0 | 0.0% | 0 | #DIV/0! | 0 | 0.0% | 2 | 0.8% |
| Pediatric Female AIDS | 243 | 100% | 0 | #DIV/0! | 2 | 100% | 0 | #DIV/0! | 1 | 100% | 246 | 100% |

| PEDIATRIC MALE AIDS CASES | | | | | | | | | | | | |
|--------------------------------------|------------|-------------|-------------|-------------|-------------|-------------|------------|-------------|-------------|-------------|------------|-------------|
| Exposure Category/ Race/Ethnicity | PERINATAL | | HEMOPHILIAC | | TRANSFUSION | | OTHER RISK | | NO REPORTED | | TOTAL MALE | |
| | Cases | Col % | Cases | Col % | Cases | Col % | Cases | Col % | Cases | Col % | Cases | Col % |
| Hispanic/Latino (All Races) | 32 | 14.5% | 0 | 0.0% | 4 | 80.0% | 0 | 0.0% | 1 | 50.0% | 37 | 16.1% |
| Black or African American | 179 | 81.0% | 1 | 100.0% | 1 | 20.0% | 1 | 100.0% | 1 | 50.0% | 183 | 79.6% |
| White | 9 | 4.1% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 9 | 3.9% |
| Multi-Race | 1 | 0.5% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 1 | 0.4% |
| Pediatric Male AIDS | 221 | 100% | 1 | 100% | 5 | 100% | 1 | 100% | 2 | 100% | 230 | 100% |

| | Cases | Row % | Cases | Row % | Cases | Row % | Cases | Row % | Cases | Row % | Cases | Row % |
|-----------------------------|------------|--------------|----------|-------------|----------|-------------|----------|-------------|----------|-------------|------------|-------------|
| TOTAL PEDIATRIC AIDS | 464 | 97.5% | 1 | 0.2% | 7 | 1.5% | 1 | 0.2% | 3 | 0.6% | 476 | 100% |

Adult Hispanic/Latino AIDS cases by country of origin and gender (Excluding DOC)

| Country of Origin | ADULT FEMALE AIDS | | | ADULT MALE AIDS | | | TOTAL HISPANIC/LATINO | | |
|------------------------------------|-------------------|-------------|--------------|-----------------|-------------|--------------|-----------------------|-------------|-------------|
| | Cases | Col % | Row % | Cases | Col % | Row % | Cases | Col % | Row % |
| Argentina | 24 | 1.4% | 13.3% | 157 | 1.5% | 86.7% | 181 | 1.5% | 100% |
| Colombia | 70 | 4.2% | 12.4% | 494 | 4.6% | 87.6% | 564 | 4.6% | 100% |
| Cuba | 395 | 23.7% | 7.7% | 4,732 | 44.3% | 92.3% | 5,127 | 41.5% | 100% |
| Dominican Republic | 72 | 4.3% | 32.0% | 153 | 1.4% | 68.0% | 225 | 1.8% | 100% |
| Honduras | 133 | 8.0% | 28.8% | 329 | 3.1% | 71.2% | 462 | 3.7% | 100% |
| Mexico | 21 | 1.3% | 8.2% | 234 | 2.2% | 91.8% | 255 | 2.1% | 100% |
| Nicaragua | 81 | 4.9% | 18.5% | 357 | 3.3% | 81.5% | 438 | 3.5% | 100% |
| Peru | 26 | 1.6% | 13.4% | 168 | 1.6% | 86.6% | 194 | 1.6% | 100% |
| Puerto Rico | 181 | 10.9% | 17.3% | 867 | 8.1% | 82.7% | 1,048 | 8.5% | 100% |
| United States | 384 | 23.0% | 20.5% | 1,490 | 14.0% | 79.5% | 1,874 | 15.2% | 100% |
| Venezuela | 16 | 1.0% | 5.8% | 258 | 2.4% | 94.2% | 274 | 2.2% | 100% |
| Other/Unknown Countries | 263 | 15.8% | 15.5% | 1,435 | 13.4% | 84.5% | 1,698 | 13.8% | 100% |
| Total Adult Hispanic/Latino | 1,666 | 100% | 13.5% | 10,674 | 100% | 86.5% | 12,340 | 100% | 100% |

(Continue next Page)

FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
HIV/AIDS Surveillance
Cumulative Number of Reported AIDS Cases

MARCH 2015

Adult Hispanic/Latino AIDS cases by country of origin, exposure category and gender (Excluding DOC)

| Country of Origin | MALE-TO-MALE SEXUAL CONTACT | | INJECTION DRUG USE [IDU] | | MSM & IDU | | HETEROSEXUAL CONTACT | | OTHER * RISK | | NO REPORTED RISK [NRR] | | Total Hispanic/Latino Female by Country of Origin | | |
|---|-----------------------------|-------|--------------------------|--------------|-----------|-------|----------------------|--------------|--------------|-------------|------------------------|-------------|---|-------------|-------------|
| | Cases | Row % | Cases | Row % | Number | Row % | Cases | Row % | Cases | Row % | Cases | Row % | Cases | Col % | Row % |
| | Argentina | | | 3 | 12.5% | | | 20 | 83.3% | 0 | 0.0% | 1 | 4.2% | 24 | 1.4% |
| Colombia | | | 7 | 10.0% | | | 52 | 74.3% | 2 | 2.9% | 9 | 12.9% | 70 | 4.2% | 100% |
| Cuba | | | 55 | 13.9% | | | 292 | 73.9% | 8 | 2.0% | 40 | 10.1% | 395 | 23.7% | 100% |
| Dominican Republic | | | 3 | 4.2% | | | 62 | 86.1% | 0 | 0.0% | 7 | 9.7% | 72 | 4.3% | 100% |
| Honduras | | | 8 | 6.0% | | | 116 | 87.2% | 1 | 0.8% | 8 | 6.0% | 133 | 8.0% | 100% |
| Mexico | | | 3 | 14.3% | | | 16 | 76.2% | 1 | 4.8% | 1 | 4.8% | 21 | 1.3% | 100% |
| Nicaragua | | | 4 | 4.9% | | | 66 | 81.5% | 1 | 1.2% | 10 | 12.3% | 81 | 4.9% | 100% |
| Peru | | | 1 | 3.8% | | | 25 | 96.2% | 0 | 0.0% | 0 | 0.0% | 26 | 1.6% | 100% |
| Puerto Rico | | | 47 | 26.0% | | | 122 | 67.4% | 3 | 1.7% | 9 | 5.0% | 181 | 10.9% | 100% |
| United States | | | 84 | 21.9% | | | 265 | 69.0% | 16 | 4.2% | 19 | 4.9% | 384 | 23.0% | 100% |
| Venezuela | | | 3 | 18.8% | | | 12 | 75.0% | 0 | 0.0% | 1 | 6.3% | 16 | 1.0% | 100% |
| Other/Unknown Countries | | | 25 | 9.5% | | | 217 | 82.5% | 2 | 0.8% | 19 | 7.2% | 263 | 15.8% | 100% |
| Total adult Hispanic/Latino Female | | | 243 | 14.6% | | | 1,265 | 75.9% | 34 | 2.0% | 124 | 7.4% | 1,666 | 100% | 100% |

* OTHER includes Adult receiving clotting factor, Hemophilic, Perinatal exposure w/HIV age at 13+ years

| Country of Origin | MALE-TO-MALE SEXUAL CONTACT | | INJECTION DRUG USE [IDU] | | MSM & IDU | | HETEROSEXUAL CONTACT | | OTHER * RISK | | NO REPORTED RISK [NRR] | | Total Hispanic/Latino Male by Country of Origin | | |
|---|-----------------------------|--------------|--------------------------|-------------|------------|-------------|----------------------|-------------|--------------|-------------|------------------------|-------------|---|-------------|-------------|
| | Cases | Row % | Cases | Row % | Cases | Row % | Cases | Row % | Cases | Row % | Cases | Row % | Cases | Col % | Row % |
| | Argentina | 130 | 82.8% | 4 | 2.5% | 7 | 4.5% | 13 | 8.3% | 0 | 0.0% | 3 | 1.9% | 157 | 1.5% |
| Colombia | 401 | 81.2% | 14 | 2.8% | 18 | 3.6% | 39 | 7.9% | 3 | 0.6% | 19 | 3.8% | 494 | 4.6% | 100% |
| Cuba | 3,646 | 77.0% | 211 | 4.5% | 190 | 4.0% | 383 | 8.1% | 26 | 0.5% | 276 | 5.8% | 4,732 | 44.3% | 100% |
| Dominican Republic | 83 | 54.2% | 8 | 5.2% | 5 | 3.3% | 42 | 27.5% | 1 | 0.7% | 14 | 9.2% | 153 | 1.4% | 100% |
| Honduras | 210 | 63.8% | 19 | 5.8% | 5 | 1.5% | 68 | 20.7% | 5 | 1.5% | 22 | 6.7% | 329 | 3.1% | 100% |
| Mexico | 158 | 67.5% | 11 | 4.7% | 7 | 3.0% | 39 | 16.7% | 0 | 0.0% | 19 | 8.1% | 234 | 2.2% | 100% |
| Nicaragua | 260 | 72.8% | 10 | 2.8% | 13 | 3.6% | 53 | 14.8% | 0 | 0.0% | 21 | 5.9% | 357 | 3.3% | 100% |
| Peru | 135 | 80.4% | 2 | 1.2% | 2 | 1.2% | 18 | 10.7% | 0 | 0.0% | 11 | 6.5% | 168 | 1.6% | 100% |
| Puerto Rico | 430 | 49.6% | 216 | 24.9% | 99 | 11.4% | 68 | 7.8% | 3 | 0.3% | 51 | 5.9% | 867 | 8.1% | 100% |
| United States | 1,015 | 68.1% | 159 | 10.7% | 111 | 7.4% | 128 | 8.6% | 17 | 1.1% | 60 | 4.0% | 1,490 | 14.0% | 100% |
| Venezuela | 226 | 87.6% | 3 | 1.2% | 2 | 0.8% | 17 | 6.6% | 2 | 0.8% | 8 | 3.1% | 258 | 2.4% | 100% |
| Other/Unknown Countries | 1,077 | 75.1% | 55 | 3.8% | 32 | 2.2% | 147 | 10.2% | 6 | 0.4% | 118 | 8.2% | 1,435 | 13.4% | 100% |
| Total adult Hispanic/Latino Male | 7,771 | 72.8% | 712 | 6.7% | 491 | 4.6% | 1,015 | 9.5% | 63 | 0.6% | 622 | 5.8% | 10,674 | 100% | 100% |

| | Cases | Row % | Cases | Row % | Cases | Row % | Cases | Row % | Cases | Row % | Cases | Row % | Cases | Row % |
|------------------------------------|--------------|--------------|------------|-------------|------------|-------------|--------------|--------------|-----------|-------------|------------|-------------|---------------|-------------|
| TOTAL ADULT HISPANIC/LATINO | 7,771 | 63.0% | 955 | 7.7% | 491 | 4.0% | 2,280 | 18.5% | 97 | 0.8% | 746 | 6.0% | 12,340 | 100% |

(Continue next Page)

FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
HIV/AIDS Surveillance
Cumulative Number of Reported AIDS Cases

MARCH 2015

Haitian born adult AIDS cases by exposure category and gender (Excluding DOC)

| ADULT HAITIAN BORN AIDS CASES | | | | | | | | | | | | | | |
|--------------------------------------|--------------------------------|--------------|-----------------------------|-------------|-----------|-------------|-------------------------|--------------|-----------|-------------|---------------------------|--------------|----------------------------|-------------|
| Exposure Category GENDER | MALE-TO-MALE SEXUAL CONTACT | | INJECTION DRUG USE [IDU] | | MSM & IDU | | HETEROSEXUAL CONTACT | | OTHER * | | NO REPORTED RISK [NRR] | | Total Haitian by Gender | |
| | Cases | Row % | Cases | Row % | Cases | Row % | Cases | Row % | Cases | Row % | Cases | Row % | Cases | Row % |
| | Haitian born Adult Females | | | 56 | 3.6% | | | 1,143 | 74.5% | 27 | 1.8% | 309 | 20.1% | 1,535 |
| Haitian born Adult Males | 534 | 21.9% | 76 | 3.1% | 27 | 1.1% | 897 | 36.8% | 13 | 0.5% | 893 | 36.6% | 2,440 | 100% |
| Total Haitian born | 534 | 13.4% | 132 | 3.3% | 27 | 0.7% | 2,040 | 51.3% | 40 | 1.0% | 1,202 | 30.2% | 3,975 | 100% |

* OTHER includes Adult receiving clotting factor, Hemophilic, Perinatal exposure w/HIV age at 13+ years

Department of Correction [DOC] Adult AIDS cases and total people living with AIDS by race/ethnicity and gender.

| AIDS Cases by Race/Ethnicity & Gender | DOC AIDS Cases | | | | | | Total Reported People Living with AIDS (1) | | | | | |
|--|----------------|-------------|------------|-------------|------------|-------------|--|-------------|---------------|-------------|---------------|-------------|
| | Female | | Male | | Total | | Female | | Male | | Total | |
| | Cases | Col % | Cases | Col % | Cases | Col % | Cases | Col % | Cases | Col % | Cases | Col % |
| Hispanic/Latino (All Races) | 0 | 0.0% | 90 | 13.4% | 90 | 12.8% | 898 | 22.0% | 4,789 | 47.5% | 5,687 | 40.2% |
| Black or African American | 21 | 77.8% | 482 | 71.5% | 503 | 71.8% | 2,151 | 52.7% | 2,737 | 27.1% | 4,888 | 34.5% |
| White | 4 | 14.8% | 70 | 10.4% | 74 | 10.6% | 177 | 4.3% | 1,394 | 13.8% | 1,571 | 11.1% |
| Haitian | 1 | 3.7% | 19 | 2.8% | 20 | 2.9% | 791 | 19.4% | 999 | 9.9% | 1,790 | 12.6% |
| Other (2) | 1 | 3.7% | 13 | 1.9% | 14 | 2.0% | 62 | 1.5% | 165 | 1.6% | 227 | 1.6% |
| Total AIDS | 27 | 100% | 674 | 100% | 701 | 100% | 4,079 | 100% | 10,084 | 100% | 14,163 | 100% |

(1) PROVISIONAL DATA. PLW/AIDS cases has been updated by Florida Department of Health, Bureau of Communicable Disease, HIV/AIDS & Hepatitis Section, in June 2014 using National Death Index [NDI] latest information for death cases. Total reported people living with AIDS are those reported cases regardless of where they are currently living.

(2) Other Includes American Indian/Alaska Native, Asian, Native Hawaiian, Pacific Islander, Legacy Asian & Multi Race

Adjustments are performed on a monthly basis to compensate for duplicate reports state and nation wide and case validation projects.

FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
HIV/AIDS Surveillance
Cumulative Number of Reported HIV (Not AIDS) Cases

MARCH 2015

| <i>HIV (not AIDS) cases by age group and gender (Excluding Department of Correction - DOC)</i> | | | | | | <i>HIV (not AIDS) Cases by age group, race/ethnicity & gender, showing Haitians separated (Excluding DOC)</i> | | | | | | | | | | | | |
|--|--------------|-------------|---------------|-------------|---------------|---|-----------------|--------------|--------------|--------------|------------|--------------|------------|------------|----------------------|------------|--------------|---------------|
| HIV Cases by Age Group & Gender | Female | | Male | | TOTAL HIV | | Hispanic/Latino | | Black | | White | | Haitian | | Other ⁽¹⁾ | | TOTAL HIV | |
| | Cases | Col % | Cases | Col % | Cases | Col % | Female | Male | Female | Male | Female | Male | Female | Male | Female | Male | Female | Male |
| Under 5 | 47 | 1.2% | 44 | 0.4% | 91 | 0.6% | 8 | 8 | 37 | 34 | 1 | 0 | 1 | 1 | 0 | 1 | 47 | 44 |
| 5-12 | 32 | 0.8% | 17 | 0.2% | 49 | 0.3% | 5 | 5 | 22 | 10 | 0 | 0 | 5 | 2 | 0 | 0 | 32 | 17 |
| 13-19 | 222 | 5.6% | 284 | 2.6% | 506 | 3.4% | 44 | 113 | 164 | 148 | 5 | 9 | 8 | 10 | 1 | 4 | 222 | 284 |
| 20-29 | 961 | 24.4% | 2,605 | 23.7% | 3,566 | 23.9% | 213 | 1,377 | 580 | 792 | 51 | 316 | 106 | 81 | 11 | 39 | 961 | 2,605 |
| 30-39 | 1,081 | 27.4% | 3,450 | 31.3% | 4,531 | 30.3% | 251 | 1,909 | 557 | 715 | 75 | 630 | 188 | 156 | 10 | 40 | 1,081 | 3,450 |
| 40-49 | 911 | 23.1% | 2,811 | 25.5% | 3,722 | 24.9% | 216 | 1,411 | 483 | 681 | 55 | 513 | 142 | 167 | 15 | 39 | 911 | 2,811 |
| 50-59 | 495 | 12.6% | 1,248 | 11.3% | 1,743 | 11.7% | 132 | 494 | 248 | 417 | 14 | 220 | 95 | 101 | 6 | 16 | 495 | 1,248 |
| 60-64 | 93 | 2.4% | 272 | 2.5% | 365 | 2.4% | 24 | 103 | 39 | 89 | 3 | 48 | 27 | 26 | 0 | 6 | 93 | 272 |
| 65-69 | 68 | 1.7% | 152 | 1.4% | 220 | 1.5% | 20 | 62 | 32 | 54 | 4 | 21 | 11 | 15 | 1 | 0 | 68 | 152 |
| >=70 | 31 | 0.8% | 122 | 1.1% | 153 | 1.0% | 4 | 44 | 10 | 51 | 4 | 13 | 12 | 10 | 1 | 4 | 31 | 122 |
| Unknown | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Total HIV | 3,941 | 100% | 11,005 | 100% | 14,946 | 100% | 917 | 5,526 | 2,172 | 2,991 | 212 | 1,770 | 595 | 569 | 45 | 149 | 3,941 | 11,005 |

⁽¹⁾ Other Includes American Indian/Alaska Native, Asian, Native Hawaiian, Pacific Islander, Legacy Asian & Multi Race

HIV (Not AIDS) Cases by year of report and gender (Excluding DOC) HIV start reporting in Florida in July 1997.

| HIV Cases by Year Report & Gender | Female | | Male | | TOTAL HIV | | |
|-----------------------------------|--------------|--------------|---------------|--------------|---------------|-------------|-------|
| | Cases | Row % | Cases | Row % | Cases | Col % | Row % |
| July-December 1997 | 125 | 37.1% | 212 | 62.9% | 337 | 2.3% | 100% |
| 1998 | 273 | 31.0% | 608 | 69.0% | 881 | 5.9% | 100% |
| 1999 | 263 | 31.4% | 574 | 68.6% | 837 | 5.6% | 100% |
| 2000 | 236 | 31.1% | 523 | 68.9% | 759 | 5.1% | 100% |
| 2001 | 243 | 30.3% | 560 | 69.7% | 803 | 5.4% | 100% |
| 2002 | 289 | 30.5% | 659 | 69.5% | 948 | 6.3% | 100% |
| 2003 | 238 | 28.1% | 610 | 71.9% | 848 | 5.7% | 100% |
| 2004 | 228 | 27.4% | 605 | 72.6% | 833 | 5.6% | 100% |
| 2005 | 231 | 31.6% | 499 | 68.4% | 730 | 4.9% | 100% |
| 2006 | 186 | 28.4% | 470 | 71.6% | 656 | 4.4% | 100% |
| 2007 | 225 | 26.8% | 616 | 73.2% | 841 | 5.6% | 100% |
| 2008 | 242 | 25.6% | 704 | 74.4% | 946 | 6.3% | 100% |
| 2009 | 191 | 25.1% | 571 | 74.9% | 762 | 5.1% | 100% |
| 2010 | 180 | 23.7% | 581 | 76.3% | 761 | 5.1% | 100% |
| 2011 | 184 | 22.4% | 639 | 77.6% | 823 | 5.5% | 100% |
| 2012 | 167 | 22.5% | 576 | 77.5% | 743 | 5.0% | 100% |
| 2013 | 211 | 22.0% | 749 | 78.0% | 960 | 6.4% | 100% |
| 2014 | 179 | 15.8% | 952 | 84.2% | 1,131 | 7.6% | 100% |
| 2015 | 50 | 14.4% | 297 | 85.6% | 347 | 2.3% | 100% |
| Total Adult HIV | 3,941 | 26.4% | 11,005 | 73.6% | 14,946 | 100% | |

(Continue next Page)

FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
HIV/AIDS Surveillance
Cumulative Number of Reported HIV (Not AIDS) Cases

MARCH 2015

Adult & Pediatric HIV (not AIDS) cases by race/ethnicity and gender (Excluding DOC)

| HIV by Race/ Ethnicity * | Adult HIV | | | | | | Pediatric HIV | | | | | | TOTAL HIV CASES | | | | | |
|----------------------------------|--------------|-------------|---------------|-------------|---------------|-------------|---------------|-------------|-----------|-------------|-----------------|-------------|-----------------|-------------|---------------|-------------|---------------|-------------|
| | Female | | Male | | Total Adult | | Female | | Male | | Total Pediatric | | Total Female | | Total Male | | Total Cases | |
| | Cases | Col % | Cases | Col % | Cases | Col % | Cases | Col % | Cases | Col % | Cases | Col % | Cases | Col % | Cases | Col % | Cases | Col % |
| Hispanic/Latino (All Races) | 908 | 23.5% | 5,518 | 50.4% | 6,426 | 43.4% | 13 | 16.5% | 13 | 21.3% | 26 | 18.6% | 921 | 23.4% | 5,531 | 50.3% | 6,452 | 43.2% |
| American Indian/Alaska Native | 1 | 0.0% | 5 | 0.0% | 6 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 1 | 0.0% | 5 | 0.0% | 6 | 0.0% |
| Asian | 4 | 0.1% | 28 | 0.3% | 32 | 0.2% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 4 | 0.1% | 28 | 0.3% | 32 | 0.2% |
| Black or African American | 2,696 | 69.8% | 3,504 | 32.0% | 6,200 | 41.9% | 64 | 81.0% | 47 | 77.0% | 111 | 79.3% | 2,760 | 70.0% | 3,551 | 32.3% | 6,311 | 42.2% |
| Native Hawaiian/Pacific Islander | 1 | 0.0% | 3 | 0.0% | 4 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 1 | 0.0% | 3 | 0.0% | 4 | 0.0% |
| White | 212 | 5.5% | 1,771 | 16.2% | 1,983 | 13.4% | 1 | 1.3% | 0 | 0.0% | 1 | 0.7% | 213 | 5.4% | 1,771 | 16.1% | 1,984 | 13.3% |
| Legacy Asian | 1 | 0.0% | 6 | 0.1% | 7 | 0.0% | 0 | 0.0% | 1 | 1.6% | 1 | 0.7% | 1 | 0.0% | 7 | 0.1% | 8 | 0.1% |
| Multi-Race | 39 | 1.0% | 109 | 1.0% | 148 | 1.0% | 1 | 1.3% | 0 | 0.0% | 1 | 0.7% | 40 | 1.0% | 109 | 1.0% | 149 | 1.0% |
| Unknown | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| Total HIV | 3,862 | 100% | 10,944 | 100% | 14,806 | 100% | 79 | 100% | 61 | 100% | 140 | 100% | 3,941 | 100% | 11,005 | 100% | 14,946 | 100% |

Adult & Pediatric HIV (not AIDS) cases by mortality status and gender (Excluding DOC)

| Mortality Status among HIV cases | Adult HIV | | | | | | Pediatric HIV | | | | | | TOTAL HIV CASES | | | | | |
|--|--------------|-------------|---------------|-------------|---------------|-------------|---------------|-------------|-----------|-------------|-----------------|-------------|-----------------|-------------|---------------|-------------|---------------|-------------|
| | Female | | Male | | Total Adult | | Female | | Male | | Total Pediatric | | Total Female | | Total Male | | Total Cases | |
| | Cases | Col % | Cases | Col % | Cases | Col % | Cases | Col % | Cases | Col % | Cases | Col % | Cases | Col % | Cases | Col % | Cases | Col % |
| Alive | 3,496 | 90.5% | 10,021 | 91.6% | 13,517 | 91.3% | 78 | 98.7% | 59 | 96.7% | 137 | 97.9% | 3,574 | 90.7% | 10,080 | 91.6% | 13,654 | 91.4% |
| Deaths | 366 | 9.5% | 923 | 8.4% | 1,289 | 8.7% | 1 | 1.3% | 2 | 3.3% | 3 | 2.1% | 367 | 9.3% | 925 | 8.4% | 1,292 | 8.6% |
| Total HIV | 3,862 | 100% | 10,944 | 100% | 14,806 | 100% | 79 | 100% | 61 | 100% | 140 | 100% | 3,941 | 100% | 11,005 | 100% | 14,946 | 100% |

* This new category created by CDC, is to support the ability to record an ethnicity and multiple races for an individual, necessitated by new federal OMB guidelines for reporting race and ethnicity;

[\(Continue next Page\)](#)

FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
HIV/AIDS Surveillance
Cumulative Number of Reported HIV (Not AIDS) Cases

MARCH 2015

HIV (not AIDS) Cases by exposure category and gender among Adult and Pediatric (Excluding DOC)

| Exposure Category among adult HIV cases | Adult HIV | | | | | |
|---|--------------|-------------|---------------|-------------|---------------|-------------|
| | Female | | Male | | Total Adult | |
| | Cases | Col % | Cases | Col % | Cases | Col % |
| Adult male-to-male sexual contact [MSM] | | | 7,397 | 67.6% | 7,397 | 50.0% |
| Adult injection drug use [IDU] | 276 | 7.1% | 334 | 3.1% | 610 | 4.1% |
| Adult MSM & IDU | | | 242 | 2.2% | 242 | 1.6% |
| Adult heterosexual contact [HTRSX] | 3,018 | 78.1% | 1,704 | 15.6% | 4,722 | 31.9% |
| Adult other risk* | 8 | 0.2% | 4 | 0.0% | 12 | 0.1% |
| Adult no risk factor reported [NRR] | 560 | 14.5% | 1,263 | 11.5% | 1,823 | 12.3% |
| Total adult HIV | 3,862 | 100% | 10,944 | 100% | 14,806 | 100% |

* Other risk includes: Adult receiving clotting factor, Hemophiliac, Perinatal exposure w/HIV age at 13+ years

| Exposure Category among Pediatric HIV cases | Pediatric HIV | | | | | |
|---|---------------|-------------|-----------|-------------|-----------------|-------------|
| | Female | | Male | | Total Pediatric | |
| | Cases | Col % | Cases | Col % | Cases | Col % |
| Perinatal exposure [PERINATAL] | 76 | 96.2% | 61 | 100.0% | 137 | 97.9% |
| Child receiving clotting factor [HEMOPH] | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| Child receiving transfusion/transplant | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| Child other risk confirmed [OTHER] | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| Child no risk factor reported [NRR] | 3 | 3.8% | 0 | 0.0% | 3 | 2.1% |
| Total Pediatric HIV | 79 | 100% | 61 | 100% | 140 | 100% |

(Continue next Page)

FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
HIV/AIDS Surveillance
Cumulative Number of Reported HIV (Not AIDS) Cases

MARCH 2015

Adult HIV (not AIDS) cases by exposure category, race/ethnicity and gender (Excluding DOC)

| ADULT FEMALE HIV CASES | | | | | | | | | | | | | | |
|--------------------------------------|--------------------------------|-------|-----------------------------|-------------|-----------|-------|-------------------------|-------------|-----------------|-------------|---------------------------|-------------|-----------------------|-------------|
| Exposure Category/ Race/Ethnicity | MALE-TO-MALE SEXUAL CONTACT | | INJECTION DRUG USE [IDU] | | MSM & IDU | | HETEROSEXUAL CONTACT | | OTHER * RISK | | NO REPORTED RISK [NRR] | | TOTAL ADULT FEMALE | |
| | Cases | Col % | Cases | Col % | Cases | Col % | Cases | Col % | Cases | Col % | Cases | Col % | Cases | Col % |
| | Hispanic/Latino (All Races) | | | 64 | 23.2% | | | 686 | 22.7% | 4 | 50.0% | 154 | 27.5% | 908 |
| American Indian/Alaska Native | | | 0 | 0.0% | | | 1 | 0.0% | 0 | 0.0% | 0 | 0.0% | 1 | 0.0% |
| Asian | | | 0 | 0.0% | | | 3 | 0.1% | 0 | 0.0% | 1 | 0.2% | 4 | 0.1% |
| Black or African American | | | 166 | 60.1% | | | 2,164 | 71.7% | 2 | 25.0% | 364 | 65.0% | 2,696 | 69.8% |
| Native Hawaiian/Pacific Islander | | | 0 | 0.0% | | | 0 | 0.0% | 0 | 0.0% | 1 | 0.2% | 1 | 0.0% |
| White | | | 39 | 14.1% | | | 136 | 4.5% | 1 | 12.5% | 36 | 6.4% | 212 | 5.5% |
| Legacy Asian | | | 0 | 0.0% | | | 0 | 0.0% | 0 | 0.0% | 1 | 0.2% | 1 | 0.0% |
| Multi-Race | | | 7 | 2.5% | | | 28 | 0.9% | 1 | 12.5% | 3 | 0.5% | 39 | 1.0% |
| Adult Female HIV | | | 276 | 100% | | | 3,018 | 100% | 8 | 100% | 560 | 100% | 3,862 | 100% |

* OTHER includes Adult receiving clotting factor, Hemophilic, Perinatal exposure w/HIV age at 13+ years

| ADULT MALE HIV CASES | | | | | | | | | | | | | | |
|--------------------------------------|--------------------------------|--------------|-----------------------------|-------------|------------|-------------|-------------------------|--------------|-----------------|-------------|---------------------------|--------------|---------------------|-------------|
| Exposure Category/ Race/Ethnicity | MALE-TO-MALE SEXUAL CONTACT | | INJECTION DRUG USE [IDU] | | MSM & IDU | | HETEROSEXUAL CONTACT | | OTHER * RISK | | NO REPORTED RISK [NRR] | | TOTAL ADULT MALE | |
| | Cases | Col % | Cases | Col % | Cases | Col % | Cases | Col % | Cases | Col % | Cases | Col % | Cases | Col % |
| | Hispanic/Latino (All Races) | 4,354 | 58.9% | 102 | 30.5% | 113 | 46.7% | 478 | 28.1% | 0 | 0.0% | 471 | 37.3% | 5,518 |
| American Indian/Alaska Native | 2 | 0.0% | 0 | 0.0% | 0 | 0.0% | 2 | 0.1% | 0 | 0.0% | 1 | 0.1% | 5 | 0.0% |
| Asian | 23 | 0.3% | 0 | 0.0% | 0 | 0.0% | 1 | 0.1% | 0 | 0.0% | 4 | 0.3% | 28 | 0.3% |
| Black or African American | 1,433 | 19.4% | 191 | 57.2% | 74 | 30.6% | 1,136 | 66.7% | 3 | 75.0% | 667 | 52.8% | 3,504 | 32.0% |
| Native Hawaiian/Pacific Islander | 3 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 3 | 0.0% |
| White | 1,505 | 20.3% | 37 | 11.1% | 51 | 21.1% | 65 | 3.8% | 1 | 25.0% | 112 | 8.9% | 1,771 | 16.2% |
| Legacy Asian | 5 | 0.1% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 1 | 0.1% | 6 | 0.1% |
| Multi-Race | 72 | 1.0% | 4 | 1.2% | 4 | 1.7% | 22 | 1.3% | 0 | 0.0% | 7 | 0.6% | 109 | 1.0% |
| Adult Male HIV | 7,397 | 100% | 334 | 100% | 242 | 100% | 1,704 | 100% | 4 | 100% | 1,263 | 100% | 10,944 | 100% |
| TOTAL ADULT HIV | 7,397 | 50.0% | 610 | 4.1% | 242 | 1.6% | 4,722 | 31.9% | 12 | 0.1% | 1,823 | 12.3% | 14,806 | 100% |

(Continue next Page)

**FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
HIV/AIDS Surveillance
Cumulative Number of Reported HIV (Not AIDS) Cases**

MARCH 2015

Pediatric HIV (not AIDS) cases by exposure category, race/ethnicity and gender (Excluding DOC)

| PEDIATRIC FEMALE HIV CASES | | | | | | | | | | | | |
|--------------------------------------|-----------|-------------|-------------|----------------|-------------|----------------|------------|----------------|-------------|-------------|--------------|-------------|
| Exposure Category/ Race/Ethnicity | PERINATAL | | HEMOPHILIAC | | TRANSFUSION | | OTHER RISK | | NO REPORTED | | TOTAL FEMALE | |
| | Cases | Col % | Cases | Col % | Cases | Col % | Cases | Col % | Cases | Col % | Cases | Col % |
| Hispanic/Latino (All Races) | 11 | 14.5% | 0 | #DIV/0! | 0 | #DIV/0! | 0 | #DIV/0! | 2 | 66.7% | 13 | 16.5% |
| Black or African American | 63 | 82.9% | 0 | #DIV/0! | 0 | #DIV/0! | 0 | #DIV/0! | 1 | 33.3% | 64 | 81.0% |
| White | 1 | 1.3% | 0 | #DIV/0! | 0 | #DIV/0! | 0 | #DIV/0! | 0 | 0.0% | 1 | 1.3% |
| Legacy Asian/Pacific Isl. | 0 | 0.0% | 0 | #DIV/0! | 0 | #DIV/0! | 0 | #DIV/0! | 0 | 0.0% | 0 | 0.0% |
| Multi-Race | 1 | 1.3% | 0 | #DIV/0! | 0 | #DIV/0! | 0 | #DIV/0! | 0 | 0.0% | 1 | 1.3% |
| Pediatric Female HIV | 76 | 100% | 0 | #DIV/0! | 0 | #DIV/0! | 0 | #DIV/0! | 3 | 100% | 79 | 100% |

| PEDIATRIC MALE HIV CASES | | | | | | | | | | | | |
|--------------------------------------|-----------|-------------|-------------|----------------|-------------|----------------|------------|----------------|-------------|----------------|------------|-------------|
| Exposure Category/ Race/Ethnicity | PERINATAL | | HEMOPHILIAC | | TRANSFUSION | | OTHER RISK | | NO REPORTED | | TOTAL MALE | |
| | Cases | Col % | Cases | Col % | Cases | Col % | Cases | Col % | Cases | Col % | Cases | Col % |
| Hispanic/Latino (All Races) | 13 | 21.3% | 0 | #DIV/0! | 0 | #DIV/0! | 0 | #DIV/0! | 0 | #DIV/0! | 13 | 21.3% |
| Black or African American | 47 | 77.0% | 0 | #DIV/0! | 0 | #DIV/0! | 0 | #DIV/0! | 0 | #DIV/0! | 47 | 77.0% |
| White | 0 | 0.0% | 0 | #DIV/0! | 0 | #DIV/0! | 0 | #DIV/0! | 0 | #DIV/0! | 0 | 0.0% |
| Legacy Asian/Pacific Isl. | 1 | 1.6% | 0 | #DIV/0! | 0 | #DIV/0! | 0 | #DIV/0! | 0 | #DIV/0! | 1 | 1.6% |
| Multi-Race | 0 | 0.0% | 0 | #DIV/0! | 0 | #DIV/0! | 0 | #DIV/0! | 0 | #DIV/0! | 0 | 0.0% |
| Pediatric Male HIV | 61 | 100% | 0 | #DIV/0! | 0 | #DIV/0! | 0 | #DIV/0! | 0 | #DIV/0! | 61 | 100% |

| | Cases | Row % | Cases | Row % | Cases | Row % | Cases | Row % | Cases | Row % | Cases | Row % |
|----------------------------|------------|--------------|----------|-------------|----------|-------------|----------|-------------|----------|-------------|------------|-------------|
| TOTAL PEDIATRIC HIV | 137 | 97.9% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 3 | 2.1% | 140 | 100% |

Adult Hispanic/Latino HIV (not AIDS) cases by country of origin and gender (Excluding DOC)

| Country of Origin | ADULT FEMALE HIV | | | ADULT MALE HIV | | | TOTAL HISPANIC/LATINO | | |
|--|------------------|-------------|--------------|----------------|-------------|--------------|-----------------------|-------------|-------------|
| | Cases | Col % | Row % | Cases | Col % | Row % | Cases | Col % | Row % |
| Argentina | 21 | 2.3% | 13.1% | 139 | 2.5% | 86.9% | 160 | 2.5% | 100% |
| Colombia | 35 | 3.9% | 12.2% | 253 | 4.6% | 87.8% | 288 | 4.5% | 100% |
| Cuba | 151 | 16.6% | 8.3% | 1,676 | 30.4% | 91.7% | 1,827 | 28.4% | 100% |
| Dominican Republic | 36 | 4.0% | 31.3% | 79 | 1.4% | 68.7% | 115 | 1.8% | 100% |
| Honduras | 65 | 7.2% | 31.3% | 143 | 2.6% | 68.8% | 208 | 3.2% | 100% |
| Mexico | 8 | 0.9% | 5.8% | 129 | 2.3% | 94.2% | 137 | 2.1% | 100% |
| Nicaragua | 34 | 3.7% | 19.1% | 144 | 2.6% | 80.9% | 178 | 2.8% | 100% |
| Peru | 13 | 1.4% | 13.4% | 84 | 1.5% | 86.6% | 97 | 1.5% | 100% |
| Puerto Rico | 59 | 6.5% | 19.7% | 240 | 4.3% | 80.3% | 299 | 4.7% | 100% |
| United States | 232 | 25.6% | 16.4% | 1,182 | 21.4% | 83.6% | 1,414 | 22.0% | 100% |
| Venezuela | 22 | 2.4% | 7.1% | 287 | 5.2% | 92.9% | 309 | 4.8% | 100% |
| Other/Unknown Countries | 232 | 25.6% | 16.6% | 1,162 | 21.1% | 83.4% | 1,394 | 21.7% | 100% |
| Total Adult Hispanic/Latino HIV | 908 | 100% | 14.1% | 5,518 | 100% | 85.9% | 6,426 | 100% | 100% |

(Continue next Page)

FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
HIV/AIDS Surveillance
Cumulative Number of Reported HIV (Not AIDS) Cases

MARCH 2015

Adult Hispanic/Latino HIV (not AIDS) cases by country of origin, exposure category and gender (Excluding DOC)

| ADULT HISPANIC/LATINO FEMALE HIV CASES | | | | | | | | | | | | | | | |
|---|-----------------------------|-------|--------------------------|-------------|-----------|-------|----------------------|--------------|--------------|-------------|------------------------|--------------|---|-------------|-------------|
| Country of Origin | MALE-TO-MALE SEXUAL CONTACT | | INJECTION DRUG USE [IDU] | | MSM & IDU | | HETEROSEXUAL CONTACT | | OTHER * RISK | | NO REPORTED RISK [NRR] | | Total Hispanic/Latino Female by Country of Origin | | |
| | Cases | Row % | Cases | Row % | Number | Row % | Cases | Row % | Cases | Row % | Cases | Row % | Cases | Col % | Row % |
| Argentina | | | 4 | 19.0% | | | 15 | 71.4% | 0 | 0.0% | 2 | 9.5% | 21 | 2.3% | 100% |
| Colombia | | | 1 | 2.9% | | | 30 | 85.7% | 0 | 0.0% | 4 | 11.4% | 35 | 3.9% | 100% |
| Cuba | | | 8 | 5.3% | | | 119 | 78.8% | 1 | 0.7% | 23 | 15.2% | 151 | 16.6% | 100% |
| Dominican Republic | | | 1 | 2.8% | | | 32 | 88.9% | 0 | 0.0% | 3 | 8.3% | 36 | 4.0% | 100% |
| Honduras | | | 0 | 0.0% | | | 58 | 89.2% | 0 | 0.0% | 7 | 10.8% | 65 | 7.2% | 100% |
| Mexico | | | 2 | 25.0% | | | 5 | 62.5% | 0 | 0.0% | 1 | 12.5% | 8 | 0.9% | 100% |
| Nicaragua | | | 0 | 0.0% | | | 27 | 79.4% | 0 | 0.0% | 7 | 20.6% | 34 | 3.7% | 100% |
| Peru | | | 1 | 7.7% | | | 10 | 76.9% | 0 | 0.0% | 2 | 15.4% | 13 | 1.4% | 100% |
| Puerto Rico | | | 10 | 16.9% | | | 37 | 62.7% | 0 | 0.0% | 12 | 20.3% | 59 | 6.5% | 100% |
| United States | | | 29 | 12.5% | | | 168 | 72.4% | 3 | 1.3% | 32 | 13.8% | 232 | 25.6% | 100% |
| Venezuela | | | 1 | 4.5% | | | 20 | 90.9% | 0 | 0.0% | 1 | 4.5% | 22 | 2.4% | 100% |
| Other/Unknown Countries | | | 7 | 3.0% | | | 165 | 71.1% | 0 | 0.0% | 60 | 25.9% | 232 | 25.6% | 100% |
| Total adult Hispanic/Latino Female | | | 64 | 7.0% | | | 686 | 75.6% | 4 | 0.4% | 154 | 17.0% | 908 | 100% | 100% |

* OTHER includes Adult receiving clotting factor, Hemophilic, Perinatal exposure w/HIV age at 13+ years

| ADULT HISPANIC/LATINO MALE HIV CASES | | | | | | | | | | | | | | | |
|---|-----------------------------|--------------|--------------------------|--------------|--------------|--------------|----------------------|--------------|--------------|--------------|------------------------|--------------|---|--------------|-------------|
| Country of Origin | MALE-TO-MALE SEXUAL CONTACT | | INJECTION DRUG USE [IDU] | | MSM & IDU | | HETEROSEXUAL CONTACT | | OTHER * RISK | | NO REPORTED RISK [NRR] | | Total Hispanic/Latino Male by Country of Origin | | |
| | Cases | Row % | Cases | Row % | Cases | Row % | Cases | Row % | Cases | Row % | Cases | Row % | Cases | Col % | Row % |
| Argentina | 120 | 86.3% | 2 | 1.4% | 2 | 1.4% | 9 | 6.5% | 0 | 0.0% | 6 | 4.3% | 139 | 2.5% | 100% |
| Colombia | 209 | 82.6% | 1 | 0.4% | 9 | 3.6% | 18 | 7.1% | 0 | 0.0% | 16 | 6.3% | 253 | 4.6% | 100% |
| Cuba | 1,367 | 81.6% | 20 | 1.2% | 37 | 2.2% | 157 | 9.4% | 0 | 0.0% | 95 | 5.7% | 1,676 | 30.4% | 100% |
| Dominican Republic | 49 | 62.0% | 3 | 3.8% | 3 | 3.8% | 15 | 19.0% | 0 | 0.0% | 9 | 11.4% | 79 | 1.4% | 100% |
| Honduras | 95 | 66.4% | 1 | 0.7% | 3 | 2.1% | 29 | 20.3% | 0 | 0.0% | 15 | 10.5% | 143 | 2.6% | 100% |
| Mexico | 108 | 83.7% | 2 | 1.6% | 1 | 0.8% | 9 | 7.0% | 0 | 0.0% | 9 | 7.0% | 129 | 2.3% | 100% |
| Nicaragua | 110 | 76.4% | 3 | 2.1% | 1 | 0.7% | 20 | 13.9% | 0 | 0.0% | 10 | 6.9% | 144 | 2.6% | 100% |
| Peru | 75 | 89.3% | 1 | 1.2% | 1 | 1.2% | 6 | 7.1% | 0 | 0.0% | 1 | 1.2% | 84 | 1.5% | 100% |
| Puerto Rico | 173 | 72.1% | 30 | 12.5% | 16 | 6.7% | 10 | 4.2% | 0 | 0.0% | 11 | 4.6% | 240 | 4.3% | 100% |
| United States | 956 | 80.9% | 28 | 2.4% | 25 | 2.1% | 90 | 7.6% | 0 | 0.0% | 83 | 7.0% | 1,182 | 21.4% | 100% |
| Venezuela | 256 | 89.2% | 0 | 0.0% | 2 | 0.7% | 15 | 5.2% | 0 | 0.0% | 14 | 4.9% | 287 | 5.2% | 100% |
| Other/Unknown Countries | 836 | 71.9% | 11 | 0.9% | 13 | 1.1% | 100 | 8.6% | 0 | 0.0% | 202 | 17.4% | 1,162 | 21.1% | 100% |
| Total adult Hispanic/Latino Male | 4,354 | 78.9% | 102 | 1.8% | 113 | 2.0% | 478 | 8.7% | 0 | 0.0% | 471 | 8.5% | 5,518 | 100% | 100% |
| | Cases | Row % | Cases | Row % | Cases | Row % | Cases | Row % | Cases | Row % | Cases | Row % | Cases | Row % | |
| TOTAL ADULT HISPANIC/LATINO | 4,354 | 67.8% | 166 | 2.6% | 113 | 1.8% | 1,164 | 18.1% | 4 | 0.1% | 625 | 9.7% | 6,426 | 100% | |

(Continue next Page)

**FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
HIV/AIDS Surveillance
Cumulative Number of Reported HIV (Not AIDS) Cases**

MARCH 2015

Haitian born adult HIV cases by exposure category and gender (Excluding DOC)

| ADULT HAITIAN BORN HIV CASES | | | | | | | | | | | | | | |
|-------------------------------------|--------------------------------|-------------|-----------------------------|-------------|--------------|-------------|-------------------------|--------------|----------------|-------------|---------------------------|--------------|----------------------------|-------------|
| Exposure Category GENDER | MALE-TO-MALE SEXUAL CONTACT | | INJECTION DRUG USE [IDU] | | [MSM & [IDU] | | HETEROSEXUAL CONTACT | | OTHER* RISK | | NO REPORTED RISK [NRR] | | Total Haitian by Gender | |
| | Cases | Row % | Cases | Row % | Cases | Row % | Cases | Row % | Cases | Row % | Cases | Row % | Cases | Row % |
| | Haitian born Adult Females | | | 12 | 2.0% | | | 505 | 85.7% | 0 | 0.0% | 72 | 12.2% | 589 |
| Haitian born Adult Males | 106 | 18.7% | 7 | 1.2% | 1 | 0.2% | 308 | 54.4% | 0 | 0.0% | 144 | 25.4% | 566 | 100% |
| Total Haitian born | 106 | 9.2% | 19 | 1.6% | 1 | 0.1% | 813 | 70.4% | 0 | 0.0% | 216 | 18.7% | 1,155 | 100% |

* OTHER includes Adult receiving clotting factor, Hemophilic, Perinatal exposure w/HIV age at 13+ years

Department of Correction [DOC] Adult HIV (not AIDS) and total people living with HIV by race/ethnicity and gender.

| HIV Cases by Race/Ethnicity & Gender | DOC HIV Cases | | | | | | Total Reported People Living with HIV (1) | | | | | |
|---|---------------|-------------|------------|-------------|------------|-------------|---|-------------|---------------|-------------|---------------|-------------|
| | Female | | Male | | Total | | Female | | Male | | Total | |
| | Cases | Col % | Cases | Col % | Cases | Col % | Cases | Col % | Cases | Col % | Cases | Col % |
| Hispanic/Latino (All Races) | 5 | 33.3% | 77 | 17.5% | 82 | 18.0% | 849 | 23.8% | 5,237 | 52.0% | 6,086 | 44.6% |
| Black or African American | 7 | 46.7% | 285 | 64.8% | 292 | 64.2% | 1,959 | 54.8% | 2,583 | 25.6% | 4,542 | 33.3% |
| White | 3 | 20.0% | 59 | 13.4% | 62 | 13.6% | 188 | 5.3% | 1,635 | 16.2% | 1,823 | 13.4% |
| Haitian | 0 | 0.0% | 12 | 2.7% | 12 | 2.6% | 543 | 15.2% | 498 | 4.9% | 1,041 | 7.6% |
| Other (2) | 0 | 0.0% | 7 | 1.6% | 7 | 1.5% | 35 | 1.0% | 127 | 1.3% | 162 | 1.2% |
| Total HIV | 15 | 100% | 440 | 100% | 455 | 100% | 3,574 | 100% | 10,080 | 100% | 13,654 | 100% |

(1) PROVISIONAL DATA. PLW/AIDS cases has been updated by Florida Department of Health, Bureau of Communicable Disease, HIV/AIDS & Hepatitis Section, in June 2014 using National Death Index [NDI] latest information for death cases. Total reported people living with AIDS are those reported cases regardless of where they are currently living.

(2) Other Includes American Indian/Alaska Native, Asian, Native Hawaiian, Pacific Islander, Legacy Asian & Multi Race
Adjustments are performed on a monthly basis to compensate for duplicate reports state and nation wide and case validation projects.

FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
HIV/AIDS Surveillance
Perinatal HIV Exposed Cases

MARCH 2015

All EXPOSED Perinatal pediatric cases born in Miami-Dade by year of birth and diagnosis status since November 20th, 2006. ⁽¹⁾

| Year of Birth | Perinatal HIV Exposure | Pediatric HIV | Pediatric AIDS | Pediatric seroreverter | Unknown | TOTAL |
|------------------------------------|------------------------|---------------|----------------|------------------------|----------|------------|
| >=November 20 th , 2006 | 3 | 0 | 0 | 16 | 0 | 19 |
| 2007 | 32 | 1 | 0 | 106 | 0 | 139 |
| 2008 | 39 | 1 | 1 | 91 | 0 | 132 |
| 2009 | 31 | 2 | 0 | 86 | 0 | 119 |
| 2010 | 39 | 3 | 0 | 83 | 0 | 125 |
| 2011 | 13 | 1 | 0 | 105 | 0 | 119 |
| 2012 | 10 | 1 | 0 | 90 | 0 | 101 |
| 2013 | 18 | 2 | 1 | 75 | 0 | 96 |
| 2014 | 10 | 1 | 0 | 78 | 0 | 89 |
| 2015 | 3 | 1 | 0 | 6 | 0 | 10 |
| Total | 198 | 13 | 2 | 736 | 0 | 949 |

All EXPOSED Perinatal pediatric cases born in Miami-Dade by year of birth and race/ethnicity since November 20th, 2006. ⁽¹⁾

| Year of Birth | Hispanic | Not Hispanic, Black | Not Hispanic, White | Not Hispanic, Other ⁽²⁾ | TOTAL |
|------------------------------------|------------|---------------------|---------------------|------------------------------------|------------|
| >=November 20 th , 2006 | 3 | 15 | 1 | 0 | 19 |
| 2007 | 22 | 110 | 5 | 2 | 139 |
| 2008 | 19 | 111 | 2 | 0 | 132 |
| 2009 | 24 | 91 | 3 | 1 | 119 |
| 2010 | 31 | 87 | 5 | 2 | 125 |
| 2011 | 21 | 90 | 7 | 1 | 119 |
| 2012 | 23 | 68 | 8 | 2 | 101 |
| 2013 | 16 | 75 | 4 | 1 | 96 |
| 2014 | 15 | 70 | 4 | 0 | 89 |
| 2015 | 2 | 8 | 0 | 0 | 10 |
| Total | 176 | 725 | 39 | 9 | 949 |

⁽¹⁾ NOTE: An expanded HIV reporting law was implemented on November 20th, 2006. Expansion included reportability of cases with virologic evidence of HIV infection. Previously, only Western Blot-confirmed (+) cases were reportable. In addition, reporting is retroactive. Previously, only HIV cases diagnosed after July st, 1997, were reportable. A detectable viral load (VL) (or equivalent viral test) is reportable, and is considered evidence of HIV. Other reportable virologic test considered to be evidence of HIV are: P24, ANTIGEN, Nucleic Acid test (NAT/NAAT), viral culture. CD4 counts/percents are reportable, but follow-up is conducted only if it is <200 uL, or <14%.

⁽²⁾ Other Includes American Indian/Alaska Native, Asian, Native Hawaiian, Pacific Islander, Legacy Asian & Multi Race

[\(Continue next Page\)](#)

FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
HIV/AIDS Surveillance
Perinatal HIV Exposed Cases

MARCH 2015

All EXPOSED Perinatal pediatric cases born in Miami-Dade by year of birth and Mother HIV status since November 20th, 2006. ⁽¹⁾

| Year of Birth | Know HIV (+) before pregnancy | Know HIV (+) during pregnancy | Know HIV (+) at time of delivery | Know HIV (+) sometime before birth | Know HIV (+) sometime after birth | HIV (+) with time unknown | TOTAL |
|------------------------------------|-------------------------------|-------------------------------|----------------------------------|------------------------------------|-----------------------------------|---------------------------|------------|
| >=November 20 th , 2006 | 16 | 2 | 0 | 0 | 0 | 1 | 19 |
| 2007 | 93 | 34 | 10 | 1 | 1 | 0 | 139 |
| 2008 | 94 | 35 | 2 | 0 | 0 | 1 | 132 |
| 2009 | 85 | 24 | 8 | 1 | 0 | 1 | 119 |
| 2010 | 88 | 25 | 5 | 3 | 1 | 3 | 125 |
| 2011 | 90 | 23 | 3 | 2 | 1 | 0 | 119 |
| 2012 | 75 | 24 | 2 | 0 | 0 | 0 | 101 |
| 2013 | 79 | 11 | 2 | 3 | 0 | 1 | 96 |
| 2014 | 77 | 11 | 0 | 1 | 0 | 0 | 89 |
| 2015 | 10 | 0 | 0 | 0 | 0 | 0 | 10 |
| Total | 707 | 189 | 32 | 11 | 3 | 7 | 949 |

All EXPOSED Perinatal pediatric cases born in Miami-Dade by diagnosis and Mother HIV status since November 20th, 2006. ⁽¹⁾

| Diagnosis Status | Know HIV (+) before pregnancy | Know HIV (+) during pregnancy | Know HIV (+) at time of delivery | Know HIV (+) sometime before birth | Know HIV (+) sometime after birth | HIV (+) with time unknown | TOTAL |
|------------------------|-------------------------------|-------------------------------|----------------------------------|------------------------------------|-----------------------------------|---------------------------|------------|
| Perinatal HIV Exposure | 140 | 40 | 12 | 4 | 1 | 1 | 198 |
| Pediatric HIV | 9 | 1 | 2 | 0 | 1 | 0 | 13 |
| Pediatric AIDS | 2 | 0 | 0 | 0 | 0 | 0 | 2 |
| Pediatric Seroreverter | 556 | 148 | 18 | 7 | 1 | 6 | 736 |
| Unknown | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Total | 707 | 189 | 32 | 11 | 3 | 7 | 949 |

All EXPOSED Perinatal pediatric cases born in Miami-Dade by diagnosis status and HIV category since November 20th, 2006. ⁽¹⁾

| Diagnosis Status | HIV (+) Definitive | HIV (+) Presumptive | HIV Indeterminate | HIV (-) Definitive | HIV (-) Presumptive | Unknown | TOTAL |
|------------------------|--------------------|---------------------|-------------------|--------------------|---------------------|----------|------------|
| Perinatal HIV Exposure | 0 | 0 | 198 | 0 | 0 | 0 | 198 |
| Pediatric HIV | 13 | 0 | 0 | 0 | 0 | 0 | 13 |
| Pediatric AIDS | 2 | 0 | 0 | 0 | 0 | 0 | 2 |
| Pediatric Seroreverter | 0 | 0 | 0 | 526 | 210 | 0 | 736 |
| Unknown | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Total | 15 | 0 | 198 | 526 | 210 | 0 | 949 |

⁽¹⁾ NOTE: An expanded HIV reporting law was implemented on November 20th, 2006. Expansion included reportability of cases with virologic evidence of HIV infection. Previously, only Western Blot-confirmed (+) cases were reportable. In addition, reporting is retroactive. Previously, only HIV cases diagnosed after July st, 1997, were reportable. A detectable viral load (VL) (or equivalent viral test) is reportable, and is considered evidence of HIV. Other reportable virologic test considered to be evidence of HIV are: P24, ANTIGEN, Nucleic Acid test (NAT/NAAT), viral culture. CD4 counts/percents are reportable, but follow-up is conducted only if it is <200 uL, or <14%.

[\(Continue next Page\)](#)

FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
HIV/AIDS Surveillance
Perinatal HIV Exposed Cases

MARCH 2015

CONFIRMED Infected Perinatal Cases, know HIV or AIDS born in Miami-Dade by year of birth, 2000-2014.

| Perinatal HIV/AIDS Cases by Year of Birth | Pediatric HIV | | Pediatric AIDS | | TOTAL | | |
|--|---------------|------------|----------------|------------|-----------|-------------|-------------|
| | Cases | Row % | Cases | Row % | Cases | Col % | Row % |
| 2000 | 3 | 60.0% | 2 | 40.0% | 5 | 10.6% | 100% |
| 2001 | 3 | 42.9% | 4 | 57.1% | 7 | 14.9% | 100% |
| 2002 | 3 | 50.0% | 3 | 50.0% | 6 | 12.8% | 100% |
| 2003 | 3 | 75.0% | 1 | 25.0% | 4 | 8.5% | 100% |
| 2004 | 1 | 50.0% | 1 | 50.0% | 2 | 4.3% | 100% |
| 2005 | 3 | 60.0% | 2 | 40.0% | 5 | 10.6% | 100% |
| 2006 | 2 | 66.7% | 1 | 33.3% | 3 | 6.4% | 100% |
| 2007 | 1 | 100.0% | 0 | 0.0% | 1 | 2.1% | 100% |
| 2008 | 1 | 50.0% | 1 | 50.0% | 2 | 4.3% | 100% |
| 2009 | 2 | 100.0% | 0 | 0.0% | 2 | 4.3% | 100% |
| 2010 | 3 | 100.0% | 0 | 0.0% | 3 | 6.4% | 100% |
| 2011 | 1 | 100.0% | 0 | 0.0% | 1 | 2.1% | 100% |
| 2012 | 1 | 100.0% | 0 | 0.0% | 1 | 2.1% | 100% |
| 2013 | 2 | 66.7% | 1 | 33.3% | 3 | 6.4% | 100% |
| 2014 | 1 | 100.0% | 0 | 0.0% | 1 | 2.1% | 100% |
| 2015 | 1 | 100.0% | 0 | 0.0% | 1 | 2.1% | 100% |
| Total Confirmed Perinatal Cases | 31 | 66% | 16 | 34% | 47 | 100% | 100% |

(Continue next Page)

FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
HIV/AIDS Surveillance
Perinatal HIV Exposed Cases

MARCH 2015

All EXPOSED Perinatal pediatric cases born in Miami-Dade by hospital of birth and diagnosis status since November 20th, 2006. ⁽¹⁾

| Hospital of Birth | Perinatal HIV Exposure | Pediatric HIV | Pediatric AIDS | Perinatal Seroreverter | Unknown | TOTAL | TOTAL % |
|----------------------------------|------------------------|---------------|----------------|------------------------|----------|------------|-------------|
| BAPTIST HOSPITAL-MIAMI | 3 | 0 | 0 | 1 | | 4 | 0.4% |
| BROWARD GENERAL MEDICAL CTR. | 2 | 0 | 0 | 2 | | 4 | 0.4% |
| CORAL SPRINGS MEDICAL CTR. | 1 | 0 | 0 | 0 | | 1 | 0.1% |
| HIALEAH HOSPITAL | 3 | 0 | 0 | 0 | | 3 | 0.3% |
| HOMESTEAD HOSPITAL | 5 | 1 | 0 | 1 | | 7 | 0.7% |
| JACKSON N MATERNITY CTR. | 0 | 0 | 0 | 2 | | 2 | 0.2% |
| JACKSON NORTH MEDICAL CTR. | 7 | 2 | 0 | 15 | | 24 | 2.5% |
| JACKSON SOUTH MEDICAL CTR. | 2 | 0 | 0 | 15 | | 17 | 1.8% |
| JACKSON MEMORIAL HOSPITAL | 137 | 6 | 0 | 660 | | 803 | 84.6% |
| KENDALL RMC | 1 | 0 | 0 | 1 | | 2 | 0.2% |
| MEMORIAL HOSPITAL-MIRAMAR | 1 | 0 | 1 | 0 | | 2 | 0.2% |
| MEMORIAL HOSPITAL-SOUTH | 1 | 0 | 0 | 0 | | 1 | 0.1% |
| MEMORIAL HOSPITAL-WEST | 0 | 0 | 0 | 2 | | 2 | 0.2% |
| MEMORIAL HOSPITAL-PEMBROKE PINES | 3 | 0 | 0 | 1 | | 4 | 0.4% |
| MEMORIAL HOSPITAL-HOLLYWOOD | 9 | 0 | 0 | 6 | | 15 | 1.6% |
| MERCY HOSPITAL | 2 | 0 | 0 | 0 | | 2 | 0.2% |
| MIAMI CHILDREN'S HOSPITAL | 1 | 0 | 0 | 0 | | 1 | 0.1% |
| MIAMI-DADE PVT PHYSICIAN-MIAMI | 2 | 0 | 0 | 0 | | 2 | 0.2% |
| MOUNT SINAI MC | 0 | 0 | 0 | 1 | | 1 | 0.1% |
| NORTH SHORE MEDICAL CTR. | 12 | 0 | 0 | 18 | | 30 | 3.2% |
| PLANTATION GENERAL HOSPITAL | 1 | 0 | 0 | 1 | | 2 | 0.2% |
| SOUTH MIAMI HOSPITAL | 1 | 0 | 0 | 0 | | 1 | 0.1% |
| UF HEALTH AT JACKSONVILLE | 1 | 0 | 0 | 0 | | 1 | 0.1% |
| WELLINGTON RMS | 1 | 0 | 0 | 0 | | 1 | 0.1% |
| UNKNOWN | 2 | 4 | 1 | 10 | | 17 | 1.8% |
| TOTAL | 198 | 13 | 2 | 736 | 0 | 949 | 100% |

⁽¹⁾ NOTE: An expanded HIV reporting law was implemented on November 20th, 2006. Expansion included reportability of cases with virologic evidence of HIV infection. Previously, only Western Blot-confirmed (+) cases were reportable. In addition, reporting is retroactive. Previously, only HIV cases diagnosed after July st, 1997, were reportable. A detectable viral load (VL) (or equivalent viral test) is reportable, and is considered evidence of HIV. Other reportable virologic test considered to be evidence of HIV are: P24, ANTIGEN, Nucleic Acid test (NAT/NAAT), viral culture. CD4 counts/percents are reportable, but follow-up is conducted only if it is <200 uL, or <14%

**FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
ONE-IN STATEMENTS**

ONE-IN Statements for Adults (>=13) Living with HIV or AIDS [PLWHA] through 2013 in Miami-Dade & Florida,

| ADULT MALE LIVING WITH HIV OR AIDS | |
|--|---|
| MIAMI-DADE | FLORIDA |
| • One in 57 White adult male in Miami-Dade is living with HIV or AIDS | • One in 187 White adult male |
| • One in 25 Black adult male in Miami-Dade is living with HIV or AIDS | • One in 40 Black adult male |
| • One in 75 Hispanic adult male in Miami-Dade is living with HIV or AIDS | • One in 106 Hispanic adult male |
| • One in 84 other race adult male in Miami-Dade is living with HIV or AIDS | • One in 219 Other adult male |
| One in 55 adult male in Miami-Dade is living with HIV or AIDS | One in 111 adult male in Florida |

| ADULT FEMALE LIVING WITH HIV OR AIDS | |
|---|---|
| MIAMI-DADE | FLORIDA |
| • One in 446 White adult female in Miami-Dade is living with HIV or AIDS | • One in 1,080 White adult female |
| • One in 35 Black adult female in Miami-Dade is living with HIV or AIDS | • One in 61 Black adult female |
| • One in 449 Hispanic adult female in Miami-Dade is living with HIV or AIDS | • One in 462 Hispanic adult female |
| • One in 237 other race adult female in Miami-Dade is living with HIV or AIDS | • One in 606 Other adult female |
| One in 152 adult female in Miami-Dade is living with HIV or AIDS | One in 283 adult female in Florida |

| TOTAL ADULTS OF ALL SEXES LIVING WITH HIV OR AIDS | |
|--|-----------------------------------|
| MIAMI-DADE | FLORIDA |
| • One in 99 White adult in Miami-Dade is living with HIV or AIDS | • One in 325 White adult |
| • One in 30 Black adult in Miami-Dade is living with HIV or AIDS | • One in 49 Black adult |
| • One in 133 Hispanic adult in Miami-Dade is living with HIV or AIDS | • One in 175 Hispanic adult |
| • One in 127 other race adult in Miami-Dade is living with HIV or AIDS | • One in 333 Other adult race |
| One in 83 adult resident in Miami-Dade is living with HIV or AIDS | One in 161 adult Floridian |

Note: Excluding Department of Correction [DOC] cases at county level. Florida totals include DOC cases.

These statements are updated by the Florida Bureau of Communicable Disease, HIV/AIDS Section, every June of following year.

**FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
ONE-IN STATEMENTS**

ONE-IN Statements for Total Persons (all ages) Living with HIV or AIDS [PLWHA] through 2013 in Miami-Dade & Florida

| TOTAL MALE LIVING WITH HIV OR AIDS | |
|---|-----------------------------------|
| MIAMI-DADE | FLORIDA |
| • One in 68 White male in Miami-Dade is living with HIV or AIDS | • One in 212 White male |
| • One in 32 Black male in Miami-Dade is living with HIV or AIDS | • One in 50 Black male |
| • One in 89 Hispanic male in Miami-Dade is living with HIV or AIDS | • One in 132 Hispanic male |
| • One in 102 other race male in Miami-Dade is living with HIV or AIDS | • One in 287 Other male |
| One in 66 male in Miami-Dade is living with HIV or AIDS | One in 130 male in Florida |

| TOTAL FEMALE LIVING WITH HIV OR AIDS | |
|---|-------------------------------------|
| MIAMI-DADE | FLORIDA |
| • One in 534 White female in Miami-Dade is living with HIV or AIDS | • One in 1,210 White female |
| • One in 43 Black female in Miami-Dade is living with HIV or AIDS | • One in 75 Black female |
| • One in 516 Hispanic female in Miami-Dade is living with HIV or AIDS | • One in 562 Hispanic female |
| • One in 282 other race female in Miami-Dade is living with HIV or AIDS | • One in 763 Other female |
| One in 178 female in Miami-Dade is living with HIV or AIDS | One in 330 female in Florida |

| TOTAL ALL SEXES LIVING WITH HIV OR AIDS | |
|--|-----------------------------|
| MIAMI-DADE | FLORIDA |
| • One in 118 White in Miami-Dade is living with HIV or AIDS | • One in 366 White |
| • One in 37 Black in Miami-Dade is living with HIV or AIDS | • One in 61 Black |
| • One in 155 Hispanic in Miami-Dade is living with HIV or AIDS | • One in 215 Hispanic |
| • One in 153 other race in Miami-Dade is living with HIV or AIDS | • One in 427 Other race |
| One in 98 Miami-Dade resident is living with HIV or AIDS | One in 189 Floridian |

Note: Excluding Department of Correction [DOC] cases at county level. Florida totals include DOC cases.

These statements are updated by the Florida Bureau of Communicable Disease, HIV/AIDS Section, every June of following year.

**FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
USEFUL WEBSITE LINKS**

Below are several website that may be useful for HIV/AIDS related information.

| USEFUL WEBSITE LINKS | |
|---|---|
| ORGANIZATIONS / SITES | ELECTRONIC ADDRESS |
| Data from the HIV Counseling and Testing (Florida & all Counties) | http://www.floridahealth.gov/diseases-and-conditions/aids/prevention/2013-testing-data.html |
| Center for Disease Control and Prevention [CDC] | http://www.cdc.gov |
| Center for Disease Control and Prevention. HIV/AIDS Statistics and Surveillance | http://www.cdc.gov/hiv/topics/surveillance/ |
| Center for Disease Control and Prevention. Morbidity and Mortality Weekly Report | http://www.cdc.gov/mmwr/ |
| Florida Community Health Assessment Resource Tool Set [Florida CHARTS] | http://www.floridacharts.com/charts/default.aspx |
| Florida Department of Health in Miami-Dade County | http://miamidade.floridahealth.gov |
| Florida Department of Health, Bureau of Communicable Disease, HIV/AIDS and Hepatitis Section. | http://www.floridahealth.gov/diseases-and-conditions/aids/index.html |
| <i>Organización Panamericana de la Salud</i> [PAHO] (Pan American Health Organization) | http://www.paho.org |
| The Test Miami Initiative | http://www.testmiami.org/index.aspx |
| United Nations Program on HIV/AIDS [UNAIDS] | http://www.unaids.org/ |
| US Census Bureau. | http://www.census.gov |
| US Census Bureau. HIV/AIDS Surveillance | http://www.census.gov/ipc/www/hivaidsn.html |
| World Health Organization [WHO] | http://www.who.int |