

Revised Surveillance Case Definition for HIV Infection

Following extensive consultation and peer review, CDC and the Council of State and Territorial Epidemiologists have revised and combined the surveillance case definitions for human immunodeficiency virus (HIV) infection into a single case definition for persons of all ages (i.e., adults and adolescents aged ≥ 13 years and children aged < 13 years). The revisions were made to address multiple issues, the most important of which was the need to adapt to recent changes in diagnostic criteria. Laboratory criteria for defining a confirmed case now accommodate new multitest algorithms, including criteria for differentiating between HIV-1 and HIV-2 infection and for recognizing early HIV infection. A confirmed case can be classified in one of five HIV infection stages (0, 1, 2, 3, or unknown); early infection, recognized by a negative HIV test within 6 months of HIV diagnosis, is classified as stage 0, and acquired immunodeficiency syndrome (AIDS) is classified as stage 3. Criteria for stage 3 have been simplified by eliminating the need to differentiate between definitive and presumptive diagnoses of opportunistic illnesses. Clinical (nonlaboratory) criteria for defining a case for surveillance purposes have been made more practical by eliminating the requirement for information about laboratory tests. The surveillance case definition is intended primarily for monitoring the HIV infection burden and planning for prevention and care on a population level, not as a basis for clinical decisions for individual patients. CDC and the Council of State and Territorial Epidemiologists recommend that all states and territories conduct case surveillance of HIV infection using this revised surveillance case definition.

The updated version of eHARS, which is now named eHARS 4.6, was released by the CDC on July 11, 2014, and implemented by Florida on September 2014, with revised Surveillance Case Definition for HIV Infection. The implementation date for the Revised Surveillance Case Definition for HIV Infection is January 1, 2014. Meaning, once in production, eHARS 4.6 will recognize and apply the new case definition of all cases with a specimen collection date on or after January 1, 2014. **A small percentage of cases that met the AIDS surveillance definition will no longer meet the definition. A small percentage of the pediatric cases that previously met the HIV surveillance case definition may now be recognized as an AIDS case based on the revisions to the surveillance case definition for children aged 6-12 years.**

Mission:

To protect, promote & improve the health of all people in Florida through integrated state, county & community efforts.



Vision: To be the Healthiest State in the Nation

Rick Scott
Governor

John H. Armstrong, MD, FACS
State Surgeon General & Secretary

FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY

HIV/AIDS SURVEILLANCE

MONTHLY HIV/AIDS SURVEILLANCE REPORT

SEPTEMBER 2014

AIDS CASES (EXCLUDING DEPARTMENT OF CORRECTION [DOC] CASES) *(AIDS Worksheet)*

- AIDS cases by age group and gender (Excluding Department of Correction - DOC).
- AIDS cases by age group, race/ethnicity & gender, showing Haitians separated (Excluding DOC)
- AIDS cases by year of report and gender (Excluding DOC)
- Adult & pediatric AIDS cases by race/ethnicity and gender (Excluding DOC)
- Adult & pediatric AIDS cases by mortality status and gender (Excluding DOC)
- AIDS cases by exposure category and gender among Adult and Pediatric (Excluding DOC)
- Adult AIDS cases by exposure category, race/ethnicity and gender (Excluding DOC)
- Pediatric AIDS cases by exposure category, race/ethnicity and gender.
- Adult Hispanic/Latino AIDS cases by country of origin and gender (Excluding DOC)
- Adult Hispanic/Latino AIDS cases by country of origin, exposure category and gender (Excluding DOC)
- Haitian born adult AIDS cases by exposure category and gender (Excluding DOC)
- Department of Correction [DOC] Adult AIDS cases and total people living with AIDS by race/ethnicity and gender.

HIV CASES (EXCLUDING DEPARTMENT OF CORRECTION [DOC] CASES) *(HIV Worksheet)*

- HIV (not AIDS) cases by age group and gender (Excluding Department of Correction - DOC)
- HIV (not AIDS) cases by age group, race/ethnicity & gender, showing Haitians separated (Excluding DOC)
- HIV (not AIDS) cases by year of report and gender (Excluding DOC)
- Adult & pediatric HIV (not AIDS) cases by race/ethnicity and gender (Excluding DOC)
- Adult & pediatric HIV (not AIDS) cases by mortality status and gender (Excluding DOC)
- HIV (not AIDS) cases by exposure category and gender among Adult and Pediatric (Excluding DOC)
- Adult HIV (not AIDS) cases by exposure category, race/ethnicity and gender (Excluding DOC)

(Continue next Page)

Mission:

To protect, promote & improve the health of all people in Florida through integrated state, county & community efforts.



Vision: To be the Healthiest State in the Nation

Rick Scott
Governor

John H. Armstrong, MD, FACS
State Surgeon General & Secretary

Adult Hispanic/Latino HIV (not AIDS) cases by country of origin and gender (Excluding DOC)
Adult Hispanic/Latino HIV (not AIDS) cases by country of origin, exposure category and gender (Excluding DOC)
Haitian born adult HIV (not AIDS) cases by country of origin, exposure category and gender (Excluding DOC)
Department of Correction [DOC] Adult HIV (not AIDS) cases and total people living with HIV by race/ethnicity and gender.

PERINATAL EXPOSED CASES REPORTED SINCE NOVEMBER 20th, 2006 (*PERINATAL EXPOSED Worksheet*)

All EXPOSED perinatal pediatric cases born in Miami-Dade by year of birth and diagnosis status since November 20th, 2006.
All EXPOSED perinatal pediatric cases born in Miami-Dade by year of birth and race/ethnicity since November 20th, 2006.
All EXPOSED perinatal pediatric cases born in Miami-Dade by year of birth and Mother HIV status since November 20th, 2006.
All EXPOSED perinatal pediatric cases born in Miami-Dade by diagnosis and Mother HIV status since November 20th, 2006.
All EXPOSED perinatal pediatric cases born in Miami-Dade by diagnosis status and HIV category since November 20th, 2006.
CONFIRMED infected perinatal cases born in Miami-Dade, known HIV or AIDS by year of birth, 2000-2013.
All EXPOSED perinatal pediatric cases born in Miami-Dade by hospital of birth and diagnosis status since November 20th, 2006.

ONE-IN STATEMENTS (*ONE-IN STATEMENTS Worksheet*)

One-in statements for persons (all ages) living with HIV or AIDS through 2011 (all ages) in Miami-Dade & Florida.
One-in statements for adult (≥ 13) persons living with HIV or AIDS through 2011 in Miami-Dade & Florida.

USEFUL WEBSITES LINKS (*WEBSITE Worksheet*)

Useful websites for HIV/AIDS related information.

FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
HIV/AIDS Surveillance
Cumulative Number of Reported AIDS Cases

SEPTEMBER 2014

<i>AIDS Cases by age group and gender (Excluding Department of Correction - DOC)</i>						<i>AIDS Cases by age group, race/ethnicity & gender, showing Haitians separated (Excluding DOC)</i>												
AIDS Cases by Age Group & Gender	Female		Male		TOTAL AIDS		Hispanic/Latino		Black		White		Haitian		Other ⁽¹⁾		TOTAL AIDS	
	Cases	Col %	Cases	Col %	Cases	Col %	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male
Under 5	190	2.0%	170	0.7%	360	1.0%	25	24	155	129	4	9	5	7	1	1	190	170
5-12	56	0.6%	60	0.2%	116	0.3%	12	12	34	42	5	1	4	5	1	0	56	60
13-19	165	1.8%	126	0.5%	291	0.8%	18	41	122	77	5	2	16	6	4	0	165	126
20-29	1,712	18.2%	3,204	12.4%	4,916	14.0%	280	1,375	1,103	1,016	77	501	233	263	19	49	1,712	3,204
30-39	3,257	34.6%	9,407	36.4%	12,664	35.9%	528	4,037	1,977	2,667	160	1,664	551	892	41	147	3,257	9,407
40-49	2,433	25.9%	7,765	30.1%	10,198	28.9%	452	3,129	1,401	2,507	127	1,256	412	765	41	108	2,433	7,765
50-59	1,079	11.5%	3,548	13.7%	4,627	13.1%	237	1,414	554	1,233	57	480	207	367	24	54	1,079	3,548
60-64	257	2.7%	826	3.2%	1,083	3.1%	67	321	118	307	8	108	59	76	5	14	257	826
65-69	144	1.5%	419	1.6%	563	1.6%	29	150	73	166	6	55	34	40	2	8	144	419
>=70	109	1.2%	305	1.2%	414	1.2%	32	117	44	114	12	35	17	31	4	8	109	305
Unknown	0	0.0%	0	0.0%	0	0.0%	0	0	0	0	0	0	0	0	0	0	0	0
Total AIDS	9,402	100%	25,830	100%	35,232	100%	1,680	10,620	5,581	8,258	461	4,111	1,538	2,452	142	389	9,402	25,830

⁽¹⁾ Other Includes American Indian/Alaska Native, Asian, Native Hawaiian, Pacific Islander, Legacy Asian & Multi Race

AIDS Cases by year of report and gender (Excluding DOC)

AIDS Cases by Year Report & Gender	Female		Male		TOTAL AIDS	
	Cases	Row %	Cases	Row %	Cases	Col %
1981	0	0.0%	4	100%	4	0.0%
1982	7	18.4%	31	81.6%	38	0.1%
1983	16	16.3%	82	83.7%	98	0.3%
1984	18	11.9%	133	88.1%	151	0.4%
1985	29	15.3%	161	84.7%	190	0.5%
1986	71	17.4%	337	82.6%	408	1.2%
1987	67	13.7%	421	86.3%	488	1.4%
1988	118	16.6%	593	83.4%	711	2.0%
1989	209	20.2%	824	79.8%	1,033	2.9%
1990	183	19.4%	758	80.6%	941	2.7%
1991	394	19.7%	1,607	80.3%	2,001	5.7%
1992	342	20.9%	1,297	79.1%	1,639	4.7%
1993	632	22.5%	2,171	77.5%	2,803	8.0%
1994	670	23.5%	2,177	76.5%	2,847	8.1%
1995	593	28.0%	1,523	72.0%	2,116	6.0%
1996	528	27.0%	1,424	73.0%	1,952	5.5%
1997	421	28.3%	1,067	71.7%	1,488	4.2%
1998	465	31.7%	1,001	68.3%	1,466	4.2%
1999	356	29.3%	859	70.7%	1,215	3.4%

AIDS Cases by Year & Gender (Cont)	Female		Male		TOTAL AIDS	
	Cases	Row %	Cases	Row %	Cases	Col %
2000	376	31.6%	812	68.4%	1,188	3.4%
2001	368	32.7%	757	67.3%	1,125	3.2%
2002	304	29.1%	740	70.9%	1,044	3.0%
2003	297	30.4%	680	69.6%	977	2.8%
2004	400	31.3%	879	68.7%	1,279	3.6%
2005	387	33.2%	780	66.8%	1,167	3.3%
2006	391	34.8%	733	65.2%	1,124	3.2%
2007	272	35.2%	501	64.8%	773	2.2%
2008	325	31.1%	719	68.9%	1,044	3.0%
2009	257	30.9%	575	69.1%	832	2.4%
2010	202	30.6%	458	69.4%	660	1.9%
2011	237	33.1%	479	66.9%	716	2.0%
2012	159	26.4%	443	73.6%	602	1.7%
2013	193	28.0%	497	72.0%	690	2.0%
2014	115	27.3%	307	72.7%	422	1.2%
Total Adult AIDS	9,402	26.7%	25,830	73.3%	35,232	100%

(Continue next Page)

FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
HIV/AIDS Surveillance
Cumulative Number of Reported AIDS Cases

SEPTEMBER 2014

Adult & Pediatric AIDS cases by race/ethnicity and gender (Excluding DOC)

AIDS by Race/ Ethnicity *	Adult AIDS						Pediatric AIDS						TOTAL AIDS CASES					
	Female		Male		Total Adult		Female		Male		Total Pediatric		Total Female		Total Male		Total Cases	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)	1,658	18.1%	10,602	41.4%	12,260	35.3%	37	15.0%	36	15.7%	73	15.3%	1,695	18.0%	10,638	41.2%	12,333	35.0%
American Indian/Alaska Native	1	0.0%	2	0.0%	3	0.0%	0	0.0%	0	0.0%	0	0.0%	1	0.0%	2	0.0%	3	0.0%
Asian	2	0.0%	20	0.1%	22	0.1%	0	0.0%	0	0.0%	0	0.0%	2	0.0%	20	0.1%	22	0.1%
Black or African American	6,886	75.2%	10,483	40.9%	17,369	50.0%	198	80.5%	183	79.6%	381	80.0%	7,084	75.3%	10,666	41.3%	17,750	50.4%
Native Hawaiian/Pacific Islander	1	0.0%	1	0.0%	2	0.0%	0	0.0%	0	0.0%	0	0.0%	1	0.0%	1	0.0%	2	0.0%
White	452	4.9%	4,105	16.0%	4,557	13.1%	9	3.7%	10	4.3%	19	4.0%	461	4.9%	4,115	15.9%	4,576	13.0%
Legacy Asian	2	0.0%	12	0.0%	14	0.0%	0	0.0%	0	0.0%	0	0.0%	2	0.0%	12	0.0%	14	0.0%
Multi-Race	154	1.7%	375	1.5%	529	1.5%	2	0.8%	1	0.4%	3	0.6%	156	1.7%	376	1.5%	532	1.5%
Unknown	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Total AIDS	9,156	100%	25,600	100%	34,756	100%	246	100%	230	100%	476	100%	9,402	100%	25,830	100%	35,232	100%

Adult & Pediatric AIDS cases by mortality status and gender (Excluding DOC)

Mortality Status among AIDS cases	Adult AIDS						Pediatric AIDS						TOTAL AIDS CASES					
	Female		Male		Total Adult		Female		Male		Total Pediatric		Total Female		Total Male		Total Cases	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Alive	4,033	44.0%	10,032	39.2%	14,065	40.5%	76	30.9%	81	35.2%	157	33.0%	4,109	43.7%	10,113	39.2%	14,222	40.4%
Deaths	5,123	56.0%	15,568	60.8%	20,691	59.5%	170	69.1%	149	64.8%	319	67.0%	5,293	56.3%	15,717	60.8%	21,010	59.6%
Total AIDS	9,156	100%	25,600	100%	34,756	100%	246	100%	230	100%	476	100%	9,402	100%	25,830	100%	35,232	100%

* This new category created by CDC, is to support the ability to record an ethnicity and multiple races for an individual, necessitated by new federal OMB guidelines for reporting race and ethnicity.

[\(Continue next Page\)](#)

FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
HIV/AIDS Surveillance
Cumulative Number of Reported AIDS Cases

SEPTEMBER 2014

AIDS Cases by exposure category and gender among Adult and Pediatric (Excluding DOC)

Exposure Category among adult AIDS	Adult AIDS					
	Female		Male		Total Adult	
	Cases	Col %	Cases	Col %	Cases	Col %
Adult male-to-male sexual contact [MSM]			14,153	55.3%	14,153	40.7%
Adult injection drug use [IDU]	2,034	22.2%	3,198	12.5%	5,232	15.1%
Adult MSM & IDU			1,372	5.4%	1,372	3.9%
Adult heterosexual contact [HTRSX]	6,048	66.1%	4,050	15.8%	10,098	29.1%
Adult other risk*	185	2.0%	212	0.8%	397	1.1%
Adult no risk factor reported [NRR]	889	9.7%	2,615	10.2%	3,504	10.1%
Total adult AIDS	9,156	100%	25,600	100%	34,756	100%

* Other risk includes: Adult receiving clotting factor, Hemophiliac, Perinatal exposure w/HIV age at 13+ years

Exposure Category among Pediatric AIDS	Pediatric AIDS					
	Female		Male		Total Pediatric	
	Cases	Col %	Cases	Col %	Cases	Col %
Perinatal exposure [PERINATAL]	243	98.8%	220	95.7%	463	97.3%
Child receiving clotting factor [HEMOPH]	2	0.8%	1	0.4%	3	0.6%
Child receiving transfusion/transplant	0	0.0%	5	2.2%	5	1.1%
Child other risk confirmed [OTHER]	0	0.0%	1	0.4%	1	0.2%
Child no risk factor reported [NRR]	1	0.4%	3	1.3%	4	0.8%
Total Pediatric AIDS	246	100%	230	100%	476	100%

(Continue next Page)

FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
HIV/AIDS Surveillance
Cumulative Number of Reported AIDS Cases

SEPTEMBER 2014

Adult AIDS cases by exposure category, race/ethnicity and gender (Excluding DOC)

ADULT FEMALE AIDS CASES														
Exposure Category/ Race/Ethnicity	MALE-TO-MALE SEXUAL CONTACT		INJECTION DRUG USE [IDU]		MSM & IDU		HETEROSEXUAL CONTACT		OTHER* RISK		NO REPORTED RISK [NRR]		TOTAL ADULT FEMALE	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
	Hispanic/Latino (All Races)			242	11.9%			1,255	20.8%	34	18.4%	127	14.3%	1,658
American Indian/Alaska Native			0	0.0%			1	0.0%	0	0.0%	0	0.0%	1	0.0%
Asian			0	0.0%			2	0.0%	0	0.0%	0	0.0%	2	0.0%
Black or African American			1,551	76.3%			4,486	74.2%	131	70.8%	718	80.8%	6,886	75.2%
Native Hawaiian/Pacific Islander			0	0.0%			1	0.0%	0	0.0%	0	0.0%	1	0.0%
White			200	9.8%			203	3.4%	15	8.1%	34	3.8%	452	4.9%
Legacy Asian			0	0.0%			2	0.0%	0	0.0%	0	0.0%	2	0.0%
Multi-Race			41	2.0%			98	1.6%	5	2.7%	10	1.1%	154	1.7%
Adult Female AIDS			2,034	100%			6,048	100%	185	100%	889	100%	9,156	100%

* OTHER includes Adult receiving clotting factor, Hemophilia, Perinatal exposure w/HIV age at 13+ years

ADULT MALE AIDS CASES														
Exposure Category/ Race/Ethnicity	MALE-TO-MALE SEXUAL CONTACT		INJECTION DRUG USE [IDU]		MSM & IDU		HETEROSEXUAL CONTACT		OTHER* RISK		NO REPORTED RISK [NRR]		TOTAL ADULT MALE	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
	Hispanic/Latino (All Races)	7,706	54.4%	711	22.2%	488	35.6%	1,006	24.8%	63	29.7%	628	24.0%	10,602
American Indian/Alaska Native	0	0.0%	1	0.0%	0	0.0%	0	0.0%	0	0.0%	1	0.0%	2	0.0%
Asian	13	0.1%	0	0.0%	0	0.0%	4	0.1%	0	0.0%	3	0.1%	20	0.1%
Black or African American	2,918	20.6%	2,198	68.7%	591	43.1%	2,872	70.9%	99	46.7%	1,805	69.0%	10,483	40.9%
Native Hawaiian/Pacific Islander	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	1	0.0%	1	0.0%
White	3,300	23.3%	239	7.5%	268	19.5%	101	2.5%	45	21.2%	152	5.8%	4,105	16.0%
Legacy Asian	7	0.0%	0	0.0%	0	0.0%	4	0.1%	0	0.0%	1	0.0%	12	0.0%
Multi-Race	209	1.5%	49	1.5%	25	1.8%	63	1.6%	5	2.4%	24	0.9%	375	1.5%
Adult Male AIDS	14,153	100%	3,198	100%	1,372	100%	4,050	100%	212	100%	2,615	100%	25,600	100%
TOTAL ADULT AIDS	14,153	40.7%	5,232	15.1%	1,372	3.9%	10,098	29.1%	397	1.1%	3,504	10.1%	34,756	100%

(Continue next Page)

FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
HIV/AIDS Surveillance
Cumulative Number of Reported AIDS Cases

SEPTEMBER 2014

Pediatric AIDS cases by exposure category, race/ethnicity and gender (Excluding DOC)

PEDIATRIC FEMALE AIDS CASES										
Exposure Category/ Race/Ethnicity	PERINATAL		HEMOPHILIAC		OTHER RISK		NO REPORTED		TOTAL FEMALE	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)	35	14.4%	1	50.0%	0	#DIV/0!	1	100.0%	37	15.0%
Black or African American	197	81.1%	1	50.0%	0	#DIV/0!	0	0.0%	198	80.5%
White	9	3.7%	0	0.0%	0	#DIV/0!	0	0.0%	9	3.7%
Multi-Race	2	0.8%	0	0.0%	0	#DIV/0!	0	0.0%	2	0.8%
Pediatric Female AIDS	243	100%	2	100%	0	#DIV/0!	1	100%	246	100%

PEDIATRIC MALE AIDS CASES										
Exposure Category/ Race/Ethnicity	PERINATAL		HEMOPHILIAC		OTHER RISK		NO REPORTED		TOTAL MALE	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)	31	14.1%	0	0.0%	4	66.7%	1	33.3%	36	15.7%
Black or African American	178	80.9%	1	100.0%	2	33.3%	2	66.7%	183	79.6%
White	10	4.5%	0	0.0%	0	0.0%	0	0.0%	10	4.3%
Multi-Race	1	0.5%	0	0.0%	0	0.0%	0	0.0%	1	0.4%
Pediatric Male AIDS	220	100%	1	100%	6	100%	3	100%	230	100%

	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %
TOTAL PEDIATRIC AIDS	463	97.3%	3	0.6%	6	1.3%	4	0.8%	476	100%

Adult Hispanic/Latino AIDS cases by country of origin and gender (Excluding DOC)

Country of Origin	ADULT FEMALE AIDS			ADULT MALE AIDS			TOTAL HISPANIC/LATINO		
	Cases	Col %	Row %	Cases	Col %	Row %	Cases	Col %	Row %
Argentina	25	1.5%	13.9%	155	1.5%	86.1%	180	1.5%	100%
Colombia	68	4.1%	12.1%	493	4.7%	87.9%	561	4.6%	100%
Cuba	388	23.4%	7.6%	4,695	44.3%	92.4%	5,083	41.5%	100%
Dominican Republic	72	4.3%	32.1%	152	1.4%	67.9%	224	1.8%	100%
Honduras	131	7.9%	28.5%	328	3.1%	71.5%	459	3.7%	100%
Mexico	21	1.3%	8.3%	231	2.2%	91.7%	252	2.1%	100%
Nicaragua	79	4.8%	18.4%	350	3.3%	81.6%	429	3.5%	100%
Peru	26	1.6%	13.4%	168	1.6%	86.6%	194	1.6%	100%
Puerto Rico	182	11.0%	17.4%	865	8.2%	82.6%	1,047	8.5%	100%
United States	382	23.0%	20.6%	1,474	13.9%	79.4%	1,856	15.1%	100%
Venezuela	16	1.0%	5.9%	254	2.4%	94.1%	270	2.2%	100%
Other/Unknown Countries	268	16.2%	15.7%	1,437	13.6%	84.3%	1,705	13.9%	100%
Total Adult Hispanic/Latino	1,658	100%	13.5%	10,602	100%	86.5%	12,260	100%	100%

(Continue next Page)

FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
HIV/AIDS Surveillance
Cumulative Number of Reported AIDS Cases

SEPTEMBER 2014

Adult Hispanic/Latino AIDS cases by country of origin, exposure category and gender (Excluding DOC)

Country of Origin	MALE-TO-MALE SEXUAL CONTACT		INJECTION DRUG USE [IDU]		MSM & IDU		HETEROSEXUAL CONTACT		OTHER * RISK		NO REPORTED RISK [NRR]		Total Hispanic/Latino Female by Country of Origin		
	Cases	Row %	Cases	Row %	Number	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Col %	Row %
	Argentina			3	12.0%			20	80.0%	0	0.0%	2	8.0%	25	1.5%
Colombia			7	10.3%			51	75.0%	2	2.9%	8	11.8%	68	4.1%	100%
Cuba			55	14.2%			285	73.5%	8	2.1%	40	10.3%	388	23.4%	100%
Dominican Republic			3	4.2%			62	86.1%	0	0.0%	7	9.7%	72	4.3%	100%
Honduras			8	6.1%			114	87.0%	1	0.8%	8	6.1%	131	7.9%	100%
Mexico			3	14.3%			16	76.2%	1	4.8%	1	4.8%	21	1.3%	100%
Nicaragua			4	5.1%			64	81.0%	1	1.3%	10	12.7%	79	4.8%	100%
Peru			1	3.8%			25	96.2%	0	0.0%	0	0.0%	26	1.6%	100%
Puerto Rico			48	26.4%			121	66.5%	3	1.6%	10	5.5%	182	11.0%	100%
United States			83	21.7%			264	69.1%	16	4.2%	19	5.0%	382	23.0%	100%
Venezuela			3	18.8%			12	75.0%	0	0.0%	1	6.3%	16	1.0%	100%
Other/Unknown Countries			24	9.0%			221	82.5%	2	0.7%	21	7.8%	268	16.2%	100%
Total adult Hispanic/Latino Female			242	14.6%			1,255	75.7%	34	2.1%	127	7.7%	1,658	100%	100%

* OTHER includes Adult receiving clotting factor, Hemophilic, Perinatal exposure w/HIV age at 13+ years

Country of Origin	MALE-TO-MALE SEXUAL CONTACT		INJECTION DRUG USE [IDU]		MSM & IDU		HETEROSEXUAL CONTACT		OTHER * RISK		NO REPORTED RISK [NRR]		Total Hispanic/Latino Male by Country of Origin		
	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Col %	Row %
	Argentina	129	83.2%	4	2.6%	7	4.5%	12	7.7%	0	0.0%	3	1.9%	155	1.5%
Colombia	400	81.1%	14	2.8%	17	3.4%	40	8.1%	3	0.6%	19	3.9%	493	4.7%	100%
Cuba	3,609	76.9%	211	4.5%	190	4.0%	382	8.1%	26	0.6%	277	5.9%	4,695	44.3%	100%
Dominican Republic	82	53.9%	8	5.3%	5	3.3%	42	27.6%	1	0.7%	14	9.2%	152	1.4%	100%
Honduras	209	63.7%	19	5.8%	5	1.5%	68	20.7%	5	1.5%	22	6.7%	328	3.1%	100%
Mexico	156	67.5%	11	4.8%	7	3.0%	38	16.5%	0	0.0%	19	8.2%	231	2.2%	100%
Nicaragua	255	72.9%	10	2.9%	13	3.7%	50	14.3%	0	0.0%	22	6.3%	350	3.3%	100%
Peru	135	80.4%	2	1.2%	2	1.2%	18	10.7%	0	0.0%	11	6.5%	168	1.6%	100%
Puerto Rico	426	49.2%	218	25.2%	100	11.6%	67	7.7%	3	0.3%	51	5.9%	865	8.2%	100%
United States	1,006	68.2%	157	10.7%	108	7.3%	126	8.5%	17	1.2%	60	4.1%	1,474	13.9%	100%
Venezuela	221	87.0%	3	1.2%	2	0.8%	17	6.7%	2	0.8%	9	3.5%	254	2.4%	100%
Other/Unknown Countries	1,078	75.0%	54	3.8%	32	2.2%	146	10.2%	6	0.4%	121	8.4%	1,437	13.6%	100%
Total adult Hispanic/Latino Male	7,706	72.7%	711	6.7%	488	4.6%	1,006	9.5%	63	0.6%	628	5.9%	10,602	100%	100%

	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %
TOTAL ADULT HISPANIC/LATINO	7,706	62.9%	953	7.8%	488	4.0%	2,261	18.4%	97	0.8%	755	6.2%	12,260	100%

(Continue next Page)

FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
HIV/AIDS Surveillance
Cumulative Number of Reported AIDS Cases

SEPTEMBER 2014

Haitian born adult AIDS cases by exposure category and gender (Excluding DOC)

Exposure Category GENDER	MALE-TO-MALE SEXUAL CONTACT		INJECTION DRUG USE [IDU]		MSM & IDU		HETEROSEXUAL CONTACT		OTHER *		NO REPORTED RISK [NRR]		Total Haitian by Gender	
	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %
	Haitian born Adult Females			56	3.7%			1,135	74.2%	27	1.8%	311	20.3%	1,529
Haitian born Adult Males	535	21.9%	76	3.1%	27	1.1%	891	36.5%	13	0.5%	898	36.8%	2,440	100%
Total Haitian born	535	13.5%	132	3.3%	27	0.7%	2,026	51.0%	40	1.0%	1,209	30.5%	3,969	100%

* OTHER includes Adult receiving clotting factor, Hemophilic, Perinatal exposure w/HIV age at 13+ years

Department of Correction [DOC] Adult AIDS cases and total people living with AIDS by race/ethnicity and gender.

AIDS Cases by Race/Ethnicity & Gender	DOC AIDS Cases						Total Reported People Living with AIDS (1)					
	Female		Male		Total		Female		Male		Total	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)	0	0.0%	89	13.3%	89	12.8%	899	21.9%	4,774	47.2%	5,673	39.9%
Black or African American	21	77.8%	479	71.5%	500	71.7%	2,180	53.1%	2,753	27.2%	4,933	34.7%
White	4	14.8%	69	10.3%	73	10.5%	176	4.3%	1,412	14.0%	1,588	11.2%
Haitian	1	3.7%	19	2.8%	20	2.9%	794	19.3%	1,011	10.0%	1,805	12.7%
Other (2)	1	3.7%	14	2.1%	15	2.2%	60	1.5%	163	1.6%	223	1.6%
Total AIDS	27	100%	670	100%	697	100%	4,109	100%	10,113	100%	14,222	100%

(1) PLW/AIDS cases has been updated by Florida Department of Health, Bureau of Communicable Disease, HIV/AIDS & Hepatitis Section, in June 2013

using National Death Index [NDI] latest information for death cases. Total reported people living with AIDS are those reported cases regardless of where they are currently living.

(2) Other Includes American Indian/Alaska Native, Asian, Native Hawaiian, Pacific Islander, Legacy Asian & Multi Race

Adjustments are performed on a monthly basis to compensate for duplicate reports state and nation wide and case validation projects.

FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
HIV/AIDS Surveillance
Cumulative Number of Reported HIV (Not AIDS) Cases

SEPTEMBER 2014

<i>HIV (not AIDS) cases by age group and gender (Excluding Department of Correction - DOC)</i>					<i>HIV (not AIDS) Cases by age group, race/ethnicity & gender, showing Haitians separated (Excluding DOC)</i>													
HIV Cases by Age Group & Gender	Female		Male		TOTAL HIV		Hispanic/Latino		Black		White		Haitian		Other ⁽¹⁾		TOTAL HIV	
	Cases	Col %	Cases	Col %	Cases	Col %	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male
Under 5	47	1.2%	43	0.4%	90	0.6%	8	8	37	33	1	0	1	1	0	1	47	43
5-12	32	0.8%	16	0.2%	48	0.3%	5	5	22	9	0	0	5	2	0	0	32	16
13-19	222	5.7%	280	2.6%	502	3.4%	43	112	163	145	6	9	8	10	2	4	222	280
20-29	959	24.4%	2,475	23.2%	3,434	23.5%	216	1,289	574	762	48	312	110	75	11	37	959	2,475
30-39	1,075	27.4%	3,362	31.5%	4,437	30.4%	250	1,850	555	701	72	619	188	153	10	39	1,075	3,362
40-49	912	23.2%	2,736	25.7%	3,648	25.0%	213	1,354	487	685	56	494	141	163	15	40	912	2,736
50-59	492	12.5%	1,208	11.3%	1,700	11.7%	130	472	248	410	15	210	93	101	6	15	492	1,208
60-64	91	2.3%	269	2.5%	360	2.5%	24	103	39	87	3	45	25	28	0	6	91	269
65-69	65	1.7%	155	1.5%	220	1.5%	20	61	29	56	4	22	11	16	1	0	65	155
>=70	31	0.8%	117	1.1%	148	1.0%	4	42	10	51	4	10	12	10	1	4	31	117
Unknown	0	0.0%	0	0.0%	0	0.0%	0	0	0	0	0	0	0	0	0	0	0	0
Total HIV	3,926	100%	10,661	100%	14,587	100%	913	5,296	2,164	2,939	209	1,721	594	559	46	146	3,926	10,661

⁽¹⁾ Other Includes American Indian/Alaska Native, Asian, Native Hawaiian, Pacific Islander, Legacy Asian & Multi Race

HIV (Not AIDS) Cases by year of report and gender (Excluding DOC) HIV start reporting in Florida in July 1997.

HIV Cases by Year Report & Gender	Female		Male		TOTAL HIV		
	Cases	Row %	Cases	Row %	Cases	Col %	Row %
July-December 1997	126	37.4%	211	62.6%	337	2.3%	100%
1998	275	31.0%	611	69.0%	886	6.1%	100%
1999	266	31.7%	574	68.3%	840	5.8%	100%
2000	241	31.5%	524	68.5%	765	5.2%	100%
2001	251	30.7%	567	69.3%	818	5.6%	100%
2002	291	30.5%	663	69.5%	954	6.5%	100%
2003	241	28.3%	611	71.7%	852	5.8%	100%
2004	233	27.7%	609	72.3%	842	5.8%	100%
2005	236	32.0%	502	68.0%	738	5.1%	100%
2006	190	28.6%	474	71.4%	664	4.6%	100%
2007	229	26.8%	624	73.2%	853	5.8%	100%
2008	245	25.6%	711	74.4%	956	6.6%	100%
2009	193	25.0%	579	75.0%	772	5.3%	100%
2010	186	23.9%	592	76.1%	778	5.3%	100%
2011	186	22.3%	647	77.7%	833	5.7%	100%
2012	170	22.3%	591	77.7%	761	5.2%	100%
2013	222	22.0%	788	78.0%	1,010	6.9%	100%
2014	145	15.6%	783	84.4%	928	6.4%	100%
Total Adult HIV	3,926	26.9%	10,661	73.1%	14,587	100%	

(Continue next Page)

FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
HIV/AIDS Surveillance
Cumulative Number of Reported HIV (Not AIDS) Cases

SEPTEMBER 2014

Adult & Pediatric HIV (not AIDS) cases by race/ethnicity and gender (Excluding DOC)

HIV by Race/ Ethnicity *	Adult HIV						Pediatric HIV						TOTAL HIV CASES					
	Female		Male		Total Adult		Female		Male		Total Pediatric		Total Female		Total Male		Total Cases	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)	904	23.5%	5,288	49.9%	6,192	42.9%	13	16.5%	13	22.0%	26	18.8%	917	23.4%	5,301	49.7%	6,218	42.6%
American Indian/Alaska Native	1	0.0%	5	0.0%	6	0.0%	0	0.0%	0	0.0%	0	0.0%	1	0.0%	5	0.0%	6	0.0%
Asian	4	0.1%	28	0.3%	32	0.2%	0	0.0%	0	0.0%	0	0.0%	4	0.1%	28	0.3%	32	0.2%
Black or African American	2,686	69.8%	3,444	32.5%	6,130	42.4%	64	81.0%	45	76.3%	109	79.0%	2,750	70.0%	3,489	32.7%	6,239	42.8%
Native Hawaiian/Pacific Islander	1	0.0%	3	0.0%	4	0.0%	0	0.0%	0	0.0%	0	0.0%	1	0.0%	3	0.0%	4	0.0%
White	209	5.4%	1,722	16.2%	1,931	13.4%	1	1.3%	0	0.0%	1	0.7%	210	5.3%	1,722	16.2%	1,932	13.2%
Legacy Asian	1	0.0%	6	0.1%	7	0.0%	0	0.0%	1	1.7%	1	0.7%	1	0.0%	7	0.1%	8	0.1%
Multi-Race	41	1.1%	106	1.0%	147	1.0%	1	1.3%	0	0.0%	1	0.7%	42	1.1%	106	1.0%	148	1.0%
Unknown	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Total HIV	3,847	100%	10,602	100%	14,449	100%	79	100%	59	100%	138	100%	3,926	100%	10,661	100%	14,587	100%

Adult & Pediatric HIV (not AIDS) cases by mortality status and gender (Excluding DOC)

Mortality Status among HIV cases	Adult HIV						Pediatric HIV						TOTAL HIV CASES					
	Female		Male		Total Adult		Female		Male		Total Pediatric		Total Female		Total Male		Total Cases	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Alive	3,488	90.7%	9,698	91.5%	13,186	91.3%	78	98.7%	58	98.3%	136	98.6%	3,566	90.8%	9,756	91.5%	13,322	91.3%
Deaths	359	9.3%	904	8.5%	1,263	8.7%	1	1.3%	1	1.7%	2	1.4%	360	9.2%	905	8.5%	1,265	8.7%
Total HIV	3,847	100%	10,602	100%	14,449	100%	79	100%	59	100%	138	100%	3,926	100%	10,661	100%	14,587	100%

* This new category created by CDC, is to support the ability to record an ethnicity and multiple races for an individual, necessitated by new federal OMB guidelines for reporting race and ethnicity.

[\(Continue next Page\)](#)

FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
HIV/AIDS Surveillance
Cumulative Number of Reported HIV (Not AIDS) Cases

SEPTEMBER 2014

HIV (not AIDS) Cases by exposure category and gender among Adult and Pediatric (Excluding DOC)

Exposure Category among adult HIV cases	Adult HIV					
	Female		Male		Total Adult	
	Cases	Col %	Cases	Col %	Cases	Col %
Adult male-to-male sexual contact [MSM]			7,087	66.8%	7,087	49.0%
Adult injection drug use [IDU]	278	7.2%	333	3.1%	611	4.2%
Adult MSM & IDU			239	2.3%	239	1.7%
Adult heterosexual contact [HTRSX]	3,010	78.2%	1,702	16.1%	4,712	32.6%
Adult other risk*	8	0.2%	4	0.0%	12	0.1%
Adult no risk factor reported [NRR]	551	14.3%	1,237	11.7%	1,788	12.4%
Total adult HIV	3,847	100%	10,602	100%	14,449	100%

* Other risk includes: Adult receiving clotting factor, Hemophiliac, Perinatal exposure w/HIV age at 13+ years

Exposure Category among Pediatric HIV cases	Pediatric HIV					
	Female		Male		Total Pediatric	
	Cases	Col %	Cases	Col %	Cases	Col %
Perinatal exposure [PERINATAL]	76	96.2%	59	100.0%	135	97.8%
Child receiving clotting factor [HEMOPH]	0	0.0%	0	0.0%	0	0.0%
Child other risk confirmed [OTHER]	0	0.0%	0	0.0%	0	0.0%
Child no risk factor reported [NRR]	3	3.8%	0	0.0%	3	2.2%
Total Pediatric HIV	79	100%	59	100%	138	100%

(Continue next Page)

FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
HIV/AIDS Surveillance
Cumulative Number of Reported HIV (Not AIDS) Cases

SEPTEMBER 2014

Adult HIV (not AIDS) cases by exposure category, race/ethnicity and gender (Excluding DOC)

ADULT FEMALE HIV CASES														
Exposure Category/ Race/Ethnicity	MALE-TO-MALE SEXUAL CONTACT		INJECTION DRUG USE [IDU]		MSM & IDU		HETEROSEXUAL CONTACT		OTHER * RISK		NO REPORTED RISK [NRR]		TOTAL ADULT FEMALE	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
	Hispanic/Latino (All Races)			64	23.0%			682	22.7%	4	50.0%	154	27.9%	904
American Indian/Alaska Native			0	0.0%			1	0.0%	0	0.0%	0	0.0%	1	0.0%
Asian			0	0.0%			3	0.1%	0	0.0%	1	0.2%	4	0.1%
Black or African American			168	60.4%			2,158	71.7%	2	25.0%	358	65.0%	2,686	69.8%
Native Hawaiian/Pacific Islander			0	0.0%			0	0.0%	0	0.0%	1	0.2%	1	0.0%
White			39	14.0%			136	4.5%	1	12.5%	33	6.0%	209	5.4%
Legacy Asian			0	0.0%			0	0.0%	0	0.0%	1	0.2%	1	0.0%
Multi-Race			7	2.5%			30	1.0%	1	12.5%	3	0.5%	41	1.1%
Adult Female HIV			278	100%			3,010	100%	8	100%	551	100%	3,847	100%

* OTHER includes Adult receiving clotting factor, Hemophilic, Perinatal exposure w/HIV age at 13+ years

ADULT MALE HIV CASES														
Exposure Category/ Race/Ethnicity	MALE-TO-MALE SEXUAL CONTACT		INJECTION DRUG USE [IDU]		MSM & IDU		HETEROSEXUAL CONTACT		OTHER * RISK		NO REPORTED RISK [NRR]		TOTAL ADULT MALE	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
	Hispanic/Latino (All Races)	4,140	58.4%	97	29.1%	111	46.4%	476	28.0%	0	0.0%	464	37.5%	5,288
American Indian/Alaska Native	2	0.0%	0	0.0%	0	0.0%	2	0.1%	0	0.0%	1	0.1%	5	0.0%
Asian	24	0.3%	0	0.0%	0	0.0%	1	0.1%	0	0.0%	3	0.2%	28	0.3%
Black or African American	1,379	19.5%	194	58.3%	76	31.8%	1,139	66.9%	3	75.0%	653	52.8%	3,444	32.5%
Native Hawaiian/Pacific Islander	3	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	3	0.0%
White	1,464	20.7%	38	11.4%	49	20.5%	62	3.6%	1	25.0%	108	8.7%	1,722	16.2%
Legacy Asian	5	0.1%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	1	0.1%	6	0.1%
Multi-Race	70	1.0%	4	1.2%	3	1.3%	22	1.3%	0	0.0%	7	0.6%	106	1.0%
Adult Male HIV	7,087	100%	333	100%	239	100%	1,702	100%	4	100%	1,237	100%	10,602	100%
TOTAL ADULT HIV	7,087	49.0%	611	4.2%	239	1.7%	4,712	32.6%	12	0.1%	1,788	12.4%	14,449	100%

(Continue next Page)

FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
HIV/AIDS Surveillance
Cumulative Number of Reported HIV (Not AIDS) Cases

SEPTEMBER 2014

Pediatric HIV (not AIDS) cases by exposure category, race/ethnicity and gender (Excluding DOC)

PEDIATRIC FEMALE HIV CASES										
Exposure Category/ Race/Ethnicity	PERINATAL		HEMOPHILIAC		OTHER RISK		NO REPORTED		TOTAL FEMALE	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)	12	15.8%	0	#DIV/0!	0	#DIV/0!	2	66.7%	14	17.7%
Black or African American	62	81.6%	0	#DIV/0!	0	#DIV/0!	1	33.3%	63	79.7%
White	1	1.3%	0	#DIV/0!	0	#DIV/0!	0	0.0%	1	1.3%
Legacy Asian/Pacific Isl.	0	0.0%	0	#DIV/0!	0	#DIV/0!	0	0.0%	0	0.0%
Multi-Race	1	1.3%	0	#DIV/0!	0	#DIV/0!	0	0.0%	1	1.3%
Pediatric Female HIV	76	100%	0	#DIV/0!	0	#DIV/0!	3	100%	79	100%

PEDIATRIC MALE HIV CASES										
Exposure Category/ Race/Ethnicity	PERINATAL		HEMOPHILIAC		OTHER RISK		NO REPORTED		TOTAL MALE	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)	13	21.7%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	13	21.7%
Black or African American	46	76.7%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	46	76.7%
White	0	0.0%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0	0.0%
Legacy Asian/Pacific Isl.	1	1.7%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	1	1.7%
Multi-Race	0	0.0%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0	0.0%
Pediatric Male HIV	60	100%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	60	100%

	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %
TOTAL PEDIATRIC HIV	136	97.8%	0	0.0%	0	0.0%	3	2.2%	139	100%

Adult Hispanic/Latino HIV (not AIDS) cases by country of origin and gender (Excluding DOC)

Country of Origin	ADULT FEMALE HIV			ADULT MALE HIV			TOTAL HISPANIC/LATINO		
	Cases	Col %	Row %	Cases	Col %	Row %	Cases	Col %	Row %
Argentina	19	2.1%	12.1%	138	2.6%	87.9%	157	2.5%	100%
Colombia	36	4.0%	12.9%	242	4.6%	87.1%	278	4.5%	100%
Cuba	146	16.2%	8.6%	1,549	29.3%	91.4%	1,695	27.4%	100%
Dominican Republic	35	3.9%	31.0%	78	1.5%	69.0%	113	1.8%	100%
Honduras	66	7.3%	32.4%	138	2.6%	67.6%	204	3.3%	100%
Mexico	8	0.9%	6.1%	124	2.3%	93.9%	132	2.1%	100%
Nicaragua	34	3.8%	18.8%	147	2.8%	81.2%	181	2.9%	100%
Peru	13	1.4%	13.8%	81	1.5%	86.2%	94	1.5%	100%
Puerto Rico	56	6.2%	19.6%	229	4.3%	80.4%	285	4.6%	100%
United States	234	25.9%	17.1%	1,136	21.5%	82.9%	1,370	22.1%	100%
Venezuela	22	2.4%	7.5%	271	5.1%	92.5%	293	4.7%	100%
Other/Unknown Countries	235	26.0%	16.9%	1,155	21.8%	83.1%	1,390	22.4%	100%
Total Adult Hispanic/Latino HIV	904	100%	14.6%	5,288	100%	85.4%	6,192	100%	100%

(Continue next Page)

FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
HIV/AIDS Surveillance
Cumulative Number of Reported HIV (Not AIDS) Cases

SEPTEMBER 2014

Adult Hispanic/Latino HIV (not AIDS) cases by country of origin, exposure category and gender (Excluding DOC)

ADULT HISPANIC/LATINO FEMALE HIV CASES															
Country of Origin	MALE-TO-MALE SEXUAL CONTACT		INJECTION DRUG USE [IDU]		MSM & IDU		HETEROSEXUAL CONTACT		OTHER * RISK		NO REPORTED RISK [NRR]		Total Hispanic/Latino Female by Country of Origin		
	Cases	Row %	Cases	Row %	Number	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Col %	Row %
Argentina			4	21.1%			13	68.4%	0	0.0%	2	10.5%	19	2.1%	100%
Colombia			1	2.8%			30	83.3%	0	0.0%	5	13.9%	36	4.0%	100%
Cuba			7	4.8%			116	79.5%	1	0.7%	22	15.1%	146	16.2%	100%
Dominican Republic			1	2.9%			31	88.6%	0	0.0%	3	8.6%	35	3.9%	100%
Honduras			0	0.0%			58	87.9%	0	0.0%	8	12.1%	66	7.3%	100%
Mexico			2	25.0%			5	62.5%	0	0.0%	1	12.5%	8	0.9%	100%
Nicaragua			0	0.0%			26	76.5%	0	0.0%	8	23.5%	34	3.8%	100%
Peru			1	7.7%			10	76.9%	0	0.0%	2	15.4%	13	1.4%	100%
Puerto Rico			10	17.9%			35	62.5%	0	0.0%	11	19.6%	56	6.2%	100%
United States			30	12.8%			170	72.6%	3	1.3%	31	13.2%	234	25.9%	100%
Venezuela			1	4.5%			20	90.9%	0	0.0%	1	4.5%	22	2.4%	100%
Other/Unknown Countries			7	3.0%			168	71.5%	0	0.0%	60	25.5%	235	26.0%	100%
Total adult Hispanic/Latino Female			64	7.1%			682	75.4%	4	0.4%	154	17.0%	904	100%	100%

OTHER includes Adult receiving clotting factor, Hemophilic, Perinatal exposure w/HIV age at 13+ years

ADULT HISPANIC/LATINO MALE HIV CASES															
Country of Origin	MALE-TO-MALE SEXUAL CONTACT		INJECTION DRUG USE [IDU]		MSM & IDU		HETEROSEXUAL CONTACT		OTHER * RISK		NO REPORTED RISK [NRR]		Total Hispanic/Latino Male by Country of Origin		
	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Col %	Row %
Argentina	120	87.0%	2	1.4%	2	1.4%	9	6.5%	0	0.0%	5	3.6%	138	2.6%	100%
Colombia	200	82.6%	1	0.4%	8	3.3%	18	7.4%	0	0.0%	15	6.2%	242	4.6%	100%
Cuba	1,255	81.0%	20	1.3%	36	2.3%	150	9.7%	0	0.0%	88	5.7%	1,549	29.3%	100%
Dominican Republic	47	60.3%	3	3.8%	3	3.8%	16	20.5%	0	0.0%	9	11.5%	78	1.5%	100%
Honduras	93	67.4%	1	0.7%	3	2.2%	27	19.6%	0	0.0%	14	10.1%	138	2.6%	100%
Mexico	103	83.1%	2	1.6%	1	0.8%	8	6.5%	0	0.0%	10	8.1%	124	2.3%	100%
Nicaragua	113	76.9%	3	2.0%	1	0.7%	21	14.3%	0	0.0%	9	6.1%	147	2.8%	100%
Peru	72	88.9%	1	1.2%	1	1.2%	6	7.4%	0	0.0%	1	1.2%	81	1.5%	100%
Puerto Rico	159	69.4%	29	12.7%	16	7.0%	14	6.1%	0	0.0%	11	4.8%	229	4.3%	100%
United States	908	79.9%	26	2.3%	26	2.3%	92	8.1%	0	0.0%	84	7.4%	1,136	21.5%	100%
Venezuela	241	88.9%	0	0.0%	2	0.7%	14	5.2%	0	0.0%	14	5.2%	271	5.1%	100%
Other/Unknown Countries	829	71.8%	9	0.8%	12	1.0%	101	8.7%	0	0.0%	204	17.7%	1,155	21.8%	100%
Total adult Hispanic/Latino Male	4,140	78.3%	97	1.8%	111	2.1%	476	9.0%	0	0.0%	464	8.8%	5,288	100%	100%
	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	
TOTAL ADULT HISPANIC/LATINO	4,140	66.9%	161	2.6%	111	1.8%	1,158	18.7%	4	0.1%	618	10.0%	6,192	100%	

(Continue next Page)

**FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
HIV/AIDS Surveillance
Cumulative Number of Reported HIV (Not AIDS) Cases**

SEPTEMBER 2014

Haitian born adult HIV cases by exposure category and gender (Excluding DOC)

ADULT HAITIAN BORN HIV CASES														
Exposure Category GENDER	MALE-TO-MALE SEXUAL CONTACT		INJECTION DRUG USE [IDU]		[MSM & [IDU]		HETEROSEXUAL CONTACT		OTHER* RISK		NO REPORTED RISK [NRR]		Total Haitian by Gender	
	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %
	Haitian born Adult Females			12	2.0%			504	85.7%	0	0.0%	72	12.2%	588
Haitian born Adult Males	100	18.0%	8	1.4%	1	0.2%	307	55.2%	0	0.0%	140	25.2%	556	100%
Total Haitian born	100	8.7%	20	1.7%	1	0.1%	811	70.9%	0	0.0%	212	18.5%	1,144	100%

* OTHER includes Adult receiving clotting factor, Hemophilic, Perinatal exposure w/HIV age at 13+ years

Department of Correction [DOC] Adult HIV (not AIDS) and total people living with HIV by race/ethnicity and gender.

HIV Cases by Race/Ethnicity & Gender	DOC HIV Cases						Total Reported People Living with HIV (1)					
	Female		Male		Total		Female		Male		Total	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)	5	33.3%	78	17.6%	83	18.1%	847	23.8%	5,007	51.3%	5,854	43.9%
Black or African American	7	46.7%	287	64.8%	294	64.2%	1,953	54.8%	2,543	26.1%	4,496	33.7%
White	3	20.0%	60	13.5%	63	13.8%	187	5.2%	1,594	16.3%	1,781	13.4%
Haitian	0	0.0%	11	2.5%	11	2.4%	543	15.2%	487	5.0%	1,030	7.7%
Other (2)	0	0.0%	7	1.6%	7	1.5%	36	1.0%	125	1.3%	161	1.2%
Total HIV	15	100%	443	100%	458	100%	3,566	100%	9,756	100%	13,322	100%

(1) PLW/HIV cases has been updated by FL Department of Health, Bureau of Communicable Disease, HIV/AIDS & Hepatitis Section, in June 2013,

using National Death Index [NDI] latest information for death cases. Total reported people living with HIV are those reported cases regardless of where they are currently living.

(2) Other Includes American Indian/Alaska Native, Asian, Native Hawaiian, Pacific Islander, Legacy Asian & Multi Race

Adjustments are performed on a monthly basis to compensate for duplicate reports state and nation wide and case validation projects.

FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
HIV/AIDS Surveillance
Perinatal HIV Exposed Cases

SEPTEMBER 2014

All EXPOSED Perinatal pediatric cases born in Miami-Dade by year of birth and diagnosis status since November 20th, 2006. ⁽¹⁾

Year of Birth	Perinatal HIV Exposure	Pediatric HIV	Pediatric AIDS	Pediatric seroreverter	Unknown	TOTAL
>=November 20 th , 2006	3	0	0	16	0	19
2007	32	1	0	106	0	139
2008	40	1	1	90	0	132
2009	31	2	0	86	0	119
2010	39	3	0	83	0	125
2011	13	1	0	105	0	119
2012	11	1	0	89	0	101
2013	28	2	1	65	0	96
2014	55	1	0	7	0	63
Total	252	12	2	647	0	913

All EXPOSED Perinatal pediatric cases born in Miami-Dade by year of birth and race/ethnicity since November 20th, 2006. ⁽¹⁾

Year of Birth	Hispanic	Not Hispanic, Black	Not Hispanic, White	Not Hispanic, Other ⁽²⁾	TOTAL
>=November 20 th , 2006	3	15	1	0	19
2007	22	110	5	2	139
2008	19	111	2	0	132
2009	24	91	3	1	119
2010	31	87	5	2	125
2011	21	90	7	1	119
2012	23	68	8	2	101
2013	16	75	4	1	96
2014	11	48	4	0	63
Total	170	695	39	9	913

⁽¹⁾ NOTE: An expanded HIV reporting law was implemented on November 20th, 2006. Expansion included reportability of cases with virologic evidence of HIV infection. Previously, only Western Blot-confirmed (+) cases were reportable. In addition, reporting is retroactive. Previously, only HIV cases diagnosed after July st, 1997, were reportable. A detectable viral load (VL) (or equivalent viral test) is reportable, and is considered evidence of HIV. Other reportable virologic test considered to be evidence of HIV are: P24, ANTIGEN, Nucleic Acid test (NAT/NAAT), viral culture. CD4 counts/percents are reportable, but follow-up is conducted only if it is <200 uL, or <14%.

⁽²⁾ Other Includes American Indian/Alaska Native, Asian, Native Hawaiian, Pacific Islander, Legacy Asian & Multi Race

[\(Continue next Page\)](#)

FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
HIV/AIDS Surveillance
Perinatal HIV Exposed Cases

SEPTEMBER 2014

All EXPOSED Perinatal pediatric cases born in Miami-Dade by year of birth and Mother HIV status since November 20th, 2006. ⁽¹⁾

Year of Birth	Know HIV (+) before pregnancy	Know HIV (+) during pregnancy	Know HIV (+) at time of delivery	Know HIV (+) sometime before birth	Know HIV (+) sometime after birth	HIV (+) with time unknown	TOTAL
>=November 20 th , 2006	16	2	0	0	0	1	19
2007	93	34	9	1	2	0	139
2008	94	35	2	0	0	1	132
2009	85	24	8	1	0	1	119
2010	88	25	5	3	1	3	125
2011	90	23	3	2	1	0	119
2012	75	24	2	0	0	0	101
2013	79	11	2	3	0	1	96
2014	53	9	0	1	0	0	63
Total	673	187	31	11	4	7	913

All EXPOSED Perinatal pediatric cases born in Miami-Dade by diagnosis and Mother HIV status since November 20th, 2006. ⁽¹⁾

Diagnosis Status	Know HIV (+) before pregnancy	Know HIV (+) during pregnancy	Know HIV (+) at time of delivery	Know HIV (+) sometime before birth	Know HIV (+) sometime after birth	HIV (+) with time unknown	TOTAL
Perinatal HIV Exposure	183	49	12	5	1	2	252
Pediatric HIV	8	1	2	0	1	0	12
Pediatric AIDS	2	0	0	0	0	0	2
Pediatric Seroreverter	480	137	17	6	2	5	647
Unknown	0	0	0	0	0	0	0
Total	673	187	31	11	4	7	913

All EXPOSED Perinatal pediatric cases born in Miami-Dade by diagnosis status and HIV category since November 20th, 2006. ⁽¹⁾

Diagnosis Status	HIV (+) Definitive	HIV (+) Presumptive	HIV Indeterminate	HIV (-) Definitive	HIV (-) Presumptive	Unknown	TOTAL
Perinatal HIV Exposure	0	0	252	0	0	0	252
Pediatric HIV	12	0	0	0	0	0	12
Pediatric AIDS	2	0	0	0	0	0	2
Pediatric Seroreverter	0	0	0	478	169	0	647
Unknown	0	0	0	0	0	0	0
Total	14	0	252	478	169	0	913

⁽¹⁾ NOTE: An expanded HIV reporting law was implemented on November 20th, 2006. Expansion included reportability of cases with virologic evidence of HIV infection. Previously, only Western Blot-confirmed (+) cases were reportable. In addition, reporting is retroactive. Previously, only HIV cases diagnosed after July st, 1997, were reportable. A detectable viral load (VL) (or equivalent viral test) is reportable, and is considered evidence of HIV. Other reportable virologic test considered to be evidence of HIV are: P24, ANTIGEN, Nucleic Acid test (NAT/NAAT), viral culture. CD4 counts/percents are reportable, but follow-up is conducted only if it is <200 uL, or <14%.

[\(Continue next Page\)](#)

FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
HIV/AIDS Surveillance
Perinatal HIV Exposed Cases

SEPTEMBER 2014

CONFIRMED Infected Perinatal Cases, know HIV or AIDS born in Miami-Dade by year of birth, 2000-2014.

Perinatal HIV/AIDS Cases by Year of Birth	Pediatic HIV		Pediatic AIDS		TOTAL		
	Cases	Row %	Cases	Row %	Cases	Col %	Row %
2000	3	60.0%	2	40.0%	5	10.9%	100%
2001	3	42.9%	4	57.1%	7	15.2%	100%
2002	3	50.0%	3	50.0%	6	13.0%	100%
2003	3	75.0%	1	25.0%	4	8.7%	100%
2004	1	50.0%	1	50.0%	2	4.3%	100%
2005	3	60.0%	2	40.0%	5	10.9%	100%
2006	2	66.7%	1	33.3%	3	6.5%	100%
2007	1	100.0%	0	0.0%	1	2.2%	100%
2008	1	50.0%	1	50.0%	2	4.3%	100%
2009	2	100.0%	0	0.0%	2	4.3%	100%
2010	3	100.0%	0	0.0%	3	6.5%	100%
2011	1	100.0%	0	0.0%	1	2.2%	100%
2012	1	100.0%	0	0.0%	1	2.2%	100%
2013	2	66.7%	1	33.3%	3	6.5%	100%
2014	1	100.0%	0	0.0%	1	2.2%	100%
Total Confirmed Perinatal Cases	30	65%	16	35%	46	100%	100%

(Continue next Page)

FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
HIV/AIDS Surveillance
Perinatal HIV Exposed Cases

SEPTEMBER 2014

All EXPOSED Perinatal pediatric cases born in Miami-Dade by hospital of birth and diagnosis status since November 20th, 2006. ⁽¹⁾

Hospital of Birth	Perinatal HIV Exposure	Pediatric HIV	Pediatric AIDS	Perinatal Seroreverter	Unknown	TOTAL	TOTAL %
BAPTIST HOSPITAL-MIAMI	3	0	0	1		4	0.4%
BROWARD GENERAL MEDICAL CTR.	3	0	0	1		4	0.4%
CORAL SPRINGS MEDICAL CTR.	1	0	0	0		1	0.1%
HIALEAH HOSPITAL	3	0	0	0		3	0.3%
HOMESTEAD HOSPITAL	5	1	0	1		7	0.8%
JACKSON N MATERNITY CTR.	0	0	0	2		2	0.2%
JACKSON NORTH MEDICAL CTR.	8	2	0	14		24	2.6%
JACKSON SOUTH MEDICAL CTR.	4	0	0	13		17	1.9%
JACKSON MEMORIAL HOSPITAL	178	5	0	587		770	84.3%
KENDALL RMC	1	0	0	1		2	0.2%
MEMORIAL HOSPITAL-MIRAMAR	1	0	1	0		2	0.2%
MEMORIAL HOSPITAL-SOUTH	1	0	0	0		1	0.1%
MEMORIAL HOSPITAL-WEST	2	0	0	0		2	0.2%
MEMORIAL HOSPITAL-PEMBROKE PINES	3	0	0	1		4	0.4%
MEMORIAL HOSPITAL-HOLLYWOOD	13	0	0	2		15	1.6%
MERCY HOSPITAL	2	0	0	0		2	0.2%
MIAMI CHILDREN'S HOSPITAL	1	0	0	0		1	0.1%
MIAMI-DADE PVT PHYSICIAN-MIAMI	2	0	0	0		2	0.2%
MOUNT SINAI MC	0	0	0	1		1	0.1%
NORTH SHORE MEDICAL CTR.	14	0	0	14		28	3.1%
PLANTATION GENERAL HOSPITAL	2	0	0	1		3	0.3%
SOUTH MIAMI HOSPITAL	1	0	0	0		1	0.1%
UF HEALTH AT JACKSONVILLE	1	0	0	0		1	0.1%
WELLINGTON RMS	1	0	0	0		1	0.1%
UNKNOWN	2	4	1	8		15	1.6%
TOTAL	252	12	2	647	0	913	100%

⁽¹⁾ NOTE: An expanded HIV reporting law was implemented on November 20th, 2006. Expansion included reportability of cases with virologic evidence of HIV infection. Previously, only Western Blot-confirmed (+) cases were reportable. In addition, reporting is retroactive. Previously, only HIV cases diagnosed after July st, 1997, were reportable. A detectable viral load (VL) (or equivalent viral test) is reportable, and is considered evidence of HIV. Other reportable virologic test considered to be evidence of HIV are: P24, ANTIGEN, Nucleic Acid test (NAT/NAAT), viral culture. CD4 counts/percents are reportable, but follow-up is conducted only if it is <200 uL, or <14%

**FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
ONE-IN STATEMENTS**

ONE-IN Statements for Adults (>=13) Living with HIV or AIDS [PLWHA] through 2013 in Miami-Dade & Florida,

ADULT MALE LIVING WITH HIV OR AIDS	
MIAMI-DADE	FLORIDA
• One in 57 White adult male in Miami-Dade is living with HIV or AIDS	• One in 187 White adult male
• One in 25 Black adult male in Miami-Dade is living with HIV or AIDS	• One in 40 Black adult male
• One in 75 Hispanic adult male in Miami-Dade is living with HIV or AIDS	• One in 106 Hispanic adult male
• One in 84 other race adult male in Miami-Dade is living with HIV or AIDS	• One in 219 Other adult male
One in 55 adult male in Miami-Dade is living with HIV or AIDS	One in 111 adult male in Florida

ADULT FEMALE LIVING WITH HIV OR AIDS	
MIAMI-DADE	FLORIDA
• One in 446 White adult female in Miami-Dade is living with HIV or AIDS	• One in 1,080 White adult female
• One in 35 Black adult female in Miami-Dade is living with HIV or AIDS	• One in 61 Black adult female
• One in 449 Hispanic adult female in Miami-Dade is living with HIV or AIDS	• One in 462 Hispanic adult female
• One in 237 other race adult female in Miami-Dade is living with HIV or AIDS	• One in 606 Other adult female
One in 152 adult female in Miami-Dade is living with HIV or AIDS	One in 283 adult female in Florida

TOTAL ADULTS OF ALL SEXES LIVING WITH HIV OR AIDS	
MIAMI-DADE	FLORIDA
• One in 99 White adult in Miami-Dade is living with HIV or AIDS	• One in 325 White adult
• One in 30 Black adult in Miami-Dade is living with HIV or AIDS	• One in 49 Black adult
• One in 133 Hispanic adult in Miami-Dade is living with HIV or AIDS	• One in 175 Hispanic adult
• One in 127 other race adult in Miami-Dade is living with HIV or AIDS	• One in 333 Other adult race
One in 83 adult resident in Miami-Dade is living with HIV or AIDS	One in 161 adult Floridian

Note: Excluding Department of Correction [DOC] cases at county level. Florida totals include DOC cases.

These statements are updated by the Florida Bureau of Communicable Disease, HIV/AIDS Section, every June of following year.

**FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
ONE-IN STATEMENTS**

ONE-IN Statements for Total Persons (all ages) Living with HIV or AIDS [PLWHA] through 2013 in Miami-Dade & Florida

TOTAL MALE LIVING WITH HIV OR AIDS	
MIAMI-DADE	FLORIDA
• One in 68 White male in Miami-Dade is living with HIV or AIDS	• One in 212 White male
• One in 32 Black male in Miami-Dade is living with HIV or AIDS	• One in 50 Black male
• One in 89 Hispanic male in Miami-Dade is living with HIV or AIDS	• One in 132 Hispanic male
• One in 102 other race male in Miami-Dade is living with HIV or AIDS	• One in 287 Other male
One in 66 male in Miami-Dade is living with HIV or AIDS	One in 130 male in Florida

TOTAL FEMALE LIVING WITH HIV OR AIDS	
MIAMI-DADE	FLORIDA
• One in 534 White female in Miami-Dade is living with HIV or AIDS	• One in 1,210 White female
• One in 43 Black female in Miami-Dade is living with HIV or AIDS	• One in 75 Black female
• One in 516 Hispanic female in Miami-Dade is living with HIV or AIDS	• One in 562 Hispanic female
• One in 282 other race female in Miami-Dade is living with HIV or AIDS	• One in 763 Other female
One in 178 female in Miami-Dade is living with HIV or AIDS	One in 330 female in Florida

TOTAL ALL SEXES LIVING WITH HIV OR AIDS	
MIAMI-DADE	FLORIDA
• One in 118 White in Miami-Dade is living with HIV or AIDS	• One in 366 White
• One in 37 Black in Miami-Dade is living with HIV or AIDS	• One in 61 Black
• One in 155 Hispanic in Miami-Dade is living with HIV or AIDS	• One in 215 Hispanic
• One in 153 other race in Miami-Dade is living with HIV or AIDS	• One in 427 Other race
One in 98 Miami-Dade resident is living with HIV or AIDS	One in 189 Floridian

Note: Excluding Department of Correction [DOC] cases at county level. Florida totals include DOC cases.

These statements are updated by the Florida Bureau of Communicable Disease, HIV/AIDS Section, every June of following year.

**FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
USEFUL WEBSITE LINKS**

Below are several website that may be useful for HIV/AIDS related information.

USEFUL WEBSITE LINKS	
ORGANIZATIONS / SITES	ELECTRONIC ADDRESS
2012 Data from the HIV Counseling and Testing (Florida & all Counties)	http://www.doh.state.fl.us/disease_ctrl/aids/trends/ct/2012Data/2012data.html
2012 Data from the HIV Counseling and Testing (Monroe County)	http://www.doh.state.fl.us/disease_ctrl/aids/trends/ct/2012Data/Monroe.pdf
Center for Disease Control and Prevention [CDC]	http://www.cdc.gov
Center for Disease Control and Prevention. HIV/AIDS Statistics and Surveillance	http://www.cdc.gov/hiv/topics/surveillance/
Center for Disease Control and Prevention. Morbidity and Mortality Weekly Report	http://www.cdc.gov/mmwr/
Florida Community Health Assessment Resource Tool Set [Florida CHARTS]	http://www.floridacharts.com/charts/default.aspx
Florida Department of Health in Miami-Dade County	http://www.dadehealth.org
Florida Department of Health in Monroe County	http://keyshealth.com/
Florida Department of Health, Bureau of Communicable Disease, HIV/AIDS and Hepatitis Section.	http://www.doh.state.fl.us/disease_ctrl/aids/index.html
<i>Organización Panamericana de la Salud</i> [PAHO] (Pan American Health Organization)	http://www.paho.org
The Test Miami Initiative	http://www.testmiami.org/index.aspx
United Nations Program on HIV/AIDS [UNAIDS]	http://www.unaids.org/
US Census Bureau.	http://www.census.gov
US Census Bureau. HIV/AIDS Surveillance	http://www.census.gov/ipc/www/hivaidsn.html
World Health Organization [WHO]	http://www.who.int