

Mission:

To protect, promote & improve the health of all people in Florida through integrated state, county & community efforts.



Vision: To be the Healthiest State in the Nation

Rick Scott
Governor

John H. Armstrong, MD, FACS
State Surgeon General & Secretary

FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
HIV/AIDS SURVEILLANCE
MONTHLY HIV/AIDS SURVEILLANCE REPORT

SEPTEMBER 2015

AIDS CASES (EXCLUDING DEPARTMENT OF CORRECTION [DOC] CASES) *(AIDS Worksheet)*

- AIDS cases by age group and gender (Excluding Department of Correction - DOC).
- AIDS cases by age group, race/ethnicity & gender, showing Haitians separated (Excluding DOC)
- AIDS cases by year of report and gender (Excluding DOC)
- Adult & pediatric AIDS cases by race/ethnicity and gender (Excluding DOC)
- AIDS cases by exposure category and gender among Adult and Pediatric (Excluding DOC)
- Adult AIDS cases by exposure category, race/ethnicity and gender (Excluding DOC)
- Pediatric AIDS cases by exposure category, race/ethnicity and gender.
- Adult Hispanic/Latino AIDS cases by country of origin and gender (Excluding DOC)
- Adult Hispanic/Latino AIDS cases by country of origin, exposure category and gender (Excluding DOC)
- Haitian born adult AIDS cases by exposure category and gender (Excluding DOC)
- Department of Correction [DOC] Adult AIDS cases by race/ethnicity and gender.

HIV CASES (EXCLUDING DEPARTMENT OF CORRECTION [DOC] CASES) *(HIV Worksheet)*

- HIV (not AIDS) cases by age group and gender (Excluding Department of Correction - DOC)
- HIV (not AIDS) cases by age group, race/ethnicity & gender, showing Haitians separated (Excluding DOC)
- HIV (not AIDS) cases by year of report and gender (Excluding DOC)
- Adult & pediatric HIV (not AIDS) cases by race/ethnicity and gender (Excluding DOC)
- HIV (not AIDS) cases by exposure category and gender among Adult and Pediatric (Excluding DOC)
- Adult HIV (not AIDS) cases by exposure category, race/ethnicity and gender (Excluding DOC)
- Adult Hispanic/Latino HIV (not AIDS) cases by country of origin and gender (Excluding DOC)
- Adult Hispanic/Latino HIV (not AIDS) cases by country of origin, exposure category and gender (Excluding DOC)

[\(Continue next Page\)](#)

Florida Department of Health
Miami-Dade County
Epidemiology, Disease Control, and Immunization Services
8600 NW 17th Street, suite 200, Miami, Florida 33126
PHONE: 305/470-5660 - FAX 305/470-5533

www.FloridaHealth.com
TWITTER: HealthyFLA
FACEBOOK: FLDepartmentofHealth
YOUTUBE: fldoh
FLICKR: HealthyFla
PINTEREST: HealthyFla

Mission:

To protect, promote & improve the health of all people in Florida through integrated state, county & community efforts.



Vision: To be the Healthiest State in the Nation

Rick Scott
Governor

John H. Armstrong, MD, FACS
State Surgeon General & Secretary

Haitian born adult HIV (not AIDS) cases by country of origin, exposure category and gender (Excluding DOC)
Department of Correction [DOC] Adult HIV (not AIDS) cases by race/ethnicity and gender.

PERINATAL EXPOSED CASES REPORTED SINCE NOVEMBER 20th, 2006 (*PERINATAL EXPOSED Worksheet*)

- All EXPOSED perinatal pediatric cases born in Miami-Dade by year of birth and diagnosis status since November 20th, 2006.
- All EXPOSED perinatal pediatric cases born in Miami-Dade by year of birth and race/ethnicity since November 20th, 2006.
- All EXPOSED perinatal pediatric cases born in Miami-Dade by year of birth and Mother HIV status since November 20th, 2006.
- All EXPOSED perinatal pediatric cases born in Miami-Dade by diagnosis and Mother HIV status since November 20th, 2006.
- All EXPOSED perinatal pediatric cases born in Miami-Dade by diagnosis status and HIV category since November 20th, 2006.
- CONFIRMED infected perinatal cases born in Miami-Dade, known HIV or AIDS by year of birth, 2000-2015.
- All EXPOSED perinatal pediatric cases born in Miami-Dade by hospital of birth and diagnosis status since November 20th, 2006.

AIDS AND HIV (NOT AIDS) PREVALENCE (*PLWHA*)

- Total prevalence by race/ethnicity.
- Total prevalence by gender
- Total prevalence by exposure category

ONE-IN STATEMENTS (*ONE-IN STATEMENTS Worksheet*)

- One-in statements for persons (all ages) living with HIV or AIDS through 2013 (all ages) in Miami-Dade & Florida.
- One-in statements for adult (≥ 13) persons living with HIV or AIDS through 2013 in Miami-Dade & Florida.

USEFUL WEBSITES LINKS (*WEBSITE Worksheet*)

- Useful websites for HIV/AIDS related information.

FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
HIV/AIDS Surveillance
Cumulative Number of Reported AIDS Cases

SEPTEMBER 2015

<i>AIDS Cases by age group and gender (Excluding Department of Correction - DOC)</i>							<i>AIDS Cases by age group, race/ethnicity & gender, showing Haitians separated (Excluding DOC)</i>											
AIDS Cases by Age Group & Gender	Female		Male		TOTAL AIDS		Hispanic/Latino		Black		White		Haitian		Other ⁽¹⁾		TOTAL AIDS	
	Cases	Col %	Cases	Col %	Cases	Col %	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male
Under 5	210	2.2%	196	0.7%	406	1.1%	29	29	169	151	5	7	6	8	1	1	210	196
5-12	53	0.6%	55	0.2%	108	0.3%	10	11	33	36	4	2	5	5	1	1	53	55
13-19	171	1.8%	134	0.5%	305	0.9%	20	42	127	83	5	2	15	6	4	1	171	134
20-29	1,708	17.9%	3,231	12.4%	4,939	13.9%	280	1,395	1,096	1,026	76	501	236	261	20	48	1,708	3,231
30-39	3,292	34.6%	9,480	36.3%	12,772	35.8%	535	4,094	1,997	2,682	163	1,666	555	890	42	148	3,292	9,480
40-49	2,461	25.9%	7,830	30.0%	10,291	28.9%	459	3,168	1,419	2,524	128	1,261	413	767	42	110	2,461	7,830
50-59	1,101	11.6%	3,607	13.8%	4,708	13.2%	239	1,452	565	1,247	57	480	215	372	25	56	1,101	3,607
60-64	264	2.8%	855	3.3%	1,119	3.1%	67	329	120	319	10	112	62	80	5	15	264	855
65-69	146	1.5%	429	1.6%	575	1.6%	29	152	75	170	5	56	34	42	3	9	146	429
>=70	112	1.2%	318	1.2%	430	1.2%	33	125	46	117	12	35	17	33	4	8	112	318
Unknown	0	0.0%	0	0.0%	0	0.0%	0	0	0	0	0	0	0	0	0	0	0	0
Total AIDS	9,518	100%	26,135	100%	35,653	100%	1,701	10,797	5,647	8,355	465	4,122	1,558	2,464	147	397	9,518	26,135

⁽¹⁾ Other Includes American Indian/Alaska Native, Asian, Native Hawaiian, Pacific Islander, Legacy Asian & Multi Race

AIDS Cases by year of report and gender (Excluding DOC)

AIDS Cases by Year Report & Gender	Female		Male		TOTAL AIDS	
	Cases	Row %	Cases	Row %	Cases	Col %
1981	0	0.0%	4	100%	4	0.0%
1982	7	18.4%	31	81.6%	38	0.1%
1983	16	16.3%	82	83.7%	98	0.3%
1984	18	11.9%	133	88.1%	151	0.4%
1985	29	15.3%	161	84.7%	190	0.5%
1986	71	17.8%	329	82.3%	400	1.1%
1987	63	13.5%	405	86.5%	468	1.3%
1988	109	16.4%	554	83.6%	663	1.9%
1989	195	19.9%	784	80.1%	979	2.7%
1990	171	19.0%	730	81.0%	901	2.5%
1991	362	19.1%	1,537	80.9%	1,899	5.3%
1992	304	20.4%	1,185	79.6%	1,489	4.2%
1993	443	20.8%	1,682	79.2%	2,125	6.0%
1994	748	23.6%	2,415	76.4%	3,163	8.9%
1995	668	27.9%	1,725	72.1%	2,393	6.7%
1996	579	27.1%	1,560	72.9%	2,139	6.0%
1997	432	28.3%	1,094	71.7%	1,526	4.3%
1998	475	31.6%	1,030	68.4%	1,505	4.2%
1999	357	29.1%	871	70.9%	1,228	3.4%

AIDS Cases by Year & Gender (Cont)	Female		Male		TOTAL AIDS	
	Cases	Row %	Cases	Row %	Cases	Col %
2000	378	31.7%	816	68.3%	1,194	3.3%
2001	372	32.7%	764	67.3%	1,136	3.2%
2002	324	29.1%	791	70.9%	1,115	3.1%
2003	305	30.0%	711	70.0%	1,016	2.8%
2004	412	31.6%	893	68.4%	1,305	3.7%
2005	392	33.1%	792	66.9%	1,184	3.3%
2006	396	35.0%	736	65.0%	1,132	3.2%
2007	275	34.6%	520	65.4%	795	2.2%
2008	325	31.0%	724	69.0%	1,049	2.9%
2009	256	30.8%	575	69.2%	831	2.3%
2010	199	30.2%	459	69.8%	658	1.8%
2011	236	33.0%	479	67.0%	715	2.0%
2012	159	26.5%	442	73.5%	601	1.7%
2013	190	28.2%	483	71.8%	673	1.9%
2014	145	27.6%	380	72.4%	525	1.5%
2015	107	29.3%	258	70.7%	365	1.0%
Total Adult AIDS	9,518	26.7%	26,135	73.3%	35,653	100%

(Continue next Page)

FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
HIV/AIDS Surveillance
Cumulative Number of Reported AIDS Cases

SEPTEMBER 2015

Adult & Pediatric AIDS cases by race/ethnicity and gender (Excluding DOC)

AIDS by Race/ Ethnicity *	Adult AIDS						Pediatric AIDS						TOTAL AIDS CASES					
	Female		Male		Total Adult		Female		Male		Total Pediatric		Total Female		Total Male		Total Cases	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)	1,678	18.1%	10,783	41.7%	12,461	35.5%	39	14.8%	40	15.9%	79	15.4%	1,717	18.0%	10,823	41.4%	12,540	35.2%
American Indian/Alaska Native	1	0.0%	2	0.0%	3	0.0%	0	0.0%	0	0.0%	0	0.0%	1	0.0%	2	0.0%	3	0.0%
Asian	2	0.0%	21	0.1%	23	0.1%	0	0.0%	0	0.0%	0	0.0%	2	0.0%	21	0.1%	23	0.1%
Black or African American	6,956	75.2%	10,567	40.8%	17,523	49.9%	213	81.0%	200	79.7%	413	80.4%	7,169	75.3%	10,767	41.2%	17,936	50.3%
Native Hawaiian/Pacific Islander	1	0.0%	1	0.0%	2	0.0%	0	0.0%	0	0.0%	0	0.0%	1	0.0%	1	0.0%	2	0.0%
White	456	4.9%	4,117	15.9%	4,573	13.0%	9	3.4%	9	3.6%	18	3.5%	465	4.9%	4,126	15.8%	4,591	12.9%
Legacy Asian	2	0.0%	12	0.0%	14	0.0%	0	0.0%	0	0.0%	0	0.0%	2	0.0%	12	0.0%	14	0.0%
Multi-Race	159	1.7%	381	1.5%	540	1.5%	2	0.8%	2	0.8%	4	0.8%	161	1.7%	383	1.5%	544	1.5%
Unknown	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Total AIDS	9,255	100%	25,884	100%	35,139	100%	263	100%	251	100%	514	100%	9,518	100%	26,135	100%	35,653	100%

* This new category created by CDC, is to support the ability to record an ethnicity and multiple races for an individual, necessitated by new federal OMB guidelines for reporting race and ethnicity.

AIDS Cases by exposure category and gender among Adult and Pediatric (Excluding DOC)

Exposure Category among adult AIDS	Adult AIDS					
	Female		Male		Total Adult	
	Cases	Col %	Cases	Col %	Cases	Col %
Adult male-to-male sexual contact [MSM]			14,393	55.6%	14,393	41.0%
Adult injection drug use [IDU]	2,052	22.2%	3,198	12.4%	5,250	14.9%
Adult MSM & IDU			1,385	5.4%	1,385	3.9%
Adult heterosexual contact [HTRSX]	6,153	66.5%	4,112	15.9%	10,265	29.2%
Adult other risk*	168	1.8%	191	0.7%	359	1.0%
Adult no risk factor reported [NRR]	882	9.5%	2,605	10.1%	3,487	9.9%
Total adult AIDS	9,255	100%	25,884	100%	35,139	100%

* Other risk includes: Adult receiving clotting factor, Hemophiliac, Perinatal exposure w/HIV age at 13+ years

Exposure Category among Pediatric AIDS	Pediatric AIDS					
	Female		Male		Total Pediatric	
	Cases	Col %	Cases	Col %	Cases	Col %
Perinatal exposure [PERINATAL]	260	98.9%	243	96.8%	503	97.9%
Child receiving clotting factor [HEMOPH]	0	0.0%	0	0.0%	0	0.0%
Child receiving transfusion/transplant	2	0.8%	5	2.0%	7	1.4%
Child other risk confirmed [OTHER]	0	0.0%	1	0.4%	1	0.2%
Child no risk factor reported [NRR]	1	0.4%	2	0.8%	3	0.6%
Total Pediatric AIDS	263	100%	251	100%	514	100%

(Continue next Page)

FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
HIV/AIDS Surveillance
Cumulative Number of Reported AIDS Cases

SEPTEMBER 2015

Adult AIDS cases by exposure category, race/ethnicity and gender (Excluding DOC)

ADULT FEMALE AIDS CASES														
Exposure Category/ Race/Ethnicity	MALE-TO-MALE SEXUAL CONTACT		INJECTION DRUG USE [IDU]		MSM & IDU		HETEROSEXUAL CONTACT		OTHER* RISK		NO REPORTED RISK [NRR]		TOTAL ADULT FEMALE	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
	Hispanic/Latino (All Races)			244	11.9%			1,276	20.7%	32	19.0%	126	14.3%	1,678
American Indian/Alaska Native			0	0.0%			1	0.0%	0	0.0%	0	0.0%	1	0.0%
Asian			0	0.0%			2	0.0%	0	0.0%	0	0.0%	2	0.0%
Black or African American			1,561	76.1%			4,566	74.2%	117	69.6%	712	80.7%	6,956	75.2%
Native Hawaiian/Pacific Islander			0	0.0%			1	0.0%	0	0.0%	0	0.0%	1	0.0%
White			203	9.9%			205	3.3%	14	8.3%	34	3.9%	456	4.9%
Legacy Asian			0	0.0%			2	0.0%	0	0.0%	0	0.0%	2	0.0%
Multi-Race			44	2.1%			100	1.6%	5	3.0%	10	1.1%	159	1.7%
Adult Female AIDS			2,052	100%			6,153	100%	168	100%	882	100%	9,255	100%

* OTHER includes Adult receiving clotting factor, Hemophilia, Perinatal exposure w/HIV age at 13+ years

ADULT MALE AIDS CASES														
Exposure Category/ Race/Ethnicity	MALE-TO-MALE SEXUAL CONTACT		INJECTION DRUG USE [IDU]		MSM & IDU		HETEROSEXUAL CONTACT		OTHER* RISK		NO REPORTED RISK [NRR]		TOTAL ADULT MALE	
	Cases	Col %	Cases	Col %	Cases	Col %	1010	Col %	Cases	Col %	Cases	Col %	Cases	Col %
	Hispanic/Latino (All Races)	7,858	54.6%	712	22.3%	495	35.7%	1,032	25.1%	60	31.4%	626	24.0%	10,783
American Indian/Alaska Native	0	0.0%	1	0.0%	0	0.0%	0	0.0%	0	0.0%	1	0.0%	2	0.0%
Asian	14	0.1%	0	0.0%	0	0.0%	4	0.1%	0	0.0%	3	0.1%	21	0.1%
Black or African American	2,988	20.8%	2,199	68.8%	594	42.9%	2,908	70.7%	81	42.4%	1,797	69.0%	10,567	40.8%
Native Hawaiian/Pacific Islander	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	1	0.0%	1	0.0%
White	3,312	23.0%	238	7.4%	270	19.5%	101	2.5%	45	5.0%	151	5.8%	4,117	15.9%
Legacy Asian	7	0.0%	0	0.0%	0	0.0%	4	0.1%	0	0.0%	1	0.0%	12	0.0%
Multi-Race	214	1.5%	48	1.5%	26	1.9%	63	1.5%	5	2.6%	25	1.0%	381	1.5%
Adult Male AIDS	14,393	100%	3,198	100%	1,385	100%	4,112	100%	191	81%	2,605	100%	25,884	100%
TOTAL ADULT AIDS	14,393	41.0%	5,250	14.9%	1,385	3.9%	10,265	29.2%	359	1.0%	3,487	9.9%	35,139	100%

(Continue next Page)

FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
HIV/AIDS Surveillance
Cumulative Number of Reported AIDS Cases

SEPTEMBER 2015

Pediatric AIDS cases by exposure category, race/ethnicity and gender (Excluding DOC)

PEDIATRIC FEMALE AIDS CASES												
Exposure Category/ Race/Ethnicity	PERINATAL		HEMOPHILIAC		TRANSFUSION		OTHER RISK		NO REPORTED		TOTAL FEMALE	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)	37	14.2%	0	#DIV/0!	1	50.0%	0	#DIV/0!	1	100.0%	39	14.8%
Black or African American	212	81.5%	0	#DIV/0!	1	50.0%	0	#DIV/0!	0	0.0%	213	81.0%
White	9	3.5%	0	#DIV/0!	0	0.0%	0	#DIV/0!	0	0.0%	9	3.4%
Multi-Race	2	0.8%	0	#DIV/0!	0	0.0%	0	#DIV/0!	0	0.0%	2	0.8%
Pediatric Female AIDS	260	100%	0	#DIV/0!	2	100%	0	#DIV/0!	1	100%	263	100%

PEDIATRIC MALE AIDS CASES												
Exposure Category/ Race/Ethnicity	PERINATAL		HEMOPHILIAC		TRANSFUSION		OTHER RISK		NO REPORTED		TOTAL MALE	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)	35	14.4%	0	#DIV/0!	4	80.0%	0	0.0%	1	50.0%	40	15.9%
Black or African American	197	81.1%	0	#DIV/0!	1	20.0%	1	100.0%	1	50.0%	200	79.7%
White	9	3.7%	0	#DIV/0!	0	0.0%	0	0.0%	0	0.0%	9	3.6%
Multi-Race	2	0.8%	0	#DIV/0!	0	0.0%	0	0.0%	0	0.0%	2	0.8%
Pediatric Male AIDS	243	100%	0	#DIV/0!	5	100%	1	100%	2	100%	251	100%

	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %
TOTAL PEDIATRIC AIDS	503	97.9%	0	0.0%	7	1.4%	1	0.2%	3	0.6%	514	100%

Adult Hispanic/Latino AIDS cases by country of origin and gender (Excluding DOC)

Country of Origin	ADULT FEMALE AIDS			ADULT MALE AIDS			TOTAL HISPANIC/LATINO		
	Cases	Col %	Row %	Cases	Col %	Row %	Cases	Col %	Row %
Argentina	24	1.4%	13.0%	160	1.5%	87.0%	184	1.5%	100%
Colombia	73	4.4%	12.7%	500	4.6%	87.3%	573	4.6%	100%
Cuba	400	23.8%	7.7%	4,781	44.3%	92.3%	5,181	41.6%	100%
Dominican Republic	73	4.4%	32.3%	153	1.4%	67.7%	226	1.8%	100%
Guatemala	20	1.2%	16.5%	101	0.9%	83.5%	121	1.0%	100%
Honduras	137	8.2%	29.3%	330	3.1%	70.7%	467	3.7%	100%
Mexico	21	1.3%	8.1%	238	2.2%	91.9%	259	2.1%	100%
Nicaragua	82	4.9%	18.4%	363	3.4%	81.6%	445	3.6%	100%
Peru	26	1.5%	13.4%	168	1.6%	86.6%	194	1.6%	100%
Puerto Rico	185	11.0%	17.4%	878	8.1%	82.6%	1,063	8.5%	100%
United States	384	22.9%	20.3%	1,507	14.0%	79.7%	1,891	15.2%	100%
Venezuela	16	1.0%	5.8%	260	2.4%	94.2%	276	2.2%	100%
Other/Unknown Countries	237	14.1%	15.0%	1,344	12.5%	85.0%	1,581	12.7%	100%
Total Adult Hispanic/Latino	1,678	100%	13.5%	10,783	100%	86.5%	12,461	100%	100%

(Continue next Page)

FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
HIV/AIDS Surveillance
Cumulative Number of Reported AIDS Cases

SEPTEMBER 2015

Adult Hispanic/Latino AIDS cases by country of origin, exposure category and gender (Excluding DOC)

ADULT HISPANIC/LATINO FEMALE AIDS CASES															
Country of Origin	MALE-TO-MALE SEXUAL CONTACT		INJECTION DRUG USE [IDU]		MSM & IDU		HETEROSEXUAL CONTACT		OTHER * RISK		NO REPORTED RISK [NRR]		Total Hispanic/Latino Female by Country of Origin		
	Cases	Row %	Cases	Row %	Number	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Col %	Row %
	Argentina			3	12.5%			20	83.3%	0	0.0%	1	4.2%	24	1.4%
Colombia			7	9.6%			54	74.0%	2	2.7%	10	13.7%	73	4.4%	100%
Cuba			55	13.8%			297	74.3%	8	2.0%	40	10.0%	400	23.8%	100%
Dominican Republic			3	4.1%			63	86.3%	0	0.0%	7	9.6%	73	4.4%	100%
Guatemala			0	0.0%			20	100.0%	0	0.0%	0	0.0%	20	1.2%	100%
Honduras			8	5.8%			119	86.9%	1	0.7%	9	6.6%	137	8.2%	100%
Mexico			3	14.3%			16	76.2%	1	4.8%	1	4.8%	21	1.3%	100%
Nicaragua			4	4.9%			67	81.7%	1	1.2%	10	12.2%	82	4.9%	100%
Peru			1	3.8%			25	96.2%	0	0.0%	0	0.0%	26	1.5%	100%
Puerto Rico			49	26.5%			123	66.5%	3	1.6%	10	5.4%	185	11.0%	100%
United States			83	21.6%			268	69.8%	14	3.6%	19	4.9%	384	22.9%	100%
Venezuela			3	18.8%			12	75.0%	0	0.0%	1	6.3%	16	1.0%	100%
Other/Unknown Countries			25	10.5%			192	81.0%	2	0.8%	18	7.6%	237	14.1%	100%
Total adult Hispanic/Latino Female			244	14.5%			1,276	76.0%	32	1.9%	126	7.5%	1,678	100%	100%

* OTHER includes Adult receiving clotting factor, Hemophilic, Perinatal exposure w/HIV age at 13+ years

ADULT HISPANIC/LATINO MALE AIDS CASES															
Country of Origin	MALE-TO-MALE SEXUAL CONTACT		INJECTION DRUG USE [IDU]		MSM & IDU		HETEROSEXUAL CONTACT		OTHER * RISK		NO REPORTED RISK [NRR]		Total Hispanic/Latino Male by Country of Origin		
	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Col %	Row %
	Argentina	132	82.5%	4	2.5%	7	4.4%	13	8.1%	1	0.6%	3	1.9%	160	1.5%
Colombia	406	81.2%	14	2.8%	18	3.6%	39	7.8%	3	0.6%	20	4.0%	500	4.6%	100%
Cuba	3,687	77.1%	211	4.4%	190	4.0%	392	8.2%	26	0.5%	275	5.8%	4,781	44.3%	100%
Dominican Republic	83	54.2%	8	5.2%	5	3.3%	42	27.5%	1	0.7%	14	9.2%	153	1.4%	100%
Guatemala	53	52.5%	5	5.0%	2	2.0%	29	28.7%	0	0.0%	12	11.9%	101	0.9%	100%
Honduras	211	63.9%	18	5.5%	6	1.8%	69	20.9%	4	1.2%	22	6.7%	330	3.1%	100%
Mexico	161	67.6%	11	4.6%	7	2.9%	40	16.8%	0	0.0%	19	8.0%	238	2.2%	100%
Nicaragua	264	72.7%	10	2.8%	13	3.6%	53	14.6%	1	0.3%	22	6.1%	363	3.4%	100%
Peru	135	80.4%	2	1.2%	2	1.2%	18	10.7%	0	0.0%	11	6.5%	168	1.6%	100%
Puerto Rico	439	50.0%	217	24.7%	99	11.3%	68	7.7%	3	0.3%	52	5.9%	878	8.1%	100%
United States	1,030	68.3%	159	10.6%	112	7.4%	129	8.6%	14	0.9%	63	4.2%	1,507	14.0%	100%
Venezuela	228	87.7%	3	1.2%	2	0.8%	17	6.5%	2	0.8%	8	3.1%	260	2.4%	100%
Other/Unknown Countries	1,029	76.6%	50	3.7%	32	2.4%	123	9.2%	5	0.4%	105	7.8%	1,344	12.5%	100%
Total adult Hispanic/Latino Male	7,858	72.9%	712	6.6%	495	4.6%	1,032	9.6%	60	0.6%	626	5.8%	10,783	100%	100%

	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %
TOTAL ADULT HISPANIC/LATINO	7,858	63.1%	956	7.7%	495	4.0%	2,308	18.5%	92	0.7%	752	6.0%	12,461	100%

FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
HIV/AIDS Surveillance
Cumulative Number of Reported AIDS Cases

SEPTEMBER 2015

(Continue next Page)

Haitian born adult AIDS cases by exposure category and gender (Excluding DOC)

ADULT HAITIAN BORN AIDS CASES														
Exposure Category GENDER	MALE-TO-MALE SEXUAL CONTACT		INJECTION DRUG USE [IDU]		MSM & IDU		HETEROSEXUAL CONTACT		OTHER *		NO REPORTED RISK [NRR]		Total Haitian by Gender	
	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %
	Haitian born Adult Females			56	3.6%			1,156	74.7%	26	1.7%	309	20.0%	1,547
Haitian born Adult Males	537	21.9%	77	3.1%	27	1.1%	904	36.9%	12	0.5%	894	36.5%	2,451	100%
Total Haitian born	537	13.4%	133	3.3%	27	0.7%	2,060	51.5%	38	1.0%	1,203	30.1%	3,998	100%

* OTHER includes Adult receiving clotting factor, Hemophilic, Perinatal exposure w/HIV age at 13+ years

Department of Correction [DOC] Adult AIDS cases by race/ethnicity and gender.

AIDS Cases by Race/Ethnicity & Gender	DOC AIDS Cases					
	Female		Male		Total	
	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)	0	0.0%	91	13.5%	91	13.0%
Black or African American	21	77.8%	479	71.3%	500	71.5%
White	4	14.8%	70	10.4%	74	10.6%
Haitian	1	3.7%	19	2.8%	20	2.9%
Other (1)	1	3.7%	13	1.9%	14	2.0%
Total AIDS	27	100%	672	100%	699	100%

(1) Other Includes American Indian/Alaska Native, Asian, Native Hawaiian, Pacific Islander, Legacy Asian & Multi Race
Adjustments are performed on a monthly basis to compensate for duplicate reports state and nation wide and case validation projects.

FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
HIV/AIDS Surveillance
Cumulative Number of Reported HIV (Not AIDS) Cases

SEPTEMBER 2015

<i>HIV (not AIDS) cases by age group and gender (Excluding Department of Correction - DOC)</i>					<i>HIV (not AIDS) Cases by age group, race/ethnicity & gender, showing Haitians separated (Excluding DOC)</i>													
HIV Cases by Age Group & Gender	Female		Male		TOTAL HIV		Hispanic/Latino		Black		White		Haitian		Other ⁽¹⁾		TOTAL HIV	
	Cases	Col %	Cases	Col %	Cases	Col %	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male
Under 5	60	1.5%	48	0.4%	108	0.7%	11	8	47	37	1	0	1	2	0	1	60	48
5-12	36	0.9%	20	0.2%	56	0.4%	6	5	24	12	0	0	6	3	0	0	36	20
13-19	224	5.6%	290	2.5%	514	3.3%	46	119	163	149	6	9	8	10	1	3	224	290
20-29	967	24.3%	2,737	24.0%	3,704	24.1%	217	1,461	584	824	53	328	102	81	11	43	967	2,737
30-39	1,076	27.0%	3,550	31.2%	4,626	30.1%	253	1,981	551	731	74	643	188	154	10	41	1,076	3,550
40-49	912	22.9%	2,881	25.3%	3,793	24.7%	221	1,466	481	689	56	520	139	167	15	39	912	2,881
50-59	507	12.7%	1,296	11.4%	1,803	11.7%	140	531	251	413	17	234	93	100	6	18	507	1,296
60-64	94	2.4%	273	2.4%	367	2.4%	24	104	40	88	3	51	27	24	0	6	94	273
65-69	72	1.8%	158	1.4%	230	1.5%	21	64	33	56	4	24	13	14	1	0	72	158
>=70	32	0.8%	129	1.1%	161	1.0%	5	45	10	52	4	16	12	12	1	4	32	129
Unknown	0	0.0%	0	0.0%	0	0.0%	0	0	0	0	0	0	0	0	0	0	0	0
Total HIV	3,980	100%	11,382	100%	15,362	100%	944	5,784	2,184	3,051	218	1,825	589	567	45	155	3,980	11,382

⁽¹⁾ Other Includes American Indian/Alaska Native, Asian, Native Hawaiian, Pacific Islander, Legacy Asian & Multi Race

HIV (Not AIDS) Cases by year of report and gender (Excluding DOC) HIV start reporting in Florida in July 1997.

HIV Cases by Year Report & Gender	Female		Male		TOTAL HIV		
	Cases	Row %	Cases	Row %	Cases	Col %	Row %
July-December 1997	122	36.5%	212	63.5%	334	2.2%	100%
1998	271	30.9%	605	69.1%	876	5.7%	100%
1999	262	31.4%	573	68.6%	835	5.4%	100%
2000	235	31.1%	521	68.9%	756	4.9%	100%
2001	239	30.1%	555	69.9%	794	5.2%	100%
2002	289	30.5%	658	69.5%	947	6.2%	100%
2003	234	27.9%	605	72.1%	839	5.5%	100%
2004	229	27.6%	602	72.4%	831	5.4%	100%
2005	226	31.3%	495	68.7%	721	4.7%	100%
2006	183	28.2%	465	71.8%	648	4.2%	100%
2007	225	26.8%	613	73.2%	838	5.5%	100%
2008	235	25.4%	689	74.6%	924	6.0%	100%
2009	184	24.7%	560	75.3%	744	4.8%	100%
2010	173	23.1%	575	76.9%	748	4.9%	100%
2011	181	22.2%	633	77.8%	814	5.3%	100%
2012	162	22.2%	568	77.8%	730	4.8%	100%
2013	204	21.8%	731	78.2%	935	6.1%	100%
2014	172	15.7%	926	84.3%	1,098	7.1%	100%
2015	154	16.2%	796	83.8%	950	6.2%	100%
Total Adult HIV	3,980	25.9%	11,382	74.1%	15,362	100%	

(Continue next Page)

**FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
HIV/AIDS Surveillance
Cumulative Number of Reported HIV (Not AIDS) Cases**

SEPTEMBER 2015

Adult & Pediatric HIV (not AIDS) cases by race/ethnicity and gender (Excluding DOC)

HIV by Race/ Ethnicity *	Adult HIV						Pediatric HIV						TOTAL HIV CASES					
	Female		Male		Total Adult		Female		Male		Total Pediatric		Total Female		Total Male		Total Cases	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)	931	24.0%	5,776	51.1%	6,707	44.1%	17	17.7%	13	19.1%	30	18.3%	948	23.8%	5,789	50.9%	6,737	43.9%
American Indian/Alaska Native	2	0.1%	5	0.0%	7	0.0%	0	0.0%	0	0.0%	0	0.0%	2	0.1%	5	0.0%	7	0.0%
Asian	4	0.1%	30	0.3%	34	0.2%	0	0.0%	0	0.0%	0	0.0%	4	0.1%	30	0.3%	34	0.2%
Black or African American	2,689	69.2%	3,554	31.4%	6,243	41.1%	77	80.2%	54	79.4%	131	79.9%	2,766	69.5%	3,608	31.7%	6,374	41.5%
Native Hawaiian/Pacific Islander	1	0.0%	5	0.0%	6	0.0%	0	0.0%	0	0.0%	0	0.0%	1	0.0%	5	0.0%	6	0.0%
White	218	5.6%	1,826	16.1%	2,044	13.4%	1	1.0%	0	0.0%	1	0.6%	219	5.5%	1,826	16.0%	2,045	13.3%
Legacy Asian	1	0.0%	6	0.1%	7	0.0%	0	0.0%	1	1.5%	1	0.6%	1	0.0%	7	0.1%	8	0.1%
Multi-Race	38	1.0%	112	1.0%	150	1.0%	1	1.0%	0	0.0%	1	0.6%	39	1.0%	112	1.0%	151	1.0%
Unknown	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Total HIV	3,884	100%	11,314	100%	15,198	100%	96	100%	68	100%	164	100%	3,980	100%	11,382	100%	15,362	100%

* This new category created by CDC, is to support the ability to record an ethnicity and multiple races for an individual, necessitated by new federal OMB guidelines for reporting race and ethnicity

HIV (not AIDS) Cases by exposure category and gender among Adult and Pediatric (Excluding DOC)

Exposure Category among adult HIV cases	Adult HIV					
	Female		Male		Total Adult	
	Cases	Col %	Cases	Col %	Cases	Col %
Adult male-to-male sexual contact [MSM]			7,767	68.6%	7,767	51.1%
Adult injection drug use [IDU]	271	7.0%	335	3.0%	606	4.0%
Adult MSM & IDU			251	2.2%	251	1.7%
Adult heterosexual contact [HTRSX]	3,054	78.6%	1,716	15.2%	4,770	31.4%
Adult other risk*	8	0.2%	7	0.1%	15	0.1%
Adult no risk factor reported [NRR]	551	14.2%	1,238	10.9%	1,789	11.8%
Total adult HIV	3,884	100%	11,314	100%	15,198	100%

* Other risk includes: Adult receiving clotting factor, Hemophiliac, Perinatal exposure w/HIV age at 13+ years

Exposure Category among Pediatric HIV cases	Pediatric HIV					
	Female		Male		Total Pediatric	
	Cases	Col %	Cases	Col %	Cases	Col %
Perinatal exposure [PERINATAL]	93	96.9%	67	98.5%	160	97.6%
Child receiving clotting factor [HEMOPH]	0	0.0%	0	0.0%	0	0.0%
Child receiving transfusion/transplant	0	0.0%	0	0.0%	0	0.0%
Child other risk confirmed [OTHER]	0	0.0%	0	0.0%	0	0.0%
Child no risk factor reported [NRR]	3	3.1%	1	1.5%	4	2.4%
Total Pediatric HIV	96	100%	68	100%	164	100%

(Continue next Page)

**FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
HIV/AIDS Surveillance
Cumulative Number of Reported HIV (Not AIDS) Cases**

SEPTEMBER 2015

Adult HIV (not AIDS) cases by exposure category, race/ethnicity and gender (Excluding DOC)

ADULT FEMALE HIV CASES														
Exposure Category/ Race/Ethnicity	MALE-TO-MALE SEXUAL CONTACT		INJECTION DRUG USE [IDU]		MSM & IDU		HETEROSEXUAL CONTACT		OTHER * RISK		NO REPORTED RISK [NRR]		TOTAL ADULT FEMALE	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
	Hispanic/Latino (All Races)			66	24.4%			703	23.0%	4	50.0%	158	28.7%	931
American Indian/Alaska Native			0	0.0%			2	0.1%	0	0.0%	0	0.0%	2	0.1%
Asian			0	0.0%			3	0.1%	0	0.0%	1	0.2%	4	0.1%
Black or African American			160	59.0%			2,177	71.3%	2	25.0%	350	63.5%	2,689	69.2%
Native Hawaiian/Pacific Islander			0	0.0%			0	0.0%	0	0.0%	1	0.2%	1	0.0%
White			38	14.0%			142	4.6%	1	12.5%	37	6.7%	218	5.6%
Legacy Asian			0	0.0%			0	0.0%	0	0.0%	1	0.2%	1	0.0%
Multi-Race			7	2.6%			27	0.9%	1	12.5%	3	0.5%	38	1.0%
Adult Female HIV			271	100%			3,054	100%	8	100%	551	100%	3,884	100%

* OTHER includes Adult receiving clotting factor, Hemophilic, Perinatal exposure w/HIV age at 13+ years

ADULT MALE HIV CASES														
Exposure Category/ Race/Ethnicity	MALE-TO-MALE SEXUAL CONTACT		INJECTION DRUG USE [IDU]		MSM & IDU		HETEROSEXUAL CONTACT		OTHER * RISK		NO REPORTED RISK [NRR]		TOTAL ADULT MALE	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
	Hispanic/Latino (All Races)	4,609	59.3%	102	30.4%	118	47.0%	487	28.4%	1	14.3%	459	37.1%	5,776
American Indian/Alaska Native	2	0.0%	0	0.0%	0	0.0%	2	0.1%	0	0.0%	1	0.1%	5	0.0%
Asian	24	0.3%	0	0.0%	0	0.0%	1	0.1%	0	0.0%	5	0.4%	30	0.3%
Black or African American	1,490	19.2%	191	57.0%	77	30.7%	1,137	66.3%	4	57.1%	655	52.9%	3,554	31.4%
Native Hawaiian/Pacific Islander	4	0.1%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	1	0.1%	5	0.0%
White	1,558	20.1%	39	11.6%	51	20.3%	67	3.9%	2	28.6%	109	8.8%	1,826	16.1%
Legacy Asian	5	0.1%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	1	0.1%	6	0.1%
Multi-Race	75	1.0%	3	0.9%	5	2.0%	22	1.3%	0	0.0%	7	0.6%	112	1.0%
Adult Male HIV	7,767	100%	335	100%	251	100%	1,716	100%	7	100%	1,238	100%	11,314	100%
TOTAL ADULT HIV	7,767	51.1%	606	4.0%	251	1.7%	4,770	31.4%	15	0.1%	1,789	11.8%	15,198	100%

(Continue next Page)

FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
HIV/AIDS Surveillance
Cumulative Number of Reported HIV (Not AIDS) Cases

SEPTEMBER 2015

Pediatric HIV (not AIDS) cases by exposure category, race/ethnicity and gender (Excluding DOC)

PEDIATRIC FEMALE HIV CASES												
Exposure Category/ Race/Ethnicity	PERINATAL		HEMOPHILIAC		TRANSFUSION		OTHER RISK		NO REPORTED		TOTAL FEMALE	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)	15	16.1%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	2	66.7%	17	17.7%
Black or African American	76	81.7%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	1	33.3%	77	80.2%
White	1	1.1%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0	0.0%	1	1.0%
Legacy Asian/Pacific Isl.	0	0.0%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0	0.0%	0	0.0%
Multi-Race	1	1.1%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0	0.0%	1	1.0%
Pediatric Female HIV	93	100%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	3	100%	96	100%

PEDIATRIC MALE HIV CASES												
Exposure Category/ Race/Ethnicity	PERINATAL		HEMOPHILIAC		TRANSFUSION		OTHER RISK		NO REPORTED		TOTAL MALE	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)	13	19.4%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0	0.0%	13	19.1%
Black or African American	53	79.1%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	1	100.0%	54	79.4%
White	0	0.0%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0	0.0%	0	0.0%
Legacy Asian/Pacific Isl.	1	1.5%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0	0.0%	1	1.5%
Multi-Race	0	0.0%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0	0.0%	0	0.0%
Pediatric Male HIV	67	100%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	1	100%	68	100%

	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %
TOTAL PEDIATRIC HIV	160	97.6%	0	0.0%	0	0.0%	0	0.0%	4	2.4%	164	100%

Adult Hispanic/Latino HIV (not AIDS) cases by country of origin and gender (Excluding DOC)

Country of Origin	ADULT FEMALE HIV			ADULT MALE HIV			TOTAL HISPANIC/LATINO		
	Cases	Col %	Row %	Cases	Col %	Row %	Cases	Col %	Row %
Argentina	20	2.1%	12.2%	144	2.5%	87.8%	164	2.4%	100%
Colombia	35	3.8%	11.7%	265	4.6%	88.3%	300	4.5%	100%
Cuba	160	17.2%	8.2%	1,786	30.9%	91.8%	1,946	29.0%	100%
Dominican Republic	36	3.9%	30.8%	81	1.4%	69.2%	117	1.7%	100%
Honduras	65	7.0%	30.5%	148	2.6%	69.5%	213	3.2%	100%
Mexico	8	0.9%	5.5%	138	2.4%	94.5%	146	2.2%	100%
Nicaragua	35	3.8%	19.4%	145	2.5%	80.6%	180	2.7%	100%
Peru	13	1.4%	13.4%	84	1.5%	86.6%	97	1.4%	100%
Puerto Rico	60	6.4%	19.2%	253	4.4%	80.8%	313	4.7%	100%
United States	240	25.8%	16.3%	1,236	21.4%	83.7%	1,476	22.0%	100%
Venezuela	22	2.4%	6.6%	312	5.4%	93.4%	334	5.0%	100%
Other/Unknown Countries	237	25.5%	16.7%	1,184	20.5%	83.3%	1,421	21.2%	100%
Total Adult Hispanic/Latino HIV	931	100%	13.9%	5,776	100%	86.1%	6,707	100%	100%

(Continue next Page)

**FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
HIV/AIDS Surveillance
Cumulative Number of Reported HIV (Not AIDS) Cases**

SEPTEMBER 2015

Adult Hispanic/Latino HIV (not AIDS) cases by country of origin, exposure category and gender (Excluding DOC)

ADULT HISPANIC/LATINO FEMALE HIV CASES															
Country of Origin	MALE-TO-MALE SEXUAL CONTACT		INJECTION DRUG USE [IDU]		MSM & IDU		HETEROSEXUAL CONTACT		OTHER * RISK		NO REPORTED RISK [NRR]		Total Hispanic/Latino Female by Country of Origin		
	Cases	Row %	Cases	Row %	Number	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Col %	Row %
Argentina			3	15.0%			15	75.0%	0	0.0%	2	10.0%	20	2.1%	100%
Colombia			1	2.9%			30	85.7%	0	0.0%	4	11.4%	35	3.8%	100%
Cuba			8	5.0%			129	80.6%	1	0.6%	22	13.8%	160	17.2%	100%
Dominican Republic			1	2.8%			32	88.9%	0	0.0%	3	8.3%	36	3.9%	100%
Honduras			0	0.0%			58	89.2%	0	0.0%	7	10.8%	65	7.0%	100%
Mexico			2	25.0%			5	62.5%	0	0.0%	1	12.5%	8	0.9%	100%
Nicaragua			0	0.0%			28	80.0%	0	0.0%	7	20.0%	35	3.8%	100%
Peru			1	7.7%			10	76.9%	0	0.0%	2	15.4%	13	1.4%	100%
Puerto Rico			11	18.3%			37	61.7%	0	0.0%	12	20.0%	60	6.4%	100%
United States			31	12.9%			174	72.5%	3	1.3%	32	13.3%	240	25.8%	100%
Venezuela			1	4.5%			20	90.9%	0	0.0%	1	4.5%	22	2.4%	100%
Other/Unknown Countries			7	3.0%			165	69.6%	0	0.0%	65	27.4%	237	25.5%	100%
Total adult Hispanic/Latino Female			66	7.1%			703	75.5%	4	0.4%	158	17.0%	931	100%	100%

OTHER includes Adult receiving clotting factor, Hemophilic, Perinatal exposure w/HIV age at 13+ years

ADULT HISPANIC/LATINO MALE HIV CASES															
Country of Origin	MALE-TO-MALE SEXUAL CONTACT		INJECTION DRUG USE [IDU]		MSM & IDU		HETEROSEXUAL CONTACT		OTHER * RISK		NO REPORTED RISK [NRR]		Total Hispanic/Latino Male by Country of Origin		
	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Col %	Row %
Argentina	126	87.5%	2	1.4%	2	1.4%	9	6.3%	0	0.0%	5	3.5%	144	2.5%	100%
Colombia	220	83.0%	1	0.4%	10	3.8%	18	6.8%	0	0.0%	16	6.0%	265	4.6%	100%
Cuba	1,477	82.7%	20	1.1%	39	2.2%	160	9.0%	1	0.1%	89	5.0%	1,786	30.9%	100%
Dominican Republic	50	61.7%	3	3.7%	3	3.7%	17	21.0%	0	0.0%	8	9.9%	81	1.4%	100%
Honduras	101	68.2%	1	0.7%	3	2.0%	29	19.6%	0	0.0%	14	9.5%	148	2.6%	100%
Mexico	115	83.3%	2	1.4%	1	0.7%	11	8.0%	0	0.0%	9	6.5%	138	2.4%	100%
Nicaragua	112	77.2%	3	2.1%	1	0.7%	18	12.4%	0	0.0%	11	7.6%	145	2.5%	100%
Peru	75	89.3%	1	1.2%	1	1.2%	6	7.1%	0	0.0%	1	1.2%	84	1.5%	100%
Puerto Rico	185	73.1%	30	11.9%	17	6.7%	11	4.3%	0	0.0%	10	4.0%	253	4.4%	100%
United States	1,009	81.6%	27	2.2%	26	2.1%	94	7.6%	0	0.0%	80	6.5%	1,236	21.4%	100%
Venezuela	281	90.1%	0	0.0%	2	0.6%	15	4.8%	0	0.0%	14	4.5%	312	5.4%	100%
Other/Unknown Countries	858	72.5%	12	1.0%	13	1.1%	99	8.4%	0	0.0%	202	17.1%	1,184	20.5%	100%
Total adult Hispanic/Latino Male	4,609	79.8%	102	1.8%	118	2.0%	487	8.4%	1	0.0%	459	7.9%	5,776	100%	100%

	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %
TOTAL ADULT HISPANIC/LATINO	4,609	68.7%	168	2.5%	118	1.8%	1,190	17.7%	5	0.1%	617	9.2%	6,707	100%

(Continue next Page)

FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
HIV/AIDS Surveillance
Cumulative Number of Reported HIV (Not AIDS) Cases

SEPTEMBER 2015

Haitian born adult HIV cases by exposure category and gender (Excluding DOC)

ADULT HAITIAN BORN HIV CASES														
Exposure Category GENDER	MALE-TO-MALE SEXUAL CONTACT		INJECTION DRUG USE [IDU]		[MSM & [IDU]		HETEROSEXUAL CONTACT		OTHER* RISK		NO REPORTED RISK [NRR]		Total Haitian by Gender	
	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %
	Haitian born Adult Females			11	1.9%			502	86.3%	0	0.0%	69	11.9%	582
Haitian born Adult Males	107	19.0%	7	1.2%	1	0.2%	309	55.0%	0	0.0%	138	24.6%	562	100%
Total Haitian born	107	9.4%	18	1.6%	1	0.1%	811	70.9%	0	0.0%	207	18.1%	1,144	100%

* OTHER includes Adult receiving clotting factor, Hemophilic, Perinatal exposure w/HIV age at 13+ years

Department of Correction [DOC] Adult HIV (not AIDS) by race/ethnicity and gender.

HIV Cases by Race/Ethnicity & Gender	DOC HIV Cases					
	Female		Male		Total	
	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)	5	31.3%	77	17.6%	82	18.1%
Black or African American	8	50.0%	281	64.3%	289	63.8%
White	3	18.8%	61	14.0%	64	14.1%
Haitian	0	0.0%	12	2.7%	12	2.6%
Other (1)	0	0.0%	6	1.4%	6	1.3%
Total HIV	16	100%	437	100%	453	100%

(1) Other Includes American Indian/Alaska Native, Asian, Native Hawaiian, Pacific Islander, Legacy Asian & Multi Race
Adjustments are performed on a monthly basis to compensate for duplicate reports state and nation wide and case validation projects.

FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
HIV/AIDS Surveillance
Perinatal HIV Exposed Cases

SEPTEMBER 2015

All EXPOSED Perinatal pediatric cases born in Miami-Dade by year of birth and diagnosis status since November 20th, 2006. ⁽¹⁾

Year of Birth	Perinatal HIV Exposure	Pediatric HIV	Pediatric AIDS	Pediatric seroreverter	Unknown	TOTAL
>=November 20 th , 2006	3	0	0	16	0	19
2007	32	1	0	106	0	139
2008	39	1	1	91	0	132
2009	30	2	0	87	0	119
2010	39	3	0	83	0	125
2011	13	1	0	105	0	119
2012	10	1	0	90	0	101
2013	14	2	1	79	0	96
2014	5	1	0	83	0	89
2015	22	3	0	37	0	62
Total	207	15	2	777	0	1001

All EXPOSED Perinatal pediatric cases born in Miami-Dade by year of birth and race/ethnicity since November 20th, 2006. ⁽¹⁾

Year of Birth	Hispanic	Not Hispanic, Black	Not Hispanic, White	Not Hispanic, Other ⁽²⁾	TOTAL
>=November 20 th , 2006	3	15	1	0	19
2007	22	110	5	2	139
2008	19	111	2	0	132
2009	24	91	3	1	119
2010	31	87	5	2	125
2011	21	90	7	1	119
2012	23	68	8	2	101
2013	17	75	3	1	96
2014	15	70	4	0	89
2015	9	51	2	0	62
Total	184	768	40	9	1001

⁽¹⁾ NOTE: An expanded HIV reporting law was implemented on November 20th, 2006. Expansion included reportability of cases with virologic evidence of HIV infection. Previously, only Western Blot-confirmed (+) cases were reportable. In addition, reporting is retroactive. Previously, only HIV cases diagnosed after July st, 1997, were reportable. A detectable viral load (VL) (or equivalent viral test) is reportable, and is considered evidence of HIV. Other reportable virologic test considered to be evidence of HIV are: P24, ANTIGEN, Nucleic Acid test (NAT/NAAT), viral culture. CD4 counts/percents are reportable, but follow-up is conducted only if it is <200 uL, or <14%.

⁽²⁾ Other Includes American Indian/Alaska Native, Asian, Native Hawaiian, Pacific Islander, Legacy Asian & Multi Race

[\(Continue next Page\)](#)

FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
HIV/AIDS Surveillance
Perinatal HIV Exposed Cases

SEPTEMBER 2015

All EXPOSED Perinatal pediatric cases born in Miami-Dade by year of birth and Mother HIV status since November 20th, 2006. ⁽¹⁾

Year of Birth	Know HIV (+) before pregnancy	Know HIV (+) during pregnancy	Know HIV (+) at time of delivery	Know HIV (+) sometime before birth	Know HIV (+) sometime after birth	HIV (+) with time unknown	TOTAL
>=November 20 th , 2006	16	2	0	0	0	1	19
2007	92	34	10	0	3	0	139
2008	95	35	2	0	0	0	132
2009	87	24	8	0	0	0	119
2010	90	25	5	2	1	2	125
2011	89	24	3	2	1	0	119
2012	75	24	2	0	0	0	101
2013	78	12	2	3	0	1	96
2014	77	11	0	1	0	0	89
2015	52	5	1	0	1	3	62
Total	751	196	33	8	6	7	1001

All EXPOSED Perinatal pediatric cases born in Miami-Dade by diagnosis and Mother HIV status since November 20th, 2006. ⁽¹⁾

Diagnosis Status	Know HIV (+) before pregnancy	Know HIV (+) during pregnancy	Know HIV (+) at time of delivery	Know HIV (+) sometime before birth	Know HIV (+) sometime after birth	HIV (+) with time unknown	TOTAL
Perinatal HIV Exposure	146	42	11	4	3	2	208
Pediatric HIV	10	1	3	0	1	0	15
Pediatric AIDS	2	0	0	0	0	0	2
Pediatric Seroreverter	593	153	19	4	2	5	776
Unknown	0	0	0	0	0	0	0
Total	751	196	33	8	6	7	1001

All EXPOSED Perinatal pediatric cases born in Miami-Dade by diagnosis status and HIV category since November 20th, 2006. ⁽¹⁾

Diagnosis Status	HIV (+) Definitive	HIV (+) Presumptive	HIV Indeterminate	HIV (-) Definitive	HIV (-) Presumptive	Unknown	TOTAL
Perinatal HIV Exposure	0	0	207	0	0	0	207
Pediatric HIV	15	0	0	0	0	0	15
Pediatric AIDS	2	0	0	0	0	0	2
Pediatric Seroreverter	0	0	0	565	212	0	777
Unknown	0	0	0	0	0	0	0
Total	17	0	207	565	212	0	1001

⁽¹⁾ NOTE: An expanded HIV reporting law was implemented on November 20th, 2006. Expansion included reportability of cases with virologic evidence of HIV infection. Previously, only Western Blot-confirmed (+) cases were reportable. In addition, reporting is retroactive. Previously, only HIV cases diagnosed after July st, 1997, were reportable. A detectable viral load (VL) (or equivalent viral test) is reportable, and is considered evidence of HIV. Other reportable virologic test considered to be evidence of HIV are: P24, ANTIGEN, Nucleic Acid test (NAT/NAAT), viral culture. CD4 counts/percents are reportable, but follow-up is conducted only if it is <200 uL, or <14%.

[\(Continue next Page\)](#)

FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
HIV/AIDS Surveillance
Perinatal HIV Exposed Cases

SEPTEMBER 2015

CONFIRMED Infected Perinatal Cases, know HIV or AIDS born in Miami-Dade by year of birth, 2000-2015.

Perinatal HIV/AIDS Cases by Year of Birth	Pediatic HIV		Pediatic AIDS		TOTAL		
	Cases	Row %	Cases	Row %	Cases	Col %	Row %
2000	5	71.4%	2	28.6%	7	13.0%	100%
2001	6	60.0%	4	40.0%	10	18.5%	100%
2002	3	50.0%	3	50.0%	6	11.1%	100%
2003	3	75.0%	1	25.0%	4	7.4%	100%
2004	1	50.0%	1	50.0%	2	3.7%	100%
2005	3	60.0%	2	40.0%	5	9.3%	100%
2006	2	66.7%	1	33.3%	3	5.6%	100%
2007	1	100.0%	0	0.0%	1	1.9%	100%
2008	1	50.0%	1	50.0%	2	3.7%	100%
2009	2	100.0%	0	0.0%	2	3.7%	100%
2010	3	100.0%	0	0.0%	3	5.6%	100%
2011	1	100.0%	0	0.0%	1	1.9%	100%
2012	1	100.0%	0	0.0%	1	1.9%	100%
2013	2	66.7%	1	33.3%	3	5.6%	100%
2014	1	100.0%	0	0.0%	1	1.9%	100%
2015	3	100.0%	0	0.0%	3	5.6%	100%
Total Confirmed Perinatal Cases	38	70%	16	30%	54	100%	100%

(Continue next Page)

FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
HIV/AIDS Surveillance
Perinatal HIV Exposed Cases

SEPTEMBER 2015

All EXPOSED Perinatal pediatric cases born in Miami-Dade by hospital of birth and diagnosis status since November 20th, 2006. ⁽¹⁾

Hospital of Birth	Perinatal HIV Exposure	Pediatric HIV	Pediatric AIDS	Perinatal Seroreverter	Unknown	TOTAL	TOTAL %
BAPTIST HOSPITAL-MIAMI	3	0	0	2	0	5	0.5%
BROWARD GENERAL MEDICAL CTR.	2	0	0	2	0	4	0.4%
CORAL SPRINGS MEDICAL CTR.	1	0	0	0	0	1	0.1%
HIALEAH HOSPITAL	2	0	0	1	0	3	0.3%
HOMESTEAD HOSPITAL	7	1	0	1	0	9	0.9%
JACKSON N MATERNITY CTR.	0	0	0	2	0	2	0.2%
JACKSON NORTH MEDICAL CTR.	8	3	0	16	0	27	2.7%
JACKSON SOUTH MEDICAL CTR.	2	0	0	15	0	17	1.7%
JACKSON MEMORIAL HOSPITAL	141	7	0	694	0	842	84.1%
KENDALL RMC	1	0	0	1	0	2	0.2%
MEMORIAL HOSPITAL-MIRAMAR	1	0	1	0	0	2	0.2%
MEMORIAL HOSPITAL-SOUTH	1	0	0	0	0	1	0.1%
MEMORIAL HOSPITAL-WEST	1	0	0	2	0	3	0.3%
MEMORIAL HOSPITAL-PEMBROKE PINES	3	0	0	1	0	4	0.4%
MEMORIAL HOSPITAL-HOLLYWOOD	10	0	0	6	0	16	1.6%
MERCY HOSPITAL	2	0	0	0	0	2	0.2%
MIAMI CHILDREN'S HOSPITAL	1	0	0	0	0	1	0.1%
MIAMI-DADE PVT PHYSICIAN-MIAMI	2	0	0	0	0	2	0.2%
MOUNT SINAI MC	1	0	0	1	0	2	0.2%
NORTH SHORE MEDICAL CTR.	12	0	0	22	0	34	3.4%
PLANTATION GENERAL HOSPITAL	1	0	0	1	0	2	0.2%
SOUTH MIAMI HOSPITAL	1	0	0	0	0	1	0.1%
UF HEALTH AT JACKSONVILLE	1	0	0	0	0	1	0.1%
WELLINGTON RMS	1	0	0	0	0	1	0.1%
UNKNOWN	2	4	1	10	0	17	1.7%
TOTAL	207	15	2	777	0	1001	100%

⁽¹⁾ NOTE: An expanded HIV reporting law was implemented on November 20th, 2006. Expansion included reportability of cases with virologic evidence of HIV infection. Previously, only Western Blot-confirmed (+) cases were reportable. In addition, reporting is retroactive. Previously, only HIV cases diagnosed after July st, 1997, were reportable. A detectable viral load (VL) (or equivalent viral test) is reportable, and is considered evidence of HIV. Other reportable virologic test considered to be evidence of HIV are: P24, ANTIGEN, Nucleic Acid test (NAT/NAAT), viral culture. CD4 counts/percents are reportable, but follow-up is conducted only if it is <200 uL, or <14%

**FLORIDA DEPARTMENT OF HEALTH IN MIAMI- DADE COUNTY
HIV/AIDS SURVEILLANCE
AIDS, HIV (NOT AIDS) AND TOTAL PREVALENCE THROUGH 2014**

Total prevalence through 2014, as of June 2015

* Living AIDS and Living HIV (not AIDS) [PLWHA - prevalence] is defined as the number of diagnosed cases in eHARS, as of the date specified.

These included cases whose current residence is Miami-Dade County regardless of where they were diagnosed.

GENDER	* LIVING CASES by DIAGNOSIS					
	AIDS		HIV (Not AIDS)		Total Prevalence	
	Cases	Col %	Cases	Col %	Cases	Col %
Female	3,838	29%	3,346	27%	7,184	28%
Male	9,614	71%	9,244	73%	18,858	72%
Total Prevalence	13,452	100%	12,590	100%	26,042	100%

RACE/ETHNICITY	* LIVING CASES by DIAGNOSIS					
	AIDS		HIV (Not AIDS)		Total Prevalence	
	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic (All Races)	5,472	41%	5,644	45%	11,116	43%
Not Hispanic, Black	6,335	47%	5,202	41%	11,537	44%
Not Hispanic, White	1,425	11%	1,595	13%	3,020	12%
Not Hispanic, Other	220	2%	149	1%	369	1%
Total Prevalence	13,452	100%	12,590	100%	26,042	100%

RACE/ETHNICITY BY GENDER	Adult Prevalence						Pediatric Prevalence						TOTAL Prevalence					
	Female		Male		Total Adult		Female		Male		Total Pediatric		Total Female		Total Male		Total Cases	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic (All Races)	1,647	23.0%	9,465	50.2%	11,112	42.7%	1	7.7%	3	16.7%	4	12.9%	1,648	22.9%	9,468	50.2%	11,116	42.7%
Not Hispanic, Black	5,087	70.9%	6,423	34.1%	11,510	44.3%	12	92.3%	15	83.3%	27	87.1%	5,099	71.0%	6,438	34.1%	11,537	44.3%
Not Hispanic, White	335	4.7%	2,685	14.3%	3,020	11.6%	0	0.0%	0	0.0%	0	0.0%	335	4.7%	2,685	14.2%	3,020	11.6%
Not Hispanic, Other	102	1.4%	267	1.4%	369	1.4%	0	0.0%	0	0.0%	0	0.0%	102	1.4%	267	1.4%	369	1.4%
Total Prevalence	7,171	100%	18,840	100%	26,011	100%	13	100%	18	100%	31	100%	7,184	100%	18,858	100%	26,042	100%

(Continue next Page)

**FLORIDA DEPARTMENT OF HEALTH IN MIAMI- DADE COUNTY
HIV/AIDS SURVEILLANCE
AIDS, HIV (NOT AIDS) AND TOTAL PREVALENCE THROUGH 2014**

CURRENT AGE	* LIVING CASES by DIAGNOSIS					
	AIDS		HIV (Not AIDS)		Total Prevalence	
	Cases	Col %	Cases	Col %	Cases	Col %
00-02 years	0	0%	4	0%	4	0%
03-12 years	8	0%	19	0%	27	0%
13-19 years	42	0%	107	1%	149	1%
20-24 years	189	1%	521	4%	710	3%
25-29 years	403	3%	1,028	8%	1,431	5%
30-39 years	1,342	10%	2,610	21%	3,952	15%
40-44 years	1,418	11%	1,603	13%	3,021	12%
45-49 years	2,239	17%	2,003	16%	4,242	16%
50-59 years	4,973	37%	3,161	25%	8,134	31%
60+ years	2,838	21%	1,534	12%	4,372	17%
Total	13,452	100%	12,590	100%	26,042	100%

EXPOSURE CATEGORY ⁽¹⁾	* LIVING CASES						% of Male	% of Total
	AIDS Prevalence		HIV Prevalence		Total Prevalence			
	Cases	Col %	Cases	Col %	Cases	Col %		
ADULT MALE								
Adult male-to-male sexual contact [M]	6,315	66%	7,026	76%	13,341	71%	51%	
Adult injection drug use [IDU]	657	7%	298	3%	955	5%	4%	
Adult MSM & IDU	459	5%	244	3%	703	4%	3%	
Adult heterosexual contact [HTRSX]	2,058	21%	1,612	17%	3,670	19%	14%	
Adult other risk	121	1%	50	1%	171	1%	1%	
Total Adult Male	9,610	100%	9,230	100%	18,840	100%		
ADULT FEMALE								
Adult injection drug use [IDU]	504	13%	241	7%	745	10%	3%	
Adult heterosexual contact [HTRSX]	3,200	83%	3,023	91%	6,223	87%	24%	
Adult other risk	130	3%	73	2%	203	3%	1%	
Total Adult Female	3,834	100%	3,337	100%	7,171	100%		
PEDIATRIC (Current age 0-12)								
Mother with/at risk for HIV infection	8	100%	23	100%	31	100%	0%	
Risk not diagnosed/Other	0	0%	0	0%	0	0%	0%	
Total Pediatric	8	100%	23	100%	31	100%		
Total Exposure Category	13,452		12,590		26,042		100%	

⁽¹⁾ No identified risk [NIR] redistributed

**FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
ONE-IN STATEMENTS**

* **ONE-IN Statements for Adults (>=13) Living with HIV or AIDS [PLWHA] through 2014 in Miami-Dade & Florida,**

ADULT MALE LIVING WITH HIV OR AIDS	
MIAMI-DADE	FLORIDA
• One in 61 White adult male in Miami-Dade is living with HIV or AIDS	• One in 170 White adult male
• One in 26 Black adult male in Miami-Dade is living with HIV or AIDS	• One in 38 Black adult male
• One in 75 Hispanic adult male in Miami-Dade is living with HIV or AIDS	• One in 98 Hispanic adult male
• One in 89 other race adult male in Miami-Dade is living with HIV or AIDS	• One in 200 Other adult male
One in 56 adult male in Miami-Dade is living with HIV or AIDS	One in 103 adult male in Florida

ADULT FEMALE LIVING WITH HIV OR AIDS	
MIAMI-DADE	FLORIDA
• One in 461 White adult female in Miami-Dade is living with HIV or AIDS	• One in 1,049 White adult female
• One in 37 Black adult female in Miami-Dade is living with HIV or AIDS	• One in 60 Black adult female
• One in 473 Hispanic adult female in Miami-Dade is living with HIV or AIDS	• One in 422 Hispanic adult female
• One in 259 other race adult female in Miami-Dade is living with HIV or AIDS	• One in 573 Other adult female
One in 160 adult female in Miami-Dade is living with HIV or AIDS	One in 275 adult female in Florida

TOTAL ADULTS OF ALL SEXES LIVING WITH HIV OR AIDS	
MIAMI-DADE	FLORIDA
• One in 106 White adult in Miami-Dade is living with HIV or AIDS	• One in 298 White adult
• One in 31 Black adult in Miami-Dade is living with HIV or AIDS	• One in 47 Black adult
• One in 134 Hispanic adult in Miami-Dade is living with HIV or AIDS	• One in 161 Hispanic adult
• One in 136 other race adult in Miami-Dade is living with HIV or AIDS	• One in 307 Other adult race
One in 85 adult resident in Miami-Dade is living with HIV or AIDS	One in 151 adult Floridian

Note: Excluding Department of Correction [DOC] cases at county level. Florida totals include DOC cases.

These statements are updated by the Florida Bureau of Communicable Disease, HIV/AIDS Section, every June of following year.

* **Living data now reflects those living on our area regardless of where diagnosed. You cannot compare this year's data with last year's since they were run separately**

**FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
ONE-IN STATEMENTS**

* **ONE-IN Statements for Total Persons (all ages) Living with HIV or AIDS [PLWHA] through 2014 in Miami-Dade & Florida**

TOTAL MALE LIVING WITH HIV OR AIDS	
MIAMI-DADE	FLORIDA
• One in 73 White male in Miami-Dade is living with HIV or AIDS	• One in 193 White male
• One in 32 Black male in Miami-Dade is living with HIV or AIDS	• One in 48 Black male
• One in 88 Hispanic male in Miami-Dade is living with HIV or AIDS	• One in 122 Hispanic male
• One in 108 other race male in Miami-Dade is living with HIV or AIDS	• One in 262 Other male
One in 67 male in Miami-Dade is living with HIV or AIDS	One in 121 male in Florida

TOTAL FEMALE LIVING WITH HIV OR AIDS	
MIAMI-DADE	FLORIDA
• One in 551 White female in Miami-Dade is living with HIV or AIDS	• One in 1,176 White female
• One in 45 Black female in Miami-Dade is living with HIV or AIDS	• One in 74 Black female
• One in 546 Hispanic female in Miami-Dade is living with HIV or AIDS	• One in 514 Hispanic female
• One in 309 other race female in Miami-Dade is living with HIV or AIDS	• One in 724 Other female
One in 187 female in Miami-Dade is living with HIV or AIDS	One in 320 female in Florida

TOTAL ALL SEXES LIVING WITH HIV OR AIDS	
MIAMI-DADE	FLORIDA
• One in 126 White in Miami-Dade is living with HIV or AIDS	• One in 336 White
• One in 38 Black in Miami-Dade is living with HIV or AIDS	• One in 59 Black
• One in 156 Hispanic in Miami-Dade is living with HIV or AIDS	• One in 198 Hispanic
• One in 164 other race in Miami-Dade is living with HIV or AIDS	• One in 394 Other race
One in 100 Miami-Dade resident is living with HIV or AIDS	One in 178 Floridian

Note: Excluding Department of Correction [DOC] cases at county level. Florida totals include DOC cases.

These statements are updated by the Florida Bureau of Communicable Disease, HIV/AIDS Section, every June of following year.

* **Living data now reflects those living on our area regardless of where diagnosed. You cannot compare this year's data with last year's since they were run separately**

**FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
USEFUL WEBSITE LINKS**

Below are several website that may be useful for HIV/AIDS related information.

USEFUL WEBSITE LINKS	
ORGANIZATIONS / SITES	ELECTRONIC ADDRESS
Data from the HIV Counseling and Testing (Florida & all Counties)	http://www.floridahealth.gov/diseases-and-conditions/aids/prevention/2013-testing-data.html
Center for Disease Control and Prevention [CDC]	http://www.cdc.gov
Center for Disease Control and Prevention [CDC] HIV/AIDS Statistics and Surveillance	http://www.cdc.gov/hiv/topics/surveillance/
Center for Disease Control and Prevention [CDC] Morbidity and Mortality Weekly Report [MMWR]	http://www.cdc.gov/mmwr/
Florida Community Health Assessment Resource Tool Set [Florida CHARTS]	http://www.floridacharts.com/charts/default.aspx
Florida Department of Health in Miami-Dade County	http://miamidade.floridahealth.gov
Florida Department of Health, Bureau of Communicable Disease, HIV/AIDS and Hepatitis Section.	http://www.floridahealth.gov/diseases-and-conditions/aids/index.html
<i>Organización Panamericana de la Salud</i> [PAHO] (Pan American Health Organization)	http://www.paho.org
The Test Miami Initiative	http://www.testmiami.org/index.aspx
United Nations Program on HIV/AIDS [UNAIDS]	http://www.unaids.org/
US Census Bureau.	http://www.census.gov
US Census Bureau. HIV/AIDS Surveillance	http://www.census.gov/ipc/www/hivaidsn.html
World Health Organization [WHO]	http://www.who.int