

**FOR IMMEDIATE RELEASE**

**July 3, 2024**

## **DOH-Miami-Dade Issues Water Quality Health Advisory**

***Advisory Issued for Oleta River State Park, Surfside - 93<sup>rd</sup> St., and Collins Park - 21<sup>st</sup> St.***



**Contact:**

Office of Communications

MediaDOHMiamiDade@FHealth.gov

**Miami, Fla. —** The Florida Department of Health in Miami-Dade County (DOH-Miami-Dade) has issued a water quality advisory for the following locations:

**Oleta River State Park, North Miami Beach**

**Surfside - 93<sup>rd</sup> St., Surfside**

**Collins Park - 21<sup>st</sup> St., Miami Beach**

Tests completed on July 3, 2024, indicate that the water quality at Oleta River State Park, Surfside - 93<sup>rd</sup> St. and Collins Park - 21<sup>st</sup> St. do not meet the recreational water quality criteria for *Enterococcus* bacteria recommended by the Florida Department of Health.

DOH-Miami-Dade advises against any water-related activities at this location due to an increased risk of illness in swimmers. Sampling conducted during regular water quality monitoring showed that the level of bacteria exceeds the level established by state guidelines.

This advisory will continue until bacteria levels are below the accepted health level. Test results are available at [FloridaHealth.gov/HealthyBeaches](https://www.FloridaHealth.gov/HealthyBeaches).

For more information call 305-324-2400 or visit [MiamiDade.FloridaHealth.gov](https://MiamiDade.FloridaHealth.gov).

### **About the Florida Department of Health**

The department, nationally accredited by the [Public Health Accreditation Board](#), works to protect, promote, and improve the health of all people in Florida through integrated state, county, and community efforts.

Follow us on Twitter at [@HealthyFla](#) and on [Facebook](#). For more information about the Florida Department of Health please visit [www.FloridaHealth.gov](https://www.FloridaHealth.gov).