

August 13, 2025

DOH-Miami-Dade Issues Water Quality Health Advisory

Advisory Issued for Crandon Park North – Key Biscayne



Contact:
Office of Communication
MediaDOHMiamiDade@FLHealth.gov

Miami, Fla. — The Florida Department of Health in Miami-Dade County (DOH-Miami-Dade) has issued a water quality advisory for the following location:

**Crandon Park North
Key Biscayne, FL 33149**

Tests completed on Tuesday, August 12, 2025, indicate that the water quality at Crandon Park North does not meet the recreational water quality criteria for *Enterococcus* bacteria recommended by the Florida Department of Health.

DOH-Miami-Dade advises against any water-related activities at this location due to an increased risk of illness in swimmers. Sampling conducted during regular water quality monitoring showed that the level of bacteria exceeds the level established by state guidelines.

This advisory will continue until bacteria levels are below the accepted health level. Test results are available at FloridaHealth.gov/HealthyBeaches.

For more information call 305-324-2400 or visit MiamiDade.FloridaHealth.gov.

###

About the Florida Department of Health

The Department, nationally accredited by the [Public Health Accreditation Board](#), works to protect, promote, and improve the health of all people in Florida through integrated state, county, and community efforts.

Follow us on X at [@HealthyFla](#) and on [Facebook](#). For more information about the Florida Department of Health, visit FloridaHealth.gov.