#### **Mission**:

To protect, promote & improve the health of all people in Florida through integrated state, county & community efforts.



Rick Scott Governor

Celeste Philip, MD, MPH Surgeon General and Secretary

Vision: To be the Healthiest State in the Nation

## FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY

### **HIV/AIDS SURVEILLANCE**

# **MARCH 2017**

## MONTHLY HIV/AIDS SURVEILLANCE REPORT

#### AIDS CASES (EXCLUDING DEPARTMENT OF CORRECTION [DOC] CASES) (AIDS Worksheet)

AIDS cases by age group and gender (Excluding Department of Correction - DOC). AIDS cases by age group, race/ethnicity & gender, showing Haitians separated (Excluding DOC) AIDS cases by year of report and gender (Excluding DOC) Adult & pediatric AIDS cases by race/ethnicity and gender (Excluding DOC) AIDS cases by exposure category and gender among Adult and Pediatric (Excluding DOC) Adult AIDS cases by exposure category, race/ethnicity and gender (Excluding DOC) Pediatric AIDS cases by exposure category, race/ethnicity and gender. Adult Hispanic/Latino AIDS cases by country of origin and gender (Excluding DOC) Adult Hispanic/Latino AIDS cases by country of origin, exposure category and gender (Excluding DOC) Haitian born adult AIDS cases by exposure category and gender (Excluding DOC) Department of Correction [DOC] Adult AIDS cases by race/ethnicity and gender. HIV CASES (EXCLUDING DEPARTMENT OF CORRECTION [DOC] CASES) (HIV Worksheet) HIV (not AIDS) cases by age group and gender (Excluding Department of Correction - DOC) HIV (not AIDS) cases by age group, race/ethnicity & gender, showing Haitians separated (Excluding DOC) HIV (not AIDS) cases by year of report and gender (Excluding DOC) Adult & pediatric HIV (not AIDS) cases by race/ethnicity and gender (Excluding DOC) HIV (not AIDS) cases by exposure category and gender among Adult and Pediatric (Excluding DOC) Adult HIV (not AIDS) cases by exposure category, race/ethnicity and gender (Excluding DOC) Pediatric HIV (not AIDS) cases by exposure category, race/ethnicity and gender. Adult Hispanic/Latino HIV (not AIDS) cases by country of origin and gender (Excluding DOC)

(Continue next Page)

#### **Florida Department of Health**

In Miami-Dade County Epidemiology, Disease Control, and Immunization Services 8600 NW 17th Street, suite 200, Miami, Florida 33126 PHONE: 305/470-5660 - FAX 305/470-5533 FloridaHealth.gov



#### **Mission**:

To protect, promote & improve the health of all people in Florida through integrated state, county & community efforts.



Rick Scott Governor

Celeste Philip, MD, MPH Surgeon General and Secretary

#### Vision: To be the Healthiest State in the Nation

Adult Hispanic/Latino HIV (not AIDS) cases by country of origin, exposure category and gender (Excluding DOC) Haitian born adult HIV (not AIDS) cases by country of origin, exposure category and gender (Excluding DOC) Department of Correction [DOC] Adult HIV (not AIDS) cases by race/ethnicity and gender.

#### PERINATAL EXPOSED CASES REPORTED SINCE NOVEMBER 20", 2006 (PERINATAL EXPOSED Worksheet)

All EXPOSED perinatal pediatric cases born in Miami-Dade by year of birth and diagnosis status since November 20th, 2006. All EXPOSED perinatal pediatric cases born in Miami-Dade by year of birth and race/ethnicity since November 20th, 2006. All EXPOSED perinatal pediatric cases born in Miami-Dade by year of birth and Mother HIV status since November 20th, 2006. All EXPOSED perinatal pediatric cases born in Miami-Dade by diagnosis and Mother HIV status since November 20th, 2006.

All EXPOSED perinatal pediatric cases born in Miami-Dade by diagnosis status and HIV category since November 20th, 2006.

CONFIRMED infected perinatal cases born in Miami-Dade , known HIV or AIDS by year of birth, 2000-2016.

All EXPOSED perinatal pediatric cases born in Miami-Dade by hospital of birth and diagnosis status since November 20th, 2006.

### LIVING CASES WITH HIV DISEASE THROUGH DECEMBER 2015 (PLWHA Worksheet)

Total prevalence by diagnosis category (Excluding DOC)

Total living cases including Department of Corrections [DOC]

Total prevalence by gender (Excluding DOC)

Total prevalence by race/ethnicity (Excluding DOC)

Total prevalence by current age group (Excluding DOC)

Total prevalence by exposure category (Excluding DOC)

### **ONE-IN STATEMENTS** (ONE-IN STATEMENTS Worksheet)

One-in statements for adult (>=13) persons living with HIV or AIDS through 2015 in Miami-Dade & Florida.

One-in statements for persons (all ages) living with HIV or AIDS through 2015 in Miami-Dade & Florida.

### USEFUL WEBSITES LINKS (WEBSITE Worksheet)

Useful websites for HIV/AIDS related information.

#### **Florida Department of Health**

In Miami-Dade County Epidemiology, Disease Control, and Immunization Services 8600 NW 17th Street, suite 200, Miami, Florida 33126 PHONE: 305/470-5660 - FAX 305/470-5533 FloridaHealth.gov



# FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY HIV/AIDS Surveillance

# Cumulative Number of Reported AIDS Cases

AIDS Cases by	Femal	e	Male		TOTAL A	AIDS	Hispanic/I	_atino	Black		White		Haitiar	า	Other <sup>(</sup>	)	TOTAL A	AIDS
Age Group & Gender	Cases	Col %	Cases	Col %	Cases	Col %	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male
Under 5	210	2.2%	196	0.7%	406	1.1%	29	29	168	151	5	7	6	8	2	1	210	1
5-12	53	0.5%	55	0.2%	108	0.3%	10	11	33	36	4	2	5	5	1	1	53	
13-19	174	1.8%	137	0.5%	311	0.9%	20	42	130	86	5	2	15	6	4	1	174	
20-29	1,741	17.9%	3,304	12.4%	5,045	13.9%	288	1,437	1,118	1,054	78	502	238	263	19	48	1,741	3,:
30-39	3,338	34.4%	9,602	36.1%	12,940	35.7%	545	4,170	2,019	2,705	166	1,673	565	898	43	156	3,338	9,
40-49	2,503	25.8%	7,923	29.8%	10,426	28.7%	465	3,237	1,442	2,542	132	1,257	422	774	42	113	2,503	7,
50-59	1,134	11.7%	3,700	13.9%	4,834	13.3%	251	1,505	583	1,267	56	491	219	380	25	57	1,134	3,
60-64	280	2.9%	881	3.3%	1,161	3.2%	69	342	128	324	10	113	68	87	5	15	280	;
65-69	152	1.6%	443	1.7%	595	1.6%	30	152	78	180	5	60	36	42	3	9	152	
>=70	115	1.2%	329	1.2%	444	1.2%	33	129	47	121	13	37	18	33	4	9	115	
Unknown	0	0.0%	0	0.0%	0	0.0%	0	0	0	0	0	0	0	0	0	0	0	
Total AIDS	9,700	100%	26,570	100%	36,270	100%	1,740	11,054	5,746	8,466	474	4,144	1,592	2,496	148	410	9,700	26,

#### AIDS Cases by year of report and gender (Excluding DOC)

AIDS Cases by	Femal	е	Male		TOTAL A	IDS
Year Report & Gender	Cases	Row %	Cases	Row %	Cases	Col %
1981	0	0.0%	4	100%	4	0.0%
1982	7	18.4%	31	81.6%	38	0.1%
1983	16	16.3%	82	83.7%	98	0.3%
1984	18	11.9%	133	88.1%	151	0.4%
1985	29	15.3%	161	84.7%	190	0.5%
1986	71	17.8%	329	82.3%	400	1.1%
1987	63	13.5%	405	86.5%	468	1.3%
1988	109	16.4%	554	83.6%	663	1.8%
1989	195	19.9%	784	80.1%	979	2.7%
1990	171	19.0%	730	81.0%	901	2.5%
1991	362	19.1%	1,536	80.9%	1,898	5.2%
1992	304	20.4%	1,185	79.6%	1,489	4.1%
1993	443	20.9%	1,679	79.1%	2,122	5.9%
1994	748	23.7%	2,414	76.3%	3,162	8.7%
1995	668	27.9%	1,722	72.1%	2,390	6.6%
1996	579	27.1%	1,560	72.9%	2,139	5.9%
1997	432	28.3%	1,092	71.7%	1,524	4.2%
1998	475	31.6%	1,030	68.4%	1,505	4.1%
1999	356	29.0%	870	71.0%	1,226	3.4%

AIDS Cases by	Femal	е	Male		TOTAL	AIDS
Year & Gender (Cont.)	Cases	Row %	Cases	Row %	Cases	Col %
2000	379	31.8%	814	68.2%	1,193	3.3%
2001	372	32.7%	764	67.3%	1,136	3.1%
2002	323	29.1%	788	70.9%	1,111	3.1%
2003	305	30.1%	709	69.9%	1,014	2.8%
2004	409	31.5%	890	68.5%	1,299	3.6%
2005	392	33.2%	787	66.8%	1,179	3.3%
2006	395	35.0%	735	65.0%	1,130	3.1%
2007	275	34.7%	518	65.3%	793	2.2%
2008	324	31.1%	718	68.9%	1,042	2.9%
2009	255	30.8%	573	69.2%	828	2.3%
2010	198	30.2%	458	69.8%	656	1.8%
2011	233	32.9%	476	67.1%	709	2.0%
2012	158	26.5%	439	73.5%	597	1.6%
2013	189	28.9%	466	71.1%	655	1.8%
2014	144	28.3%	364	71.7%	508	1.4%
2015	146	31.3%	321	68.7%	467	1.3%
2016	128	26.1%	362	73.9%	490	1.4%
2017	29	25.0%	87	75.0%	116	0.3%
Total Adult AIDS	9,700	26.7%	26,570	73.3%	36,270	100%

Adult & Pediatric AIDS cases by race/ethnicity and gender (Excluding DOC)

			Adult AID	S					Pediati	ric AIDS	-				TOTAL AI	DS CASES	S	
AIDS by Race/	Femal	e	Male		Total Ad	ult	Femal	е	Male		Total Ped	iatric	Total Fer	nale	Total Ma	ale	Total Ca	ises
Ethnicity *	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)	1,718	18.2%	11,040	41.9%	12,758	35.7%	39	14.8%	40	15.9%	79	15.4%	1,757	18.1%	11,080	41.7%	12,837	35.4%
American Indian/Alaska Native	1	0.0%	2	0.0%	3	0.0%	0	0.0%	0	0.0%	0	0.0%	1	0.0%	2	0.0%	3	0.0%
Asian	2	0.0%	23	0.1%	25	0.1%	0	0.0%	0	0.0%	0	0.0%	2	0.0%	23	0.1%	25	0.1%
Black or African American	7,089	75.1%	10,710	40.7%	17,799	49.8%	212	80.6%	200	79.7%	412	80.2%	7,301	75.3%	10,910	41.1%	18,211	50.2%
Native Hawaiian/Pacific Islander	1	0.0%	0	0.0%	1	0.0%	0	0.0%	0	0.0%	0	0.0%	1	0.0%	0	0.0%	1	0.0%
White	465	4.9%	4,139	15.7%	4,604	12.9%	9	3.4%	9	3.6%	18	3.5%	474	4.9%	4,148	15.6%	4,622	12.7%
Legacy Asian	2	0.0%	12	0.0%	14	0.0%	0	0.0%	0	0.0%	0	0.0%	2	0.0%	12	0.0%	14	0.0%
Multi-Race	159	1.7%	393	1.5%	552	1.5%	3	1.1%	2	0.8%	5	1.0%	162	1.7%	395	1.5%	557	1.5%
Unknown	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Total AIDS	9,437	100%	26,319	100%	35,756	100%	263	100%	251	100%	514	100%	9,700	100%	26,570	100%	36,270	100%

\* This new category created by CDC, is to support the ability to record an ethnicity and multiple races for an individual, necessitated by new federal OMB guidelines for reporting race and ethnicity.

#### AIDS Cases by exposure category and gender among Adult and Pediatric (Excluding DOC)

			Adult AID	S		
	Femal	е	Male		Total Ad	ult
Exposure Category among adult AIDS	Cases	Col %	Cases	Col %	Cases	Col %
Adult male-to-male sexual contact [MSM]			14,744	56.0%	14,744	41.2%
Adult injection drug use [IDU]	2,071	21.9%	3,200	12.2%	5,271	14.7%
Adult MSM & IDU	0		1,419	5.4%	1,419	4.0%
Adult heterosexual contact [HTRSX]	6,334	67.1%	4,187	15.9%	10,521	29.4%
Adult other risk*	173	1.8%	193	0.7%	366	1.0%
Adult no risk factor reported [NRR]	859	9.1%	2,576	9.8%	3,435	9.6%
Total adult AIDS	9,437	100%	26,319	100%	35,756	100%

\* Other risk includes: Adult receiving clotting factor, Hemophiliac, Perinatal exposure w/HIV age at 13+ years

			Pediatric	AIDS		
	Femal	е	Male		Total Ped	iatric
Exposure Category among Pediatric AIDS	Cases	Col %	Cases	Col %	Cases	Col %
Perinatal exposure [PERINATAL]	260	98.9%	243	96.8%	503	97.9%
Child receiving clotting factor [HEMOPH]	0	0.0%	0	0.0%	0	0.0%
Child receiving transfusion/transplant	2	0.8%	5	2.0%	7	1.4%
Child other risk confirmed [OTHER]	0	0.0%	1	0.4%	1	0.2%
Child no risk factor reported [NRR]	1	0.4%	2	0.8%	3	0.6%
Total Pediatric AIDS	263	100%	251	100%	514	100%

Adult AIDS cases by exposure category, race/ethnicity and gender (Excluding DOC)

	MALE-TO-	MALE	INJECT	ION	MSM & I	DU	HETEROS	EXUAL	OTHER	*	NO REPO	RTED	TOTAL AI	DULT
Exposure Category/	SEXUAL CO	ONTACT	DRUG US	E [IDU]			CONTA	ст	RISK		RISK [N	IRR]	FEMAL	E
Race/Ethnicity	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)			250	12.1%			1,316	20.8%	34	19.7%	118	13.7%	1,718	18.2%
American Indian/Alaska Native			0	0.0%			1	0.0%	0	0.0%	0	0.0%	1	0.0%
Asian			0	0.0%			2	0.0%	0	0.0%	0	0.0%	2	0.0%
Black or African American			1,569	75.8%			4,701	74.2%	120	69.4%	699	81.4%	7,089	75.1%
Native Hawaiian/Pacific Islander			0	0.0%			1	0.0%	0	0.0%	0	0.0%	1	0.0%
White	l		207	10.0%			212	3.3%	14	8.1%	32	3.7%	465	4.9%
Legacy Asian			0	0.0%			2	0.0%	0	0.0%	0	0.0%	2	0.0%
Multi-Race			45	2.2%			99	1.6%	5	2.9%	10	1.2%	159	1.7%
Adult Female AIDS			2,071	100%			6,334	100%	173	100%	859	100%	9,437	100%
* OTHER includes Adult receiving clotting factor, Hemophiliac, Perinatal exposure w/HIV age at 13+ years														
ADULT MALE AIDS CASES														
	MALE-TO-	MALE	INJECT	ION	MSM & I	DU	HETEROS	SEXUAL	OTHER	*	NO REPO	RTED	TOTAL AI	DULT
Exposure Category /	SEXUAL CO	ONTACT	DRUG US	E [IDU]			CONTA	СТ	RISK		RISK [N	IRR]	MALE	
Race/Ethnicity	Cases	Col %	Cases	Col %	Cases	Col %								
					04303		1010	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)	8,087	54.8%	708	22.1%	510	35.9%	<b>1010</b> 1,065	<b>Col %</b> 25.4%	<b>Cases</b> 60	<b>Col %</b> 31.1%	<b>Cases</b> 610	<b>Col %</b> 23.7%	Cases 11,040	Col % 41.9%
	8,087 0	54.8% 0.0%	708 1	22.1% 0.0%										
American Indian/Alaska Native	8,087 0 16	0.0%	708 1 0			35.9%	1,065	25.4%	60	31.1%		23.7%	11,040	41.9%
American Indian/Alaska Native	0	0.0%	1	0.0%	510 0	35.9% 0.0%	1,065 0	25.4% 0.0%	60 0	31.1% 0.0%	610 1	23.7% 0.0%	11,040 2	41.9% 0.0%
American Indian/Alaska Native Asian Black or African American	0	0.0% 0.1%	1	0.0%	510 0 0	35.9% 0.0% 0.0%	1,065 0 4	25.4% 0.0% 0.1%	60 0	31.1% 0.0% 0.0%	610 1 3	23.7% 0.0% 0.1%	11,040 2 23	41.9% 0.0% 0.1%
American Indian/Alaska Native Asian Black or African American Native Hawaiian/Pacific Islander	0	0.0% 0.1% 20.9%	1 0 2,202	0.0% 0.0% 68.8%	510 0 0 606	35.9% 0.0% 0.0% 42.7%	1,065 0 4 2,946	25.4% 0.0% 0.1% 70.4%	60 0 0 83	31.1% 0.0% 0.0% 43.0%	610 1 3 1,791	23.7% 0.0% 0.1% 69.5%	11,040 2 23 10,710	41.9% 0.0% 0.1% 40.7%
American Indian/Alaska Native Asian Black or African American Native Hawaiian/Pacific Islander White	0 16 3,082 0	0.0% 0.1% 20.9% 0.0%	1 0 2,202 0	0.0% 0.0% 68.8% 0.0%	510 0 606 0	35.9% 0.0% 0.0% 42.7% 0.0%	1,065 0 4 2,946 0	25.4% 0.0% 0.1% 70.4% 0.0%	60 0 0 83 0	31.1% 0.0% 0.0% 43.0% 0.0%	610 1 3 1,791 0	23.7% 0.0% 0.1% 69.5% 0.0%	11,040 2 23 10,710 0	41.9% 0.0% 0.1% 40.7% 0.0%
Hispanic/Latino (All Races) American Indian/Alaska Native Asian Black or African American Native Hawaiian/Pacific Islander White Legacy Asian Multi-Race	0 16 3,082 0	0.0% 0.1% 20.9% 0.0% 22.6%	1 0 2,202 0 240	0.0% 0.0% 68.8% 0.0% 7.5%	510 0 606 0 276	35.9% 0.0% 0.0% 42.7% 0.0% 19.5%	1,065 0 4 2,946 0 104	25.4% 0.0% 0.1% 70.4% 0.0% 2.5%	60 0 83 0 45	31.1% 0.0% 0.0% 43.0% 0.0% 5.0%	610 1 3 1,791 0 145	23.7% 0.0% 0.1% 69.5% 0.0% 5.6%	11,040 2 23 10,710 0 4,139	41.9% 0.0% 0.1% 40.7% 0.0% 15.7%
American Indian/Alaska Native Asian Black or African American Native Hawaiian/Pacific Islander White Legacy Asian	0 16 3,082 0 3,329 7	0.0% 0.1% 20.9% 0.0% 22.6% 0.0%	1 0 2,202 0 240 0	0.0% 0.0% 68.8% 0.0% 7.5% 0.0%	510 0 606 0 276 0	35.9% 0.0% 0.0% 42.7% 0.0% 19.5% 0.0%	1,065 0 4 2,946 0 104 4	25.4% 0.0% 0.1% 70.4% 0.0% 2.5% 0.1%	60 0 83 0 45 0	31.1% 0.0% 0.0% 43.0% 0.0% 5.0% 0.0%	610 1 3 1,791 0 145 1	23.7% 0.0% 0.1% 69.5% 0.0% 5.6% 0.0%	11,040 2 23 10,710 0 4,139 12	41.9% 0.0% 0.1% 40.7% 0.0% 15.7% 0.0%
American Indian/Alaska Native Asian Black or African American Native Hawaiian/Pacific Islander White Legacy Asian Multi-Race	0 16 3,082 0 3,329 7 223	0.0% 0.1% 20.9% 0.0% 22.6% 0.0% 1.5%	1 0 2,202 0 240 0 49	0.0% 0.0% 68.8% 0.0% 7.5% 0.0% 1.5%	510 0 606 0 276 0 277	35.9% 0.0% 0.0% 42.7% 0.0% 19.5% 0.0% 1.9%	1,065 0 4 2,946 0 104 4 64	25.4% 0.0% 0.1% 70.4% 0.0% 2.5% 0.1% 1.5%	60 0 83 0 45 0 5	31.1% 0.0% 0.0% 43.0% 0.0% 5.0% 0.0% 2.6%	610 1 3 1,791 0 145 1 25	23.7% 0.0% 0.1% 69.5% 0.0% 5.6% 0.0% 1.0%	11,040 2 23 10,710 0 4,139 12 393	41.9% 0.0% 0.1% 40.7% 0.0% 15.7% 0.0% 1.5%

#### Pediatric AIDS cases by exposure category, race/ethnicity and gender (Excluding DOC)

PEDIATRIC FEMALE AIDS CASES														
Exposure Category/			HEMOPH	ILIAC	TRANSFU	ISION	OTHER R	ISK	NO REPO	RTED	TOTAL FE	MALE		
Race/Ethnicity	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %		
Hispanic/Latino (All Races)	37	14.2%	0	#DIV/0!	1	50.0%	0	#DIV/0!	1	100.0%	39	14.8%		
Black or African American	211	81.2%	0	#DIV/0!	1	50.0%	0	#DIV/0!	0	0.0%	212	80.6%		
White	9	3.5%	0	#DIV/0!	0	0.0%	0	#DIV/0!	0	0.0%	9	3.4%		
Multi-Race	3	1.2%	0	#DIV/0!	0	0.0%	0	#DIV/0!	0	0.0%	3	1.1%		
Pediatric Female AIDS	260	100%	0	#DIV/0!	2	100%	0	#DIV/0!	1	100%	263	100%		

PEDIATRIC MALE AIDS CASES														
Exposure Category/	PERINA	ΓAL	HEMOPH	ILIAC	TRANSFU	ISION	OTHER R	ISK	NO REPO	RTED	TOTAL M	ALE		
Race/Ethnicity	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %		
Hispanic/Latino (All Races)	35	14.4%	0	#DIV/0!	4	80.0%	0	0.0%	1	50.0%	40	15.9%		
Black or African American	197	81.1%	0	#DIV/0!	1	20.0%	1	100.0%	1	50.0%	200	79.7%		
White	9	3.7%	0	#DIV/0!	0	0.0%	0	0.0%	0	0.0%	9	3.6%		
Multi-Race	2	0.8%	0	#DIV/0!	0	0.0%	0	0.0%	0	0.0%	2	0.8%		
Pediatric Male AIDS	243	100%	0	#DIV/0!	5	100%	1	100%	2	100%	251	100%		
	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %		
TOTAL PEDIATRIC AIDS	503	97.9%	0	0.0%	7	1.4%	1	0.2%	3	0.6%	514	100%		

#### Adult Hispanic/Latino AIDS cases by country of origin and gender (Excluding DOC)

Country	ADUL	T FEMALE	AIDS	ADU	LT MALE	AIDS	TOTAL HIS	SPANIC/LAT	INO
of Origin	Cases	Col %	Row %	Cases	Col %	Row %	Cases	Col %	Row %
Argentina	24	1.4%	12.4%	170	1.5%	87.6%	194	1.5%	100%
Brazil	12	0.7%	8.6%	128	1.2%	91.4%	140	1.1%	100%
Colombia	73	4.2%	12.2%	523	4.7%	87.8%	596	4.7%	100%
Cuba	415	24.2%	7.8%	4,898	44.4%	92.2%	5,313	41.6%	100%
Dominican Republic	76	4.4%	32.1%	161	1.5%	67.9%	237	1.9%	100%
Guatemala	20	1.2%	15.9%	106	1.0%	84.1%	126	1.0%	100%
Honduras	138	8.0%	28.9%	339	3.1%	71.1%	477	3.7%	100%
Mexico	21	1.2%	8.0%	243	2.2%	92.0%	264	2.1%	100%
Nicaragua	83	4.8%	18.2%	374	3.4%	81.8%	457	3.6%	100%
Peru	27	1.6%	13.5%	173	1.6%	86.5%	200	1.6%	100%
Puerto Rico	189	11.0%	17.6%	884	8.0%	82.4%	1,073	8.4%	100%
United States	405	23.6%	20.8%	1,542	14.0%	79.2%	1,947	15.3%	100%
Venezuela	17	1.0%	5.8%	277	2.5%	94.2%	294	2.3%	100%
Other/Unknown Countries	218	12.7%	15.1%	1,222	11.1%	84.9%	1,440	11.3%	100%
Total Adult Hispanic/Latino	1,718	100%	13.5%	11,040	100%	86.5%	12,758	100%	100%

Adult Hispanic/Latino AIDS cases by country of origin, exposure category and gender (Excluding DOC)

ADULT HISPANIC/LATINO FEM	ALE AIDS	CASES													
	MALE-TO-N		INJEC	-	MSM &	IDU	HETEROS	-	OTHER		NO REPO		Total His	panic/Latin	o Female
Country of Origin	SEXUAL CO		DRUG US				CONTA	-	RISK		RISK [N			ountry of O	
	Cases	Row %	Cases	Row %	Number	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Col %	Row %
Argentina			3	12.5%			20	83.3%	0	0.0%	1	4.2%	24	1.4%	100%
Brazil			2	16.7%			10	83.3%	0	0.0%	0	0.0%	12	0.7%	100%
Colombia			8	11.0%			54	74.0%	2	2.7%	9	12.3%	73	4.2%	100%
Cuba			55	13.3%			311	74.9%	8	1.9%	41	9.9%	415	24.2%	100%
Dominican Republic			3	3.9%			66	86.8%	0	0.0%	7	9.2%	76	4.4%	100%
Guatemala			0	0.0%			20	100.0%	0	0.0%	0	0.0%	20	1.2%	100%
Honduras			8	5.8%			122	88.4%	1	0.7%	7	5.1%	138	8.0%	100%
Mexico			3	14.3%			16	76.2%	1	4.8%	1	4.8%	21	1.2%	100%
Nicaragua			5	6.0%			67	80.7%	1	1.2%	10	12.0%	83	4.8%	100%
Peru			1	3.7%			26	96.3%	0	0.0%	0	0.0%	27	1.6%	100%
Puerto Rico			50	26.5%			127	67.2%	3	1.6%	9	4.8%	189	11.0%	100%
United States			86	21.2%			286	70.6%	16	4.0%	17	4.2%	405	23.6%	100%
Venezuela			3	17.6%			13	76.5%	0	0.0%	1	5.9%	17	1.0%	100%
Other/Unknown Countries			23	10.6%			178	81.7%	2	0.9%	15	6.9%	218	12.7%	100%
Total adult Hispanic/Latino Female			250	14.6%			1,316	76.6%	34	2.0%	118	6.9%	1,718	100%	100%
ADULT HISPANIC/LATINO MALE AIDS CASES															
	MALE-TO-N		INJEC	TION	MSM &	IDU	HETEROS	SEXUAL	OTHER	*	NO REPO	RTED	Total Hi	spanic/Lati	no Male
Country of Origin	SEXUAL CO	ONTACT	DRUG US	E [IDU]			CONTA	-	RISK		RISK [N	NRR]		ountry of O	rigin
	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Col %	Row %
Argentina	141	82.9%	4	2.4%	7	4.1%	15	8.8%	0	0.0%	3	1.8%	170	1.5%	100%
Brazil	106	82.8%	7	5.5%	5	3.9%	6	4.7%	2	1.6%	2	1.6%	128	1.2%	100%
Colombia	425	81.3%	15	2.9%	18	3.4%	42	8.0%	3	0.6%	20	3.8%	523	4.7%	100%
Cuba	3,795	77.5%	212	4.3%	195	4.0%	397	8.1%	26	0.5%	273	5.6%	4,898	44.4%	100%
Dominican Republic	88	54.7%	8	5.0%	6	3.7%	43	26.7%	1	0.6%	15	9.3%	161	1.5%	100%
Guatemala	58	54.7%	5	4.7%	2	1.9%	29	27.4%	0	0.0%	12	11.3%	106	1.0%	100%
Honduras	218	64.3%	18	5.3%	7	2.1%	70	20.6%	4	1.2%	22	6.5%	339	3.1%	100%
Mexico	166	68.3%	11	4.5%	7	2.9%	40	16.5%	0	0.0%	19	7.8%	243	2.2%	100%
Nicaragua	274	73.3%	10	2.7%	13	3.5%	55	14.7%	1	0.3%	21	5.6%	374	3.4%	100%
Peru	139	80.3%	2	1.2%	2	1.2%	20	11.6%	0	0.0%	10	5.8%	173	1.6%	100%
Puerto Rico	440	49.8%	215	24.3%	105	11.9%	71	8.0%	3	0.3%	50	5.7%	884	8.0%	100%
· · · · · ·	1,067	69.2%	156	10.1%	113	7.3%	134	8.7%	14	0.9%	58	3.8%	1,542	14.0%	100%
United States				1.1%	3	1.1%	10	6.5%	2	0.7%	8	2.9%	277	2.5%	100%
United States Venezuela	243	87.7%	3	1.170	5		18	0.070							
	243 927	87.7% 75.9%	42	3.4%	27	2.2%	125	10.2%	4	0.3%	97	7.9%	1,222	11.1%	100%
Venezuela			42 708						4 60	0.3% <b>0.5%</b>	97 <b>610</b>	7.9% <b>5.5%</b>	1,222 11,040	11.1% 100%	100% 100%

Source: Electronic HIV/AIDS Reporting System [e-HARS]

(Continue next Page)

#### Haitian born adult AIDS cases by exposure category and gender (Excluding DOC)

ADULT HAITIAN BORN AIDS CASES														
Exposure Category	MALE-TO-N	IALE	INJEC	ΓΙΟΝ	MSM &	IDU	HETEROS	SEXUAL	OTHER	*	NO REPO	RTED	Total Ha	iitian
GENDER	SEXUAL CO	ONTACT	DRUG US	E [IDU]			CONTA	СТ	RISK		RISK [N	IRR]	by Ger	nder
	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %
Haitian born Adult Females			58	3.7%			1,193	75.5%	26	1.6%	304	19.2%	1,581	100%
Haitian born Adult Males	555	22.4%	77	3.1%	29	1.2%	918	37.0%	12	0.5%	892	35.9%	2,483	100%
Total Haitian born	555	13.7%	135	3.3%	29	0.7%	2,111	51.9%	38	0.9%	1,196	29.4%	4,064	100%

\* OTHER includes Adult receiving clotting factor, Hemophiliac, Perinatal exposure w/HIV age at 13+ years

#### Department of Correction [DOC] Adult AIDS cases by race/ethnicity and gender.

		DOC A	AIDS Cases	6		
AIDS Cases by	Femal	e	Male		Total	
Race/Ethnicity & Gender	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)	0	0.0%	96	14.1%	96	13.6%
Black or African American	21	77.8%	482	70.9%	503	71.1%
White	4	14.8%	70	10.3%	74	10.5%
Haitian	1	3.7%	19	2.8%	20	2.8%
Other <mark>(1)</mark>	1	3.7%	13	1.9%	14	2.0%
Total AIDS	27	100%	680	100%	707	100%

(1) Other Includes American Indian/Alaska Native, Asian, Native Hawaiian, Pacific Islander, Legacy Asian & Multi Race

Adjustments are performed on a monthly basis to compensate for duplicate reports state and nation wide and case validation projects.

### FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY HIV/AIDS Surveillance

## Cumulative Number of Reported HIV (Not AIDS) Cases

/ (not AIDS) cases by age g	roup and g	ender (Ex	cluding De	partment	of Correcti	ion - DOC	HIV (not A	IDS) Case	es by age g	group, rac	e/ethnicity	& gender,	showing	Haitians s	eparated (I	Excluding	DOC)	
HIV Cases by	Female	e	Male		TOTAL H	IV	Hispanic/I	atino	Black		White		Haitia	า	Other <sup>(</sup>	1)	TOTAL I	HIV
Age Group & Gender	Cases	Col %	Cases	Col %	Cases	Col %	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male
Under 5	59	1.4%	47	0.4%	106	0.7%	13	9	44	34	1	0	1	2	0	2	59	4
5-12	33	0.8%	17	0.1%	50	0.3%	5	4	22	10	0	0	6	3	0	0	33	1
13-19	221	5.4%	331	2.7%	552	3.4%	45	141	162	166	5	10	8	11	1	3	221	33
20-29	987	24.1%	3,057	25.0%	4,044	24.8%	232	1,710	584	870	54	347	105	87	12	43	987	3,05
30-39	1,104	27.0%	3,830	31.4%	4,934	30.3%	270	2,243	550	739	77	650	197	155	10	43	1,104	3,83
40-49	941	23.0%	2,977	24.4%	3,918	24.0%	233	1,591	484	673	62	510	147	167	15	36	941	2,97
50-59	522	12.8%	1,354	11.1%	1,876	11.5%	139	589	249	411	22	231	105	107	7	16	522	1,3
60-64	106	2.6%	293	2.4%	399	2.4%	26	111	47	98	5	49	28	29	0	6	106	29
65-69	77	1.9%	173	1.4%	250	1.5%	24	75	36	60	4	24	12	14	1	0	77	17
>=70	39	1.0%	130	1.1%	169	1.0%	8	46	11	53	3	15	16	13	1	3	39	1
Unknown	0	0.0%	0	0.0%	0	0.0%	0	0	0	0	0	0	0	0	0	0	0	
Total HIV	4,089	100%	12,209	100%	16,298	100%	995	6,519	2,189	3,114	233	1,836	625	588	47	152	4,089	12,2

(1) Other Includes American Indian/Alaska Native, Asian, Native Hawaiian, Pacific Islander, Legacy Asian & Multi Race

HIV (Not AIDS) Cases by year of report and gender (Excluding DOC) HIV start reporting in Florida in July 1997.

HIV Cases by	Femal	е	Male		TOTAL	HIV
Year Report & Gender	Cases	Row %	Cases	Row %	Cases	Col %
July-December 1997	120	36.8%	206	63.2%	326	2.0%
1998	264	30.7%	595	69.3%	859	5.3%
1999	251	30.9%	562	69.1%	813	5.0%
2000	225	30.4%	514	69.6%	739	4.5%
2001	231	30.1%	536	69.9%	767	4.7%
2002	282	30.4%	647	69.6%	929	5.7%
2003	231	28.2%	587	71.8%	818	5.0%
2004	220	27.3%	586	72.7%	806	4.9%
2005	215	30.8%	482	69.2%	697	4.3%
2006	177	27.9%	457	72.1%	634	3.9%
2007	214	26.4%	596	73.6%	810	5.0%
2008	223	25.0%	670	75.0%	893	5.5%
2009	173	24.2%	543	75.8%	716	4.4%
2010	165	22.9%	556	77.1%	721	4.4%
2011	175	22.1%	618	77.9%	793	4.9%
2012	152	21.9%	542	78.1%	694	4.3%

HIV Cases by	Femal	e	Male		TOTAL HIV			
Year & Gender (Cont.)	Cases	Row %	Cases	Row %	Cases	Col %		
2013	191	22.7%	650	77.3%	841	5.2%		
2014	157	17.0%	765	83.0%	922	5.7%		
2015	178	17.0%	871	83.0%	1,049	6.4%		
2016	200	17.2%	965	82.8%	1,165	7.1%		
2017	45	14.7%	261	85.3%	306	1.9%		
Total HIV	4,089	25.1%	12,209	74.9%	16,298	98%		

#### Adult & Pediatric HIV (not AIDS) cases by race/ethnicity and gender (Excluding DOC)

			Adult HIV				Pediatric HIV								TOTAL HI	V CASES		
HIV by Race/	Female	e	Male		Total Ad	lult	Femal	e	Male		Total Pedi	atric	Total Fe	male	Total Ma	ale	Total Ca	ses
Ethnicity *	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)	982	24.6%	6,511	53.6%	7,493	46.4%	18	19.6%	13	20.3%	31	19.9%	1,000	24.5%	6,524	53.4%	7,524	46.2%
American Indian/Alaska Native	3	0.1%	6	0.0%	9	0.1%	0	0.0%	0	0.0%	0	0.0%	3	0.1%	6	0.0%	9	0.1%
Asian	5	0.1%	31	0.3%	36	0.2%	0	0.0%	0	0.0%	0	0.0%	5	0.1%	31	0.3%	36	0.2%
Black or African American	2,734	68.4%	3,643	30.0%	6,377	39.5%	72	78.3%	49	76.6%	121	77.6%	2,806	68.6%	3,692	30.2%	6,498	39.9%
Native Hawaiian/Pacific Islander	1	0.0%	5	0.0%	6	0.0%	0	0.0%	0	0.0%	0	0.0%	1	0.0%	5	0.0%	6	0.0%
White	233	5.8%	1,837	15.1%	2,070	12.8%	1	1.1%	0	0.0%	1	0.6%	234	5.7%	1,837	15.0%	2,071	12.7%
Legacy Asian	1	0.0%	6	0.0%	7	0.0%	0	0.0%	1	1.6%	1	0.6%	1	0.0%	7	0.1%	8	0.0%
Multi-Race	38	1.0%	106	0.9%	144	0.9%	1	1.1%	1	1.6%	2	1.3%	39	1.0%	107	0.9%	146	0.9%
Unknown	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Total HIV	3,997	100%	12,145	100%	16,142	100%	92	100%	64	100%	156	100%	4,089	100%	12,209	100%	16,298	100%

\* This new category created by CDC, is to support the ability to record an ethnicity and multiple races for an individual, necessitated by new federal OMB guidelines for reporting race and ethnicity.

#### HIV (not AIDS) Cases by exposure category and gender among Adult and Pediatric (Excluding DOC)

			Adult HIV			
	Femal	e	Male		Total Ad	ult
Exposure Category among adult HIV cases	Cases	Col %	Cases	Col %	Cases	Col %
Adult male-to-male sexual contact [MSM]			8,598	70.8%	8,598	53.3%
Adult injection drug use [IDU]	284	7.1%	330	2.7%	614	3.8%
Adult MSM & IDU			267	2.2%	267	1.7%
Adult heterosexual contact [HTRSX]	3,196	80.0%	1,793	14.8%	4,989	30.9%
Adult other risk*	6	0.2%	4	0.0%	10	0.1%
Adult no risk factor reported [NRR]	511	12.8%	1,153	9.5%	1,664	10.3%
Total adult HIV	3,997	100%	12,145	100%	16,142	100%

\* Other risk includes: Adult receiving clotting factor, Hemophiliac, Perinatal exposure w/HIV age at 13+ years

			Pediatric	Pediatric HIV										
	Femal	е	Male		Total Pedi	iatric								
Exposure Category among Pediatric HIV cases	Cases	Col %	Cases	Col %	Cases	Col %								
Perinatal exposure [PERINATAL]	89	96.7%	63	98.4%	152	97.4%								
Child receiving clotting factor [HEMOPH]	0	0.0%	0	0.0%	0	0.0%								
Child receiving transfusion/transplant	0	0.0%	0	0.0%	0	0.0%								
Child other risk confirmed [OTHER]	0	0.0%	0	0.0%	0	0.0%								
Child no risk factor reported [NRR]	3	3.3%	1	1.6%	4	2.6%								
Total Pediatric HIV	92	100%	64	100%	156	100%								

Adult HIV (not AIDS) cases by exposure category, race/ethnicity and gender (Excluding DOC)

ADULT FEMALE HIV CASES														
	MALE-TO-	MALE	INJECT	ΓΙΟΝ	MSM & I	DU	HETEROS	SEXUAL	OTHER	*	NO REPO	RTED	TOTAL A	DULT
Exposure Category/	SEXUAL CO	ONTACT	DRUG US	E [IDU]			CONTA	СТ	RISK		RISK [N	IRR]	FEMAL	E
Race/Ethnicity	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)			71	25.0%			757	23.7%	2	33.3%	152	29.7%	982	24.6%
American Indian/Alaska Native			0	0.0%			3	0.1%	0	0.0%	0	0.0%	3	0.1%
Asian			0	0.0%			3	0.1%	0	0.0%	2	0.4%	5	0.1%
Black or African American			163	57.4%			2,247	70.3%	2	33.3%	322	63.0%	2,734	68.4%
Native Hawaiian/Pacific Islander			0	0.0%			0	0.0%	0	0.0%	1	0.2%	1	0.0%
White			43	15.1%			159	5.0%	1	16.7%	30	5.9%	233	5.8%
Legacy Asian			0	0.0%			0	0.0%	0	0.0%	1	0.2%	1	0.0%
Multi-Race			7	2.5%			27	0.8%	1	16.7%	3	0.6%	38	1. <b>0</b> %
Adult Female HIV			284	100%			3,196	100%	6	1 <b>00%</b>	511	100%	3,997	100%
* OTHER includes Adult receivin	g clotting fa	actor, Hem	ophiliac, Pe	erinatal exp	osure w/HI	V age at 13	3+ years							
ADULT MALE HIV CASES														
	MALE-TO-	MALE	INJECT	ΓΙΟΝ	MSM & I	DU	HETEROSEXUAL		OTHER*		NO REPO	RTED	TOTAL ADULT	
Exposure Category/	SEXUAL CO	ONTACT	DRUG US	E [IDU]			CONTA	СТ	RISK		RISK [N	IRR]	MALE	E
Race/Ethnicity	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)	5,326	61.9%	101	30.6%	132	49.4%	508	28.3%	0	0.0%	444	38.5%	6,511	53.6%
American Indian/Alaska Native	5	0.1%	0	0.0%	0	0.0%	1	0.1%	0	0.0%	0	0.0%	6	0.0%
Asian	26	0.3%	0	0.0%	1	0.4%	2	0.1%	0	0.0%	2	0.2%	31	0.3%
Black or African American	1,591	18.5%	185	56.1%	79	29.6%	1,188	66.3%	2	50.0%	598	51.9%	3,643	30.0%
Native Hawaiian/Pacific Islander	5	0.1%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	5	0.0%
White	1,573	18.3%	41	12.4%	49	18.4%	71	4.0%	2	50.0%	101	8.8%	1,837	15.1%
Legacy Asian	5	0.1%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	1	0.1%	6	0.0%
Multi-Race	67	0.8%	3	0.9%	6	2.2%	23	1.3%	0	0.0%	7	0.6%	106	0.9%
Adult Male HIV	8,598	100%	330	100%	267	100%	1,793	100%	4	100%	1,153	100%	12,145	100%
	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %

### FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY HIV/AIDS Surveillance

### Cumulative Number of Reported HIV (Not AIDS) Cases

Pediatric HIV (not AIDS) cases by exposure category, race/ethnicity and gender (Excluding DOC)

								1014				
Exposure Category/	PERINA	TAL	HEMOPH	ILIAC	TRANSFU	SION	OTHER R	ISK	NO REPO	RTED	TOTAL FE	MALE
Race/Ethnicity	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)	16	18.0%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	2	66.7%	18	19.6%
Black or African American	71	79.8%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	1	33.3%	72	78.3%
White	1	1.1%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0	0.0%	1	1.1%
Legacy Asian/Pacific Isl.	0	0.0%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0	0.0%	0	0.0%
Multi-Race	1	1.1%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0	0.0%	1	1.1%
Pediatric Female HIV	89	100%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	3	100%	92	100%
PEDIATRIC MALE HIV CASES Exposure Category/	PERINA	TAL	HEMOPH	ILIAC	TRANSFU	SION	OTHER R	ISK	NO REPO	RTED	TOTAL M	ALE
	-		-	-							-	
Race/Ethnicity	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)	13	20.6%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0	0.0%	13	20.3%
Black or African American	48	76.2%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	1	100.0%	49	76.6%
White	0	0.0%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0	0.0%	0	0.0%
Legacy Asian/Pacific Isl.	1	1.6%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0	0.0%	1	1.6%
Multi-Race	1	1.6%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0	0.0%	1	1.6%
Pediatric Male HIV	63	100%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	1	100%	64	100%
	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %
TOTAL PEDIATRIC HIV		97.4%		0.0%		0.0%		0.0%	1	2.6%	156	100%

#### Adult Hispanic/Latino HIV (not AIDS) cases by country of origin and gender (Excluding DOC)

Country	ADUL	T FEMAL	E HIV	ADU	JLT MALE	HIV	TOTAL HIS	PANIC/LAT	INO
of Origin	Cases	Col %	Row %	Cases	Col %	Row %	Cases	Col %	Row %
Argentina	21	2.1%	12.2%	151	2.3%	87.8%	172	2.3%	100%
Brazil	17	1.7%	11.0%	138	2.1%	89.0%	155	2.1%	100%
Colombia	38	3.9%	11.1%	305	4.7%	88.9%	343	4.6%	100%
Cuba	180	18.3%	7.6%	2,174	33.4%	92.4%	2,354	31.4%	100%
Dominican Republic	35	3.6%	28.2%	89	1.4%	71.8%	124	1.7%	100%
Honduras	68	6.9%	29.3%	164	2.5%	70.7%	232	3.1%	100%
Mexico	8	0.8%	5.0%	152	2.3%	95.0%	160	2.1%	100%
Nicaragua	36	3.7%	19.3%	151	2.3%	80.7%	187	2.5%	100%
Peru	14	1.4%	13.0%	94	1.4%	87.0%	108	1.4%	100%
Puerto Rico	60	6.1%	18.5%	264	4.1%	81.5%	324	4.3%	100%
United States	251	25.6%	16.0%	1,315	20.2%	84.0%	1,566	20.9%	100%
Venezuela	27	2.7%	5.8%	441	6.8%	94.2%	468	6.2%	100%
Other/Unknown Countries	227	23.1%	17.5%	1,073	16.5%	82.5%	1,300	17.3%	100%
Total Adult Hispanic/Latino HIV	982	100%	13.1%	6,511	100%	86.9%	7,493	100%	100%

(Continue next Page)

Source: Electronic HIV/AIDS Reporting System [e-HARS]

Version 4.7

# FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY

**HIV/AIDS Surveillance** 

## Cumulative Number of Reported HIV (Not AIDS) Cases

Adult Hispanic/Latino HIV (not AIDS) cases by country of origin, exposure category and gender (Excluding DOC)

ADULT HISPANIC/LATINO FEM	ALE HIV	CASES													
	MALE-TO-	-MALE	INJECT	ΓΙΟΝ	MSM &	IDU	HETEROS	EXUAL	OTHER	१ *	NO REPO	RTED	Total His	panic/Latin	o Female
Country of Origin	SEXUAL CO	ONTACT	DRUG US	E [IDU]			CONTA	СТ	RISK		RISK [N	IRR]	by C	ountry of O	rigin
	Cases	Row %	Cases	Row %	Number	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Col %	Row %
Argentina			3	14.3%			16	76.2%	0	0.0%	2	9.5%	21	2.1%	100%
Brazil			0	0.0%			14	82.4%	0	0.0%	3	17.6%	17	1.7%	100%
Colombia			2	5.3%			32	84.2%	0	0.0%	4	10.5%	38	3.9%	100%
Cuba			10	5.6%			149	82.8%	0	0.0%	21	11.7%	180	18.3%	100%
Dominican Republic			1	2.9%			32	91.4%	0	0.0%	2	5.7%	35	3.6%	100%
Honduras			1	1.5%			61	89.7%	0	0.0%	6	8.8%	68	6.9%	100%
Mexico			2	25.0%			5	62.5%	0	0.0%	1	12.5%	8	0.8%	100%
Nicaragua			0	0.0%			29	80.6%	0	0.0%	7	19.4%	36	3.7%	100%
Peru			1	7.1%			11	78.6%	0	0.0%	2	14.3%	14	1.4%	100%
Puerto Rico			10	16.7%			39	65.0%	0	0.0%	11	18.3%	60	6.1%	100%
United States			33	13.1%			186	74.1%	2	0.8%	30	12.0%	251	25.6%	100%
Venezuela			1	3.7%			24	88.9%	0	0.0%	2	7.4%	27	2.7%	100%
Other/Unknown Countries			7	3.1%			159	70.0%	0	0.0%	61	26.9%	227	23.1%	100%
Total adult Hispanic/Latino Female			71	7.2%			757	77.1%	2	0.2%	152	15.5%	982	100%	100%
ADULT HISPANIC/LATINO MAI	LE HIV CA	SES													
	MALE-TO	-MALE	INJEC	ΓΙΟΝ	MSM &	IDU	HETEROS	SEXUAL	OTHER	۲*	NO REPO	RTED	Total Hi	spanic/Lati	no Male
Country of Origin	SEXUAL CO	ONTACT	DRUG US	E [IDU]			CONTA	СТ	RISK	,	RISK [N	IRR]	by C	ountry of O	rigin
	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Col %	Row %
Argentina	133	88.1%	2	1.3%	2	1.3%	9	6.0%	0	0.0%	5	3.3%	151	2.3%	100%
Brazil	129	93.5%	0	0.0%	2	1.4%	5	3.6%	0	0.0%	2	1.4%	138	2.1%	100%
Colombia	265	86.9%	1	0.3%	9	3.0%	16	5.2%	0	0.0%	14	4.6%	305	4.7%	100%
Cuba	1,842	84.7%	23	1.1%	41	1.9%	181	8.3%	0	0.0%	87	4.0%	2,174	33.4%	100%
Dominican Republic	59	66.3%	3		3	0.40/									
-		00.070	3	3.4%	0	3.4%	16	18.0%	0	0.0%	8	9.0%	89	1.4%	100%
Honduras	113	68.9%	3 1	3.4% 0.6%	3	3.4% 1.8%	16 31	18.0% 18.9%	0	0.0%	8 16	9.0% 9.8%	89 164	1.4% 2.5%	
Honduras Mexico	113 129		3 1 2		3						-				100%
	-	68.9%	1	0.6%	3 1 2	1.8%	31	18.9%	0	0.0%	16	9.8%	164	2.5%	100% 100%
Mexico	129	68.9% 84.9%	1	0.6% 1.3%	3 1 2 1	1.8% 0.7%	31 12	18.9% 7.9%	0	0.0% 0.0%	16 8	9.8% 5.3%	164 152	2.5% 2.3%	100% 100% 100%
Mexico Nicaragua	129 119	68.9% 84.9% 78.8%	1	0.6% 1.3% 1.3%	3 3 1 2 1 1 9	1.8% 0.7% 1.3%	31 12 17	18.9% 7.9% 11.3%	0 0 0	0.0% 0.0% 0.0%	16 8	9.8% 5.3% 7.3%	164 152 151	2.5% 2.3% 2.3%	100% 100% 100%
Mexico Nicaragua Peru	129 119 85	68.9% 84.9% 78.8% 90.4%	1 2 2 1	0.6% 1.3% 1.3% 1.1%	3 3 1 2 1 1 9 34	1.8% 0.7% 1.3% 1.1%	31 12 17 6	18.9%         7.9%         11.3%         6.4%	0 0 0 0	0.0% 0.0% 0.0%	16 8 11	9.8% 5.3% 7.3% 1.1%	164 152 151 94	2.5% 2.3% 2.3% 1.4%	100% 100% 100% 100%
Mexico Nicaragua Peru Puerto Rico	129 119 85 195	68.9% 84.9% 78.8% 90.4% 73.9%	1 2 2 1 28	0.6% 1.3% 1.3% 1.1% 10.6%		1.8% 0.7% 1.3% 1.1% 7.2%	31 12 17 6 12	18.9%         7.9%         11.3%         6.4%         4.5%	0 0 0 0 0	0.0% 0.0% 0.0% 0.0%	16 8 11 1 10	9.8% 5.3% 7.3% 1.1% 3.8%	164 152 151 94 264	2.5% 2.3% 2.3% 1.4% 4.1%	100% 100% 100% 100% 100%
Mexico Nicaragua Peru Puerto Rico United States	129 119 85 195 1,076	68.9% 84.9% 78.8% 90.4% 73.9% 81.8%	1 2 2 1 28 26	0.6% 1.3% 1.3% 1.1% 10.6% 2.0%		1.8%           0.7%           1.3%           1.1%           7.2%           2.6%	31 12 17 6 12 98	18.9%         7.9%         11.3%         6.4%         4.5%         7.5%	0 0 0 0 0	0.0% 0.0% 0.0% 0.0% 0.0%	16 8 11 1 10 81	9.8% 5.3% 7.3% 1.1% 3.8% 6.2%	164 152 151 94 264 1,315	2.5% 2.3% 2.3% 1.4% 4.1% 20.2%	100% 100% 100% 100% 100% 100%
Mexico Nicaragua Peru Puerto Rico United States Venezuela	129 119 85 195 1,076 406	68.9% 84.9% 78.8% 90.4% 73.9% 81.8% 92.1%	1 2 2 1 28 28 26 0	0.6% 1.3% 1.3% 1.1% 10.6% 2.0% 0.0%	34 3	1.8%           0.7%           1.3%           1.1%           7.2%           2.6%           0.7%	31 12 17 6 12 98 16	18.9%         7.9%         11.3%         6.4%         4.5%         7.5%         3.6%		0.0% 0.0% 0.0% 0.0% 0.0% 0.0%	16 8 11 1 10 81 81	9.8% 5.3% 7.3% 1.1% 3.8% 6.2% 3.6%	164 152 151 94 264 1,315 441	2.5% 2.3% 2.3% 1.4% 4.1% 20.2% 6.8%	100%           100%           100%           100%           100%           100%           100%           100%
Mexico Nicaragua Peru Puerto Rico United States Venezuela Other/Unknown Countries	129 119 85 195 1,076 406 775	68.9% 84.9% 78.8% 90.4% 73.9% 81.8% 92.1% 72.2%	1 2 2 2 1 1 28 26 0 0 12	0.6% 1.3% 1.3% 1.1% 10.6% 2.0% 0.0% 1.1%	34 3 12	1.8%           0.7%           1.3%           1.1%           7.2%           2.6%           0.7%           1.1%	31 12 17 6 12 98 16 89	18.9%           7.9%           11.3%           6.4%           4.5%           7.5%           3.6%           8.3%		0.0% 0.0% 0.0% 0.0% 0.0% 0.0% 0.0%	16 8 11 10 81 16 185	9.8% 5.3% 7.3% 1.1% 3.8% 6.2% 3.6% 17.2%	164 152 151 94 264 1,315 441 1,073	2.5% 2.3% 2.3% 1.4% 4.1% 20.2% 6.8% 16.5%	100%           100%           100%           100%           100%           100%           100%           100%           100%

#### Haitian born adult HIV cases by exposure category and gender (Excluding DOC)

ADULT HAITIAN BORN HIV CASES														
Exposure Category	MALE-TO-	MALE	INJECT	ΓΙΟΝ	[MSM\ & [	IDU]	HETEROS	ETEROSEXUAL OTHER*			NO REPO	RTED	Total Haitian	
GENDER	SEXUAL CO	ONTACT	DRUG US	E [IDU]			CONTA	СТ	RISK		RISK [NRR]		by Gender	
	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %
Haitian born Adult Females			11	1.8%			543	87.9%	0	0.0%	64	10.4%	618	100%
Haitian born Adult Males	122	20.9%	7	1.2%	1	0.2%	323	55.4%	0	0.0%	130	22.3%	583	100%
Total Haitian born	122	10.2%	18	1.5%	1	0.1%	866	72.1%	0	0.0%	194	16.2%	1,201	100%

\* OTHER includes Adult receiving clotting factor, Hemophiliac, Perinatal exposure w/HIV age at 13+ years

#### Department of Correction [DOC] Adult HIV (not AIDS) by race/ethnicity and gender.

		DC	DC HIV Cas	ses		
HIV Cases by	Femal	e	Male		Total	
Race/Ethnicity & Gender	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)	5	33.3%	78	17.8%	83	18.3%
Black or African American	7	46.7%	278	63.5%	285	62.9%
White	3	20.0%	63	14.4%	66	14.6%
Haitian	0	0.0%	12	2.7%	12	2.6%
Other <mark>(1)</mark>	0	0.0%	7	1.6%	7	1.5%
Total HIV	15	100%	438	100%	453	100%

(1) Other Includes American Indian/Alaska Native, Asian, Native Hawaiian, Pacific Islander, Legacy Asian & Multi Race

Adjustments are performed on a monthly basis to compensate for duplicate reports state and nation wide and case validation projects.

Year of Birth	Perinatal HIV Exposure	Pediatric HIV	Pediatric AIDS	Pediatric seroreverter	Unknown	TOTAL
>=November 20 <sup>th</sup> , 2006	3	0	0	16	0	19
2007	32	1	0	106	0	139
2008	39	1	1	91	0	132
2009	30	2	0	87	0	119
2010	39	3	0	83	0	125
2011	13	1	0	105	0	119
2012	10	1	0	90	0	101
2013	11	2	1	82	0	96
2014	4	1	0	84	0	89
2015	14	5	0	78	0	97
2016	45	0	0	50	0	95
2017	10	0	0	0	0	10
Total	250	17	2	872	0	1,141

All EXPOSED Perinatal pediatric cases born in Miami-Dade by year of birth and diagnosis status since November 20<sup>th</sup>, 2006. <sup>(1)</sup>

All EXPOSED Perinatal pediatric cases born in Miami-Dade by year of birth and race/ethnicity since November 20<sup>th</sup>, 2006. <sup>(1)</sup>

Year of Birth	Hispanic	Not Hispanic, Black	Not Hispanic, White	Not Hispanic, Other <sup>(2)</sup>	TOTAL
>=November 20 <sup>th</sup> , 2006	3	15	1	0	19
2007	22	110	5	2	139
2008	19	111	2	0	132
2009	24	91	3	1	119
2010	31	87	5	2	125
2011	21	90	7	1	119
2012	23	68	8	2	101
2013	17	74	3	2	96
2014	15	70	4	0	89
2015	18	77	2	0	97
2016	15	73	7	0	95
2017	4	6	0	0	10
Total	212	872	47	10	1,141

<sup>(1)</sup> NOTE: An expanded HIV reporting law was implemented on November 20<sup>th</sup>, 2006. Expansion included reportability of cases with virologic evidence of HIV infection. Previously, only Western Blot-confirmed (+) cases were reportable. In addition, reporting is retroactive. Previously, only HIV cases diagnosed after July 1<sup>st</sup>, 1997, were reportable. A detectable viral load (VL) (or equivalent viral test) is reportable, and is considered evidence of HIV. Other reportable virologic test considered to be evidence of HIV are: P24, ANTIGEN, Nucleic Acid test (NAT/NAAT), viral culture. CD4 counts/percents are reportable, but follow-up is conducted only if it is <200 uL, or <14%.

<sup>(2)</sup> Other Includes American Indian/Alaska Native, Asian, Native Hawaiian, Pacific Islander, Legacy Asian & Multi Race

Year of Birth	Know HIV (+) before pregnancy	Know HIV (+) during pregnancy	Know HIV (+) at time of delivery	Know HIV (+) sometime before birth	Know HIV (+) sometime after birth	HIV (+) with time unknown	TOTAL
>=November 20 <sup>th</sup> , 2006	16	2	0	0	0	1	19
2007	92	34	10	0	3	0	139
2008	95	35	2	0	0	0	132
2009	87	24	8	0	0	0	119
2010	90	25	5	2	1	2	125
2011	89	24	3	2	1	0	119
2012	75	24	2	0	0	0	101
2013	78	12	2	3	0	1	96
2014	77	11	0	1	0	0	89
2015	80	11	1	1	1	3	97
2016	70	18	3	1	1	2	95
2017	9	1	0	0	0	0	10
Total	858	221	36	10	7	9	1,141

#### All EXPOSED Perinatal pediatric cases born in Miami-Dade by year of birth and Mother HIV status since November 20th , 2006. (1)

All EXPOSED Perinatal pediatric cases born in Miami-Dade by diagnosis and Mother HIV status since November 20th, 2006. (1)

Diagnosis Status	Know HIV (+) before pregnancy	Know HIV (+) during pregnancy	Know HIV (+) at time of delivery	Know HIV (+) sometime before birth	Know HIV (+) sometime after birth	HIV (+) with time unknown	TOTAL
Perinatal HIV Exposure	180	48	13	4	3	2	250
Pediatric HIV	12	1	3	0	1	0	17
Pediatric AIDS	2	0	0	0	0	0	2
Pediatric Seroreverter	664	172	20	6	3	7	872
Unknown	0	0	0	0	0	0	-
Total	858	221	36	10	7	9	1,141

All EXPOSED Perinatal pediatric cases born in Miami-Dade by diagnosis status and HIV category since November 20<sup>th</sup>, 2006. <sup>(1)</sup>

Diagnosis Status	HIV (+) Definitive	HIV (+) Presumptive	HIV Indeterminate	HIV (-) Definitive	HIV (-) Presumptive	Unknown	TOTAL
Perinatal HIV Exposure	0	0	250	0	0	0	250
Pediatric HIV	17	0	0	0	0	0	17
Pediatric AIDS	2	0	0	0	0	0	2
Pediatric Seroreverter	0	0	0	622	250	0	872
Unknown	0	0	0	0	0	0	-
Total	19	0	250	622	250	0	1,141

<sup>(1)</sup> NOTE: An expanded HIV reporting law was implemented on November 20<sup>th</sup>, 2006. Expansion included reportability of cases with virologic evidence of HIV infection. Previously, only Western Blot-confirmed (+) cases were reportable. In addition, reporting is retroactive. Previously, only HIV cases diagnosed after July 1<sup>st</sup>, 1997, were reportable. A detectable viral load (VL) (or equivalent viral test) is reportable, and is considered evidence of HIV. Other reportable virologic test considered to be evidence of HIV are: P24, ANTIGEN, Nucleic Acid test (NAT/NAAT),

Source: Electronic HIV/AIDS Reporting System [e-HARS]



viral culture. CD4 counts/percents are reportable, but follow-up is conducted only if it is <200 uL, or <14%.

Perinatal HIV/AIDS	Pediatric	HIV	Pediat	ric AIDS		TOTAL	
Cases by Year of Birth	Cases	Row %	Cases	Row %	Cases	Col %	Row %
2000	5	71.4%	2	28.6%	7	12.5%	100%
2001	6	60.0%	4	40.0%	10	17.9%	100%
2002	3	50.0%	3	50.0%	6	10.7%	100%
2003	3	75.0%	1	25.0%	4	7.1%	100%
2004	1	50.0%	1	50.0%	2	3.6%	100%
2005	3	60.0%	2	40.0%	5	8.9%	100%
2006	2	66.7%	1	33.3%	3	5.4%	100%
2007	1	100.0%	0	0.0%	1	1.8%	100%
2008	1	50.0%	1	50.0%	2	3.6%	100%
2009	2	100.0%	0	0.0%	2	3.6%	100%
2010	3	100.0%	0	0.0%	3	5.4%	100%
2011	1	100.0%	0	0.0%	1	1.8%	100%
2012	1	100.0%	0	0.0%	1	1.8%	100%
2013	2	66.7%	1	33.3%	3	5.4%	100%
2014	1	100.0%	0	0.0%	1	1.8%	100%
2015	5	100.0%	0	0.0%	5	8.9%	100%
2016	0	#DIV/0!	0	#DIV/0!	0	0.0%	#DIV/0!
Total Confirmed Perinatal Cases	40	71%	16	29%	56	100%	100%

#### CONFIRMED Infected Perinatal Cases, know HIV or AIDS born in Miami-Dade by year of birth, 2000-2016.

Hospital of Birth	Perinatal HIV Exposure	Pediatric HIV	Pediatric AIDS	Perinatal Seroreverter	Unknown	TOTAL	TOTAL %
BAPTIST HOSPITAL-MIAMI	3	0	0	4	0	7	0.6%
BROWARD GENERAL MEDICAL CTR.	2	0	0	2	0	4	0.4%
BROWARD HEALTH-CORAL SPRING	1	0	0	0	0	1	0.1%
CORAL SPRINGS MEDICAL CTR.	1	0	0	0	0	1	0.1%
HIALEAH HOSPITAL	2	0	0	1	0	3	0.3%
HOMESTEAD HOSPITAL	8	1	0	3	0	12	1.1%
JACKSON N MATERNITY CTR.	0	0	0	2	0	2	0.2%
JACKSON NORTH MEDICAL CTR.	11	3	0	18	0	32	2.8%
JACKSON SOUTH MEDICAL CTR.	3	0	0	15	0	18	1.6%
JACKSON MEMORIAL HOSPITAL	174	7	0	769	0	950	83.3%
KENDALL RMC	1	0	0	1	0	2	0.2%
MEMORIAL HOSPITAL-MIRAMAR	1	0	1	0	0	2	0.2%
MEMORIAL HOSPITAL-SOUTH	1	0	0	0	0	1	0.1%
MEMORIAL HOSPITAL-WEST	1	0	0	2	0	3	0.3%
MEMORIAL HOSPITAL-PEMBROKE PINES	3	0	0	1	0	4	0.4%
MEMORIAL HOSPITAL-HOLLYWOOD	10	0	0	10	0	20	1.8%
MERCY HOSPITAL	2	0	0	0	0	2	0.2%
MIAMI CHILDREN'S HOSPITAL	2	0	0	0	0	2	0.2%
MIAMI-DADE PVT PHYSICIAN-MIAMI	2	0	0	0	0	2	0.2%
MOUNT SINAI MC	1	0	0	1	0	2	0.2%
NORTH SHORE MEDICAL CTR.	14	2	0	32	0	48	4.2%
PLANTATION GENERAL HOSPITAL	2	0	0	1	0	3	0.3%
SOUTH MIAMI HOSPITAL	1	0	0	0	0	1	0.1%
UF HEALTH AT JACKSONVILLE	1	0	0	0	0	1	0.1%
WELLINGTON RMS	1	0	0	0	0	1	0.1%
UNKNOWN	2	4	1	10	0	17	1.5%
TOTAL	250	17	2	872	0	1,141	100%

All EXPOSED Perinatal pediatric cases born in Miami-Dade by hospital of birth and diagnosis status since November 20th, 2006. (1)

<sup>(1)</sup> NOTE: An expanded HIV reporting law was implemented on November 20<sup>th</sup>, 2006. Expansion included reportability of cases with virologic evidence of HIV infection. Previously, only Western Blot-confirmed (+) cases were reportable. In addition, reporting is retroactive. Previously, only HIV cases diagnosed after July 1<sup>st</sup>, 1997, were reportable. A detectable viral load (VL) (or equivalent viral test) is reportable, and is considered evidence of HIV. Other reportable virologic test considered to be evidence of HIV are: P24, ANTIGEN, Nucleic Acid test (NAT/NAAT), viral culture. CD4 counts/percents are reportable, but follow-up is conducted only if it is <200 uL, or <14%.

#### FLORIDA DEPARTMENT OF HEALTH IN MIAMI- DADE COUNTY HIV/AIDS SURVEILLANCE LIVING CASES WITH HIV DISEASE THROUGH DECEMBER 2015

Living cases with HIV disease, excluding Department of Correction [DOC] cases. Data as of June 2016

\* Living AIDS and HIV (not AIDS) [PLWHA - prevalence] is defined as the number of diagnosed cases in eHARS, as of the date specified. These included cases whose current residence is Miami-Dade County regardless of where they were diagnosed.

		* LIVING	CASES by D	IAGNOSI	S		
	AIDS		HIV (Not A	IDS)	<b>Total Prevalence</b>		
GENDER	Cases	Col %	Cases	Col %	Cases	Col %	
Female	3,781	29%	3,344	26%	7,125	27%	
Male	9,478	71%	9,738	74%	19,216	73%	
Total Prevalence	13,259	100%	13,082	100%	26,341	100%	

* Living C Including							
AIDS 13,639							
HIV	13,427						
Total	27,066						

		* LIVING CASES by DIAGNOSIS							* LIVING CASES by GENDER					
	AID	AIDS HIV (Not AIDS)		AIDS)	Total Prevalence		FEMALE		MALE		Total Prevalence			
RACE/ETHNICITY	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %		
Hispanic (All Races)	5,469	41%	6,114	47%	11,583	44%	1,672	23%	9,911	52%	11,583	44%		
Not Hispanic, Black	6,261	47%	5,195	40%	11,456	43%	5,024	71%	6,432	33%	11,456	43%		
Not Hispanic, White	1,317	10%	1,620	12%	2,937	11%	331	5%	2,606	14%	2,937	11%		
Not Hispanic, Other	212	2%	153	1%	365	1%	98	1%	267	1%	365	1%		
Total Prevalence	13,259	100%	13,082	100%	26,341	100%	7,125	100%	19,216	100%	26,341	100%		

		* LIVING	CASES by D	IAGNOSI	S		* LIVING CASES by GENDER					
	AID	S	HIV (Not AIDS)		Total Prevalence		FEMA	LE	MA	LE	Total Prevalence	
CURRENT AGE	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
00-01 years	-	0%	5	0%	5	0%	4	0%	1	0%	5	0%
02-12 years	5	0%	19	0%	24	0%	8	0%	16	0%	24	0%
13-24 years	205	2%	606	5%	811	3%	243	3%	568	3%	811	3%
25-44 years	2,991	23%	5,431	42%	8,422	32%	2,326	33%	6,096	32%	8,422	32%
45-64 years	8,524	64%	6,128	47%	14,652	56%	3,876	54%	10,776	56%	14,652	56%
65+ years	1,534	12%	893	7%	2,427	9%	668	9%	1,759	9%	2,427	9%
Total Prevalence	13,259	100%	13,082	100%	26,341	100%	7,125	100%	19,216	100%	26,341	100%

### FLORIDA DEPARTMENT OF HEALTH IN MIAMI- DADE COUNTY HIV/AIDS SURVEILLANCE LIVING CASES WITH HIV DISEASE THROUGH DECEMBER 2015

Living cases with HIV disease, excluding Department of Correction [DOC] cases. Data as of June 2016.

\* Living AIDS and HIV (not AIDS) [PLWHA - prevalence] is defined as the number of diagnosed cases in eHARS, as of the date specified. These included cases whose current residence is Miami-Dade County regardless of where they were diagnosed.

	* LIVING CASES by DIAGNOSIS, RISK CATEGORY and GENDE				ER		
	AIDS		HIV (Not AIDS)		Total Prevalence		
EXPOSURE CATEGORY <sup>(1)</sup>	Cases	Col %	Cases	Col %	Cases	Col %	
MALE						% of Male	% of Total
Male-to-male sexual contact [MSM]	6,282	66%	7,543	77%	13,825	72%	52%
Injection drug use [IDU]	605	6%	283	3%	888	5%	3%
MSM & IDU	434	5%	252	3%	686	4%	3%
Heterosexual contact	2,038	22%	1,598	16%	3,636	19%	14%
Other risk	119	1%	62	1%	181	1%	1%
Total Male Prevalence	9,478	100%	9,738	100%	19,216	100%	
FEMALE					%	of Female	
Injection drug use [IDU]	487	13%	233	7%	720	10%	3%
Heterosexual contact	3,169	84%	3,026	90%	6,195	87%	24%
Other risk	125	3%	85	3%	210	3%	1%
Total Female Prevalence	3,781	100%	3,344	100%	7,125	100%	100%

	AIDS		HIV (Not AIDS)		Total Prevalence	
	Cases	Row %	Cases	Row %	Cases	Total %
TOTAL PREVALENCE	13,259	50%	13,082	50%	26,341	100%

<sup>(1)</sup> No identified risk redistributed

### FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY ONE-IN STATEMENTS

## \* ONE-IN Statements for Adults (>=13) Living with HIV or AIDS [PLWHA] through 2015 in Miami-Dade & Florida,

ADULT MALE LIVING WITH HIV OR AIDS		
MIAMI-DADE	FLORIDA	
<ul> <li>One in 63 White adult male in Miami-Dade is living with HIV or AIDS</li> </ul>	One in 171 White adult male	
<ul> <li>One in 26 Black adult male in Miami-Dade is living with HIV or AIDS</li> </ul>	One in 38 Black adult male	
<ul> <li>One in 73 Hispanic adult male in Miami-Dade is living with HIV or AIDS</li> </ul>	One in 97 Hispanic adult male	
One in 91 other race adult male in Miami-Dade is living with HIV or AIDS	One in 199 Other adult male	
One in 56 adult male in Miami-Dade is living with HIV or AIDS	One in 102 adult male in Florida	

ADULT FEMALE LIVING WITH HIV OR AIDS		
MIAMI-DADE	FLORIDA	
One in 472 White adult female in Miami-Dade is living with HIV or AIDS	One in 1,048 White adult female	
One in 38 Black adult female in Miami-Dade is living with HIV or AIDS	One in 61 Black adult female	
One in 474 Hispanic adult female in Miami-Dade is living with HIV or AIDS		
One in 272 other race adult female in Miami-Dade is living with HIV or AIDS	One in 582 Other adult female	
One in 164 adult female in Miami-Dade is living with HIV or AIDS	One in 277 adult female in Florida	

TOTAL ADULTS OF ALL SEXES LIVING WITH HIV OR AIDS		
MIAMI-DADE	FLORIDA	
<ul> <li>One in 109 White adult in Miami-Dade is living with HIV or AIDS</li> </ul>	One in 299 White adult	
<ul> <li>One in 31 Black adult in Miami-Dade is living with HIV or AIDS</li> </ul>	One in 48 Black adult	
<ul> <li>One in 131 Hispanic adult in Miami-Dade is living with HIV or AIDS</li> </ul>	One in 160 Hispanic adult	
<ul> <li>One in 140 other race adult in Miami-Dade is living with HIV or AIDS</li> </ul>	<ul> <li>One in 307 Other adult race</li> </ul>	
One in 85 adult resident in Miami-Dade is living with HIV or AIDS	One in 152 adult Floridian	

Note: Excluding Department of Correction [DOC] cases at county level. Florida totals include DOC cases.

These statements are updated by the Florida Bureau of Communicable Disease, HIV/AIDS Section, every June of following year.

\* Living data now reflects those living on our area regardless of where diagnosed.

You cannot compare this year's data with previous year's since they were run separately

### FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY ONE-IN STATEMENTS

\* ONE-IN Statements for Total Persons (all ages) Living with HIV or AIDS [PLWHA] through 2015 in Miami-Dade & Florida

TOTAL MALE LIVING WITH HIV OR AIDS		
MIAMI-DADE	FLORIDA	
<ul> <li>One in 76 White male in Miami-Dade is living with HIV or AIDS</li> </ul>	One in 193 White male	
<ul> <li>One in 33 Black male in Miami-Dade is living with HIV or AIDS</li> </ul>	One in 49 Black male	
<ul> <li>One in 86 Hispanic male in Miami-Dade is living with HIV or AIDS</li> </ul>	One in 120 Hispanic male	
<ul> <li>One in 112 other race male in Miami-Dade is living with HIV or AIDS</li> </ul>	One in 261 Other male	
One in 67 male in Miami-Dade is living with HIV or AIDS	One in 121 male in Florida	

TOTAL FEMALE LIVING WITH HIV OR AIDS		
MIAMI-DADE	FLORIDA	
<ul> <li>One in 564 White female in Miami-Dade is living with HIV or AIDS</li> </ul>	<ul> <li>One in 1,173 White female</li> </ul>	
<ul> <li>One in 46 Black female in Miami-Dade is living with HIV or AIDS</li> </ul>	One in 75 Black female	
<ul> <li>One in 547 Hispanic female in Miami-Dade is living with HIV or AIDS</li> </ul>	One in 517 Hispanic female	
<ul> <li>One in 325 other race female in Miami-Dade is living with HIV or AIDS</li> </ul>	One in 735 Other female	
One in 191 female in Miami-Dade is living with HIV or AIDS	One in 322 female in Florida	

TOTAL ALL SEXES LIVING WITH HIV OR AIDS		
MIAMI-DADE	FLORIDA	
<ul> <li>One in 131 White in Miami-Dade is living with HIV or AIDS</li> </ul>	One in 336 White	
<ul> <li>One in 38 Black in Miami-Dade is living with HIV or AIDS</li> </ul>	One in 60 Black	
<ul> <li>One in 152 Hispanic in Miami-Dade is living with HIV or AIDS</li> </ul>	One in 196 Hispanic	
<ul> <li>One in 169 other race in Miami-Dade is living with HIV or AIDS</li> </ul>	<ul> <li>One in 395 Other race</li> </ul>	
One in 101 Miami-Dade resident is living with HIV or AIDS	One in 178 Floridian	

Note: Excluding Department of Correction [DOC] cases at county level. Florida totals include DOC cases.

These statements are updated by the Florida Bureau of Communicable Disease, HIV/AIDS Section, every June of following year.

\* Living data now reflects those living on our area regardless of where diagnosed.

You cannot compare this year's data with previous year's since they were run separately

### FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY USEFUL WEBSITE LINKS

Below are several website that may be useful for HIV/AIDS related information.

USEFUL WEBSITE LINKS		
ORGANIZATIONS / SITES	ELECTRONIC ADDRESS	
Data from the HIV Counseling and Testing (Florida & all Counties)	http://www.floridahealth.gov/diseases-and-conditions/aids/prevention/2013-testing- data.html	
Center for Disease Control and Prevention [CDC]	http://www.cdc.gov	
Center for Disease Control and Prevention [CDC] HIV/AIDS Statistics and Surveillance	http://www.cdc.gov/hiv/topics/surveillance/	
Center for Disease Control and Prevention [CDC] Morbidity and Mortality Weekly Report [MMWR]	http://www.cdc.gov/mmwr/	
Florida Community Health Assessment Resource Tool Set [Florida CHARTS]	http://www.floridacharts.com/charts/default.aspx	
Florida Department of Health in Miami-Dade County	http://miamidade.floridahealth.gov	
Florida Department of Health, Bureau of Communicable Disease, HIV/AIDS and Hepatitis Section.	http://www.floridahealth.gov/diseases-and-conditions/aids/index.html	
Organización Panamericana de la Salud [PAHO] (Pan American Health Organization)	http://www.paho.org	
The Test Miami Initiative	http://www.testmiami.org/index.aspx	
United Nations Program on HIV/AIDS [UNAIDS]	http://www.unaids.org/	
US Census Bureau.	http://www.census.gov	
US Census Bureau. HIV/AIDS Surveillance	http://www.census.gov/ipc/www/hivaidsn.html	
World Health Organization [WHO]	http://www.who.int	