

Mission:

To protect, promote & improve the health of all people in Florida through integrated state, county & community efforts.



Vision: To be the **Healthiest State** in the Nation

Rick Scott
Governor

Celeste Phillip, MD, MPH
Surgeon General and Secretary

FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
HIV/AIDS SURVEILLANCE
MONTHLY HIV/AIDS SURVEILLANCE REPORT

JUNE 2016

AIDS CASES (EXCLUDING DEPARTMENT OF CORRECTION [DOC] CASES) *(AIDS Worksheet)*

- AIDS cases by age group and gender (Excluding Department of Correction - DOC).
- AIDS cases by age group, race/ethnicity & gender, showing Haitians separated (Excluding DOC)
- AIDS cases by year of report and gender (Excluding DOC)
- Adult & pediatric AIDS cases by race/ethnicity and gender (Excluding DOC)
- AIDS cases by exposure category and gender among Adult and Pediatric (Excluding DOC)
- Adult AIDS cases by exposure category, race/ethnicity and gender (Excluding DOC)
- Pediatric AIDS cases by exposure category, race/ethnicity and gender.
- Adult Hispanic/Latino AIDS cases by country of origin and gender (Excluding DOC)
- Adult Hispanic/Latino AIDS cases by country of origin, exposure category and gender (Excluding DOC)
- Haitian born adult AIDS cases by exposure category and gender (Excluding DOC)
- Department of Correction [DOC] Adult AIDS cases by race/ethnicity and gender.

HIV CASES (EXCLUDING DEPARTMENT OF CORRECTION [DOC] CASES) *(HIV Worksheet)*

- HIV (not AIDS) cases by age group and gender (Excluding Department of Correction - DOC)
- HIV (not AIDS) cases by age group, race/ethnicity & gender, showing Haitians separated (Excluding DOC)
- HIV (not AIDS) cases by year of report and gender (Excluding DOC)
- Adult & pediatric HIV (not AIDS) cases by race/ethnicity and gender (Excluding DOC)
- HIV (not AIDS) cases by exposure category and gender among Adult and Pediatric (Excluding DOC)
- Adult HIV (not AIDS) cases by exposure category, race/ethnicity and gender (Excluding DOC)
- Pediatric HIV (not AIDS) cases by exposure category, race/ethnicity and gender.
- Adult Hispanic/Latino HIV (not AIDS) cases by country of origin and gender (Excluding DOC)

(Continue next Page)

Florida Department of Health

In Miami-Dade County

Epidemiology, Disease Control, and Immunization Services

8600 NW 17th Street, suite 200, Miami, Florida 33126

PHONE: 305/470-5660 - FAX 305/470-5533

FloridaHealth.gov



Accredited Health Department
Public Health Accreditation Board

Mission:

To protect, promote & improve the health of all people in Florida through integrated state, county & community efforts.



Rick Scott
Governor

Celeste Phillip, MD, MPH
Surgeon General and Secretary

Vision: To be the **Healthiest State** in the Nation

Adult Hispanic/Latino HIV (not AIDS) cases by country of origin, exposure category and gender (Excluding DOC)
Haitian born adult HIV (not AIDS) cases by country of origin, exposure category and gender (Excluding DOC)
Department of Correction [DOC] Adult HIV (not AIDS) cases by race/ethnicity and gender.

PERINATAL EXPOSED CASES REPORTED SINCE NOVEMBER 20th, 2006 (*PERINATAL EXPOSED Worksheet*)

All EXPOSED perinatal pediatric cases born in Miami-Dade by year of birth and diagnosis status since November 20th, 2006.
All EXPOSED perinatal pediatric cases born in Miami-Dade by year of birth and race/ethnicity since November 20th, 2006.
All EXPOSED perinatal pediatric cases born in Miami-Dade by year of birth and Mother HIV status since November 20th, 2006.
All EXPOSED perinatal pediatric cases born in Miami-Dade by diagnosis and Mother HIV status since November 20th, 2006.
All EXPOSED perinatal pediatric cases born in Miami-Dade by diagnosis status and HIV category since November 20th, 2006.
CONFIRMED infected perinatal cases born in Miami-Dade, known HIV or AIDS by year of birth, 2000-2015.
All EXPOSED perinatal pediatric cases born in Miami-Dade by hospital of birth and diagnosis status since November 20th, 2006.

PRELIMINARY LIVING CASES WITH HIV DISEASE THROUGH DECEMBER 2015 (*PLWHA Worksheet*)

Total prevalence by diagnosis category (Excluding DOC)
Total living cases including Department of Corrections [DOC]
Total prevalence by gender (Excluding DOC)
Total prevalence by race/ethnicity (Excluding DOC)
Total prevalence by current age group (Excluding DOC)
Total prevalence by exposure category (Excluding DOC)

ONE-IN STATEMENTS (*ONE-IN STATEMENTS Worksheet*)

One-in statements for adult (≥ 13) persons living with HIV or AIDS through 2014 in Miami-Dade & Florida.
One-in statements for persons (all ages) living with HIV or AIDS through 2014 in Miami-Dade & Florida.

USEFUL WEBSITES LINKS (*WEBSITE Worksheet*)

Useful websites for HIV/AIDS related information.

Florida Department of Health

In Miami-Dade County

Epidemiology, Disease Control, and Immunization Services

8600 NW 17th Street, suite 200, Miami, Florida 33126

PHONE: 305/470-5660 - FAX 305/470-5533

FloridaHealth.gov



Accredited Health Department
Public Health Accreditation Board

FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
HIV/AIDS Surveillance

Please note that as of January 2016, all HIV/AIDS Data will be based on the following.

Per the Bureau of HIV/AIDS:

Current HIV Infection data by year of report reflects any case meeting the CDC definition of 'HIV infection' which includes all newly reported HIV cases and newly reported AIDS cases with no previous report of HIV in Florida.

If a case is later identified as being previously diagnosed and reported from another state, the case will no longer be reflected as a Florida case and the data will be adjusted accordingly.

Data from the most recent calendar year (2015) are considered provisional and therefore should not be used to confirm or rule out an increase in newly reported cases in Florida.

The final year-end numbers are generated in July of the following year, after duplicate cases are removed from the dataset, as is customary of HIV surveillance in the US.

**FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
HIV/AIDS Surveillance
Cumulative Number of Reported AIDS Cases**

JUNE 2016

<i>AIDS Cases by age group and gender (Excluding Department of Correction - DOC)</i>							<i>AIDS Cases by age group, race/ethnicity & gender, showing Haitians separated (Excluding DOC)</i>											
AIDS Cases by Age Group & Gender	Female		Male		TOTAL AIDS		Hispanic/Latino		Black		White		Haitian		Other ⁽¹⁾		TOTAL AIDS	
	Cases	Col %	Cases	Col %	Cases	Col %	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male
Under 5	209	2.2%	196	0.7%	405	1.1%	29	29	168	151	5	7	6	8	1	1	209	196
5-12	53	0.6%	55	0.2%	108	0.3%	10	11	33	36	4	2	5	5	1	1	53	55
13-19	171	1.8%	135	0.5%	306	0.8%	20	42	127	84	5	2	15	6	4	1	171	135
20-29	1,734	18.0%	3,266	12.4%	5,000	13.9%	285	1,411	1,115	1,043	77	502	238	262	19	48	1,734	3,266
30-39	3,319	34.5%	9,551	36.2%	12,870	35.7%	544	4,139	2,010	2,698	165	1,668	558	896	42	150	3,319	9,551
40-49	2,482	25.8%	7,881	29.9%	10,363	28.8%	463	3,207	1,429	2,534	130	1,258	418	769	42	113	2,482	7,881
50-59	1,121	11.6%	3,668	13.9%	4,789	13.3%	245	1,491	576	1,261	57	485	218	376	25	55	1,121	3,668
60-64	275	2.9%	872	3.3%	1,147	3.2%	69	337	126	321	10	113	65	85	5	16	275	872
65-69	149	1.5%	438	1.7%	587	1.6%	30	152	77	176	5	58	34	43	3	9	149	438
>=70	113	1.2%	324	1.2%	437	1.2%	33	128	47	119	12	35	17	33	4	9	113	324
Unknown	0	0.0%	0	0.0%	0	0.0%	0	0	0	0	0	0	0	0	0	0	0	0
Total AIDS	9,626	100%	26,386	100%	36,012	100%	1,728	10,947	5,708	8,423	470	4,130	1,574	2,483	146	403	9,626	26,386

⁽¹⁾ Other Includes American Indian/Alaska Native, Asian, Native Hawaiian, Pacific Islander, Legacy Asian & Multi Race

AIDS Cases by year of report and gender (Excluding DOC)

AIDS Cases by Year Report & Gender	Female		Male		TOTAL AIDS	
	Cases	Row %	Cases	Row %	Cases	Col %
1981	0	0.0%	4	100%	4	0.0%
1982	7	22.6%	31	81.6%	38	0.1%
1983	16	19.5%	82	83.7%	98	0.3%
1984	18	13.5%	133	88.1%	151	0.4%
1985	29	18.0%	161	84.7%	190	0.5%
1986	71	21.6%	329	82.3%	400	1.1%
1987	63	15.6%	405	86.5%	468	1.3%
1988	109	19.7%	554	83.6%	663	1.8%
1989	194	24.7%	784	80.2%	978	2.7%
1990	171	23.4%	730	81.0%	901	2.5%
1991	362	23.6%	1,537	80.9%	1,899	5.3%
1992	304	25.7%	1,185	79.6%	1,489	4.1%
1993	443	26.4%	1,680	79.1%	2,123	5.9%
1994	748	31.0%	2,414	76.3%	3,162	8.8%
1995	668	38.8%	1,723	72.1%	2,391	6.6%
1996	579	37.1%	1,560	72.9%	2,139	5.9%
1997	432	39.5%	1,093	71.7%	1,525	4.2%
1998	475	46.1%	1,030	68.4%	1,505	4.2%
1999	357	41.1%	869	70.9%	1,226	3.4%

AIDS Cases by Year & Gender (Cont.)	Female		Male		TOTAL AIDS	
	Cases	Row %	Cases	Row %	Cases	Col %
2000	379	46.5%	815	68.3%	1,194	3.3%
2001	372	48.7%	764	67.3%	1,136	3.2%
2002	323	40.9%	789	71.0%	1,112	3.1%
2003	304	42.8%	710	70.0%	1,014	2.8%
2004	410	46.1%	889	68.4%	1,299	3.6%
2005	392	49.7%	789	66.8%	1,181	3.3%
2006	396	53.9%	735	65.0%	1,131	3.1%
2007	275	53.1%	518	65.3%	793	2.2%
2008	324	45.0%	720	69.0%	1,044	2.9%
2009	255	44.5%	573	69.2%	828	2.3%
2010	199	43.4%	458	69.7%	657	1.8%
2011	234	49.3%	475	67.0%	709	2.0%
2012	158	36.0%	439	73.5%	597	1.7%
2013	189	40.0%	473	71.5%	662	1.8%
2014	146	39.0%	374	71.9%	520	1.4%
2015	146	44.1%	331	69.4%	477	1.3%
2016	78	33.9%	230	74.7%	308	0.9%
Total Adult AIDS	9,626	36.5%	26,386	73.3%	36,012	100%

(Continue next Page)

FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
HIV/AIDS Surveillance
Cumulative Number of Reported AIDS Cases

JUNE 2016

Adult & Pediatric AIDS cases by race/ethnicity and gender (Excluding DOC)

AIDS by Race/ Ethnicity *	Adult AIDS						Pediatric AIDS						TOTAL AIDS CASES					
	Female		Male		Total Adult		Female		Male		Total Pediatric		Total Female		Total Male		Total Cases	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)	1,705	18.2%	10,935	41.8%	12,640	35.6%	39	14.9%	40	15.9%	79	15.4%	1,744	18.1%	10,975	41.6%	12,719	35.3%
American Indian/Alaska Native	1	0.0%	2	0.0%	3	0.0%	0	0.0%	0	0.0%	0	0.0%	1	0.0%	2	0.0%	3	0.0%
Asian	2	0.0%	22	0.1%	24	0.1%	0	0.0%	0	0.0%	0	0.0%	2	0.0%	22	0.1%	24	0.1%
Black or African American	7,034	75.1%	10,653	40.8%	17,687	49.8%	212	80.9%	200	79.7%	412	80.3%	7,246	75.3%	10,853	41.1%	18,099	50.3%
Native Hawaiian/Pacific Islander	1	0.0%	1	0.0%	2	0.0%	0	0.0%	0	0.0%	0	0.0%	1	0.0%	1	0.0%	2	0.0%
White	461	4.9%	4,125	15.8%	4,586	12.9%	9	3.4%	9	3.6%	18	3.5%	470	4.9%	4,134	15.7%	4,604	12.8%
Legacy Asian	2	0.0%	12	0.0%	14	0.0%	0	0.0%	0	0.0%	0	0.0%	2	0.0%	12	0.0%	14	0.0%
Multi-Race	158	1.7%	385	1.5%	543	1.5%	2	0.8%	2	0.8%	4	0.8%	160	1.7%	387	1.5%	547	1.5%
Unknown	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Total AIDS	9,364	100%	26,135	100%	35,499	100%	262	100%	251	100%	513	100%	9,626	100%	26,386	100%	36,012	100%

* This new category created by CDC, is to support the ability to record an ethnicity and multiple races for an individual, necessitated by new federal OMB guidelines for reporting race and ethnicity.

AIDS Cases by exposure category and gender among Adult and Pediatric (Excluding DOC)

Exposure Category among adult AIDS	Adult AIDS					
	Female		Male		Total Adult	
	Cases	Col %	Cases	Col %	Cases	Col %
Adult male-to-male sexual contact [MSM]			14,585	55.8%	14,585	41.1%
Adult injection drug use [IDU]	2,057	22.0%	3,197	12.2%	5,254	14.8%
Adult MSM & IDU			1,407	5.4%	1,407	4.0%
Adult heterosexual contact [HTRSX]	6,264	66.9%	4,156	15.9%	10,420	29.4%
Adult other risk*	169	1.8%	193	0.7%	362	1.0%
Adult no risk factor reported [NRR]	874	9.3%	2,597	9.9%	3,471	9.8%
Total adult AIDS	9,364	100%	26,135	100%	35,499	100%

* Other risk includes: Adult receiving clotting factor, Hemophilic, Perinatal exposure w/HIV age at 13+ years

Exposure Category among Pediatric AIDS	Pediatric AIDS					
	Female		Male		Total Pediatric	
	Cases	Col %	Cases	Col %	Cases	Col %
Perinatal exposure [PERINATAL]	259	98.9%	243	96.8%	502	97.9%
Child receiving clotting factor [HEMOPH]	0	0.0%	0	0.0%	0	0.0%
Child receiving transfusion/transplant	2	0.8%	5	2.0%	7	1.4%
Child other risk confirmed [OTHER]	0	0.0%	1	0.4%	1	0.2%
Child no risk factor reported [NRR]	1	0.4%	2	0.8%	3	0.6%
Total Pediatric AIDS	262	100%	251	100%	513	100%

(Continue next Page)

**FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
HIV/AIDS Surveillance
Cumulative Number of Reported AIDS Cases**

JUNE 2016

Adult AIDS cases by exposure category, race/ethnicity and gender (Excluding DOC)

ADULT FEMALE AIDS CASES														
Exposure Category/ Race/Ethnicity	MALE-TO-MALE SEXUAL CONTACT		INJECTION DRUG USE [IDU]		MSM & IDU		HETEROSEXUAL CONTACT		OTHER* RISK		NO REPORTED RISK [NRR]		TOTAL ADULT FEMALE	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
	Hispanic/Latino (All Races)			246	12.0%			1,301	20.8%	33	19.5%	125	14.3%	1,705
American Indian/Alaska Native			0	0.0%			1	0.0%	0	0.0%	0	0.0%	1	0.0%
Asian			0	0.0%			2	0.0%	0	0.0%	0	0.0%	2	0.0%
Black or African American			1,562	75.9%			4,649	74.2%	117	69.2%	706	80.8%	7,034	75.1%
Native Hawaiian/Pacific Islander			0	0.0%			1	0.0%	0	0.0%	0	0.0%	1	0.0%
White			205	10.0%			209	3.3%	14	8.3%	33	3.8%	461	4.9%
Legacy Asian			0	0.0%			2	0.0%	0	0.0%	0	0.0%	2	0.0%
Multi-Race			44	2.1%			99	1.6%	5	3.0%	10	1.1%	158	1.7%
Adult Female AIDS			2,057	100%			6,264	100%	169	100%	874	100%	9,364	100%

* OTHER includes Adult receiving clotting factor, Hemophilic, Perinatal exposure w/HIV age at 13+ years

ADULT MALE AIDS CASES														
Exposure Category/ Race/Ethnicity	MALE-TO-MALE SEXUAL CONTACT		INJECTION DRUG USE [IDU]		MSM & IDU		HETEROSEXUAL CONTACT		OTHER* RISK		NO REPORTED RISK [NRR]		TOTAL ADULT MALE	
	Cases	Col %	Cases	Col %	Cases	Col %	1010	Col %	Cases	Col %	Cases	Col %	Cases	Col %
	Hispanic/Latino (All Races)	7,984	54.7%	710	22.2%	504	35.8%	1,054	25.4%	61	31.6%	622	24.0%	10,935
American Indian/Alaska Native	0	0.0%	1	0.0%	0	0.0%	0	0.0%	0	0.0%	1	0.0%	2	0.0%
Asian	15	0.1%	0	0.0%	0	0.0%	4	0.1%	0	0.0%	3	0.1%	22	0.1%
Black or African American	3,046	20.9%	2,199	68.8%	603	42.9%	2,928	70.5%	83	43.0%	1,794	69.1%	10,653	40.8%
Native Hawaiian/Pacific Islander	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	1	0.0%	1	0.0%
White	3,314	22.7%	239	7.5%	274	19.5%	103	2.5%	45	5.0%	150	5.8%	4,125	15.8%
Legacy Asian	7	0.0%	0	0.0%	0	0.0%	4	0.1%	0	0.0%	1	0.0%	12	0.0%
Multi-Race	219	1.5%	48	1.5%	26	1.8%	63	1.5%	4	2.1%	25	1.0%	385	1.5%
Adult Male AIDS	14,585	100%	3,197	100%	1,407	100%	4,156	100%	193	82%	2,597	100%	26,135	100%

	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %
TOTAL ADULT AIDS	14,585	41.1%	5,254	14.8%	1,407	4.0%	10,420	29.4%	362	1.0%	3,471	9.8%	35,499	100%

(Continue next Page)

FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
HIV/AIDS Surveillance
Cumulative Number of Reported AIDS Cases

JUNE 2016

Pediatric AIDS cases by exposure category, race/ethnicity and gender (Excluding DOC)

PEDIATRIC FEMALE AIDS CASES												
Exposure Category/ Race/Ethnicity	PERINATAL		HEMOPHILIAC		TRANSFUSION		OTHER RISK		NO REPORTED		TOTAL FEMALE	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)	37	14.3%	0	#DIV/0!	1	50.0%	0	#DIV/0!	1	100.0%	39	14.9%
Black or African American	211	81.5%	0	#DIV/0!	1	50.0%	0	#DIV/0!	0	0.0%	212	80.9%
White	9	3.5%	0	#DIV/0!	0	0.0%	0	#DIV/0!	0	0.0%	9	3.4%
Multi-Race	2	0.8%	0	#DIV/0!	0	0.0%	0	#DIV/0!	0	0.0%	2	0.8%
Pediatric Female AIDS	259	100%	0	#DIV/0!	2	100%	0	#DIV/0!	1	100%	262	100%

PEDIATRIC MALE AIDS CASES												
Exposure Category/ Race/Ethnicity	PERINATAL		HEMOPHILIAC		TRANSFUSION		OTHER RISK		NO REPORTED		TOTAL MALE	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)	35	14.4%	0	#DIV/0!	4	80.0%	0	0.0%	1	50.0%	40	15.9%
Black or African American	197	81.1%	0	#DIV/0!	1	20.0%	1	100.0%	1	50.0%	200	79.7%
White	9	3.7%	0	#DIV/0!	0	0.0%	0	0.0%	0	0.0%	9	3.6%
Multi-Race	2	0.8%	0	#DIV/0!	0	0.0%	0	0.0%	0	0.0%	2	0.8%
Pediatric Male AIDS	243	100%	0	#DIV/0!	5	100%	1	100%	2	100%	251	100%

	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %
TOTAL PEDIATRIC AIDS	502	97.9%	0	0.0%	7	1.4%	1	0.2%	3	0.6%	513	100%

Adult Hispanic/Latino AIDS cases by country of origin and gender (Excluding DOC)

Country of Origin	ADULT FEMALE AIDS			ADULT MALE AIDS			TOTAL HISPANIC/LATINO		
	Cases	Col %	Row %	Cases	Col %	Row %	Cases	Col %	Row %
Argentina	24	1.4%	12.6%	166	1.5%	87.4%	190	1.5%	100%
Colombia	74	4.3%	12.6%	514	4.7%	87.4%	588	4.7%	100%
Cuba	408	23.9%	7.8%	4,853	44.4%	92.2%	5,261	41.6%	100%
Dominican Republic	74	4.3%	32.0%	157	1.4%	68.0%	231	1.8%	100%
Guatemala	20	1.2%	16.3%	103	0.9%	83.7%	123	1.0%	100%
Honduras	138	8.1%	29.2%	334	3.1%	70.8%	472	3.7%	100%
Mexico	21	1.2%	7.9%	244	2.2%	92.1%	265	2.1%	100%
Nicaragua	83	4.9%	18.4%	367	3.4%	81.6%	450	3.6%	100%
Peru	26	1.5%	13.2%	171	1.6%	86.8%	197	1.6%	100%
Puerto Rico	188	11.0%	17.5%	884	8.1%	82.5%	1,072	8.5%	100%
United States	400	23.5%	20.9%	1,518	13.9%	79.1%	1,918	15.2%	100%
Venezuela	17	1.0%	6.0%	268	2.5%	94.0%	285	2.3%	100%
Other/Unknown Countries	232	13.6%	14.6%	1,356	12.4%	85.4%	1,588	12.6%	100%
Total Adult Hispanic/Latino	1,705	100%	13.5%	10,935	100%	86.5%	12,640	100%	100%

(Continue next Page)

FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
HIV/AIDS Surveillance
Cumulative Number of Reported AIDS Cases

JUNE 2016

Adult Hispanic/Latino AIDS cases by country of origin, exposure category and gender (Excluding DOC)

ADULT HISPANIC/LATINO FEMALE AIDS CASES															
Country of Origin	MALE-TO-MALE		INJECTION		MSM & IDU		HETEROSEXUAL		OTHER *		NO REPORTED		Total Hispanic/Latino Female		
	SEXUAL CONTACT		DRUG USE [IDU]				CONTACT		RISK		RISK [NRR]		by Country of Origin		
	Cases	Row %	Cases	Row %	Number	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Col %	Row %
Argentina			3	12.5%			20	83.3%	0	0.0%	1	4.2%	24	1.4%	100%
Colombia			7	9.5%			55	74.3%	2	2.7%	10	13.5%	74	4.3%	100%
Cuba			55	13.5%			304	74.5%	8	2.0%	41	10.0%	408	23.9%	100%
Dominican Republic			3	4.1%			64	86.5%	0	0.0%	7	9.5%	74	4.3%	100%
Guatemala			0	0.0%			20	100.0%	0	0.0%	0	0.0%	20	1.2%	100%
Honduras			8	5.8%			121	87.7%	1	0.7%	8	5.8%	138	8.1%	100%
Mexico			3	14.3%			16	76.2%	1	4.8%	1	4.8%	21	1.2%	100%
Nicaragua			4	4.8%			68	81.9%	1	1.2%	10	12.0%	83	4.9%	100%
Peru			1	3.8%			25	96.2%	0	0.0%	0	0.0%	26	1.5%	100%
Puerto Rico			50	26.6%			125	66.5%	3	1.6%	10	5.3%	188	11.0%	100%
United States			84	21.0%			282	70.5%	15	3.8%	19	4.8%	400	23.5%	100%
Venezuela			3	17.6%			13	76.5%	0	0.0%	1	5.9%	17	1.0%	100%
Other/Unknown Countries			25	10.8%			188	81.0%	2	0.9%	17	7.3%	232	13.6%	100%
Total adult Hispanic/Latino Female			246	14.4%			1,301	76.3%	33	1.9%	125	7.3%	1,705	100%	100%

* OTHER includes Adult receiving clotting factor, Hemophilia, Perinatal exposure w/HIV age at 13+ years

ADULT HISPANIC/LATINO MALE AIDS CASES															
Country of Origin	MALE-TO-MALE		INJECTION		MSM & IDU		HETEROSEXUAL		OTHER*		NO REPORTED		Total Hispanic/Latino Male		
	SEXUAL CONTACT		DRUG USE [IDU]				CONTACT		RISK		RISK [NRR]		by Country of Origin		
	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Col %	Row %
Argentina	138	83.1%	4	2.4%	7	4.2%	14	8.4%	0	0.0%	3	1.8%	166	1.5%	100%
Colombia	417	81.1%	15	2.9%	18	3.5%	41	8.0%	3	0.6%	20	3.9%	514	4.7%	100%
Cuba	3,752	77.3%	211	4.3%	194	4.0%	395	8.1%	26	0.5%	275	5.7%	4,853	44.4%	100%
Dominican Republic	85	54.1%	8	5.1%	5	3.2%	43	27.4%	1	0.6%	15	9.6%	157	1.4%	100%
Guatemala	55	53.4%	5	4.9%	2	1.9%	29	28.2%	0	0.0%	12	11.7%	103	0.9%	100%
Honduras	214	64.1%	18	5.4%	6	1.8%	70	21.0%	4	1.2%	22	6.6%	334	3.1%	100%
Mexico	165	67.6%	11	4.5%	7	2.9%	41	16.8%	0	0.0%	20	8.2%	244	2.2%	100%
Nicaragua	269	73.3%	10	2.7%	13	3.5%	53	14.4%	1	0.3%	21	5.7%	367	3.4%	100%
Peru	138	80.7%	2	1.2%	2	1.2%	18	10.5%	0	0.0%	11	6.4%	171	1.6%	100%
Puerto Rico	440	49.8%	216	24.4%	104	11.8%	70	7.9%	3	0.3%	51	5.8%	884	8.1%	100%
United States	1,042	68.6%	158	10.4%	111	7.3%	132	8.7%	14	0.9%	61	4.0%	1,518	13.9%	100%
Venezuela	234	87.3%	3	1.1%	3	1.1%	18	6.7%	2	0.7%	8	3.0%	268	2.5%	100%
Other/Unknown Countries	1,035	76.3%	49	3.6%	32	2.4%	130	9.6%	7	0.5%	103	7.6%	1,356	12.4%	100%
Total adult Hispanic/Latino Male	7,984	73.0%	710	6.5%	504	4.6%	1,054	9.6%	61	0.6%	622	5.7%	10,935	100%	100%
TOTAL ADULT HISPANIC/LATINO	7,984	63.2%	956	7.6%	504	4.0%	2,355	18.6%	94	0.7%	747	5.9%	12,640	100%	

(Continue next Page)

FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
HIV/AIDS Surveillance
Cumulative Number of Reported AIDS Cases

JUNE 2016

Haitian born adult AIDS cases by exposure category and gender (Excluding DOC)

ADULT HAITIAN BORN AIDS CASES														
Exposure Category GENDER	MALE-TO-MALE SEXUAL CONTACT		INJECTION DRUG USE [IDU]		MSM & IDU		HETEROSEXUAL CONTACT		OTHER *		NO REPORTED RISK [NRR]		Total Haitian by Gender	
	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %
	Haitian born Adult Females			56	3.6%			1,174	75.1%	26	1.7%	307	19.6%	1,563
Haitian born Adult Males	549	22.2%	77	3.1%	28	1.1%	910	36.8%	12	0.5%	894	36.2%	2,470	100%
Total Haitian born	549	13.6%	133	3.3%	28	0.7%	2,084	51.7%	38	0.9%	1,201	29.8%	4,033	100%

* OTHER includes Adult receiving clotting factor, Hemophilic, Perinatal exposure w/HIV age at 13+ years

Department of Correction [DOC] Adult AIDS cases by race/ethnicity and gender.

AIDS Cases by Race/Ethnicity & Gender	DOC AIDS Cases					
	Female		Male		Total	
	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)	0	0.0%	93	13.8%	93	13.2%
Black or African American	21	77.8%	480	71.1%	501	71.4%
White	4	14.8%	70	10.4%	74	10.5%
Haitian	1	3.7%	19	2.8%	20	2.8%
Other (1)	1	3.7%	13	1.9%	14	2.0%
Total AIDS	27	100%	675	100%	702	100%

(1) Other Includes American Indian/Alaska Native, Asian, Native Hawaiian, Pacific Islander, Legacy Asian & Multi Race

Adjustments are performed on a monthly basis to compensate for duplicate reports state and nation wide and case validation projects.

**FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
HIV/AIDS Surveillance
Cumulative Number of Reported HIV (Not AIDS) Cases**

JUNE 2016

<i>HIV (not AIDS) cases by age group and gender (Excluding Department of Correction - DOC)</i>							<i>HIV (not AIDS) Cases by age group, race/ethnicity & gender, showing Haitians separated (Excluding DOC)</i>												
HIV Cases by Age Group & Gender	Female		Male		TOTAL HIV		Hispanic/Latino		Black		White		Haitian		Other ⁽¹⁾		TOTAL HIV		
	Cases	Col %	Cases	Col %	Cases	Col %	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	
Under 5	62	1.5%	46	0.4%	108	0.7%	13	8	47	35	1	0	1	2	0	1	62	46	
5-12	35	0.9%	18	0.2%	53	0.3%	5	5	24	10	0	0	6	3	0	0	35	18	
13-19	222	5.5%	315	2.7%	537	3.4%	44	133	163	159	6	9	8	11	1	3	222	315	
20-29	964	24.0%	2,899	24.7%	3,863	24.5%	223	1,589	577	843	51	339	102	84	11	44	964	2,899	
30-39	1,087	27.1%	3,663	31.3%	4,750	30.2%	259	2,103	552	726	75	638	191	153	10	43	1,087	3,663	
40-49	928	23.1%	2,907	24.8%	3,835	24.4%	230	1,532	479	669	63	504	141	165	15	37	928	2,907	
50-59	513	12.8%	1,299	11.1%	1,812	11.5%	139	543	247	415	21	225	100	100	6	16	513	1,299	
60-64	96	2.4%	276	2.4%	372	2.4%	25	103	39	92	4	47	28	27	0	7	96	276	
65-69	75	1.9%	170	1.5%	245	1.6%	23	73	35	59	4	24	12	14	1	0	75	170	
>=70	36	0.9%	128	1.1%	164	1.0%	6	46	11	52	4	15	14	12	1	3	36	128	
Unknown	0	0.0%	0	0.0%	0	0.0%	0	0	0	0	0	0	0	0	0	0	0	0	
Total HIV	4,018	100%	11,721	100%	15,739	100%	967	6,135	2,174	3,060	229	1,801	603	571	45	154	4,018	11,721	

⁽¹⁾ Other Includes American Indian/Alaska Native, Asian, Native Hawaiian, Pacific Islander, Legacy Asian & Multi Race

HIV (Not AIDS) Cases by year of report and gender (Excluding DOC) HIV start reporting in Florida in July 1997.

HIV Cases by Year Report & Gender	Female		Male		TOTAL HIV	
	Cases	Row %	Cases	Row %	Cases	Col %
July-December 1997	121	36.8%	208	63.2%	329	2.1%
1998	266	30.8%	597	69.2%	863	5.5%
1999	254	31.0%	566	69.0%	820	5.2%
2000	231	30.8%	518	69.2%	749	4.8%
2001	236	30.2%	546	69.8%	782	5.0%
2002	285	30.4%	653	69.6%	938	6.0%
2003	231	27.9%	596	72.1%	827	5.3%
2004	223	27.3%	593	72.7%	816	5.2%
2005	221	31.2%	487	68.8%	708	4.5%
2006	178	28.0%	458	72.0%	636	4.0%
2007	220	26.8%	600	73.2%	820	5.2%
2008	227	25.1%	679	74.9%	906	5.8%
2009	175	24.1%	551	75.9%	726	4.6%
2010	166	22.7%	565	77.3%	731	4.6%
2011	176	22.0%	624	78.0%	800	5.1%
2012	156	22.0%	553	78.0%	709	4.5%

HIV Cases by Year & Gender (Cont.)	Female		Male		TOTAL HIV	
	Cases	Row %	Cases	Row %	Cases	Col %
2013	193	22.6%	661	77.4%	854	5.4%
2014	159	17.0%	774	83.0%	933	5.9%
2015	185	17.4%	881	82.6%	1,066	6.8%
2016	115	15.8%	611	84.2%	726	4.6%
Total HIV	4,018	25.5%	11,721	74.5%	15,739	100%

(Continue next Page)

FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
HIV/AIDS Surveillance
Cumulative Number of Reported HIV (Not AIDS) Cases

JUNE 2016

Adult & Pediatric HIV (not AIDS) cases by race/ethnicity and gender (Excluding DOC)

HIV by Race/ Ethnicity*	Adult HIV						Pediatric HIV						TOTAL HIV CASES					
	Female		Male		Total Adult		Female		Male		Total Pediatric		Total Female		Total Male		Total Cases	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)	954	24.3%	6,127	52.6%	7,081	45.5%	18	18.6%	13	20.3%	31	19.3%	972	24.2%	6,140	52.4%	7,112	45.2%
American Indian/Alaska Native	2	0.1%	5	0.0%	7	0.0%	0	0.0%	0	0.0%	0	0.0%	2	0.0%	5	0.0%	7	0.0%
Asian	4	0.1%	32	0.3%	36	0.2%	0	0.0%	0	0.0%	0	0.0%	4	0.1%	32	0.3%	36	0.2%
Black or African American	2,692	68.7%	3,571	30.6%	6,263	40.2%	77	79.4%	50	78.1%	127	78.9%	2,769	68.9%	3,621	30.9%	6,390	40.6%
Native Hawaiian/Pacific Islander	1	0.0%	5	0.0%	6	0.0%	0	0.0%	0	0.0%	0	0.0%	1	0.0%	5	0.0%	6	0.0%
White	229	5.8%	1,802	15.5%	2,031	13.0%	1	1.0%	0	0.0%	1	0.6%	230	5.7%	1,802	15.4%	2,032	12.9%
Legacy Asian	1	0.0%	6	0.1%	7	0.0%	0	0.0%	1	1.6%	1	0.6%	1	0.0%	7	0.1%	8	0.1%
Multi-Race	38	1.0%	109	0.9%	147	0.9%	1	1.0%	0	0.0%	1	0.6%	39	1.0%	109	0.9%	148	0.9%
Unknown	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Total HIV	3,921	100%	11,657	100%	15,578	100%	97	100%	64	100%	161	100%	4,018	100%	11,721	100%	15,739	100%

* This new category created by CDC, is to support the ability to record an ethnicity and multiple races for an individual, necessitated by new federal OMB guidelines for reporting race and ethnicity.

HIV (not AIDS) Cases by exposure category and gender among Adult and Pediatric (Excluding DOC)

Exposure Category among adult HIV cases	Adult HIV					
	Female		Male		Total Adult	
	Cases	Col %	Cases	Col %	Cases	Col %
Adult male-to-male sexual contact [MSM]			8,106	69.5%	8,106	52.0%
Adult injection drug use [IDU]	280	7.1%	330	2.8%	610	3.9%
Adult MSM & IDU			259	2.2%	259	1.7%
Adult heterosexual contact [HTRSX]	3,102	79.1%	1,744	15.0%	4,846	31.1%
Adult other risk*	6	0.2%	4	0.0%	10	0.1%
Adult no risk factor reported [NRR]	533	13.6%	1,214	10.4%	1,747	11.2%
Total adult HIV	3,921	100%	11,657	100%	15,578	100%

* Other risk includes: Adult receiving clotting factor, Hemophiliac, Perinatal exposure w/HIV age at 13+ years

Exposure Category among Pediatric HIV cases	Pediatric HIV					
	Female		Male		Total Pediatric	
	Cases	Col %	Cases	Col %	Cases	Col %
Perinatal exposure [PERINATAL]	94	96.9%	63	98.4%	157	97.5%
Child receiving clotting factor [HEMOPH]	0	0.0%	0	0.0%	0	0.0%
Child receiving transfusion/transplant	0	0.0%	0	0.0%	0	0.0%
Child other risk confirmed [OTHER]	0	0.0%	0	0.0%	0	0.0%
Child no risk factor reported [NRR]	3	3.1%	1	1.6%	4	2.5%
Total Pediatric HIV	97	100%	64	100%	161	100%

(Continue next Page)

**FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
HIV/AIDS Surveillance
Cumulative Number of Reported HIV (Not AIDS) Cases**

JUNE 2016

Adult HIV (not AIDS) cases by exposure category, race/ethnicity and gender (Excluding DOC)

ADULT FEMALE HIV CASES														
Exposure Category/ Race/Ethnicity	MALE-TO-MALE SEXUAL CONTACT		INJECTION DRUG USE [IDU]		MSM & IDU		HETEROSEXUAL CONTACT		OTHER * RISK		NO REPORTED RISK [NRR]		TOTAL ADULT FEMALE	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
	Hispanic/Latino (All Races)			68	24.3%			721	23.2%	2	33.3%	163	30.6%	954
American Indian/Alaska Native			0	0.0%			2	0.1%	0	0.0%	0	0.0%	2	0.1%
Asian			0	0.0%			3	0.1%	0	0.0%	1	0.2%	4	0.1%
Black or African American			163	58.2%			2,196	70.8%	2	33.3%	331	62.1%	2,692	68.7%
Native Hawaiian/Pacific Islander			0	0.0%			0	0.0%	0	0.0%	1	0.2%	1	0.0%
White			42	15.0%			153	4.9%	1	16.7%	33	6.2%	229	5.8%
Legacy Asian			0	0.0%			0	0.0%	0	0.0%	1	0.2%	1	0.0%
Multi-Race			7	2.5%			27	0.9%	1	16.7%	3	0.6%	38	1.0%
Adult Female HIV			280	100%			3,102	100%	6	100%	533	100%	3,921	100%

* OTHER includes Adult receiving clotting factor, Hemophilic, Perinatal exposure w/HIV age at 13+ years

ADULT MALE HIV CASES														
Exposure Category/ Race/Ethnicity	MALE-TO-MALE SEXUAL CONTACT		INJECTION DRUG USE [IDU]		MSM & IDU		HETEROSEXUAL CONTACT		OTHER * RISK		NO REPORTED RISK [NRR]		TOTAL ADULT MALE	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
	Hispanic/Latino (All Races)	4,931	60.8%	100	30.3%	126	48.6%	502	28.8%	0	0.0%	468	38.6%	6,127
American Indian/Alaska Native	4	0.0%	0	0.0%	0	0.0%	1	0.1%	0	0.0%	0	0.0%	5	0.0%
Asian	28	0.3%	0	0.0%	1	0.4%	1	0.1%	0	0.0%	2	0.2%	32	0.3%
Black or African American	1,526	18.8%	188	57.0%	76	29.3%	1,150	65.9%	2	50.0%	629	51.8%	3,571	30.6%
Native Hawaiian/Pacific Islander	5	0.1%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	5	0.0%
White	1,536	18.9%	39	11.8%	51	19.7%	67	3.8%	2	50.0%	107	8.8%	1,802	15.5%
Legacy Asian	5	0.1%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	1	0.1%	6	0.1%
Multi-Race	71	0.9%	3	0.9%	5	1.9%	23	1.3%	0	0.0%	7	0.6%	109	0.9%
Adult Male HIV	8,106	100%	330	100%	259	100%	1,744	100%	4	100%	1,214	100%	11,657	100%

	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %
TOTAL ADULT HIV	8,106	52.0%	610	3.9%	259	1.7%	4,846	31.1%	10	0.1%	1,747	11.2%	15,578	100%

(Continue next Page)

**FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
HIV/AIDS Surveillance
Cumulative Number of Reported HIV (Not AIDS) Cases**

JUNE 2016

Pediatric HIV (not AIDS) cases by exposure category, race/ethnicity and gender (Excluding DOC)

PEDIATRIC FEMALE HIV CASES												
Exposure Category/ Race/Ethnicity	PERINATAL		HEMOPHILIAC		TRANSFUSION		OTHER RISK		NO REPORTED		TOTAL FEMALE	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)	16	17.0%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	2	66.7%	18	18.6%
Black or African American	76	80.9%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	1	33.3%	77	79.4%
White	1	1.1%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0	0.0%	1	1.0%
Legacy Asian/Pacific Isl.	0	0.0%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0	0.0%	0	0.0%
Multi-Race	1	1.1%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0	0.0%	1	1.0%
Pediatric Female HIV	94	100%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	3	100%	97	100%

PEDIATRIC MALE HIV CASES												
Exposure Category/ Race/Ethnicity	PERINATAL		HEMOPHILIAC		TRANSFUSION		OTHER RISK		NO REPORTED		TOTAL MALE	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)	13	20.6%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0	0.0%	13	20.3%
Black or African American	49	77.8%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	1	100.0%	50	78.1%
White	0	0.0%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0	0.0%	0	0.0%
Legacy Asian/Pacific Isl.	1	1.6%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0	0.0%	1	1.6%
Multi-Race	0	0.0%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0	0.0%	0	0.0%
Pediatric Male HIV	63	100%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	1	100%	64	100%

	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %
TOTAL PEDIATRIC HIV	157	97.5%	0	0.0%	0	0.0%	0	0.0%	4	2.5%	161	100%

Adult Hispanic/Latino HIV (not AIDS) cases by country of origin and gender (Excluding DOC)

Country of Origin	ADULT FEMALE HIV			ADULT MALE HIV			TOTAL HISPANIC/LATINO		
	Cases	Col %	Row %	Cases	Col %	Row %	Cases	Col %	Row %
Argentina	21	2.2%	12.5%	147	2.4%	87.5%	168	2.4%	100%
Colombia	37	3.9%	11.5%	286	4.7%	88.5%	323	4.6%	100%
Cuba	172	18.0%	8.0%	1,990	32.5%	92.0%	2,162	30.5%	100%
Dominican Republic	34	3.6%	28.3%	86	1.4%	71.7%	120	1.7%	100%
Honduras	66	6.9%	29.5%	158	2.6%	70.5%	224	3.2%	100%
Mexico	8	0.8%	5.1%	148	2.4%	94.9%	156	2.2%	100%
Nicaragua	35	3.7%	19.2%	147	2.4%	80.8%	182	2.6%	100%
Peru	14	1.5%	14.0%	86	1.4%	86.0%	100	1.4%	100%
Puerto Rico	62	6.5%	19.9%	249	4.1%	80.1%	311	4.4%	100%
United States	241	25.3%	16.0%	1,263	20.6%	84.0%	1,504	21.2%	100%
Venezuela	24	2.5%	6.1%	371	6.1%	93.9%	395	5.6%	100%
Other/Unknown Countries	240	25.2%	16.7%	1,196	19.5%	83.3%	1,436	20.3%	100%
Total Adult Hispanic/Latino HIV	954	100%	13.5%	6,127	100%	86.5%	7,081	100%	100%

(Continue next Page)

FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
HIV/AIDS Surveillance
Cumulative Number of Reported HIV (Not AIDS) Cases

JUNE 2016

Adult Hispanic/Latino HIV (not AIDS) cases by country of origin, exposure category and gender (Excluding DOC)

ADULT HISPANIC/LATINO FEMALE HIV CASES															
Country of Origin	MALE-TO-MALE SEXUAL CONTACT		INJECTION DRUG USE [IDU]		MSM & IDU		HETEROSEXUAL CONTACT		OTHER * RISK		NO REPORTED RISK [NRR]		Total Hispanic/Latino Female by Country of Origin		
	Cases	Row %	Cases	Row %	Number	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Col %	Row %
	Argentina			3	14.3%			16	76.2%	0	0.0%	2	9.5%	21	2.2%
Colombia			2	5.4%			31	83.8%	0	0.0%	4	10.8%	37	3.9%	100%
Cuba			9	5.2%			139	80.8%	0	0.0%	24	14.0%	172	18.0%	100%
Dominican Republic			1	2.9%			30	88.2%	0	0.0%	3	8.8%	34	3.6%	100%
Honduras			1	1.5%			58	87.9%	0	0.0%	7	10.6%	66	6.9%	100%
Mexico			2	25.0%			5	62.5%	0	0.0%	1	12.5%	8	0.8%	100%
Nicaragua			0	0.0%			28	80.0%	0	0.0%	7	20.0%	35	3.7%	100%
Peru			1	7.1%			11	78.6%	0	0.0%	2	14.3%	14	1.5%	100%
Puerto Rico			10	16.1%			40	64.5%	0	0.0%	12	19.4%	62	6.5%	100%
United States			32	13.3%			174	72.2%	2	0.8%	33	13.7%	241	25.3%	100%
Venezuela			1	4.2%			21	87.5%	0	0.0%	2	8.3%	24	2.5%	100%
Other/Unknown Countries			6	2.5%			168	70.0%	0	0.0%	66	27.5%	240	25.2%	100%
Total adult Hispanic/Latino Female			68	7.1%			721	75.6%	2	0.2%	163	17.1%	954	100%	100%

* OTHER includes Adult receiving clotting factor, Hemophilic, Perinatal exposure w/HIV age at 13+ years

ADULT HISPANIC/LATINO MALE HIV CASES															
Country of Origin	MALE-TO-MALE SEXUAL CONTACT		INJECTION DRUG USE [IDU]		MSM & IDU		HETEROSEXUAL CONTACT		OTHER * RISK		NO REPORTED RISK [NRR]		Total Hispanic/Latino Male by Country of Origin		
	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Col %	Row %
	Argentina	129	87.8%	2	1.4%	2	1.4%	9	6.1%	0	0.0%	5	3.4%	147	2.4%
Colombia	244	85.3%	1	0.3%	9	3.1%	17	5.9%	0	0.0%	15	5.2%	286	4.7%	100%
Cuba	1,660	83.4%	21	1.1%	40	2.0%	173	8.7%	0	0.0%	96	4.8%	1,990	32.5%	100%
Dominican Republic	55	64.0%	3	3.5%	3	3.5%	17	19.8%	0	0.0%	8	9.3%	86	1.4%	100%
Honduras	109	69.0%	1	0.6%	3	1.9%	30	19.0%	0	0.0%	15	9.5%	158	2.6%	100%
Mexico	124	83.8%	2	1.4%	1	0.7%	12	8.1%	0	0.0%	9	6.1%	148	2.4%	100%
Nicaragua	113	76.9%	2	1.4%	2	1.4%	18	12.2%	0	0.0%	12	8.2%	147	2.4%	100%
Peru	77	89.5%	1	1.2%	1	1.2%	6	7.0%	0	0.0%	1	1.2%	86	1.4%	100%
Puerto Rico	182	73.1%	29	11.6%	18	7.2%	10	4.0%	0	0.0%	10	4.0%	249	4.1%	100%
United States	1,030	81.6%	25	2.0%	31	2.5%	97	7.7%	0	0.0%	80	6.3%	1,263	20.6%	100%
Venezuela	335	90.3%	0	0.0%	2	0.5%	16	4.3%	0	0.0%	18	4.9%	371	6.1%	100%
Other/Unknown Countries	873	73.0%	13	1.1%	14	1.2%	97	8.1%	0	0.0%	199	16.6%	1,196	19.5%	100%
Total adult Hispanic/Latino Ma	4,931	80.5%	100	1.6%	126	2.1%	502	8.2%	0	0.0%	468	7.6%	6,127	100%	100%

	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %
TOTAL ADULT HISPANIC/LATINO	4,931	69.6%	168	2.4%	126	1.8%	1,223	17.3%	2	0.0%	631	8.9%	7,081	100%

(Continue next Page)

FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
HIV/AIDS Surveillance
Cumulative Number of Reported HIV (Not AIDS) Cases

JUNE 2016

Haitian born adult HIV cases by exposure category and gender (Excluding DOC)

ADULT HAITIAN BORN HIV CASES														
Exposure Category GENDER	MALE-TO-MALE SEXUAL CONTACT		INJECTION DRUG USE [IDU]		[MSM\ & [IDU]		HETEROSEXUAL CONTACT		OTHER* RISK		NO REPORTED RISK [NRR]		Total Haitian by Gender	
	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %
	Haitian born Adult Females			11	1.8%			521	87.4%	0	0.0%	64	10.7%	596
Haitian born Adult Males	113	20.0%	7	1.2%	1	0.2%	309	54.6%	0	0.0%	136	24.0%	566	100%
Total Haitian born	113	9.7%	18	1.5%	1	0.1%	830	71.4%	0	0.0%	200	17.2%	1,162	100%

* OTHER includes Adult receiving clotting factor, Hemophiliac, Perinatal exposure w/HIV age at 13+ years

Department of Correction [DOC] Adult HIV (not AIDS) by race/ethnicity and gender.

HIV Cases by Race/Ethnicity & Gender	DOC HIV Cases					
	Female		Male		Total	
	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)	5	29.4%	77	17.8%	82	18.3%
Black or African American	8	47.1%	275	63.7%	283	63.0%
White	4	23.5%	61	14.1%	65	14.5%
Haitian	0	0.0%	12	2.8%	12	2.7%
Other (1)	0	0.0%	7	1.6%	7	1.6%
Total HIV	17	100%	432	100%	449	100%

(1) Other Includes American Indian/Alaska Native, Asian, Native Hawaiian, Pacific Islander, Legacy Asian & Multi Race
Adjustments are performed on a monthly basis to compensate for duplicate reports state and nation wide and case validation projects.

FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
HIV/AIDS Surveillance
Perinatal HIV Exposed Cases

JUNE 2016

All EXPOSED Perinatal pediatric cases born in Miami-Dade by year of birth and diagnosis status since November 20th, 2006. ⁽¹⁾

Year of Birth	Perinatal HIV Exposure	Pediatric HIV	Pediatric AIDS	Pediatric seroreverter	Unknown	TOTAL
>=November 20 th , 2006	3	0	0	16	0	19
2007	32	1	0	106	0	139
2008	39	1	1	91	0	132
2009	30	2	0	87	0	119
2010	39	3	0	83	0	125
2011	13	1	0	105	0	119
2012	10	1	0	90	0	101
2013	11	2	1	82	0	96
2014	4	1	0	84	0	89
2015	17	5	0	75	0	97
2016	20	0	0	18	0	38
Total	218	17	2	837	0	1,074

All EXPOSED Perinatal pediatric cases born in Miami-Dade by year of birth and race/ethnicity since November 20th, 2006. ⁽¹⁾

Year of Birth	Hispanic	Not Hispanic, Black	Not Hispanic, White	Not Hispanic, Other ⁽²⁾	TOTAL
>=November 20 th , 2006	3	15	1	0	19
2007	22	110	5	2	139
2008	19	111	2	0	132
2009	24	91	3	1	119
2010	31	87	5	2	125
2011	21	90	7	1	119
2012	23	68	8	2	101
2013	17	75	3	1	96
2014	15	70	4	0	89
2015	18	77	2	0	97
2016	3	34	1	0	38
Total	196	828	41	9	1,074

⁽¹⁾ NOTE: An expanded HIV reporting law was implemented on November 20th, 2006. Expansion included reportability of cases with virologic evidence of HIV infection. Previously, only Western Blot-confirmed (+) cases were reportable. In addition, reporting is retroactive. Previously, only HIV cases diagnosed after July 1st, 1997, were reportable. A detectable viral load (VL) (or equivalent viral test) is reportable, and is considered evidence of HIV. Other reportable virologic test considered to be evidence of HIV are: P24, ANTIGEN, Nucleic Acid test (NAT/NAAT), viral culture. CD4 counts/percents are reportable, but follow-up is conducted only if it is <200 uL, or <14%.

⁽²⁾ Other Includes American Indian/Alaska Native, Asian, Native Hawaiian, Pacific Islander, Legacy Asian & Multi Race

[\(Continue next Page\)](#)

**FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
HIV/AIDS Surveillance
Perinatal HIV Exposed Cases**

JUNE 2016

All EXPOSED Perinatal pediatric cases born in Miami-Dade by year of birth and Mother HIV status since November 20th, 2006. ⁽¹⁾

Year of Birth	Know HIV (+) before pregnancy	Know HIV (+) during pregnancy	Know HIV (+) at time of delivery	Know HIV (+) sometime before birth	Know HIV (+) sometime after birth	HIV (+) with time unknown	TOTAL
>=November 20 th , 2006	16	2	0	0	0	1	19
2007	92	34	10	0	3	0	139
2008	95	35	2	0	0	0	132
2009	87	24	8	0	0	0	119
2010	90	25	5	2	1	2	125
2011	89	24	3	2	1	0	119
2012	75	24	2	0	0	0	101
2013	78	12	2	3	0	1	96
2014	77	11	0	1	0	0	89
2015	80	11	1	1	1	3	97
2016	25	9	2	1	0	1	38
Total	804	211	35	10	6	8	1,074

All EXPOSED Perinatal pediatric cases born in Miami-Dade by diagnosis and Mother HIV status since November 20th, 2006. ⁽¹⁾

Diagnosis Status	Know HIV (+) before pregnancy	Know HIV (+) during pregnancy	Know HIV (+) at time of delivery	Know HIV (+) sometime before birth	Know HIV (+) sometime after birth	HIV (+) with time unknown	TOTAL
Perinatal HIV Exposure	153	45	12	3	3	2	218
Pediatric HIV	12	1	3	0	1	0	17
Pediatric AIDS	2	0	0	0	0	0	2
Pediatric Seroreverter	637	165	20	7	2	6	837
Unknown	0	0	0	0	0	0	-
Total	804	211	35	10	6	8	1,074

All EXPOSED Perinatal pediatric cases born in Miami-Dade by diagnosis status and HIV category since November 20th, 2006. ⁽¹⁾

Diagnosis Status	HIV (+) Definitive	HIV (+) Presumptive	HIV Indeterminate	HIV (-) Definitive	HIV (-) Presumptive	Unknown	TOTAL
Perinatal HIV Exposure	0	0	218	0	0	0	218
Pediatric HIV	17	0	0	0	0	0	17
Pediatric AIDS	2	0	0	0	0	0	2
Pediatric Seroreverter	0	0	0	603	234	0	837
Unknown	0	0	0	0	0	0	-
Total	19	0	218	603	234	0	1,074

⁽¹⁾ NOTE: An expanded HIV reporting law was implemented on November 20th, 2006. Expansion included reportability of cases with virologic evidence of HIV infection. Previously, only Western Blot-confirmed (+) cases were reportable. In addition, reporting is retroactive. Previously, only HIV cases diagnosed after July 1st, 1997, were reportable. A detectable viral load (VL) (or equivalent viral test) is reportable, and is considered evidence of HIV. Other reportable virologic test considered to be evidence of HIV are: P24, ANTIGEN, Nucleic Acid test (NAT/NAAT), viral culture. CD4 counts/percents are reportable, but follow-up is conducted only if it is <200 uL, or <14%. (Continue next Page)

FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
HIV/AIDS Surveillance
Perinatal HIV Exposed Cases

JUNE 2016

CONFIRMED Infected Perinatal Cases, know HIV or AIDS born in Miami-Dade by year of birth, 2000-2016.

Perinatal HIV/AIDS Cases by Year of Birth	Pediatric HIV		Pediatric AIDS		TOTAL		
	Cases	Row %	Cases	Row %	Cases	Col %	Row %
2000	5	71.4%	2	28.6%	7	12.5%	100%
2001	6	60.0%	4	40.0%	10	17.9%	100%
2002	3	50.0%	3	50.0%	6	10.7%	100%
2003	3	75.0%	1	25.0%	4	7.1%	100%
2004	1	50.0%	1	50.0%	2	3.6%	100%
2005	3	60.0%	2	40.0%	5	8.9%	100%
2006	2	66.7%	1	33.3%	3	5.4%	100%
2007	1	100.0%	0	0.0%	1	1.8%	100%
2008	1	50.0%	1	50.0%	2	3.6%	100%
2009	2	100.0%	0	0.0%	2	3.6%	100%
2010	3	100.0%	0	0.0%	3	5.4%	100%
2011	1	100.0%	0	0.0%	1	1.8%	100%
2012	1	100.0%	0	0.0%	1	1.8%	100%
2013	2	66.7%	1	33.3%	3	5.4%	100%
2014	1	100.0%	0	0.0%	1	1.8%	100%
2015	5	100.0%	0	0.0%	5	8.9%	100%
2016	0	#DIV/0!	0	#DIV/0!	0	0.0%	#DIV/0!
Total Confirmed Perinatal Cases	40	71%	16	29%	56	100%	100%

(Continue next Page)

FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
HIV/AIDS Surveillance
Perinatal HIV Exposed Cases

JUNE 2016

All EXPOSED Perinatal pediatric cases born in Miami-Dade by hospital of birth and diagnosis status since November 20th, 2006. ⁽¹⁾

Hospital of Birth	Perinatal HIV Exposure	Pediatric HIV	Pediatric AIDS	Perinatal Seroreverter	Unknown	TOTAL	TOTAL %
BAPTIST HOSPITAL-MIAMI	3	0	0	4	0	7	0.7%
BROWARD GENERAL MEDICAL CTR.	2	0	0	2	0	4	0.4%
CORAL SPRINGS MEDICAL CTR.	1	0	0	0	0	1	0.1%
HIALEAH HOSPITAL	2	0	0	1	0	3	0.3%
HOMESTEAD HOSPITAL	8	1	0	1	0	10	0.9%
JACKSON N MATERNITY CTR.	0	0	0	2	0	2	0.2%
JACKSON NORTH MEDICAL CTR.	9	3	0	18	0	30	2.8%
JACKSON SOUTH MEDICAL CTR.	2	0	0	15	0	17	1.6%
JACKSON MEMORIAL HOSPITAL	146	7	0	741	0	894	83.2%
KENDALL RMC	1	0	0	1	0	2	0.2%
MEMORIAL HOSPITAL-MIRAMAR	1	0	1	0	0	2	0.2%
MEMORIAL HOSPITAL-SOUTH	1	0	0	0	0	1	0.1%
MEMORIAL HOSPITAL-WEST	1	0	0	2	0	3	0.3%
MEMORIAL HOSPITAL-PEMBROKE PINES	3	0	0	1	0	4	0.4%
MEMORIAL HOSPITAL-HOLLYWOOD	12	0	0	8	0	20	1.9%
MERCY HOSPITAL	2	0	0	0	0	2	0.2%
MIAMI CHILDREN'S HOSPITAL	1	0	0	0	0	1	0.1%
MIAMI-DADE PVT PHYSICIAN-MIAMI	2	0	0	0	0	2	0.2%
MOUNT SINAI MC	1	0	0	1	0	2	0.2%
NORTH SHORE MEDICAL CTR.	14	2	0	29	0	45	4.2%
PLANTATION GENERAL HOSPITAL	1	0	0	1	0	2	0.2%
SOUTH MIAMI HOSPITAL	1	0	0	0	0	1	0.1%
UF HEALTH AT JACKSONVILLE	1	0	0	0	0	1	0.1%
WELLINGTON RMS	1	0	0	0	0	1	0.1%
UNKNOWN	2	4	1	10	0	17	1.6%
TOTAL	218	17	2	837	0	1,074	100%

⁽¹⁾ NOTE: An expanded HIV reporting law was implemented on November 20th, 2006. Expansion included reportability of cases with virologic evidence of HIV infection. Previously, only Western Blot-confirmed (+) cases were reportable. In addition, reporting is retroactive. Previously, only HIV cases diagnosed after July 1st, 1997, were reportable. A detectable viral load (VL) (or equivalent viral test) is reportable, and is considered evidence of HIV. Other reportable virologic test considered to be evidence of HIV are: P24, ANTIGEN, Nucleic Acid test (NAT/NAAT), viral culture. CD4 counts/percents are reportable, but follow-up is conducted only if it is <200 uL, or <14%.

**FLORIDA DEPARTMENT OF HEALTH IN MIAMI- DADE COUNTY
HIV/AIDS SURVEILLANCE
PRELIMINARY LIVING CASES WITH HIV DISEASE THROUGH DECEMBER 2015**

Preliminary living cases with HIV disease, excluding Department of Correction [DOC] cases. **Data as of December 2015.**

* Living AIDS and HIV (not AIDS) [PLWHA - prevalence] is defined as the number of diagnosed cases in eHARS, as of the date specified. These included cases whose current residence is Miami-Dade County regardless of where they were diagnosed.

GENDER	* LIVING CASES by DIAGNOSIS					
	AIDS		HIV (Not AIDS)		Total Prevalence	
	Cases	Col %	Cases	Col %	Cases	Col %
Female	3,771	29%	3,505	25%	7,276	27%
Male	9,178	71%	10,474	75%	19,652	73%
Total Prevalence	12,949	100%	13,979	100%	26,928	100%

* Living Cases Including DOC	
AIDS	13,325
HIV	14,315
Total	27,640

RACE/ETHNICITY	* LIVING CASES by DIAGNOSIS						* LIVING CASES by GENDER					
	AIDS		HIV (Not AIDS)		Total Prevalence		FEMALE		MALE		Total Prevalence	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic (All Races)	5,311	41%	6,425	46%	11,736	44%	1,694	23%	10,042	51%	11,736	44%
Not Hispanic, Black	6,172	48%	5,563	40%	11,735	44%	5,140	71%	6,595	34%	11,735	44%
Not Hispanic, White	1,263	10%	1,822	13%	3,085	11%	342	5%	2,743	14%	3,085	11%
Not Hispanic, Other	203	2%	169	1%	372	1%	100	1%	272	1%	372	1%
Total Prevalence	12,949	100%	13,979	100%	26,928	100%	7,276	100%	19,652	100%	26,928	100%

CURRENT AGE	* LIVING CASES by DIAGNOSIS						* LIVING CASES by GENDER					
	AIDS		HIV (Not AIDS)		Total Prevalence		FEMALE		MALE		Total Prevalence	
	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
00-12 years	5	0%	25	0%	30	0%	12	0%	18	0%	30	0%
13-19 years	35	0%	109	1%	144	1%	66	1%	78	0%	144	1%
20-24 years	170	1%	500	4%	670	2%	180	2%	490	2%	670	2%
25-44 years	2,816	22%	5,682	41%	8,498	32%	2,361	32%	6,137	31%	8,498	32%
45-64 years	8,364	65%	6,711	48%	15,075	56%	3,968	55%	11,107	57%	15,075	56%
65+ years	1,559	12%	952	7%	2,511	9%	689	9%	1,822	9%	2,511	9%
Total Prevalence	12,949	100%	13,979	100%	26,928	100%	7,276	100%	19,652	100%	26,928	100%

(Continue next Page)

**FLORIDA DEPARTMENT OF HEALTH IN MIAMI- DADE COUNTY
HIV/AIDS SURVEILLANCE
PRELIMINARY LIVING CASES WITH HIV DISEASE THROUGH DECEMBER 2015**

Preliminary living cases with HIV disease, excluding Department of Correction [DOC] cases. **Data as of December 2015.**

* Living AIDS and HIV (not AIDS) [PLWHA - prevalence] is defined as the number of diagnosed cases in eHARS, as of the date specified. These included cases whose current residence is Miami-Dade County regardless of where they were diagnosed.

* LIVING CASES by DIAGNOSIS, RISK CATEGORY and GENDER							
EXPOSURE CATEGORY ⁽¹⁾	AIDS		HIV (Not AIDS)		Total Prevalence		
	Cases	Col %	Cases	Col %	Cases	Col %	
MALE				% of Male		% of Total	
Male-to-male sexual contact [MSM]	6,025	66%	8,060	77%	14,085	72%	52%
Injection drug use [IDU]	614	7%	331	3%	945	5%	4%
MSM & IDU	386	4%	320	3%	706	4%	3%
Heterosexual contact	2,031	22%	1,696	16%	3,727	19%	14%
Other risk	20	0%	2	0%	22	0%	0%
Perinatal	102	1%	65	1%	167	1%	1%
Total Male Prevalence	9,178	100%	10,474	100%	19,652	100%	
FEMALE				% of Female			
Injection drug use [IDU]	470	12%	267	8%	737	10%	3%
Heterosexual contact	3,174	84%	3,151	90%	6,325	87%	23%
Other risk	15	0%	2	0%	17	0%	0%
Perinatal	112	3%	85	2%	197	3%	1%
Total Female Prevalence	3,771	100%	3,505	100%	7,276	100%	100%
TOTAL PREVALENCE							
	AIDS		HIV (Not AIDS)		Total Prevalence		
	Cases	Row %	Cases	Row %	Cases	Total %	
TOTAL PREVALENCE	12,949	48%	13,979	52%	26,928	100%	

**FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
ONE-IN STATEMENTS**

* **ONE-IN Statements for Adults (>=13) Living with HIV or AIDS [PLWHA] through 2014 in Miami-Dade & Florida,**

ADULT MALE LIVING WITH HIV OR AIDS	
MIAMI-DADE	FLORIDA
• One in 61 White adult male in Miami-Dade is living with HIV or AIDS	• One in 170 White adult male
• One in 26 Black adult male in Miami-Dade is living with HIV or AIDS	• One in 38 Black adult male
• One in 75 Hispanic adult male in Miami-Dade is living with HIV or AIDS	• One in 98 Hispanic adult male
• One in 89 other race adult male in Miami-Dade is living with HIV or AIDS	• One in 200 Other adult male
One in 56 adult male in Miami-Dade is living with HIV or AIDS	One in 103 adult male in Florida

ADULT FEMALE LIVING WITH HIV OR AIDS	
MIAMI-DADE	FLORIDA
• One in 461 White adult female in Miami-Dade is living with HIV or AIDS	• One in 1,049 White adult female
• One in 37 Black adult female in Miami-Dade is living with HIV or AIDS	• One in 60 Black adult female
• One in 473 Hispanic adult female in Miami-Dade is living with HIV or AIDS	• One in 422 Hispanic adult female
• One in 259 other race adult female in Miami-Dade is living with HIV or AIDS	• One in 573 Other adult female
One in 160 adult female in Miami-Dade is living with HIV or AIDS	One in 275 adult female in Florida

TOTAL ADULTS OF ALL SEXES LIVING WITH HIV OR AIDS	
MIAMI-DADE	FLORIDA
• One in 106 White adult in Miami-Dade is living with HIV or AIDS	• One in 298 White adult
• One in 31 Black adult in Miami-Dade is living with HIV or AIDS	• One in 47 Black adult
• One in 134 Hispanic adult in Miami-Dade is living with HIV or AIDS	• One in 161 Hispanic adult
• One in 136 other race adult in Miami-Dade is living with HIV or AIDS	• One in 307 Other adult race
One in 85 adult resident in Miami-Dade is living with HIV or AIDS	One in 151 adult Floridian

Note: Excluding Department of Correction [DOC] cases at county level. Florida totals include DOC cases.

These statements are updated by the Florida Bureau of Communicable Disease, HIV/AIDS Section, every June of following year.

* **Living data now reflects those living on our area regardless of where diagnosed. You cannot compare this year's data with last year's since they were run separately**

**FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
ONE-IN STATEMENTS**

*** ONE-IN Statements for Total Persons (all ages) Living with HIV or AIDS [PLWHA] through 2014 in Miami-Dade & Florida**

TOTAL MALE LIVING WITH HIV OR AIDS	
MIAMI-DADE	FLORIDA
• One in 73 White male in Miami-Dade is living with HIV or AIDS	• One in 193 White male
• One in 32 Black male in Miami-Dade is living with HIV or AIDS	• One in 48 Black male
• One in 88 Hispanic male in Miami-Dade is living with HIV or AIDS	• One in 122 Hispanic male
• One in 108 other race male in Miami-Dade is living with HIV or AIDS	• One in 262 Other male
One in 67 male in Miami-Dade is living with HIV or AIDS	One in 121 male in Florida

TOTAL FEMALE LIVING WITH HIV OR AIDS	
MIAMI-DADE	FLORIDA
• One in 551 White female in Miami-Dade is living with HIV or AIDS	• One in 1,176 White female
• One in 45 Black female in Miami-Dade is living with HIV or AIDS	• One in 74 Black female
• One in 546 Hispanic female in Miami-Dade is living with HIV or AIDS	• One in 514 Hispanic female
• One in 309 other race female in Miami-Dade is living with HIV or AIDS	• One in 724 Other female
One in 187 female in Miami-Dade is living with HIV or AIDS	One in 320 female in Florida

TOTAL ALL SEXES LIVING WITH HIV OR AIDS	
MIAMI-DADE	FLORIDA
• One in 126 White in Miami-Dade is living with HIV or AIDS	• One in 336 White
• One in 38 Black in Miami-Dade is living with HIV or AIDS	• One in 59 Black
• One in 156 Hispanic in Miami-Dade is living with HIV or AIDS	• One in 198 Hispanic
• One in 164 other race in Miami-Dade is living with HIV or AIDS	• One in 394 Other race
One in 100 Miami-Dade resident is living with HIV or AIDS	One in 178 Floridian

Note: Excluding Department of Correction [DOC] cases at county level. Florida totals include DOC cases.

These statements are updated by the Florida Bureau of Communicable Disease, HIV/AIDS Section, every June of following year.

* Living data now reflects those living on our area regardless of where diagnosed. [You cannot compare this year's data with last year's since they were run separately](#)

**FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY
USEFUL WEBSITE LINKS**

Below are several website that may be useful for HIV/AIDS related information.

USEFUL WEBSITE LINKS	
ORGANIZATIONS / SITES	ELECTRONIC ADDRESS
Data from the HIV Counseling and Testing (Florida & all Counties)	http://www.floridahealth.gov/diseases-and-conditions/aids/prevention/2013-testing-data.html
Center for Disease Control and Prevention [CDC]	http://www.cdc.gov
Center for Disease Control and Prevention [CDC] HIV/AIDS Statistics and Surveillance	http://www.cdc.gov/hiv/topics/surveillance/
Center for Disease Control and Prevention [CDC] Morbidity and Mortality Weekly Report [MMWR]	http://www.cdc.gov/mmwr/
Florida Community Health Assessment Resource Tool Set [Florida CHARTS]	http://www.floridacharts.com/charts/default.aspx
Florida Department of Health in Miami-Dade County	http://miamidade.floridahealth.gov
Florida Department of Health, Bureau of Communicable Disease, HIV/AIDS and Hepatitis Section.	http://www.floridahealth.gov/diseases-and-conditions/aids/index.html
<i>Organización Panamericana de la Salud</i> [PAHO] (Pan American Health Organization)	http://www.paho.org
The Test Miami Initiative	http://www.testmiami.org/index.aspx
United Nations Program on HIV/AIDS [UNAIDS]	http://www.unaids.org/
US Census Bureau.	http://www.census.gov
US Census Bureau. HIV/AIDS Surveillance	http://www.census.gov/ipc/www/hivaidn.html
World Health Organization [WHO]	http://www.who.int