#### **Revised Surveillance Case Definition for HIV Infection**

Following extensive consultation and peer review, CDC and the Council of State and Territorial Epidemiologists have revised and combined the surveillance case definitions for human immunodeficiency virus (HIV) infection into a single case definition for persons of all ages (i.e., adults and adolescents aged ≥13 years and children aged <13 years). The revisions were made to address multiple issues, the most important of which was the need to adapt to recent changes in diagnostic criteria. Laboratory criteria for defining a confirmed case now accommodate new multitest algorithms, including criteria for differentiating between HIV-1 and HIV-2 infection and for recognizing early HIV infection. A confirmed case can be classified in one of five HIV infection stages (0, 1, 2, 3, or unknown); early infection, recognized by a negative HIV test within 6 months of HIV diagnosis, is classified as stage 0, and acquired immunodeficiency syndrome (AIDS) is classified as stage 3. Criteria for stage 3 have been simplified by eliminating the need to differentiate between definitive and presumptive diagnoses of opportunistic illnesses. Clinical (nonlaboratory) criteria for defining a case for surveillance purposes have been made more practical by eliminating the requirement for information about laboratory tests. The surveillance case definition is intended primarily for monitoring the HIV infection burden and planning for prevention and care on a population level, not as a basis for clinical decisions for individual patients. CDC and the Council of State and Territorial Epidemiologists recommend that all states and territories conduct case surveillance of HIV infection using this revised surveillance case definition.

The updated version of eHARS, which is now named eHARS 4.6, was released by the CDC on July 11, 2014, and implemented by Florida on September 2014, with revised Surveillance Case Definition for HIV Infection. The implementation date for the Revised Surveillance Case Definition for HIV Infection is January 1, 2014. Meaning, once in production, eHARS 4.6 will recognize and apply the new case definition of all cases with a specimen collection date on or after January 1, 2014. A small percentage of cases that met the AIDS surveillance definition will no longer meet the definition. A small percentage of the pediatric cases that previously met the HIV surveillance case definition may now be recognized as an AIDS case based on the revisions to the surveillance case definition for children aged 6-12 years.

#### Mission:

To protect, promote & improve the health of all people in Florida through integrated state, county & community efforts.



**Rick Scott** 

Governor

John H. Armstrong, MD, FACS

State Surgeon General & Secretary

Vision: To be the Healthiest State in the Nation

#### FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY

## HIV/AIDS SURVEILLANCE MONTHLY HIV/AIDS SURVEILLANCE REPORT



#### AIDS CASES (EXCLUDING DEPARTMENT OF CORRECTION [DOC] CASES) (AIDS Worksheet)

AIDS cases by age group and gender (Excluding Department of Correction - DOC).

AIDS cases by age group, race/ethnicity & gender, showing Haitians separated (Excluding DOC)

AIDS cases by year of report and gender (Excluding DOC)

Adult & pediatric AIDS cases by race/ethnicity and gender (Excluding DOC)

Adult & pediatric AIDS cases by mortality status and gender (Excluding DOC)

AIDS cases by exposure category and gender among Adult and Pediatric (Excluding DOC)

Adult AIDS cases by exposure category, race/ethnicity and gender (Excluding DOC)

Pediatric AIDS cases by exposure category, race/ethnicity and gender.

Adult Hispanic/Latino AIDS cases by country of origin and gender (Excluding DOC)

Adult Hispanic/Latino AIDS cases by country of origin, exposure category and gender (Excluding DOC)

Haitian born adult AIDS cases by exposure category and gender (Excluding DOC)

Department of Correction [DOC] Adult AIDS cases and total people living with AIDS by race/ethnicity and gender.

#### HIV CASES (EXCLUDING DEPARTMENT OF CORRECTION [DOC] CASES) (HIV Worksheet)

HIV (not AIDS) cases by age group and gender (Excluding Department of Correction - DOC)

HIV (not AIDS) cases by age group, race/ethnicity & gender, showing Haitians separated (Excluding DOC)

HIV (not AIDS) cases by year of report and gender (Excluding DOC)

Adult & pediatric HIV (not AIDS) cases by race/ethnicity and gender (Excluding DOC)

Adult & pediatric HIV (not AIDS) cases by mortality status and gender (Excluding DOC)

HIV (not AIDS) cases by exposure category and gender among Adult and Pediatric (Excluding DOC)

Adult HIV (not AIDS) cases by exposure category, race/ethnicity and gender (Excluding DOC)

(Continue next Page)

Florida Department of Health

Miami-Dade County Epidemiology, Disease Control, and Immunization Services 8600 NW 17th Street, suite 200, Miami, Florida 33126 PHONE: 305/470-5660 - FAX 305/470-5533 www.FloridaHealth.com TWITTER: HealthyFLA

FACEBOOK: FLDepartmentofHealth YOUTUBE: fldoh

#### Mission:

To protect, promote & improve the health of all people in Florida through integrated state, county & community efforts.



Rick Scott Governor

John H. Armstrong, MD, FACS

State Surgeon General & Secretary

Vision: To be the Healthiest State in the Nation

Adult Hispanic/Latino HIV (not AIDS) cases by country of origin and gender (Excluding DOC)

Adult Hispanic/Latino HIV (not AIDS) cases by country of origin, exposure category and gender (Excluding DOC)

Haitian born adult HIV (not AIDS) cases by country of origin, exposure category and gender (Excluding DOC)

Department of Correction [DOC] Adult HIV (not AIDS) cases and total people living with HIV by race/ethnicity and gender.

#### PERINATAL EXPOSED CASES REPORTED SINCE NOVEMBER 20", 2006 (PERINATAL EXPOSED Worksheet)

All EXPOSED perinatal pediatric cases born in Miami-Dade by year of birth and diagnosis status since November 20th, 2006.

All EXPOSED perinatal pediatric cases born in Miami-Dade by year of birth and race/ethnicity since November 20th, 2006.

All EXPOSED perinatal pediatric cases born in Miami-Dade by year of birth and Mother HIV status since November 20th, 2006.

All EXPOSED perinatal pediatric cases born in Miami-Dade by diagnosis and Mother HIV status since November 20th, 2006.

All EXPOSED perinatal pediatric cases born in Miami-Dade by diagnosis status and HIV category since November 20th, 2006.

CONFIRMED infected perinatal cases born in Miami-Dade, known HIV or AIDS by year of birth, 2000-2013.

All EXPOSED perinatal pediatric cases born in Miami-Dade by hospital of birth and diagnosis status since November 20th, 2006.

#### **ONE-IN STATEMENTS** (ONE-IN STATEMENTS Worksheet)

One-in statements for persons (all ages) living with HIV or AIDS through 2011 (all ages) in Miami-Dade & Florida.

One-in statements for adult (>=13) persons living with HIV or AIDS through 2011 in Miami-Dade & Florida.

#### **USEFUL WEBSITES LINKS** (WEBSITE Worksheet)

Useful websites for HIV/AIDS related information.

Miami-Dade County Epidemiology, Disease Control, and Immunization Services 8600 NW 17th Street, suite 200, Miami, Florida 33126 PHONE: 305/470-5660 - FAX 305/470-5533



### **Cumulative Number of Reported AIDS Cases**

AIDS Cases by age group and	gender (E)	cluding L	Department	t of Corre	ction - DO	C)	AIDS (	Cases by a	age group,	race/ethn	icity & ger	nder, shov	ving Haitia	ns separa	ted (Exclu	ding DOC	)	
AIDS Cases by	Female	е	Male		TOTAL	AIDS	Hispanic/l	Latino	Black		White		Haitiaı	n	Other (	1)	TOTAL	AIDS
Age Group & Gender	Cases	Col %	Cases	Col %	Cases	Col %	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male
Under 5	190	2.0%	170	0.7%	360	1.0%	25	24	155	129	4	9	5	7	1	1	190	170
5-12	56	0.6%	59	0.2%	115	0.3%	12	12	34	41	5	1	4	5	1	0	56	59
13-19	165	1.8%	126	0.5%	291	0.8%	18	41	122	77	5	2	16	6	4	0	165	126
20-29	1,711	18.2%	3,201	12.4%	4,912	14.0%	280	1,374	1,102	1,014	77	501	233	263	19	49	1,711	3,201
30-39	3,255	34.7%	9,400	36.4%	12,655	36.0%	528	4,031	1,975	2,666	160	1,664	551	892	41	147	3,255	9,400
40-49	2,428	25.9%	7,752	30.1%	10,180	28.9%	449	3,122	1,399	2,502	127	1,255	412	765	41	108	2,428	7,752
50-59	1,079	11.5%	3,541	13.7%	4,620	13.1%	237	1,411	554	1,230	57	480	207	366	24	54	1,079	3,541
60-64	257	2.7%	825	3.2%	1,082	3.1%	67	320	118	307	8	108	59	76	5	14	257	825
65-69	143	1.5%	418	1.6%	561	1.6%	29	149	72	166	6	55	34	40	2	8	143	418
>=70	108	1.1%	305	1.2%	413	1.2%	32	117	43	114	12	35	17	31	4	8	108	305
Unknown	0	0.0%	0	0.0%	0	0.0%	0	0	0	0	0	0	0	0	0	0	0	0
Total AIDS	9,392	100%	25,797	100%	35,189	100%	1,677	10,601	5,574	8,246	461	4,110	1,538	2,451	142	389	9,392	25,797

(1) Other Includes American Indian/Alaska Native, Asian, Native Hawaiian, Pacific Islander, Legacy Asian & Multi Race

#### AIDS Cases by year of report and gender (Excluding DOC)

AIDS Cases by	Femal	е	Male		TOTAL A	AIDS
Year Report & Gender	Cases	Row %	Cases	Row %	Cases	Col %
1981	0	0.0%	4	100%	4	0.0%
1982	7	18.4%	31	81.6%	38	0.1%
1983	16	16.3%	82	83.7%	98	0.3%
1984	18	11.9%	133	88.1%	151	0.4%
1985	29	15.3%	161	84.7%	190	0.5%
1986	71	17.4%	337	82.6%	408	1.2%
1987	67	13.7%	421	86.3%	488	1.4%
1988	118	16.6%	593	83.4%	711	2.0%
1989	209	20.2%	824	79.8%	1,033	2.9%
1990	183	19.4%	758	80.6%	941	2.7%
1991	394	19.7%	1,607	80.3%	2,001	5.7%
1992	342	20.9%	1,297	79.1%	1,639	4.7%
1993	632	22.5%	2,171	77.5%	2,803	8.0%
1994	670	23.5%	2,177	76.5%	2,847	8.1%
1995	593	28.0%	1,523	72.0%	2,116	6.0%
1996	528	27.0%	1,424	73.0%	1,952	5.5%
1997	421	28.3%	1,067	71.7%	1,488	4.2%
1998	465	31.7%	1,001	68.3%	1,466	4.2%
1999	356	29.3%	859	70.7%	1,215	3.5%

AIDS Cases by	Femal	е	Male		TOTAL	AIDS
Year & Gender (Cont)	Cases	Row %	Cases	Row %	Cases	Col %
2000	376	31.6%	812	68.4%	1,188	3.4%
2001	368	32.7%	757	67.3%	1,125	3.2%
2002	304	29.1%	740	70.9%	1,044	3.0%
2003	297	30.4%	680	69.6%	977	2.8%
2004	400	31.3%	879	68.7%	1,279	3.6%
2005	387	33.2%	780	66.8%	1,167	3.3%
2006	391	34.8%	733	65.2%	1,124	3.2%
2007	272	35.2%	501	64.8%	773	2.2%
2008	325	31.1%	719	68.9%	1,044	3.0%
2009	257	30.9%	575	69.1%	832	2.4%
2010	202	30.6%	458	69.4%	660	1.9%
2011	237	33.1%	479	66.9%	716	2.0%
2012	159	26.4%	443	73.6%	602	1.7%
2013	193	28.0%	497	72.0%	690	2.0%
2014	105	27.7%	274	72.3%	379	1.1%
Total Adult AIDS	9,392	26.7%	25,797	73.3%	35,189	100%

(Continue next Page)



#### **Cumulative Number of Reported AIDS Cases**

Adult & Pediatric AIDS cases by race/ethnicity and gender (Excluding DOC)

			Adult AID	S					Pediati	ric AIDS					TOTAL AI	DS CASE	S	
AIDS by Race/	Femal	е	Male		Total Ad	ult	Female	е	Male		Total Pedi	atric	Total Fer	nale	Total Ma	ale	Total Ca	ses
Ethnicity *	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)	1,655	18.1%	10,583	41.4%	12,238	35.3%	37	15.0%	36	15.7%	73	15.4%	1,692	18.0%	10,619	41.2%	12,311	35.0%
American Indian/Alaska Native	1	0.0%	2	0.0%	3	0.0%	0	0.0%	0	0.0%	0	0.0%	1	0.0%	2	0.0%	3	0.0%
Asian	2	0.0%	20	0.1%	22	0.1%	0	0.0%	0	0.0%	0	0.0%	2	0.0%	20	0.1%	22	0.1%
Black or African American	6,879	75.2%	10,471	41.0%	17,350	50.0%	198	80.5%	182	79.5%	380	80.0%	7,077	75.4%	10,653	41.3%	17,730	50.4%
Native Hawaiian/Pacific Islander	1	0.0%	1	0.0%	2	0.0%	0	0.0%	0	0.0%	0	0.0%	1	0.0%	1	0.0%	2	0.0%
White	452	4.9%	4,104	16.1%	4,556	13.1%	9	3.7%	10	4.4%	19	4.0%	461	4.9%	4,114	15.9%	4,575	13.0%
Legacy Asian	2	0.0%	12	0.0%	14	0.0%	0	0.0%	0	0.0%	0	0.0%	2	0.0%	12	0.0%	14	0.0%
Multi-Race	154	1.7%	375	1.5%	529	1.5%	2	0.8%	1	0.4%	3	0.6%	156	1.7%	376	1.5%	532	1.5%
Unknown	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Total AIDS	9,146	100%	25,568	100%	34,714	100%	246	100%	229	100%	475	100%	9,392	100%	25,797	100%	35,189	100%

Adult & Pediatric AIDS cases by mortality status and gender (Excluding DOC)

Mortality			Adult AID	S					Pediatr	ic AIDS					TOTAL AI	DS CASE	S	
Status among	Female	е	Male		Total Ad	ult	Femal	е	Male		Total Pedi	iatric	Total Fe	male	Total Ma	ale	Total Ca	ises
AIDS cases	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Alive	4,023	44.0%	10,001	39.1%	14,024	40.4%	76	30.9%	80	34.9%	156	32.8%	4,099	43.6%	10,081	39.1%	14,180	40.3%
Deaths	5,123	56.0%	15,567	60.9%	20,690	59.6%	170	69.1%	149	65.1%	319	67.2%	5,293	56.4%	15,716	60.9%	21,009	59.7%
Total AIDS	9,146	100%	25,568	100%	34,714	100%	246	100%	229	100%	475	100%	9,392	100%	25,797	100%	35,189	100%

<sup>\*</sup> This new category created by CDC, is to support the ability to record an ethnicity and multiple races for an individual, necessitated by new federal OMB guidelines for reporting race and ethnicity.

(Continue next Page)

Source: Electronic HIV/AIDS Reporting System [e-HARS] Version 2.2

AIDS / 2014-08.xlsx 5 of 24



### **Cumulative Number of Reported AIDS Cases**

AIDS Cases by exposure category and gender among Adult and Pediatric (Excluding DOC)

			Adult AID	S		
	Femal	е	Male		Total Ad	ult
Exposure Category among adult AIDS	Cases	Col %	Cases	Col %	Cases	Col %
Adult male-to-male sexual contact [MSM]			14,133	55.3%	14,133	40.7%
Adult injection drug use [IDU]	2,034	22.2%	3,195	12.5%	5,229	15.1%
Adult MSM & IDU	0		1,371	5.4%	1,371	3.9%
Adult heterosexual contact [HTRSX]	6,039	66.0%	4,046	15.8%	10,085	29.1%
Adult other risk*	185	2.0%	212	0.8%	397	1.1%
Adult no risk factor reported [NRR]	888	9.7%	2,611	10.2%	3,499	10.1%
Total adult AIDS	9,146	100%	25,568	100%	34,714	100%

<sup>\*</sup> Other risk includes: Adult receiving clotting factor, Hemophiliac, Perinatal exposure w/HIV age at 13+ years

			Pediatric	AIDS		
	Femal	е	Male		Total Ped	iatric
Exposure Category among Pediatric AIDS	Cases	Col %	Cases	Col %	Cases	Col %
Perinatal exposure [PERINATAL]	243	98.8%	219	95.6%	462	97.3%
Child receiving clotting factor [HEMOPH]	0	0.0%	1	0.4%	1	0.2%
Child receiving transfusion/transplant	2	0.8%	5	2.2%	7	1.5%
Child other risk confirmed [OTHER]	0	0.0%	1	0.4%	1	0.2%
Child no risk factor reported [NRR]	1	0.4%	3	1.3%	4	0.8%
Total Pediatric AIDS	246	100%	229	100%	475	100%

(Continue next Page)

Source: Electronic HIV/AIDS Reporting System [e-HARS]

Version 2.2 AIDS / 2014-08.xlsx 6 of 24



#### **Cumulative Number of Reported AIDS Cases**

Adult AIDS cases by exposure category, race/ethnicity and gender (Excluding DOC)

ADULT FEMALE AIDS CASES														
	MALE-TO-	MALE	INJECT	ΓΙΟΝ	MSM &	IDU	HETEROS	EXUAL	OTHER	*	NO REPO	RTED	TOTAL A	DULT
Exposure Category/	SEXUAL CO	ONTACT	DRUG US	E [IDU]			CONTA	СТ	RISK		RISK [N	IRR]	FEMAL	.E
Race/Ethnicity	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)			242	11.9%			1,252	20.7%	34	18.4%	127	14.3%	1,655	18.1%
American Indian/Alaska Native			0	0.0%			1	0.0%	0	0.0%	0	0.0%	1	0.0%
Asian			0	0.0%			2	0.0%	0	0.0%	0	0.0%	2	0.0%
Black or African American			1,551	76.3%			4,480	74.2%	131	70.8%	717	80.7%	6,879	75.2%
Native Hawaiian/Pacific Islander			0	0.0%			1	0.0%	0	0.0%	0	0.0%	1	0.0%
White			200	9.8%			203	3.4%	15	8.1%	34	3.8%	452	4.9%
Legacy Asian			0	0.0%			2	0.0%	0	0.0%	0	0.0%	2	0.0%
Multi-Race			41	2.0%			98	1.6%	5	2.7%	10	1.1%	154	1.7%
Adult Female AIDS			2,034	100%			6,039	100%	185	100%	888	100%	9,146	100%

<sup>\*</sup> OTHER includes Adult receiving clotting factor, Hemophiliac, Perinatal exposure w/HIV age at 13+ years

	MALE-TO-		INJECT		MSM &	IDU	HETEROS		OTHER	-	NO REPO		TOTAL A	
Exposure Category/	SEXUAL CO	ONTACT	DRUG US	E [IDU]			CONTA	CT	RISK		RISK [N	IRR]	MALE	
Race/Ethnicity	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)	7,694	54.4%	709	22.2%	487	35.5%	1,004	24.8%	63	29.7%	626	24.0%	10,583	41.4%
American Indian/Alaska Native	0	0.0%	1	0.0%	0	0.0%	0	0.0%	0	0.0%	1	0.0%	2	0.0%
Asian	13	0.1%	0	0.0%	0	0.0%	4	0.1%	0	0.0%	3	0.1%	20	0.1%
Black or African American	2,911	20.6%	2,197	68.8%	591	43.1%	2,870	70.9%	99	46.7%	1,803	69.1%	10,471	41.0%
Native Hawaiian/Pacific Islander	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	1	0.0%	1	0.0%
White	3,299	23.3%	239	7.5%	268	19.5%	101	2.5%	45	21.2%	152	5.8%	4,104	16.1%
Legacy Asian	7	0.0%	0	0.0%	0	0.0%	4	0.1%	0	0.0%	1	0.0%	12	0.0%
Multi-Race	209	1.5%	49	1.5%	25	1.8%	63	1.6%	5	2.4%	24	0.9%	375	1.5%
Adult Male AIDS	14,133	100%	3,195	100%	1,371	100%	4,046	100%	212	100%	2,611	100%	25,568	100%
	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %
TOTAL ADULT AIDS	14,133	40.7%	5.229	15.1%	1.371	3.9%	10.085	29.1%	397	1.1%	3,499	10.1%	34,714	100%

(Continue next Page)



### **Cumulative Number of Reported AIDS Cases**

Pediatric AIDS cases by exposure category, race/ethnicity and gender (Excluding DOC)

PEDIATRIC FEMALE AIDS CAS	SES											
Exposure Category/	PERINA	ΓAL	HEMOPHI	LIAC	TRANSFU	JSION	OTHER R	ISK	NO REPO	RTED	TOTAL FE	MALE
Race/Ethnicity	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)	35	14.4%	0	#DIV/0!	1	50.0%	0	#DIV/0!	1	100.0%	37	15.0%
Black or African American	197	81.1%	0	#DIV/0!	1	50.0%	0	#DIV/0!	0	0.0%	198	80.5%
White	9	3.7%	0	#DIV/0!	0	0.0%	0	#DIV/0!	0	0.0%	9	3.7%
Multi-Race	2	0.8%	0	#DIV/0!	0	0.0%	0	#DIV/0!	0	0.0%	2	0.8%
Pediatric Female AIDS	243	100%	0	#DIV/0!	2	100%	0	#DIV/0!	1	100%	246	100%

Exposure Category/	PERINA	ΓAL	HEMOPHI	LIAC	TRANSFL	ISION	OTHER R	ISK	NO REPO	RTED	TOTAL MA	ALE
Race/Ethnicity	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)	31	14.2%	0	0.0%	4	80.0%	0	0.0%	1	33.3%	36	15.7%
Black or African American	177	80.8%	1	100.0%	1	20.0%	1	100.0%	2	66.7%	182	79.5%
White	10	4.6%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	10	4.4%
Multi-Race	1	0.5%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	1	0.4%
Pediatric Male AIDS	219	100%	1	100%	5	100%	1	100%	3	100%	229	100%
	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %
TOTAL PEDIATRIC AIDS	462	97.3%	1	0.2%	7	1.5%	1	0.2%	4	0.8%	475	100%

Adult Hispanic/Latino AIDS cases by country of origin and gender (Excluding DOC)

Country	ADUL	T FEMALE	AIDS	ADU	LT MALE	AIDS	TOTAL HIS	PANIC/LAT	INO
of Origin	Cases	Col %	Row %	Cases	Col %	Row %	Cases	Col %	Row %
Argentina	24	1.5%	13.5%	154	1.5%	86.5%	178	1.5%	100%
Colombia	68	4.1%	12.1%	492	4.6%	87.9%	560	4.6%	100%
Cuba	387	23.4%	7.6%	4,698	44.4%	92.4%	5,085	41.6%	100%
Dominican Republic	71	4.3%	32.0%	151	1.4%	68.0%	222	1.8%	100%
Honduras	131	7.9%	28.5%	328	3.1%	71.5%	459	3.8%	100%
Mexico	21	1.3%	8.4%	229	2.2%	91.6%	250	2.0%	100%
Nicaragua	78	4.7%	18.3%	349	3.3%	81.7%	427	3.5%	100%
Peru	26	1.6%	13.4%	168	1.6%	86.6%	194	1.6%	100%
Puerto Rico	183	11.1%	17.5%	860	8.1%	82.5%	1,043	8.5%	100%
United States	379	22.9%	20.5%	1,469	13.9%	79.5%	1,848	15.1%	100%
Venezuela	16	1.0%	6.0%	251	2.4%	94.0%	267	2.2%	100%
Other/Unknown Countries	271	16.4%	15.9%	1,434	13.6%	84.1%	1,705	13.9%	100%
Total Adult Hispanic/Latino	1,655	100%	13.5%	10,583	100%	86.5%	12,238	100%	100%

(Continue next Page)

Source: Electronic HIV/AIDS Reporting System [e-HARS] Version 2.2

AIDS / 2014-08.xlsx 8 of 24



#### **Cumulative Number of Reported AIDS Cases**

Adult Hispanic/Latino AIDS cases by country of origin, exposure category and gender (Excluding DOC)

ADULT HISPANIC/LATINO FEI	MALE AIDS	CASES													
	MALE-TO-N	<b>MALE</b>	INJECT	ΓΙΟΝ	MSM &	IDU	HETEROS	EXUAL	OTHER	<b>?</b> *	NO REPO	RTED	Total His	panic/Latin	o Female
Country of Origin	SEXUAL CO	ONTACT	DRUG US	E [IDU]			CONTA	СТ	RISK		RISK [N	IRR]	by C	ountry of O	rigin
	Cases	Row %	Cases	Row %	Number	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Col %	Row %
Argentina			3	12.5%			19	79.2%	0	0.0%	2	8.3%	24	1.5%	100%
Colombia			7	10.3%			51	75.0%	2	2.9%	8	11.8%	68	4.1%	100%
Cuba			55	14.2%			284	73.4%	8	2.1%	40	10.3%	387	23.4%	100%
Dominican Republic			3	4.2%			61	85.9%	0	0.0%	7	9.9%	71	4.3%	100%
Honduras			8	6.1%			114	87.0%	1	0.8%	8	6.1%	131	7.9%	100%
Mexico			3	14.3%			16	76.2%	1	4.8%	1	4.8%	21	1.3%	100%
Nicaragua			4	5.1%			63	80.8%	1	1.3%	10	12.8%	78	4.7%	100%
Peru			1	3.8%			25	96.2%	0	0.0%	0	0.0%	26	1.6%	100%
Puerto Rico			48	26.2%			122	66.7%	3	1.6%	10	5.5%	183	11.1%	100%
United States			82	21.6%			264	69.7%	14	3.7%	19	5.0%	379	22.9%	100%
Venezuela			3	18.8%			12	75.0%	0	0.0%	1	6.3%	16	1.0%	100%
Other/Unknown Countries			25	9.2%			221	81.5%	4	1.5%	21	7.7%	271	16.4%	100%
Total adult Hispanic/Latino Female			242	14.6%			1,252	75.6%	34	2.1%	127	7.7%	1,655	100%	100%

\* OTHER includes Adult receiving clotting factor, Hemophiliac, Perinatal exposure w/HIV age at 13+ years

	MALE-TO-N SEXUAL CO		INJECT DRUG US	-	MSM &	IDU	HETEROS CONTA	-	OTHER RISK		NO REPO RISK [N			spanic/Lation	
	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Col %	Row %
Argentina	128	83.1%	4	2.6%	7	4.5%	12	7.8%	0	0.0%	3	1.9%	154	1.5%	100%
Colombia	399	81.1%	14	2.8%	17	3.5%	40	8.1%	3	0.6%	19	3.9%	492	4.6%	100%
Cuba	3,610	76.8%	212	4.5%	188	4.0%	384	8.2%	26	0.6%	278	5.9%	4,698	44.4%	100%
Dominican Republic	81	53.6%	8	5.3%	5	3.3%	42	27.8%	1	0.7%	14	9.3%	151	1.4%	100%
Honduras	210	64.0%	18	5.5%	5	1.5%	68	20.7%	5	1.5%	22	6.7%	328	3.1%	100%
Mexico	154	67.2%	11	4.8%	7	3.1%	38	16.6%	0	0.0%	19	8.3%	229	2.2%	100%
Nicaragua	254	72.8%	10	2.9%	13	3.7%	49	14.0%	0	0.0%	23	6.6%	349	3.3%	100%
Peru	135	80.4%	2	1.2%	2	1.2%	18	10.7%	0	0.0%	11	6.5%	168	1.6%	100%
Puerto Rico	423	49.2%	218	25.3%	99	11.5%	66	7.7%	3	0.3%	51	5.9%	860	8.1%	100%
United States	1,006	68.5%	156	10.6%	108	7.4%	126	8.6%	14	1.0%	59	4.0%	1,469	13.9%	100%
Venezuela	219	87.3%	3	1.2%	2	0.8%	16	6.4%	2	0.8%	9	3.6%	251	2.4%	100%
Other/Unknown Countries	1,075	75.0%	53	3.7%	34	2.4%	145	10.1%	9	0.6%	118	8.2%	1,434	13.6%	100%
Total adult Hispanic/Latino Male	7,694	72.7%	709	6.7%	487	4.6%	1,004	9.5%	63	0.6%	626	5.9%	10,583	100%	100%
	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	
TOTAL ADULT HISPANIC/LATINO	7,694	62.9%	951	7.8%	487	4.0%	2,256	18.4%	97	0.8%	753	6.2%	12,238	100%	

(Continue next Page)



### Cumulative Number of Reported AIDS Cases

Haitian born adult AIDS cases by exposure category and gender (Excluding DOC)

ADULT HAITIAN BORN AIDS (	CASES													
Exposure Category	MALE-TO-N	<b>IALE</b>	INJECT	TION	MSM &	IDU	HETEROS	SEXUAL	OTHER	<b>*</b>	NO REPO	RTED	Total Ha	itian
GENDER	SEXUAL CO	ONTACT	DRUG US	E [IDU]			CONTA	CT	RISK		RISK [N	NRR]	by Ger	nder
	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %
Haitian born Adult Females			56	3.7%			1,130	74.1%	25	1.6%	314	20.6%	1,525	100%
Haitian born Adult Males	534	21.9%	75	3.1%	27	1.1%	890	36.5%	12	0.5%	899	36.9%	2,437	100%
Total Haitian born	534	13.5%	131	3.3%	27	0.7%	2,020	51.0%	37	0.9%	1,213	30.6%	3,962	100%

<sup>\*</sup> OTHER includes Adult receiving clotting factor, Hemophiliac, Perinatal exposure w/HIV age at 13+ years

Department of Correction [DOC] Adult AIDS cases and total people living with AIDS by race/ethnicity and gender.

		DOC A	AIDS Cases	s			Total Re	ported Pe	ople Living	with AID	S (1)	
AIDS Cases by	Femal	е	Male		Total		Femal	е	Male		Total	
Race/Ethnicity & Gender	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)	0	0.0%	88	13.1%	88	12.6%	897	21.8%	4,801	47.1%	5,698	39.8%
Black or African American	21	77.8%	481	71.7%	502	71.9%	2,186	53.0%	2,788	27.4%	4,974	34.8%
White	4	14.8%	70	10.4%	74	10.6%	182	4.4%	1,421	14.0%	1,603	11.2%
Haitian	1	3.7%	19	2.8%	20	2.9%	797	19.3%	1,014	10.0%	1,811	12.7%
Other (2)	1	3.7%	13	1.9%	14	2.0%	61	1.5%	161	1.6%	222	1.6%
Total AIDS	27	100%	671	100%	698	100%	4,123	100%	10,185	100%	14,308	100%

<sup>(1)</sup> PLW/AIDS cases has been updated by Florida Department of Health, Bureau of Communicable Disease, HIV/AIDS & Hepatitis Section, in June 2013.

using National Death Index [NDI] latest information for death cases. Total reported people living with AIDS are those reported cases regardless of where they are currently living.

Adjustments are performed on a monthly basis to compensate for duplicate reports state and nation wide and case validation projects.

AIDS / 2014-08.xlsx 10 of 24

<sup>(2)</sup> Other Includes American Indian/Alaska Native, Asian, Native Hawaiian, Pacific Islander, Legacy Asian & Multi Race



### **Cumulative Number of Reported HIV (Not AIDS) Cases**

HIV (not AIDS) cases by age gi	roup and g	ender (Ex	cluding De	epartment	of Correct	ion - DOC	HIV (not A	IDS) Case	es by age g	group, rac	e/ethnicity	& gender	, showing	Haitians s	eparated (	Excluding	DOC)	
HIV Cases by	Female	е	Male		TOTAL	HIV	Hispanic/l	_atino	Black	(	White		Haitia	n	Other (	1)	TOTAL I	IIV
Age Group & Gender	Cases	Col %	Cases	Col %	Cases	Col %	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male
Under 5	47	1.2%	43	0.4%	90	0.6%	8	8	37	33	1	0	1	1	0	1	47	43
5-12	32	0.8%	16	0.2%	48	0.3%	5	5	22	9	0	0	5	2	0	0	32	16
13-19	222	5.7%	275	2.6%	497	3.4%	43	110	163	142	6	9	8	10	2	4	222	275
20-29	950	24.4%	2,448	23.2%	3,398	23.5%	213	1,277	569	750	48	309	109	75	11	37	950	2,448
30-39	1,071	27.5%	3,330	31.6%	4,401	30.5%	250	1,824	551	699	72	615	188	153	10	39	1,071	3,330
40-49	906	23.2%	2,701	25.6%	3,607	25.0%	211	1,330	485	680	55	488	140	163	15	40	906	2,701
50-59	487	12.5%	1,190	11.3%	1,677	11.6%	130	460	244	407	15	207	92	101	6	15	487	1,190
60-64	91	2.3%	267	2.5%	358	2.5%	24	102	39	86	3	45	25	28	0	6	91	267
65-69	64	1.6%	154	1.5%	218	1.5%	20	61	28	55	4	22	11	16	1	0	64	154
>=70	30	0.8%	116	1.1%	146	1.0%	4	42	10	80	4	10	11	10	1	4	30	146
Unknown	0	0.0%	0	0.0%	0	0.0%	0	0	0	0	0	0	0	0	0	0	0	0
Total HIV	3,900	100%	10,540	100%	14,440	100%	908	5,219	2,148	2,941	208	1,705	590	559	46	146	3,900	10,570

(1) Other Includes American Indian/Alaska Native, Asian, Native Hawaiian, Pacific Islander, Legacy Asian & Multi Race

HIV (Not AIDS) Cases by year of report and gender (Excluding DOC) HIV start reporting in Florida in July 1997.

HIV Cases by	Femal	е	Male			TOTAL HI	V
Year Report & Gender	Cases	Row %	Cases	Row %	Cases	Col %	Row %
July-December 1997	126	37.4%	211	62.6%	337	2.3%	100%
1998	275	31.0%	611	69.0%	886	6.1%	100%
1999	266	31.7%	574	68.3%	840	5.8%	100%
2000	241	31.5%	524	68.5%	765	5.3%	100%
2001	251	30.7%	567	69.3%	818	5.7%	100%
2002	291	30.5%	663	69.5%	954	6.6%	100%
2003	241	28.3%	611	71.7%	852	5.9%	100%
2004	233	27.7%	609	72.3%	842	5.8%	100%
2005	236	32.0%	502	68.0%	738	5.1%	100%
2006	190	28.6%	474	71.4%	664	4.6%	100%
2007	229	26.8%	624	73.2%	853	5.9%	100%
2008	245	25.6%	711	74.4%	956	6.6%	100%
2009	193	25.0%	579	75.0%	772	5.3%	100%
2010	186	23.9%	592	76.1%	778	5.4%	100%
2011	186	22.3%	647	77.7%	833	5.8%	100%
2012	170	22.3%	591	77.7%	761	5.3%	100%
2013	222	22.0%	788	78.0%	1,010	7.0%	100%
2014	119	15.2%	662	84.8%	781	5.4%	100%
Total Adult HIV	3,900	27.0%	10,540	73.0%	14,440	100%	

(Continue next Page)

# FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY HIV/AIDS Surveillance Cumulative Number of Reported HIV (Not AIDS) Cases



Adult & Pediatric HIV (not AIDS) cases by race/ethnicity and gender (Excluding DOC)

			Adult HIV						Pediatr	ic HIV					TOTAL HI	V CASES		
HIV by Race/	Femal	е	Male		Total Ac	lult	Femal	е	Male		Total Ped	iatric	Total Fe	male	Total Ma	ale	Total Ca	ses
Ethnicity *	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)	898	23.5%	5,211	49.7%	6,109	42.7%	13	16.5%	13	22.0%	26	18.8%	911	23.4%	5,224	49.6%	6,135	42.5%
American Indian/Alaska Native	1	0.0%	5	0.0%	6	0.0%	0	0.0%	0	0.0%	0	0.0%	1	0.0%	5	0.0%	6	0.0%
Asian	4	0.1%	28	0.3%	32	0.2%	0	0.0%	0	0.0%	0	0.0%	4	0.1%	28	0.3%	32	0.2%
Black or African American	2,667	69.8%	3,416	32.6%	6,083	42.5%	64	81.0%	45	76.3%	109	79.0%	2,731	70.0%	3,461	32.8%	6,192	42.9%
Native Hawaiian/Pacific Islander	1	0.0%	3	0.0%	4	0.0%	0	0.0%	0	0.0%	0	0.0%	1	0.0%	3	0.0%	4	0.0%
White	208	5.4%	1,706	16.3%	1,914	13.4%	1	1.3%	0	0.0%	1	0.7%	209	5.4%	1,706	16.2%	1,915	13.3%
Legacy Asian	1	0.0%	6	0.1%	7	0.0%	0	0.0%	1	1.7%	1	0.7%	1	0.0%	7	0.1%	8	0.1%
Multi-Race	41	1.1%	106	1.0%	147	1.0%	1	1.3%	0	0.0%	1	0.7%	42	1.1%	106	1.0%	148	1.0%
Unknown	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Total HIV	3,821	100%	10,481	100%	14,302	100%	79	100%	59	100%	138	100%	3,900	100%	10,540	100%	14,440	100%

Adult & Pediatric HIV (not AIDS) cases by mortality status and gender (Excluding DOC)

Mortality			Adult HIV						Pediatr	ic HIV					TOTAL HI	V CASES		
Status among	Female	е	Male		Total Ad	lult	Femal	е	Male		Total Pedi	atric	Total Fe	male	Total Ma	ıle	Total Ca	ses
HIV cases	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Alive	3,462	90.6%	9,577	91.4%	13,039	91.2%	78	98.7%	58	98.3%	136	98.6%	3,540	90.8%	9,635	91.4%	13,175	91.2%
Deaths	359	9.4%	904	8.6%	1,263	8.8%	1	1.3%	1	1.7%	2	1.4%	360	9.2%	905	8.6%	1,265	8.8%
Total HIV	3,821	100%	10,481	100%	14,302	100%	79	100%	59	100%	138	100%	3,900	100%	10,540	100%	14,440	100%

<sup>\*</sup> This new category created by CDC, is to support the ability to record an ethnicity and multiple races for an individual, necessitated by new federal OMB guidelines for reporting race and ethnicity (Continue next Page)

Source: Electronic HIV/AIDS Reporting System [e-HARS] Version 2.2

HIV / 2014-08.xlsx 12 of 24

# FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY HIV/AIDS Surveillance Cumulative Number of Reported HIV (Not AIDS) Cases



HIV (not AIDS) Cases by exposure category and gender among Adult and Pediatric (Excluding DOC)

			Adult HIV			
	Femal	е	Male		Total Ad	ult
Exposure Category among adult HIV cases	Cases	Col %	Cases	Col %	Cases	Col %
Adult male-to-male sexual contact [MSM]	0		6,993	66.7%	6,993	48.9%
Adult injection drug use [IDU]	277	7.2%	331	3.2%	608	4.3%
Adult MSM & IDU	0		238	2.3%	238	1.7%
Adult heterosexual contact [HTRSX]	2,991	78.3%	1,690	16.1%	4,681	32.7%
Adult other risk*	8	0.2%	4	0.0%	12	0.1%
Adult no risk factor reported [NRR]	545	14.3%	1,225	11.7%	1,770	12.4%
Total adult HIV	3,821	100%	10,481	100%	14,302	100%

<sup>\*</sup> Other risk includes: Adult receiving clotting factor, Hemophiliac, Perinatal exposure w/HIV age at 13+ years

			Pediatric	HIV	_	
	Femal	е	Male		Total Ped	iatric
Exposure Category among Pediatric HIV cases	Cases	Col %	Cases	Col %	Cases	Col %
Perinatal exposure [PERINATAL]	76	96.2%	59	100.0%	135	97.8%
Child receiving clotting factor [HEMOPH]	0	0.0%	0	0.0%	0	0.0%
Child receiving transfusion/transplant	0	0.0%	0	0.0%	0	0.0%
Child other risk confirmed [OTHER]	0	0.0%	0	0.0%	0	0.0%
Child no risk factor reported [NRR]	3	3.8%	0	0.0%	3	2.2%
Total Pediatric HIV	79	100%	59	100%	138	100%

(Continue next Page)

Source: Electronic HIV/AIDS Reporting System [e-HARS]

Version 2.2 HIV / 2014-08.xlsx 13 of 24



### **Cumulative Number of Reported HIV (Not AIDS) Cases**

Adult HIV (not AIDS) cases by exposure category, race/ethnicity and gender (Excluding DOC)

ADULT FEMALE HIV CASES														
Exposure Category/	MALE-TO- SEXUAL CO		INJECT DRUG US		MSM &	IDU	HETEROS CONTA	_	OTHER RISK		NO REPO RISK [N		TOTAL A	-
Race/Ethnicity	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)			63	22.7%			679	22.7%	4	50.0%	152	27.9%	898	23.5%
American Indian/Alaska Native			0	0.0%			1	0.0%	0	0.0%	0	0.0%	1	0.0%
Asian			0	0.0%			3	0.1%	0	0.0%	1	0.2%	4	0.1%
Black or African American			168	60.6%			2,142	71.6%	2	25.0%	355	65.1%	2,667	69.8%
Native Hawaiian/Pacific Islander			0	0.0%			0	0.0%	0	0.0%	1	0.2%	1	0.0%
White			39	14.1%			136	4.5%	1	12.5%	32	5.9%	208	5.4%
Legacy Asian			0	0.0%			0	0.0%	0	0.0%	1	0.2%	1	0.0%
Multi-Race			7	2.5%			30	1.0%	1	12.5%	3	0.6%	41	1.1%
Adult Female HIV			277	100%			2,991	100%	8	100%	545	100%	3,821	100%

<sup>\*</sup> OTHER includes Adult receiving clotting factor, Hemophiliac, Perinatal exposure w/HIV age at 13+ years

	MALE-TO-	MALE	INJECT	ΓΙΟΝ	MSM &	IDU	HETEROS	SEXUAL	OTHER	*	NO REPO	RTED	TOTAL A	DULT
Exposure Category/	SEXUAL CO	ONTACT	DRUG US	E [IDU]			CONTA	CT	RISK		RISK [N	RR]	MALE	E
Race/Ethnicity	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)	4,075	58.3%	97	29.3%	111	46.6%	469	27.8%	0	0.0%	459	37.5%	5,211	49.7%
American Indian/Alaska Native	2	0.0%	0	0.0%	0	0.0%	2	0.1%	0	0.0%	1	0.1%	5	0.0%
Asian	24	0.3%	0	0.0%	0	0.0%	1	0.1%	0	0.0%	3	0.2%	28	0.3%
Black or African American	1,363	19.5%	193	58.3%	76	31.9%	1,134	67.1%	3	75.0%	647	52.8%	3,416	32.6%
Native Hawaiian/Pacific Islander	3	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	3	0.0%
White	1,451	20.7%	37	11.2%	48	20.2%	62	3.7%	1	25.0%	107	8.7%	1,706	16.3%
Legacy Asian	5	0.1%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	1	0.1%	6	0.1%
Multi-Race	70	1.0%	4	1.2%	3	1.3%	22	1.3%	0	0.0%	7	0.6%	106	1.0%
Adult Male HIV	6,993	100%	331	100%	238	100%	1,690	100%	4	100%	1,225	100%	10,481	100%
	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %
TOTAL ADULT HIV	6,993	48.9%	608	4.3%	238	1.7%	4,681	32.7%	12	0.1%	1,770	12.4%	14,302	100%

(Continue next Page)

Source: Electronic HIV/AIDS Reporting System [e-HARS] Version 2.2

HIV / 2014-08.xlsx 14 of 24



#### **Cumulative Number of Reported HIV (Not AIDS) Cases**

Pediatric HIV (not AIDS) cases by exposure category, race/ethnicity and gender (Excluding DOC)

PEDIATRIC FEMALE HIV CAS	ES											
Exposure Category/	PERINA	ΓAL	HEMOPHI	LIAC	TRANSFU	JSION	OTHER R	ISK	NO REPO	RTED	TOTAL FE	MALE
Race/Ethnicity	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)	11	14.5%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	2	66.7%	13	16.5%
Black or African American	63	82.9%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	1	33.3%	64	81.0%
White	1	1.3%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0	0.0%	1	1.3%
Legacy Asian/Pacific Isl.	0	0.0%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0	0.0%	0	0.0%
Multi-Race	1	1.3%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0	0.0%	1	1.3%
Pediatric Female HIV	76	100%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	3	100%	79	100%

Exposure Category/	PERINA	ΓAL	НЕМОРНІ	LIAC	TRANSFU	JSION	OTHER R	ISK	NO REPO	RTED	TOTAL MA	\LE
Race/Ethnicity	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)	13	22.0%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	13	22.0%
Black or African American	45	76.3%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	45	76.3%
White	0	0.0%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0	0.0%
Legacy Asian/Pacific Isl.	1	1.7%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	1	1.7%
Multi-Race	0	0.0%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0	0.0%
Pediatric Male HIV	59	100%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	59	100%
	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %
TOTAL PEDIATRIC HIV	135	97.8%	0	0.0%	0	0.0%	0	0.0%	3	2.2%	138	100%

Adult Hispanic/Latino HIV (not AIDS) cases by country of origin and gender (Excluding DOC)

Country	ADUI	T FEMAL	E HIV	ADI	JLT MALE	HIV	TOTAL HIS	PANIC/LATI	NO
of Origin	Cases	Col %	Row %	Cases	Col %	Row %	Cases	Col %	Row %
Argentina	19	2.1%	12.1%	138	2.6%	87.9%	157	2.6%	100%
Colombia	36	4.0%	13.2%	237	4.5%	86.8%	273	4.5%	100%
Cuba	144	16.0%	8.7%	1,516	29.1%	91.3%	1,660	27.2%	100%
Dominican Republic	35	3.9%	31.3%	77	1.5%	68.8%	112	1.8%	100%
Honduras	66	7.3%	32.4%	138	2.6%	67.6%	204	3.3%	100%
Mexico	8	0.9%	6.2%	122	2.3%	93.8%	130	2.1%	100%
Nicaragua	34	3.8%	19.2%	143	2.7%	80.8%	177	2.9%	100%
Peru	13	1.4%	14.3%	78	1.5%	85.7%	91	1.5%	100%
Puerto Rico	55	6.1%	19.8%	223	4.3%	80.2%	278	4.6%	100%
United States	232	25.8%	17.1%	1,122	21.5%	82.9%	1,354	22.2%	100%
Venezuela	22	2.4%	7.6%	269	5.2%	92.4%	291	4.8%	100%
Other/Unknown Countries	234	26.1%	16.9%	1,148	22.0%	83.1%	1,382	22.6%	100%
Total Adult Hispanic/Latino HIV	898	100%	14.7%	5,211	100%	85.3%	6,109	100%	100%

(Continue next Page)

Source: Electronic HIV/AIDS Reporting System [e-HARS]

Version 2.2 HIV / 2014-08.xlsx 15 of 24



### **Cumulative Number of Reported HIV (Not AIDS) Cases**

Adult Hispanic/Latino HIV (not AIDS) cases by country of origin, exposure category and gender (Excluding DOC)

0	MALE-TO-			INJECTION RUG USE [IDU]		IDU	HETEROS	_	OTHER		NO REPO			panic/Latin	
Country of Origin	SEXUAL CO					I	CONTA	-	RISK		RISK [N			ountry of O	· -
	Cases	Row %	Cases	Row %	Number	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Col %	Row %
Argentina			4	21.1%			13	68.4%	0	0.0%	2	10.5%	19	2.1%	100%
Colombia			1	2.8%			30	83.3%	0	0.0%	5	13.9%	36	4.0%	100%
Cuba			7	4.9%			114	79.2%	1	0.7%	22	15.3%	144	16.0%	100%
Dominican Republic			1	2.9%			31	88.6%	0	0.0%	3	8.6%	35	3.9%	100%
Honduras			0	0.0%			58	87.9%	0	0.0%	8	12.1%	66	7.3%	100%
Mexico			2	25.0%			5	62.5%	0	0.0%	1	12.5%	8	0.9%	100%
Nicaragua			0	0.0%			26	76.5%	0	0.0%	8	23.5%	34	3.8%	100%
Peru			1	7.7%			10	76.9%	0	0.0%	2	15.4%	13	1.4%	100%
Puerto Rico			9	16.4%			35	63.6%	0	0.0%	11	20.0%	55	6.1%	100%
United States			30	12.9%			170	73.3%	3	1.3%	29	12.5%	232	25.8%	100%
Venezuela			1	4.5%			20	90.9%	0	0.0%	1	4.5%	22	2.4%	100%
Other/Unknown Countries			7	3.0%			167	71.4%	0	0.0%	60	25.6%	234	26.1%	100%
Total adult Hispanic/Latino Female	e		63	7.0%			679	75.6%	4	0.4%	152	16.9%	898	100%	100%

OTHER INCIDE	es adult receiving ciot	ting factor Hemophiliac	Perinatai ext	age at 1.3± years

	MALE-TO-		INJECT		MSM & I	DU	HETEROS		OTHER		NO REPO			spanic/Lati	
Country of Origin	SEXUAL CO Cases	Row %	DRUG US Cases	Row %	Cases	Row %	CONTA Cases	Row %	RISK Cases	Row %	RISK [N Cases	Row %	Cases	ountry of O	rigin Row %
Argentina	120	87.0%	2	1.4%	2	1.4%	9	6.5%	0	0.0%	5	3.6%	138	2.6%	100%
Colombia	196	82.7%	1	0.4%	8	3.4%	17	7.2%	0	0.0%	15	6.3%	237	4.5%	100%
Cuba	1,225	80.8%	20	1.3%	36	2.4%	149	9.8%	0	0.0%	86	5.7%	1,516	29.1%	100%
Dominican Republic	46	59.7%	3	3.9%	3	3.9%	16	20.8%	0	0.0%	9	11.7%	77	1.5%	100%
Honduras	93	67.4%	1	0.7%	3	2.2%	27	19.6%	0	0.0%	14	10.1%	138	2.6%	100%
Mexico	101	82.8%	2	1.6%	1	0.8%	8	6.6%	0	0.0%	10	8.2%	122	2.3%	100%
Nicaragua	110	76.9%	3	2.1%	1	0.7%	20	14.0%	0	0.0%	9	6.3%	143	2.7%	100%
Peru	69	88.5%	1	1.3%	1	1.3%	6	7.7%	0	0.0%	1	1.3%	78	1.5%	100%
Puerto Rico	153	68.6%	29	13.0%	16	7.2%	14	6.3%	0	0.0%	11	4.9%	223	4.3%	100%
United States	897	79.9%	26	2.3%	26	2.3%	90	8.0%	0	0.0%	83	7.4%	1,122	21.5%	100%
Venezuela	239	88.8%	0	0.0%	2	0.7%	14	5.2%	0	0.0%	14	5.2%	269	5.2%	100%
Other/Unknown Countries	826	72.0%	9	0.8%	12	1.0%	99	8.6%	0	0.0%	202	17.6%	1,148	22.0%	100%
Total adult Hispanic/Latino Ma	4,075	78.2%	97	1.9%	111	2.1%	469	9.0%	0	0.0%	459	8.8%	5,211	100%	100%
	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	1
TOTAL ADULT HISPANIC/LATINO	4,075	66.7%	160	2.6%	111	1.8%	1,148	18.8%	4	0.1%	611	10.0%	6,109	100%	1

(Continue next Page)

Source: Electronic HIV/AIDS Reporting System [e-HARS] Version 2.2

HIV / 2014-08.xlsx 16 of 24

## FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY HIV/AIDS Surveillance Cumulative Number of Reported HIV (Not AIDS) Cases



Haitian born adult HIV cases by exposure category and gender (Excluding DOC

ADULT HAITIAN BORN HIV CASES														
Exposure Category	MALE-TO-	-MALE	INJEC	TION	[MSM\ & [	IDU]	<b>HETEROS</b>	SEXUAL	OTHER	<b>!</b> *	NO REPO	RTED	<b>Total Hait</b>	tian
GENDER	SEXUAL CO	ONTACT	DRUG US	E [IDU]			CONTA	CT	RISK		RISK [N	NRR]	by Ge	nder
	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %
Haitian born Adult Females			12	2.1%			500	85.6%	0	0.0%	72	12.3%	584	100%
Haitian born Adult Males	100	18.0%	8	1.4%	1	0.2%	307	55.2%	0	0.0%	140	25.2%	556	100%
Total Haitian born	100	8.8%	20	1.8%	1	0.1%	807	70.8%	0	0.0%	212	18.6%	1,140	100%

<sup>\*</sup> OTHER includes Adult receiving clotting factor, Hemophiliac, Perinatal exposure w/HIV age at 13+ years

Department of Correction [DOC] Adult HIV (not AIDS) and total people living with HIV by race/ethnicity and gender.

		DC	OC HIV Cas	ses			Total R	eported P	eople Livin	g with HIV	<i>l</i> (1)	
HIV Cases by	Femal	е	Male	•	Total		Femal	е	Male		Total	
Race/Ethnicity & Gender	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)	5	5.0%	78	17.7%	83	18.2%	842	23.8%	4,930	51.2%	5,772	43.8%
Black or African American	7	46.7%	285	64.8%	292	64.2%	1,937	54.7%	2,515	26.1%	4,452	33.8%
White	3	20.0%	59	13.4%	62	13.6%	186	5.3%	1,578	16.4%	1,764	13.4%
Haitian	0	0.0%	11	2.5%	11	2.4%	539	15.2%	487	5.1%	1,026	7.8%
Other (2)	0	0.0%	7	1.6%	7	1.5%	36	1.0%	125	1.3%	161	1.2%
Total HIV	15	72%	440	100%	455	100%	3,540	100%	9,635	100%	13,175	100%

<sup>(1)</sup> PLW/HIV cases has been updated by FL Department of Health, Bureau of Communicable Disease, HIV/AIDS & Hepatitis Section, in June 2013,

using National Death Index [NDI] latest information for death cases. Total reported people living with HIV are those reported cases regardless of where they are currently living.

Adjustments are performed on a monthly basis to compensate for duplicate reports state and nation wide and case validation projects.

Version 2.2 HIV / 2014-08.xlsx 17 of 24

<sup>(2)</sup> Other Includes American Indian/Alaska Native, Asian, Native Hawaiian, Pacific Islander, Legacy Asian & Multi Race

### HIV/AIDS Surveillance Perinatal HIV Exposed Cases



All EXPOSED Perinatal pediatric cases born in Miami-Dade by year of birth and diagnosis status since November 20th, 2006. (1)

Year of Birth	Perinatal HIV Exposure	Pediatric HIV	Pediatric AIDS	Pediatric seroreverter	Unknown	TOTAL
>=November 20 <sup>th</sup> , 2006	3	0	0	16	0	19
2007	32	1	0	106	0	139
2008	40	1	1	90	0	132
2009	31	2	0	86	0	119
2010	39	3	0	83	0	125
2011	13	1	0	105	0	119
2012	11	1	0	89	0	101
2013	28	2	1	65	0	96
2014	49	1	0	7	0	57
Total	246	12	2	647	0	907

All EXPOSED Perinatal pediatric cases born in Miami-Dade by year of birth and race/ethnicity since November 20th, 2006. (1)

Year of Birth	Hispanic	Not Hispanic, Black	Not Hispanic, White	Not Hispanic, Other <sup>(2)</sup>	TOTAL
>=November 20 <sup>th</sup> , 2006	3	15	1	0	19
2007	22	110	5	2	139
2008	19	111	2	0	132
2009	24	91	3	1	119
2010	31	87	5	2	125
2011	21	90	7	1	119
2012	23	68	8	2	101
2013	16	75	4	1	96
2014	8	45	4	0	57
Total	167	692	39	9	907

<sup>(1)</sup> NOTE: An expanded HIV reporting law was implemented on November 2d<sup>th</sup>, 2006. Expansion included reportability of cases with virologic evidence of HIV infection. Previously, only Western Blot-confirmed (+) cases were reportable. In addition, reporting is retroactive. Previously, only HIV cases diagnosed after July st, 1997, were reportable. A detectable viral load (VL) (or equivalent viral test) is reportable, and is considered evidence of HIV. Other reportable virologic test considered to be evidence of HIV are: P24, ANTIGEN, Nucleic Acid test (NAT/NAAT), viral culture. CD4 counts/percents are reportable, but follow-up is conducted only if it is <200 uL, or <14%.

(Continue next Page)

Source: Electronic HIV/AIDS Reporting System [e-HARS] Version 2.2

PERINATAL EXPOSED / 2014-08.xlsx

<sup>(2)</sup> Other Includes American Indian/Alaska Native, Asian, Native Hawaiian, Pacific Islander, Legacy Asian & Multi Race

## FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY HIV/AIDS Surveillance Perinatal HIV Exposed Cases



All EXPOSED Perinatal pediatric cases born in Miami-Dade by year of birth and Mother HIV status since November 20th, 2006.

Year of Birth	Know HIV (+) before pregnancy	Know HIV (+) during pregnancy	Know HIV (+) at time of delivery	Know HIV (+) sometime before birth	Know HIV (+) sometime after birth	HIV (+) with time unknown	TOTAL
>=November 20 <sup>th</sup> , 2006	16	2	0	0	0	1	19
2007	93	34	9	1	2	0	139
2008	94	35	2	0	0	1	132
2009	85	24	8	1	0	1	119
2010	88	25	5	3	1	3	125
2011	90	23	3	2	1	0	119
2012	75	24	2	0	0	0	101
2013	79	11	2	3	0	1	96
2014	49	7	0	1	0	0	57
Total	669	185	31	11	4	7	907

All EXPOSED Perinatal pediatric cases born in Miami-Dade by diagnosis and Mother HIV status since November 20th, 2006. (1)

Diagnosis Status	Know HIV (+) before pregnancy	Know HIV (+) during pregnancy	Know HIV (+) at time of delivery		Know HIV (+) sometime after birth	HIV (+) with time unknown	TOTAL
Perinatal HIV Exposure	179	47	12	5	1	2	246
Pediatric HIV	8	1	2	0	1	0	12
Pediatric AIDS	2	0	0	0	0	0	2
Pediatric Seroreverter	480	137	17	6	2	5	647
Unknown	0	0	0	0	0	0	0
Total	669	185	31	11	4	7	907

All EXPOSED Perinatal pediatric cases born in Miami-Dade by diagnosis status and HIV category since November 20th. 2006.

Diagnosis Status	HIV (+) Definitive	HIV (+) Presumptive	HIV Indeterminate	HIV (-) Definitive	HIV (-) Presumptive	Unknown	TOTAL
Perinatal HIV Exposure	0	0	246	0	0	0	246
Pediatric HIV	12	0	0	0	0	0	12
Pediatric AIDS	2	0	0	0	0	0	2
Pediatric Seroreverter	0	0	0	478	169	0	647
Unknown	0	0	0	0	0	0	0
Total	14	0	246	478	169	0	907

<sup>(1)</sup> NOTE: An expanded HIV reporting law was implemented on November 20<sup>th</sup>, 2006. Expansion included reportability of cases with virologic evidence of HIV infection. Previously, only Western Blot-confirmed (+) cases were reportable. In addition, reporting is retroactive. Previously, only HIV cases diagnosed after July st, 1997, were reportable. A detectable viral load (VL) (or equivalent viral test) is reportable, and is considered evidence of HIV. Other reportable virologic test considered to be evidence of HIV are: P24, ANTIGEN, Nucleic Acid test (NAT/NAAT), viral culture. CD4 counts/percents are reportable, but follow-up is conducted only if it is <200 uL, or <14%.

(Continue next Page)

Source: Electronic HIV/AIDS Reporting System [e-HARS] Version 2.2

PERINATAL EXPOSED / 2014-08.xlsx 19 of 24

### FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY

### HIV/AIDS Surveillance Perinatal HIV Exposed Cases



CONFIRMED Infected Perinatal Cases, know HIV or AIDS born in Miami-Dade by year of birth, 2000-2014.

Perinatal HIV/AIDS	Pediatric HIV		Pediat	Pediatric AIDS		TOTAL		
Cases by Year of Birth	Cases	Row %	Cases	Row %	Cases	Col %	Row %	
2000	3	60.0%	2	40.0%	5	10.9%	100%	
2001	3	42.9%	4	57.1%	7	15.2%	100%	
2002	3	50.0%	3	50.0%	6	13.0%	100%	
2003	3	75.0%	1	25.0%	4	8.7%	100%	
2004	1	50.0%	1	50.0%	2	4.3%	100%	
2005	3	60.0%	2	40.0%	5	10.9%	100%	
2006	2	66.7%	1	33.3%	3	6.5%	100%	
2007	1	100.0%	0	0.0%	1	2.2%	100%	
2008	1	50.0%	1	50.0%	2	4.3%	100%	
2009	2	100.0%	0	0.0%	2	4.3%	100%	
2010	3	100.0%	0	0.0%	3	6.5%	100%	
2011	1	100.0%	0	0.0%	1	2.2%	100%	
2012	1	100.0%	0	0.0%	1	2.2%	100%	
2013	2	66.7%	1	33.3%	3	6.5%	100%	
2014	1	100.0%	0	0.0%	1	2.2%	100%	
Total Confirmed Perinatal Cases	30	65%	16	35%	46	100%	100%	

(Continue next Page)

Source: Electronic HIV/AIDS Reporting System [e-HARS] Version 2.2

PERINATAL EXPOSED / 2014-08.xlsx

# FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY HIV/AIDS Surveillance Perinatal HIV Exposed Cases



All EXPOSED Perinatal pediatric cases born in Miami-Dade by hospital of birth and diagnosis status since November 20th, 2006. (1)

Hospital of Birth	Perinatal HIV Exposure	Pediatric HIV	Pediatric AIDS	Perinatal Seroreverter	Unknown	TOTAL	TOTAL %
BAPTIST HOSPITAL-MIAMI	3	0	0	1	0	4	0.4%
BROWARD GENERAL MEDICAL CTR.	3	0	0	1	0	4	0.4%
CORAL SPRINGS MEDICAL CTR.	1	0	0	0	0	1	0.1%
HIALEAH HOSPITAL	3	0	0	0	0	3	0.3%
HOMESTEAD HOSPITAL	5	1	0	1	0	7	0.8%
JACKSON N MATERNITY CTR.	0	0	0	2	0	2	0.2%
JACKSON NORTH MEDICAL CTR.	8	2	0	14	0	24	2.6%
JACKSON SOUTH MEDICAL CTR.	4	0	0	13	0	17	1.9%
JACKSON MEMORIAL HOSPITAL	172	5	0	587	0	764	84.2%
KENDALL RMC	1	0	0	1	0	2	0.2%
MEMORIAL HOSPITAL-MIRAMAR	1	0	1	0	0	2	0.2%
MEMORIAL HOSPITAL-SOUTH	1	0	0	0	0	1	0.1%
MEMORIAL HOSPITAL-WEST	2	0	0	0	0	2	0.2%
MEMORIAL HOSPITAL-PEMBROKE PINES	3	0	0	1	0	4	0.4%
MEMORIAL HOSPITAL-HOLLYWOOD	13	0	0	2	0	15	1.7%
MERCY HOSPITAL	2	0	0	0	0	2	0.2%
MIAMI CHILDREN'S HOSPITAL	1	0	0	0	0	1	0.1%
MIAMI-DADE PVT PHYSICIAN-MIAMI	2	0	0	0	0	2	0.2%
MOUNT SINAI MC	0	0	0	1	0	1	0.1%
NORTH SHORE MEDICAL CTR.	14	0	0	14	0	28	3.1%
PLANTATION GENERAL HOSPITAL	1	0	0	1	0	2	0.2%
SOUTH MIAMI HOSPITAL	1	0	0	0	0	1	0.1%
UF HEALTH AT JACKSONVILLE	1	0	0	0	0	1	0.1%
WELLINGTON RMS	1	0	0	0	0	1	0.1%
UNKNOWN	3	4	1	8	0	16	1.8%
TOTAL	246	12	2	647	0	907	100%

<sup>(1)</sup> NOTE: An expanded HIV reporting law was implemented on November 2d<sup>th</sup>, 2006. Expansion included reportability of cases with virologic evidence of HIV infection. Previously, only Western Blot-confirmed (+) cases were reportable. In addition, reporting is retroactive. Previously, only HIV cases diagnosed after July st, 1997, were reportable. A detectable viral load (VL) (or equivalent viral test) is reportable, and is considered evidence of HIV. Other reportable virologic test considered to be evidence of HIV are: P24, ANTIGEN, Nucleic Acid test (NAT/NAAT), viral culture. CD4 counts/percents are reportable, but follow-up is conducted only if it is <200 uL, or <14%

### FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY ONE-IN STATEMENTS

ONE-IN Statements for Adults (>=13) Living with HIV or AIDS [PLWHA] through 2013 in Miami-Dade & Florida,

ADULT MALE LIVING WITH HIV OR AIDS		
MIAMI-DADE	FLORIDA	
One in 57 White adult male in Miami-Dade is living with HIV or AIDS	<ul> <li>One in 187 White adult male</li> </ul>	
One in 25 Black adult male in Miami-Dade is living with HIV or AIDS	<ul> <li>One in 40 Black adult male</li> </ul>	
<ul> <li>One in 75 Hispanic adult male in Miami-Dade is living with HIV or AIDS</li> </ul>	<ul> <li>One in 106 Hispanic adult male</li> </ul>	
One in 84 other race adult male in Miami-Dade is living with HIV or AIDS	<ul> <li>One in 219 Other adult male</li> </ul>	
One in 55 adult male in Miami-Dade is living with HIV or AIDS	One in 111 adult male in Florida	

ADULT FEMALE LIVING WITH HIV OR AIDS				
MIAMI-DADE	FLORIDA			
<ul> <li>One in 446 White adult female in Miami-Dade is living with HIV or AIDS</li> </ul>	<ul> <li>One in 1,080 White adult female</li> </ul>			
One in 35 Black adult female in Miami-Dade is living with HIV or AIDS	<ul> <li>One in 61 Black adult female</li> </ul>			
<ul> <li>One in 449 Hispanic adult female in Miami-Dade is living with HIV or AIDS</li> </ul>				
<ul> <li>One in 237 other race adult female in Miami-Dade is living with HIV or AIDS</li> </ul>	<ul> <li>One in 606 Other adult female</li> </ul>			
One in 152 adult female in Miami-Dade is living with HIV or AIDS	One in 283 adult female in Florida			

TOTAL ADULTS OF ALL SEXES LIVING WITH HIV OR AIDS				
MIAMI-DADE	FLORIDA			
One in 99 White adult in Miami-Dade is living with HIV or AIDS	<ul> <li>One in 325 White adult</li> </ul>			
<ul> <li>One in 30 Black adult in Miami-Dade is living with HIV or AIDS</li> </ul>	<ul> <li>One in 49 Black adult</li> </ul>			
<ul> <li>One in 133 Hispanic adult in Miami-Dade is living with HIV or AIDS</li> </ul>	<ul> <li>One in 175 Hispanic adult</li> </ul>			
One in 127 other race adult in Miami-Dade is living with HIV or AIDS	<ul> <li>One in 333 Other adult race</li> </ul>			
One in 83 adult resident in Miami-Dade is living with HIV or AIDS	One in 161 adult Floridian			

Note: Excluding Department of Correction [DOC] cases at county level. Florida totals include DOC cases.

These statements are updated by the Florida Bureau of Communicable Disease, HIV/AIDS Section, every June of following year.

### FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY ONE-IN STATEMENTS

### ONE-IN Statements for Total Persons (all ages) Living with HIV or AIDS [PLWHA] through 2013 in Miami-Dade & Florida

TOTAL MALE LIVING WITH HIV OR AIDS		
MIAMI-DADE	FLORIDA	
<ul> <li>One in 68 White male in Miami-Dade is living with HIV or AIDS</li> </ul>	<ul> <li>One in 212 White male</li> </ul>	
One in 32 Black male in Miami-Dade is living with HIV or AIDS	<ul> <li>One in 50 Black male</li> </ul>	
<ul> <li>One in 89 Hispanic male in Miami-Dade is living with HIV or AIDS</li> </ul>	<ul> <li>One in 132 Hispanic male</li> </ul>	
One in 102 other race male in Miami-Dade is living with HIV or AIDS	<ul> <li>One in 287 Other male</li> </ul>	
One in 66 male in Miami-Dade is living with HIV or AIDS	One in 130 male in Florida	

TOTAL FEMALE LIVING WITH HIV OR AIDS				
MIAMI-DADE	FLORIDA			
<ul> <li>One in 534 White female in Miami-Dade is living with HIV or AIDS</li> </ul>	<ul> <li>One in 1,210 White female</li> </ul>			
One in 43 Black female in Miami-Dade is living with HIV or AIDS	<ul> <li>One in 75 Black female</li> </ul>			
<ul> <li>One in 516 Hispanic female in Miami-Dade is living with HIV or AIDS</li> </ul>	<ul> <li>One in 562 Hispanic female</li> </ul>			
One in 282 other race female in Miami-Dade is living with HIV or AIDS	<ul> <li>One in 763 Other female</li> </ul>			
One in 178 female in Miami-Dade is living with HIV or AIDS	One in 330 female in Florida			

TOTAL ALL SEXES LIVING WITH HIV OR AIDS			
MIAMI-DADE	FLORIDA		
One in 118 White in Miami-Dade is living with HIV or AIDS	<ul> <li>One in 366 White</li> </ul>		
One in 37 Black in Miami-Dade is living with HIV or AIDS	One in 61 Black		
One in 155 Hispanic in Miami-Dade is living with HIV or AIDS	<ul> <li>One in 215 Hispanic</li> </ul>		
One in 153 other race in Miami-Dade is living with HIV or AIDS	<ul> <li>One in 427 Other race</li> </ul>		
One in 98 Miami-Dade resident is living with HIV or AIDS	One in 189 Floridian		

Note: Excluding Department of Correction [DOC] cases at county level. Florida totals include DOC cases.

These statements are updated by the Florida Bureau of Communicable Disease, HIV/AIDS Section, every June of following year.

### FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY USEFUL WEBSITE LINKS

Below are several website that may be useful for HIV/AIDS related information.

USEFUL WEBSITE LINKS				
ORGANIZATIONS / SITES	ELECTRONIC ADDRESS			
2012 Data from the HIV Counseling and Testing (Florida & all Counties)	http://www.doh.state.fl.us/disease_ctrl/aids/trends/ct/2012Data/2012data.html			
2012 Data from the HIV Counseling and Testing (Monroe County)	http://www.doh.state.fl.us/disease_ctrl/aids/trends/ct/2012Data/Monroe.pdf			
Center for Disease Control and Prevention [CDC]	http://www.cdc.gov			
Center for Disease Control and Prevention. HIV/AIDS Statistics and Surveillance	http://www.cdc.gov/hiv/topics/surveillance/			
Center for Disease Control and Prevention. Morbidity and Mortality Weekly Report	http://www.cdc.gov/mmwr/			
Florida Community Health Assessment Resource Tool Set [Florida CHARTS]	http://www.floridacharts.com/charts/default.aspx			
Florida Department of Health in Miami-Dade County	http://www.dadehealth.org			
Florida Department of Health in Monroe County	http://keyshealth.com/			
Florida Department of Health, Bureau of Communicable Disease, HIV/AIDS and Hepatitis Section.	http://www.doh.state.fl.us/disease_ctrl/aids/index.html			
Organización Panamericana de la Salud [PAHO] (Pan American Health Organization)	http://www.paho.org			
The Test Miami Initiative	http://www.testmiami.org/index.aspx			
United Nations Program on HIV/AIDS [UNAIDS]	http://www.unaids.org/			
US Census Bureau.	http://www.census.gov			
US Census Bureau. HIV/AIDS Surveillance	http://www.census.gov/ipc/www/hivaidsn.html			
World Health Organization [WHO]	http://www.who.int			