Mission:

To protect, promote & improve the health of all people in Florida through integrated state, county & community efforts.



Rick Scott Governor

John H. Armstrong, MD, FACS

State Surgeon General & Secretary

Vision: To be the Healthiest State in the Nation

FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY

HIV/AIDS SURVEILLANCE MONTHLY HIV/AIDS SURVEILLANCE REPORT

NOVEMBER 2014

AIDS CASES (EXCLUDING DEPARTMENT OF CORRECTION [DOC] CASES) (AIDS Worksheet)

AIDS cases by age group and gender (Excluding Department of Correction - DOC).

AIDS cases by age group, race/ethnicity & gender, showing Haitians separated (Excluding DOC)

AIDS cases by year of report and gender (Excluding DOC)

Adult & pediatric AIDS cases by race/ethnicity and gender (Excluding DOC)

Adult & pediatric AIDS cases by mortality status and gender (Excluding DOC)

AIDS cases by exposure category and gender among Adult and Pediatric (Excluding DOC)

Adult AIDS cases by exposure category, race/ethnicity and gender (Excluding DOC)

Pediatric AIDS cases by exposure category, race/ethnicity and gender.

Adult Hispanic/Latino AIDS cases by country of origin and gender (Excluding DOC)

Adult Hispanic/Latino AIDS cases by country of origin, exposure category and gender (Excluding DOC)

Haitian born adult AIDS cases by exposure category and gender (Excluding DOC)

Department of Correction [DOC] Adult AIDS cases and total people living with AIDS by race/ethnicity and gender.

HIV CASES (EXCLUDING DEPARTMENT OF CORRECTION [DOC] CASES) (HIV Worksheet)

HIV (not AIDS) cases by age group and gender (Excluding Department of Correction - DOC)

HIV (not AIDS) cases by age group, race/ethnicity & gender, showing Haitians separated (Excluding DOC)

HIV (not AIDS) cases by year of report and gender (Excluding DOC)

Adult & pediatric HIV (not AIDS) cases by race/ethnicity and gender (Excluding DOC)

Adult & pediatric HIV (not AIDS) cases by mortality status and gender (Excluding DOC)

HIV (not AIDS) cases by exposure category and gender among Adult and Pediatric (Excluding DOC)

Adult HIV (not AIDS) cases by exposure category, race/ethnicity and gender (Excluding DOC)

(Continue next Page)

Florida Department of Health

Miami-Dade County Epidemiology, Disease Control, and Immunization Services 8600 NW 17th Street, suite 200, Miami, Florida 33126 PHONE: 305/470-5660 - FAX 305/470-5533 www.FloridaHealth.com

TWITTER: HealthyFLA FACEBOOK: FLDepartmentofHealth YOUTUBE: fldoh FLICKR: HealthyFla PINTEREST: HealthyFla

Mission:

To protect, promote & improve the health of all people in Florida through integrated state, county & community efforts.



Rick Scott

Governor

John H. Armstrong, MD, FACS State Surgeon General & Secretary

Vision: To be the Healthiest State in the Nation

Adult Hispanic/Latino HIV (not AIDS) cases by country of origin and gender (Excluding DOC)

Adult Hispanic/Latino HIV (not AIDS) cases by country of origin, exposure category and gender (Excluding DOC)

Haitian born adult HIV (not AIDS) cases by country of origin, exposure category and gender (Excluding DOC)

Department of Correction [DOC] Adult HIV (not AIDS) cases and total people living with HIV by race/ethnicity and gender.

PERINATAL EXPOSED CASES REPORTED SINCE NOVEMBER 20", 2006 (PERINATAL EXPOSED Worksheet)

All EXPOSED perinatal pediatric cases born in Miami-Dade by year of birth and diagnosis status since November 20th, 2006.

All EXPOSED perinatal pediatric cases born in Miami-Dade by year of birth and race/ethnicity since November 20th, 2006.

All EXPOSED perinatal pediatric cases born in Miami-Dade by year of birth and Mother HIV status since November 20th, 2006.

All EXPOSED perinatal pediatric cases born in Miami-Dade by diagnosis and Mother HIV status since November 20th, 2006.

All EXPOSED perinatal pediatric cases born in Miami-Dade by diagnosis status and HIV category since November 20th, 2006.

CONFIRMED infected perinatal cases born in Miami-Dade, known HIV or AIDS by year of birth, 2000-2013.

All EXPOSED perinatal pediatric cases born in Miami-Dade by hospital of birth and diagnosis status since November 20th, 2006.

ONE-IN STATEMENTS (ONE-IN STATEMENTS Worksheet)

One-in statements for persons (all ages) living with HIV or AIDS through 2013 (all ages) in Miami-Dade & Florida.

One-in statements for adult (>=13) persons living with HIV or AIDS through 2013 in Miami-Dade & Florida.

USEFUL WEBSITES LINKS (WEBSITE Worksheet)

Useful websites for HIV/AIDS related information.

Miami-Dade County
Epidemiology, Disease Control, and Immunization Services
8600 NW 17th Street, suite 200, Miami, Florida 33126
PHONE: 305/470-5660 - FAX 305/470-5533

TWITTER: HealthyFLA FACEBOOK: FLDepartmentofHealth YOUTUBE: floth FLICKR: HealthyFla PIN I RES1: HealthyFla

HIV/AIDS Surveillance



Cumulative Number of Reported AIDS Cases

AIDS Cases by age group and	gender (Ex	xcluding L	Departmen	t of Corre	ction - DO	C)	AIDS	Cases by a	age group,	race/ethr	nicity & ger	nder, shov	ving Haitia	ns separa	ted (Exclu	ding DOC)	
AIDS Cases by	Femal	е	Male		TOTAL	AIDS	Hispanic/	Latino	Black		White	!	Haitia	n	Other (1)	TOTAL	AIDS
Age Group & Gender	Cases	Col %	Cases	Col %	Cases	Col %	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male
Under 5	190	2.0%	170	0.7%	360	1.0%	25	24	155	129	4	9	5	7	1	1	190	170
5-12	56	0.6%	60	0.2%	116	0.3%	12	12	34	42	5	1	4	5	1	0	56	60
13-19	165	1.8%	126	0.5%	291	0.8%	18	41	122	77	5	2	16	6	4	0	165	126
20-29	1,714	18.2%	3,211	12.4%	4,925	14.0%	280	1,380	1,104	1,019	77	501	234	262	19	49	1,714	3,211
30-39	3,261	34.6%	9,413	36.4%	12,674	35.9%	527	4,040	1,982	2,668	160	1,665	551	892	41	148	3,261	9,413
40-49	2,437	25.9%	7,772	30.1%	10,209	28.9%	455	3,136	1,403	2,507	127	1,255	411	765	41	109	2,437	7,772
50-59	1,080	11.5%	3,550	13.7%	4,630	13.1%	238	1,417	553	1,235	57	478	208	366	24	54	1,080	3,550
60-64	259	2.8%	831	3.2%	1,090	3.1%	67	323	119	309	8	109	60	76	5	14	259	831
65-69	144	1.5%	420	1.6%	564	1.6%	29	150	73	166	6	55	34	41	2	8	144	420
>=70	110	1.2%	305	1.2%	415	1.2%	33	118	44	114	12	35	17	30	4	8	110	305
Unknown	0	0.0%	0	0.0%	0	0.0%	0	0	0	0	0	0	0	0	0	0	0	0
Total AIDS	9,416	100%	25,858	100%	35,274	100%	1,684	10,641	5,589	8,266	461	4,110	1,540	2,450	142	391	9,416	25,858

(1) Other Includes American Indian/Alaska Native, Asian, Native Hawaiian, Pacific Islander, Legacy Asian & Multi Race

AIDS Cases by year of report and gender (Excluding DOC)

AIDS Cases by	Femal	е	Male		TOTAL A	AIDS
Year Report & Gender	Cases	Row %	Cases	Row %	Cases	Col %
1981	0	0.0%	4	100%	4	0.0%
1982	7	18.4%	31	81.6%	38	0.1%
1983	16	16.3%	82	83.7%	98	0.3%
1984	18	11.9%	133	88.1%	151	0.4%
1985	29	15.3%	161	84.7%	190	0.5%
1986	71	17.4%	337	82.6%	408	1.2%
1987	67	13.7%	421	86.3%	488	1.4%
1988	118	16.6%	593	83.4%	711	2.0%
1989	209	20.2%	824	79.8%	1,033	2.9%
1990	183	19.4%	758	80.6%	941	2.7%
1991	394	19.7%	1,606	80.3%	2,000	5.7%
1992	342	20.9%	1,297	79.1%	1,639	4.6%
1993	632	22.5%	2,171	77.5%	2,803	7.9%
1994	670	23.5%	2,177	76.5%	2,847	8.1%
1995	593	28.0%	1,523	72.0%	2,116	6.0%
1996	528	27.0%	1,424	73.0%	1,952	5.5%
1997	421	28.3%	1,067	71.7%	1,488	4.2%
1998	465	31.7%	1,001	68.3%	1,466	4.2%
1999	356	29.3%	858	70.7%	1,214	3.4%

AIDS Cases by	Femal	е	Male		TOTAL	AIDS
Year & Gender (Cont)	Cases	Row %	Cases	Row %	Cases	Col %
2000	376	31.6%	812	68.4%	1,188	3.4%
2001	369	32.8%	756	67.2%	1,125	3.2%
2002	303	29.1%	737	70.9%	1,040	2.9%
2003	297	30.4%	680	69.6%	977	2.8%
2004	400	31.3%	879	68.7%	1,279	3.6%
2005	385	33.1%	778	66.9%	1,163	3.3%
2006	389	34.7%	733	65.3%	1,122	3.2%
2007	271	35.1%	501	64.9%	772	2.2%
2008	323	31.0%	718	69.0%	1,041	3.0%
2009	256	30.8%	576	69.2%	832	2.4%
2010	202	30.6%	458	69.4%	660	1.9%
2011	238	33.2%	479	66.8%	717	2.0%
2012	159	26.4%	443	73.6%	602	1.7%
2013	193	28.1%	493	71.9%	686	1.9%
2014	136	28.2%	347	71.8%	483	1.4%
Total Adult AIDS	9,416	26.7%	25,858	73.3%	35,274	100%

(Continue next Page)

Source: Electronic HIV/AIDS Reporting System [e-HARS] Version 2.2

AIDS / 2014-11.xlsx 3 of 23

HIV/AIDS Surveillance

Cumulative Number of Reported AIDS Cases

NOVEMBER 2014

Adult & Pediatric AIDS cases by race/ethnicity and gender (Excluding DOC)

			Adult AID	S					Pediati	ric AIDS					TOTAL AI	DS CASE	S	
AIDS by Race/	Female	е	Male		Total Ad	ult	Female	е	Male		Total Ped	iatric	Total Fer	nale	Total Ma	ale	Total Ca	ses
Ethnicity *	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)	1,662	18.1%	10,624	41.5%	12,286	35.3%	37	15.0%	36	15.7%	73	15.3%	1,699	18.0%	10,660	41.2%	12,359	35.0%
American Indian/Alaska Native	1	0.0%	2	0.0%	3	0.0%	0	0.0%	0	0.0%	0	0.0%	1	0.0%	2	0.0%	3	0.0%
Asian	2	0.0%	21	0.1%	23	0.1%	0	0.0%	0	0.0%	0	0.0%	2	0.0%	21	0.1%	23	0.1%
Black or African American	6,896	75.2%	10,488	40.9%	17,384	50.0%	198	80.5%	183	79.6%	381	80.0%	7,094	75.3%	10,671	41.3%	17,765	50.4%
Native Hawaiian/Pacific Islander	1	0.0%	1	0.0%	2	0.0%	0	0.0%	0	0.0%	0	0.0%	1	0.0%	1	0.0%	2	0.0%
White	452	4.9%	4,104	16.0%	4,556	13.1%	9	3.7%	10	4.3%	19	4.0%	461	4.9%	4,114	15.9%	4,575	13.0%
Legacy Asian	2	0.0%	12	0.0%	14	0.0%	0	0.0%	0	0.0%	0	0.0%	2	0.0%	12	0.0%	14	0.0%
Multi-Race	154	1.7%	376	1.5%	530	1.5%	2	0.8%	1	0.4%	3	0.6%	156	1.7%	377	1.5%	533	1.5%
Unknown	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Total AIDS	9,170	100%	25,628	100%	34,798	100%	246	100%	230	100%	476	100%	9,416	100%	25,858	100%	35,274	100%

Adult & Pediatric AIDS cases by mortality status and gender (Excluding DOC)

Mortality			Adult AID	S					Pediati	ic AIDS					TOTAL AI	DS CASES	3	
Status among	Female	е	Male		Total Ad	ult	Female	е	Male		Total Pedi	atric	Total Fer	male	Total Ma	ıle	Total Ca	ises
AIDS cases	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Alive	4,014	43.8%	9,993	39.0%	14,007	40.3%	75	30.5%	80	34.8%	155	32.6%	4,089	43.4%	10,073	39.0%	14,162	40.1%
Deaths	5,156	56.2%	15,635	61.0%	20,791	59.7%	171	69.5%	150	65.2%	321	67.4%	5,327	56.6%	15,785	61.0%	21,112	59.9%
Total AIDS	9,170	100%	25,628	100%	34,798	100%	246	100%	230	100%	476	100%	9,416	100%	25,858	100%	35,274	100%

^{*} This new category created by CDC, is to support the ability to record an ethnicity and multiple races for an individual, necessitated by new federal OMB guidelines for reporting race and ethnicity.

(Continue next Page)

Source: Electronic HIV/AIDS Reporting System [e-HARS] Version 2.2

AIDS / 2014-11.xlsx 4 of 23

HIV/AIDS Surveillance

Cumulative Number of Reported AIDS Cases

NOVEMBER 2014

AIDS Cases by exposure category and gender among Adult and Pediatric (Excluding DOC)

			Adult AID	S		
	Femal	е	Male		Total Ad	ult
Exposure Category among adult AIDS	Cases	Col %	Cases	Col %	Cases	Col %
Adult male-to-male sexual contact [MSM]			14,185	55.3%	14,185	40.8%
Adult injection drug use [IDU]	2,036	22.2%	3,199	12.5%	5,235	15.0%
Adult MSM & IDU	0		1,374	5.4%	1,374	3.9%
Adult heterosexual contact [HTRSX]	6,061	66.1%	4,052	15.8%	10,113	29.1%
Adult other risk*	185	2.0%	212	0.8%	397	1.1%
Adult no risk factor reported [NRR]	888	9.7%	2,606	10.2%	3,494	10.0%
Total adult AIDS	9,170	100%	25,628	100%	34,798	100%

^{*} Other risk includes: Adult receiving clotting factor, Hemophiliac, Perinatal exposure w/HIV age at 13+ years

			Pediatric	AIDS		
	Femal	е	Male		Total Pedi	atric
Exposure Category among Pediatric AIDS	Cases	Col %	Cases	Col %	Cases	Col %
Perinatal exposure [PERINATAL]	243	98.8%	220	95.7%	463	97.3%
Child receiving clotting factor [HEMOPH]	0	0.0%	1	0.4%	1	0.2%
Child receiving transfusion/transplant	2	0.8%	5	2.2%	7	1.5%
Child other risk confirmed [OTHER]	0	0.0%	1	0.4%	1	0.2%
Child no risk factor reported [NRR]	1	0.4%	3	1.3%	4	0.8%
Total Pediatric AIDS	246	100%	230	100%	476	100%

(Continue next Page)

Source: Electronic HIV/AIDS Reporting System [e-HARS]

Version 2.2 AIDS / 2014-11.xlsx 5 of 23

HIV/AIDS Surveillance

Cumulative Number of Reported AIDS Cases

NOVEMBER 2014

Adult AIDS cases by exposure category, race/ethnicity and gender (Excluding DOC)

ADULT FEMALE AIDS CASES														
	MALE-TO-	MALE	INJECT	ΓΙΟΝ	MSM &	IDU	HETEROS	SEXUAL	OTHER	! *	NO REPO	RTED	TOTAL A	DULT
Exposure Category/	SEXUAL CO	ONTACT	DRUG US	E [IDU]			CONTA	СТ	RISK		RISK [N	IRR]	FEMAL	.E
Race/Ethnicity	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)			244	12.0%			1,256	20.7%	34	18.4%	128	14.4%	1,662	18.1%
American Indian/Alaska Native			0	0.0%			1	0.0%	0	0.0%	0	0.0%	1	0.0%
Asian			0	0.0%			2	0.0%	0	0.0%	0	0.0%	2	0.0%
Black or African American			1,551	76.2%			4,498	74.2%	131	70.8%	716	80.6%	6,896	75.2%
Native Hawaiian/Pacific Islander			0	0.0%			1	0.0%	0	0.0%	0	0.0%	1	0.0%
White			200	9.8%			203	3.3%	15	8.1%	34	3.8%	452	4.9%
Legacy Asian			0	0.0%			2	0.0%	0	0.0%	0	0.0%	2	0.0%
Multi-Race			41	2.0%			98	1.6%	5	2.7%	10	1.1%	154	1.7%
Adult Female AIDS			2,036	100%			6,061	100%	185	100%	888	100%	9,170	100%

^{*} OTHER includes Adult receiving clotting factor, Hemophiliac, Perinatal exposure w/HIV age at 13+ years

ADULT MALE AIDS CASES														
	MALE-TO-	MALE	INJECT	ION	MSM &	IDU	HETEROS	EXUAL	OTHER	*	NO REPO	RTED	TOTAL A	DULT
Exposure Category/	SEXUAL CO	ONTACT	DRUG US	E [IDU]			CONTA	СТ	RISK		RISK [N	IRR]	MALE	
Race/Ethnicity	Cases	Col %	Cases	Col %	Cases	Col %	1010	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)	7,726	54.5%	714	22.3%	489	35.6%	1,010	24.9%	63	29.7%	622	23.9%	10,624	41.5%
American Indian/Alaska Native	0	0.0%	1	0.0%	0	0.0%	0	0.0%	0	0.0%	1	0.0%	2	0.0%
Asian	14	0.1%	0	0.0%	0	0.0%	4	0.1%	0	0.0%	3	0.1%	21	0.1%
Black or African American	2,927	20.6%	2,196	68.6%	592	43.1%	2,872	70.9%	99	46.7%	1,802	69.1%	10,488	40.9%
Native Hawaiian/Pacific Islander	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	1	0.0%	1	0.0%
White	3,301	23.3%	239	7.5%	268	19.5%	99	2.4%	45	21.2%	152	5.8%	4,104	16.0%
Legacy Asian	7	0.0%	0	0.0%	0	0.0%	4	0.1%	0	0.0%	1	0.0%	12	0.0%
Multi-Race	210	1.5%	49	1.5%	25	1.8%	63	1.6%	5	2.4%	24	0.9%	376	1.5%
Adult Male AIDS	14,185	100%	3,199	100%	1,374	100%	4,052	100%	212	100%	2,606	100%	25,628	100%
	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %
TOTAL ADULT AIDS	14,185	40.8%	5,235	15.0%	1,374	3.9%	10,113	29.1%	397	1.1%	3,494	10.0%	34,798	100%

(Continue next Page)

Source: Electronic HIV/AIDS Reporting System [e-HARS] Version 2.2

AIDS / 2014-11.xlsx 6 of 23

HIV/AIDS Surveillance

Cumulative Number of Reported AIDS Cases

NOVEMBER 2014

Pediatric AIDS cases by exposure category, race/ethnicity and gender (Excluding DOC)

PEDIATRIC FEMALE AIDS CAS	SES											
Exposure Category/	· · · · · · · · · · · · · · · · · · ·		HEMOPH	ILIAC	TRANSFU	SION	OTHER R	ISK	NO REPO	RTED	TOTAL FE	MALE
Race/Ethnicity	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)	35	14.4%	0	#DIV/0!	1	50.0%	0	#DIV/0!	1	100.0%	37	15.0%
Black or African American	197	81.1%	0	#DIV/0!	1	50.0%	0	#DIV/0!	0	0.0%	198	80.5%
White	9	3.7%	0	#DIV/0!	0	0.0%	0	#DIV/0!	0	0.0%	9	3.7%
Multi-Race	2	0.8%	0	#DIV/0!	0	0.0%	0	#DIV/0!	0	0.0%	2	0.8%
Pediatric Female AIDS	243	100%	0	#DIV/0!	2	100%	0	#DIV/0!	1	100%	246	100%

PEDIATRIC MALE AIDS CASE	S											
Exposure Category/	PERINA	ΓAL	HEMOPH	ILIAC	TRANSFU	ISION	OTHER R	ISK	NO REPO	RTED	TOTAL MA	ALE
Race/Ethnicity	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)	31	14.1%	0	0.0%	4	80.0%	0	0.0%	1	33.3%	36	15.7%
Black or African American	178	80.9%	1	100.0%	1	20.0%	1	100.0%	2	66.7%	183	79.6%
White	10	4.5%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	10	4.3%
Multi-Race	1	0.5%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	1	0.4%
Pediatric Male AIDS	220	100%	1	100%	5	100%	1	100%	3	100%	230	100%
	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %
TOTAL PEDIATRIC AIDS	463	97.3%	1	0.2%	7	1.5%	1	0.2%	4	0.8%	476	100%

Adult Hispanic/Latino AIDS cases by country of origin and gender (Excluding DOC)

Country	ADUL	T FEMALE	AIDS	ADU	LT MALE	AIDS	TOTAL HIS	PANIC/LAT	INO
of Origin	Cases	Col %	Row %	Cases	Col %	Row %	Cases	Col %	Row %
Argentina	24	1.4%	13.3%	157	1.5%	86.7%	181	1.5%	100%
Colombia	69	4.2%	12.3%	493	4.6%	87.7%	562	4.6%	100%
Cuba	393	23.6%	7.7%	4,707	44.3%	92.3%	5,100	41.5%	100%
Dominican Republic	72	4.3%	32.0%	153	1.4%	68.0%	225	1.8%	100%
Honduras	131	7.9%	28.5%	329	3.1%	71.5%	460	3.7%	100%
Mexico	21	1.3%	8.3%	232	2.2%	91.7%	253	2.1%	100%
Nicaragua	80	4.8%	18.5%	353	3.3%	81.5%	433	3.5%	100%
Peru	26	1.6%	13.4%	168	1.6%	86.6%	194	1.6%	100%
Puerto Rico	183	11.0%	17.4%	867	8.2%	82.6%	1,050	8.5%	100%
United States	383	23.0%	20.5%	1,481	13.9%	79.5%	1,864	15.2%	100%
Venezuela	16	1.0%	5.9%	255	2.4%	94.1%	271	2.2%	100%
Other/Unknown Countries	264	15.9%	15.6%	1,429	13.5%	84.4%	1,693	13.8%	100%
Total Adult Hispanic/Latino	1,662	100%	13.5%	10,624	100%	86.5%	12,286	100%	100%

(Continue next Page)

Source: Electronic HIV/AIDS Reporting System [e-HARS] Version 2.2

AIDS / 2014-11.xlsx 7 of 23

HIV/AIDS Surveillance

Cumulative Number of Reported AIDS Cases

NOVEMBER 2014

Adult Hispanic/Latino AIDS cases by country of origin, exposure category and gender (Excluding DOC)

Country of Origin	MALE-TO-I SEXUAL C		INJEC [*] DRUG US	_	MSM &	IDU	HETEROS CONTA	_	OTHER RISK		NO REPO RISK [N			panic/Latin ountry of O	
	Cases	Row %	Cases	Row %	Number	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Col %	Row %
Argentina			3	12.5%			20	83.3%	0	0.0%	1	4.2%	24	1.4%	100%
Colombia			7	10.1%			51	73.9%	2	2.9%	9	13.0%	69	4.2%	100%
Cuba			55	14.0%			288	73.3%	8	2.0%	42	10.7%	393	23.6%	100%
Dominican Republic			3	4.2%			62	86.1%	0	0.0%	7	9.7%	72	4.3%	100%
Honduras			8	6.1%			114	87.0%	1	0.8%	8	6.1%	131	7.9%	100%
Mexico			3	14.3%			16	76.2%	1	4.8%	1	4.8%	21	1.3%	100%
Nicaragua			4	5.0%			65	81.3%	1	1.3%	10	12.5%	80	4.8%	100%
Peru			1	3.8%			25	96.2%	0	0.0%	0	0.0%	26	1.6%	100%
Puerto Rico			48	26.2%			122	66.7%	3	1.6%	10	5.5%	183	11.0%	100%
United States			84	21.9%			264	68.9%	16	4.2%	19	5.0%	383	23.0%	100%
Venezuela			3	18.8%			12	75.0%	0	0.0%	1	6.3%	16	1.0%	100%
Other/Unknown Countries			25	9.5%			217	82.2%	2	0.8%	20	7.6%	264	15.9%	100%
Total adult Hispanic/Latino Femal	е		244	14.7%			1,256	75.6%	34	2.0%	128	7.7%	1,662	100%	100%

* OTHER includes Adult receiving clotting factor, Hemophiliac, Perinatal exposure w/HIV age at 13+ years

Country of Origin	MALE-TO-N SEXUAL CO		INJEC [*] DRUG US	-	MSM &	IDU	HETEROS CONTA	-	OTHER RISK		NO REPO RISK [N			spanic/Latin	
	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Col %	Row %
Argentina	130	82.8%	4	2.5%	7	4.5%	13	8.3%	0	0.0%	3	1.9%	157	1.5%	100%
Colombia	400	81.1%	14	2.8%	18	3.7%	39	7.9%	3	0.6%	19	3.9%	493	4.6%	100%
Cuba	3,621	76.9%	211	4.5%	190	4.0%	383	8.1%	26	0.6%	276	5.9%	4,707	44.3%	100%
Dominican Republic	83	54.2%	8	5.2%	5	3.3%	42	27.5%	1	0.7%	14	9.2%	153	1.4%	100%
Honduras	210	63.8%	19	5.8%	5	1.5%	68	20.7%	5	1.5%	22	6.7%	329	3.1%	100%
Mexico	157	67.7%	11	4.7%	7	3.0%	38	16.4%	0	0.0%	19	8.2%	232	2.2%	100%
Nicaragua	259	73.4%	10	2.8%	13	3.7%	50	14.2%	0	0.0%	21	5.9%	353	3.3%	100%
Peru	135	80.4%	2	1.2%	2	1.2%	18	10.7%	0	0.0%	11	6.5%	168	1.6%	100%
Puerto Rico	428	49.4%	218	25.1%	99	11.4%	68	7.8%	3	0.3%	51	5.9%	867	8.2%	100%
United States	1,009	68.1%	159	10.7%	109	7.4%	127	8.6%	17	1.1%	60	4.1%	1,481	13.9%	100%
Venezuela	222	87.1%	3	1.2%	2	0.8%	17	6.7%	2	0.8%	9	3.5%	255	2.4%	100%
Other/Unknown Countries	1,072	75.0%	55	3.8%	32	2.2%	147	10.3%	6	0.4%	117	8.2%	1,429	13.5%	100%
Total adult Hispanic/Latino Male	7,726	72.7%	714	6.7%	489	4.6%	1,010	9.5%	63	0.6%	622	5.9%	10,624	100%	100%
	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	
TOTAL ADULT HISPANIC/LATINO	7,726	62.9%	958	7.8%	489	4.0%	2,266	18.4%	97	0.8%	750	6.1%	12,286	100%	

(Continue next Page)

HIV/AIDS Surveillance

Cumulative Number of Reported AIDS Cases



Haitian born adult AIDS cases by exposure category and gender (Excluding DOC)

ADULT HAITIAN BORN AIDS	CASES													
Exposure Category	MALE-TO-I	MALE	INJECT	ΓΙΟΝ	MSM &	IDU	HETEROS	SEXUAL	OTHER	*	NO REPO	RTED	Total Ha	itian
GENDER	SEXUAL C	ONTACT	DRUG US	E [IDU]			CONTA	CT	RISK		RISK [N	IRR]	by Ge	nder
	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %
Haitian born Adult Females			56	3.7%			1,138	74.3%	27	1.8%	310	20.2%	1,531	100%
Haitian born Adult Males	534	25.0%	76	3.6%	27	1.3%	591	27.6%	13	0.6%	897	42.0%	2,138	100%
Total Haitian born	534	14.6%	132	3.6%	27	0.7%	1,729	47.1%	40	1.1%	1,207	32.9%	3,669	100%

^{*} OTHER includes Adult receiving clotting factor, Hemophiliac, Perinatal exposure w/HIV age at 13+ years

Department of Correction [DOC] Adult AIDS cases and total people living with AIDS by race/ethnicity and gender.

2 opunument en een een 12 e												
		DOC A	AIDS Cases	S			Total Re	ported Pe	ople Living	with AID	S (1)	
AIDS Cases by	Femal	е	Male		Total		Femal	е	Male		Total	
Race/Ethnicity & Gender	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)	0	0.0%	89	13.2%	89	12.7%	901	22.0%	4,766	47.3%	5,667	40.0%
Black or African American	21	77.8%	481	71.6%	502	71.8%	2,157	52.8%	2,735	27.2%	4,892	34.5%
White	4	14.8%	70	10.4%	74	10.6%	176	4.3%	1,401	13.9%	1,577	11.1%
Haitian	1	3.7%	19	2.8%	20	2.9%	795	19.4%	1,007	10.0%	1,802	12.7%
Other (2)	1	3.7%	13	1.9%	14	2.0%	60	1.5%	164	1.6%	224	1.6%
Total AIDS	27	100%	672	100%	699	100%	4,089	100%	10,073	100%	14,162	100%

⁽¹⁾ PLW/AIDS cases has been updated by Florida Department of Health, Bureau of Communicable Disease, HIV/AIDS & Hepatitis Section, in June 2013.

using National Death Index [NDI] latest information for death cases. Total reported people living with AIDS are those reported cases regardless of where they are currently living.

Adjustments are performed on a monthly basis to compensate for duplicate reports state and nation wide and case validation projects.

Source: Electronic HIV/AIDS Reporting System [e-HARS]

Version 2.2 AIDS / 2014-11.xlsx 9 of 23

⁽²⁾ Other Includes American Indian/Alaska Native, Asian, Native Hawaiian, Pacific Islander, Legacy Asian & Multi Race

HIV/AIDS Surveillance



Cumulative Number of Reported HIV (Not AIDS) Cases

HIV (not AIDS) cases by age gi	roup and g	ender (Ex	cluding De	partment	of Correct	ion - DOC	HIV (not A	IDS) Case	es by age (group, rac	e/ethnicity	& gender	, showing	Haitians s	eparated (Excluding	DOC)	
HIV Cases by	Female	е	Male		TOTAL I	HIV	Hispanic/I	_atino	Black	(White		Haitia	n	Other (1)	TOTAL I	HIV
Age Group & Gender	Cases	Col %	Cases	Col %	Cases	Col %	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male
Under 5	46	1.2%	44	0.4%	90	0.6%	8	8	36	34	1	0	1	1	0	1	46	44
5-12	32	0.8%	16	0.1%	48	0.3%	5	5	22	9	0	0	5	2	0	0	32	16
13-19	225	5.8%	278	2.6%	503	3.4%	44	109	165	146	6	9	8	10	2	4	225	278
20-29	954	24.4%	2,500	23.3%	3,454	23.6%	213	1,306	574	767	47	314	109	75	11	38	954	2,500
30-39	1,070	27.3%	3,375	31.5%	4,445	30.4%	248	1,858	555	702	72	620	185	155	10	40	1,070	3,375
40-49	909	23.2%	2,752	25.7%	3,661	25.0%	215	1,367	484	686	53	497	142	163	15	39	909	2,752
50-59	487	12.4%	1,215	11.3%	1,702	11.6%	129	476	247	411	15	215	90	98	6	15	487	1,215
60-64	91	2.3%	272	2.5%	363	2.5%	24	105	38	87	4	46	25	28	0	6	91	272
65-69	68	1.7%	156	1.5%	224	1.5%	20	61	32	57	4	22	11	16	1	0	68	156
>=70	31	0.8%	117	1.1%	148	1.0%	4	42	10	51	4	10	12	10	1	4	31	117
Unknown	0	0.0%	0	0.0%	0	0.0%	0	0	0	0	0	0	0	0	0	0	0	0
Total HIV	3,913	100%	10,725	100%	14,638	100%	910	5,337	2,163	2,950	206	1,733	588	558	46	147	3,913	10,725

Other Includes American Indian/Alaska Native, Asian, Native Hawaiian, Pacific Islander, Legacy Asian & Multi Race

HIV (Not AIDS) Cases by year of report and gender (Excluding DOC) HIV start reporting in Florida in July 1997.

HIV Cases by	Femal	е	Male			TOTAL HI	V
Year Report & Gender	Cases	Row %	Cases	Row %	Cases	Col %	Row %
July-December 1997	125	37.1%	212	62.9%	337	2.3%	100%
1998	274	31.0%	610	69.0%	884	6.0%	100%
1999	265	31.5%	575	68.5%	840	5.7%	100%
2000	238	31.2%	524	68.8%	762	5.2%	100%
2001	248	30.5%	565	69.5%	813	5.6%	100%
2002	290	30.5%	662	69.5%	952	6.5%	100%
2003	239	28.1%	611	71.9%	850	5.8%	100%
2004	233	27.7%	607	72.3%	840	5.7%	100%
2005	234	31.8%	501	68.2%	735	5.0%	100%
2006	187	28.5%	470	71.5%	657	4.5%	100%
2007	227	26.8%	619	73.2%	846	5.8%	100%
2008	244	25.6%	708	74.4%	952	6.5%	100%
2009	191	24.8%	578	75.2%	769	5.3%	100%
2010	182	23.6%	588	76.4%	770	5.3%	100%
2011	185	22.3%	643	77.7%	828	5.7%	100%
2012	168	22.4%	582	77.6%	750	5.1%	100%
2013	219	22.1%	772	77.9%	991	6.8%	100%
2014	164	15.4%	898	84.6%	1,062	7.3%	100%
Total Adult HIV	3,913	26.7%	10,725	73.3%	14,638	100%	

(Continue next Page)

Source: Electronic HIV/AIDS Reporting System [e-HARS] Version 2.2

HIV / 2014-11.xlsx 10 of 23



Cumulative Number of Reported HIV (Not AIDS) Cases

Adult & Pediatric HIV (not AIDS) cases by race/ethnicity and gender (Excluding DOC)

			Adult HIV						Pediati	ric HIV					TOTAL HI	V CASES		
HIV by Race/	Femal	е	Male		Total Ad	lult	Female	Э	Male		Total Ped	iatric	Total Fe	male	Total Ma	ale	Total Ca	ses
Ethnicity *	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)	901	23.5%	5,329	50.0%	6,230	43.0%	13	16.7%	13	21.7%	26	18.8%	914	23.4%	5,342	49.8%	6,256	42.7%
American Indian/Alaska Native	1	0.0%	5	0.0%	6	0.0%	0	0.0%	0	0.0%	0	0.0%	1	0.0%	5	0.0%	6	0.0%
Asian	4	0.1%	28	0.3%	32	0.2%	0	0.0%	0	0.0%	0	0.0%	4	0.1%	28	0.3%	32	0.2%
Black or African American	2,681	69.9%	3,453	32.4%	6,134	42.3%	63	80.8%	46	76.7%	109	79.0%	2,744	70.1%	3,499	32.6%	6,243	42.6%
Native Hawaiian/Pacific Islander	1	0.0%	3	0.0%	4	0.0%	0	0.0%	0	0.0%	0	0.0%	1	0.0%	3	0.0%	4	0.0%
White	206	5.4%	1,734	16.3%	1,940	13.4%	1	1.3%	0	0.0%	1	0.7%	207	5.3%	1,734	16.2%	1,941	13.3%
Legacy Asian	1	0.0%	6	0.1%	7	0.0%	0	0.0%	1	1.7%	1	0.7%	1	0.0%	7	0.1%	8	0.1%
Multi-Race	40	1.0%	107	1.0%	147	1.0%	1	1.3%	0	0.0%	1	0.7%	41	1.0%	107	1.0%	148	1.0%
Unknown	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Total HIV	3,835	100%	10,665	100%	14,500	100%	78	100%	60	100%	138	100%	3,913	100%	10,725	100%	14,638	100%

Adult & Pediatric HIV (not AIDS) cases by mortality status and gender (Excluding DOC)

Mortality		•	Adult HIV		Ĭ				Pediatr	ic HIV					TOTAL HI	V CASES		
Status among	Female	e	Male		Total Ad	lult	Femal	е	Male		Total Pedi	atric	Total Fe	male	Total Ma	ile	Total Ca	ses
HIV cases	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Alive	3,471	90.5%	9,752	91.4%	13,223	91.2%	77	98.7%	59	98.3%	136	98.6%	3,548	90.7%	9,811	91.5%	13,359	91.3%
Deaths	364	9.5%	913	8.6%	1,277	8.8%	1	1.3%	1	1.7%	2	1.4%	365	9.3%	914	8.5%	1,279	8.7%
Total HIV	3,835	100%	10,665	100%	14,500	100%	78	100%	60	100%	138	100%	3,913	100%	10,725	100%	14,638	100%

^{*} This new category created by CDC, is to support the ability to record an ethnicity and multiple races for an individual, necessitated by new federal OMB guidelines for reporting race and ethnicity

(Continue next Page)

Source: Electronic HIV/AIDS Reporting System [e-HARS] Version 2.2

HIV / 2014-11.xlsx 11 of 23

Cumulative Number of Reported HIV (Not AIDS) Cases



HIV (not AIDS) Cases by exposure category and	d g <u>ender amo</u>	ng Adult a	nd Pediatr	ic (Exclud	ding DOC)	
			Adult HIV			
	Femal	е	Male		Total Ad	ult
Exposure Category among adult HIV cases	Cases	Col %	Cases	Col %	Cases	Col %
Adult male-to-male sexual contact [MSM]	0		7,143	67.0%	7,143	49.3%
Adult injection drug use [IDU]	276	7.2%	332	3.1%	608	4.2%
Adult MSM & IDU	0		242	2.3%	242	1.7%
Adult heterosexual contact [HTRSX]	3,001	78.3%	1,708	16.0%	4,709	32.5%
Adult other risk*	9	0.2%	4	0.0%	13	0.1%
Adult no risk factor reported [NRR]	549	14.3%	1,236	11.6%	1,785	12.3%
Total adult HIV	3.835	100%	10,665	100%	14.500	100%

^{*} Other risk includes: Adult receiving clotting factor, Hemophiliac, Perinatal exposure w/HIV age at 13+ years

			Pediatric	HIV	_	
	Femal	е	Male		Total Ped	iatric
Exposure Category among Pediatric HIV cases	Cases	Col %	Cases	Col %	Cases	Col %
Perinatal exposure [PERINATAL]	75	96.2%	60	100.0%	135	97.8%
Child receiving clotting factor [HEMOPH]	0	0.0%	0	0.0%	0	0.0%
Child receiving transfusion/transplant	0	0.0%	0	0.0%	0	0.0%
Child other risk confirmed [OTHER]	0	0.0%	0	0.0%	0	0.0%
Child no risk factor reported [NRR]	3	3.8%	0	0.0%	3	2.2%
Total Pediatric HIV	78	100%	60	100%	138	100%

(Continue next Page)

Source: Electronic HIV/AIDS Reporting System [e-HARS]

Version 2.2 HIV / 2014-11.xlsx 12 of 23



Cumulative Number of Reported HIV (Not AIDS) Cases

Adult HIV (not AIDS) cases by exposure category, race/ethnicity and gender (Excluding DOC)

ADULT FEMALE HIV CASES														
Exposure Category/	MALE-TO-		INJECT DRUG US		MSM &	DU	HETEROS CONTA	_	OTHER RISK		NO REPO		TOTAL A	
Race/Ethnicity	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)			64	23.2%			680	22.7%	4	44.4%	153	27.9%	901	23.5%
American Indian/Alaska Native			0	0.0%			1	0.0%	0	0.0%	0	0.0%	1	0.0%
Asian			0	0.0%			3	0.1%	0	0.0%	1	0.2%	4	0.1%
Black or African American			168	60.9%			2,153	71.7%	3	33.3%	357	65.0%	2,681	69.9%
Native Hawaiian/Pacific Islander			0	0.0%			0	0.0%	0	0.0%	1	0.2%	1	0.0%
White			37	13.4%			135	4.5%	1	11.1%	33	6.0%	206	5.4%
Legacy Asian			0	0.0%			0	0.0%	0	0.0%	1	0.2%	1	0.0%
Multi-Race			7	2.5%			29	1.0%	1	11.1%	3	0.5%	40	1.0%
Adult Female HIV			276	100%			3,001	100%	9	100%	549	100%	3,835	100%

* OTHER includes Adult receiving clotting factor, Hemophiliac, Perinatal exposure w/HIV age at 13+ years

	MALE-TO-	MALE	INJECT	TION	MSM &	IDU	HETEROS	SEXUAL	OTHER	*	NO REPO	RTED	TOTAL A	DULT
Exposure Category/	SEXUAL CO	ONTACT	DRUG US	E [IDU]			CONTA	CT	RISK		RISK [N	RR]	MALE	Ē
Race/Ethnicity	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)	4,177	58.5%	98	29.5%	112	46.3%	480	28.1%	0	0.0%	462	37.4%	5,329	50.0%
American Indian/Alaska Native	2	0.0%	0	0.0%	0	0.0%	2	0.1%	0	0.0%	1	0.1%	5	0.0%
Asian	24	0.3%	0	0.0%	0	0.0%	1	0.1%	0	0.0%	3	0.2%	28	0.3%
Black or African American	1,389	19.4%	192	57.8%	76	31.4%	1,139	66.7%	3	75.0%	654	52.9%	3,453	32.4%
Native Hawaiian/Pacific Islander	3	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	3	0.0%
White	1,473	20.6%	38	11.4%	50	20.7%	64	3.7%	1	25.0%	108	8.7%	1,734	16.3%
Legacy Asian	5	0.1%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	1	0.1%	6	0.1%
Multi-Race	70	1.0%	4	1.2%	4	1.7%	22	1.3%	0	0.0%	7	0.6%	107	1.0%
Adult Male HIV	7,143	100%	332	100%	242	100%	1,708	100%	4	100%	1,236	100%	10,665	100%
	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %
TOTAL ADULT HIV	7,143	49.3%	608	4.2%	242	1.7%	4,709	32.5%	13	0.1%	1,785	12.3%	14,500	100%

(Continue next Page)

Source: Electronic HIV/AIDS Reporting System [e-HARS] Version 2.2

HIV / 2014-11.xlsx 13 of 23



Cumulative Number of Reported HIV (Not AIDS) Cases

Pediatric HIV (not AIDS) cases by exposure category, race/ethnicity and gender (Excluding DOC)

Exposure Category/	Exposure Category/ PERINATAL		HEMOPHI	LIAC	TRANSFU	ISION	OTHER R	ISK	NO REPO	RTED	TOTAL FE	MALE
Race/Ethnicity	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)	11	14.7%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	2	66.7%	13	16.7%
Black or African American	62	82.7%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	1	33.3%	63	80.8%
White	1	1.3%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0	0.0%	1	1.3%
Legacy Asian/Pacific Isl.	0	0.0%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0	0.0%	0	0.0%
Multi-Race	1	1.3%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0	0.0%	1	1.3%
Pediatric Female HIV	75	100%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	3	100%	78	100%

Exposure Category/	Exposure Category/ PERINATAL		HEMOPH	LIAC	TRANSF	TRANSFUSION		ISK	NO REPO	RTED	TOTAL MA	\LE
Race/Ethnicity	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)	13	21.7%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	13	21.7%
Black or African American	46	76.7%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	46	76.7%
White	0	0.0%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0	0.0%
Legacy Asian/Pacific Isl.	1	1.7%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	1	1.7%
Multi-Race	0	0.0%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0	0.0%
Pediatric Male HIV	60	100%	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	0	#DIV/0!	60	100%
	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %
TOTAL PEDIATRIC HIV	135	97.8%	0	0.0%	0	0.0%	0	0.0%	3	2.2%	138	100%

Adult Hispanic/Latino HIV (not AIDS) cases by country of origin and gender (Excluding DOC)

Country	ADUL	T FEMAL	E HIV	ADI	JLT MALE	HIV	TOTAL HIS	PANIC/LATI	NO
of Origin	Cases	Col %	Row %	Cases	Col %	Row %	Cases	Col %	Row %
Argentina	20	2.2%	12.7%	138	2.6%	87.3%	158	2.5%	100%
Colombia	36	4.0%	12.9%	243	4.6%	87.1%	279	4.5%	100%
Cuba	148	16.4%	8.6%	1,573	29.5%	91.4%	1,721	27.6%	100%
Dominican Republic	34	3.8%	30.1%	79	1.5%	69.9%	113	1.8%	100%
Honduras	65	7.2%	32.0%	138	2.6%	68.0%	203	3.3%	100%
Mexico	8	0.9%	6.0%	126	2.4%	94.0%	134	2.2%	100%
Nicaragua	33	3.7%	18.4%	146	2.7%	81.6%	179	2.9%	100%
Peru	13	1.4%	13.7%	82	1.5%	86.3%	95	1.5%	100%
Puerto Rico	57	6.3%	19.5%	235	4.4%	80.5%	292	4.7%	100%
United States	232	25.7%	16.9%	1,139	21.4%	83.1%	1,371	22.0%	100%
Venezuela	22	2.4%	7.4%	276	5.2%	92.6%	298	4.8%	100%
Other/Unknown Countries	233	25.9%	16.8%	1,154	21.7%	83.2%	1,387	22.3%	100%
Total Adult Hispanic/Latino HIV	901	100%	14.5%	5,329	100%	85.5%	6,230	100%	100%

(Continue next Page)

Source: Electronic HIV/AIDS Reporting System [e-HARS] Version 2.2

HIV / 2014-11.xlsx 14 of 23



Cumulative Number of Reported HIV (Not AIDS) Cases

Adult Hispanic/Latino HIV (not AIDS) cases by country of origin, exposure category and gender (Excluding DOC)

	MALE-TO-	-MALE	INJEC	TION	MSM &	UDU	HETEROS	EXUAL	OTHER	*	NO REPO	RTED	Total His	panic/Latin	o Female
Country of Origin	SEXUAL CO	ONTACT	DRUG US	E [IDU]			CONTA	СТ	RISK		RISK [N	IRR]	by C	ountry of O	rigin
	Cases	Row %	Cases	Row %	Number	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Col %	Row %
Argentina			4	20.0%			14	70.0%	0	0.0%	2	10.0%	20	2.2%	100%
Colombia			1	2.8%			30	83.3%	0	0.0%	5	13.9%	36	4.0%	100%
Cuba			8	5.4%			117	79.1%	1	0.7%	22	14.9%	148	16.4%	100%
Dominican Republic			1	2.9%			30	88.2%	0	0.0%	3	8.8%	34	3.8%	100%
Honduras			0	0.0%			57	87.7%	0	0.0%	8	12.3%	65	7.2%	100%
Mexico			2	25.0%			5	62.5%	0	0.0%	1	12.5%	8	0.9%	100%
Nicaragua			0	0.0%			26	78.8%	0	0.0%	7	21.2%	33	3.7%	100%
Peru			1	7.7%			10	76.9%	0	0.0%	2	15.4%	13	1.4%	100%
Puerto Rico			10	17.5%			36	63.2%	0	0.0%	11	19.3%	57	6.3%	100%
United States			29	12.5%			169	72.8%	3	1.3%	31	13.4%	232	25.7%	100%
Venezuela			1	4.5%			20	90.9%	0	0.0%	1	4.5%	22	2.4%	100%
Other/Unknown Countries			7	3.0%			166	71.2%	0	0.0%	60	25.8%	233	25.9%	100%
Total adult Hispanic/Latino Fema	e		64	7.1%			680	75.5%	4	0.4%	153	17.0%	901	100%	100%

OTHER INCIDIOS ADULT RECEIVING CIOT	ting factor. Hemophiliac	Perinatal exposure W/HI	

ADULT HISPANIC/LATINO MAI	LE HIV CA	SES													
Country of Origin	MALE-TO- SEXUAL CO		INJEC [*] DRUG US	-	MSM & I	DU	HETEROS CONTA		OTHER RISK		NO REPO RISK [N			spanic/Lation	
	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Col %	Row %
Argentina	120	87.0%	2	1.4%	2	1.4%	9	6.5%	0	0.0%	5	3.6%	138	2.6%	100%
Colombia	200	82.3%	1	0.4%	8	3.3%	18	7.4%	0	0.0%	16	6.6%	243	4.6%	100%
Cuba	1,277	81.2%	20	1.3%	36	2.3%	151	9.6%	0	0.0%	89	5.7%	1,573	29.5%	100%
Dominican Republic	48	60.8%	3	3.8%	3	3.8%	16	20.3%	0	0.0%	9	11.4%	79	1.5%	100%
Honduras	92	66.7%	1	0.7%	3	2.2%	28	20.3%	0	0.0%	14	10.1%	138	2.6%	100%
Mexico	105	83.3%	2	1.6%	1	0.8%	9	7.1%	0	0.0%	9	7.1%	126	2.4%	100%
Nicaragua	112	76.7%	3	2.1%	1	0.7%	21	14.4%	0	0.0%	9	6.2%	146	2.7%	100%
Peru	73	89.0%	1	1.2%	1	1.2%	6	7.3%	0	0.0%	1	1.2%	82	1.5%	100%
Puerto Rico	165	70.2%	29	12.3%	17	7.2%	13	5.5%	0	0.0%	11	4.7%	235	4.4%	100%
United States	911	80.0%	27	2.4%	26	2.3%	93	8.2%	0	0.0%	82	7.2%	1,139	21.4%	100%
Venezuela	245	88.8%	0	0.0%	2	0.7%	15	5.4%	0	0.0%	14	5.1%	276	5.2%	100%
Other/Unknown Countries	829	71.8%	9	0.8%	12	1.0%	101	8.8%	0	0.0%	203	17.6%	1,154	21.7%	100%
Total adult Hispanic/Latino Ma	4,177	78.4%	98	1.8%	112	2.1%	480	9.0%	0	0.0%	462	8.7%	5,329	100%	100%
	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	
TOTAL ADULT HISPANIC/LATINO	4,177	67.0%	162	2.6%	112	1.8%	1,160	18.6%	4	0.1%	615	9.9%	6,230	100%	

(Continue next Page)

Cumulative Number of Reported HIV (Not AIDS) Cases



Haitian born adult HIV cases by exposure category and gender (Excluding DOC

ADULT HAITIAN BORN HIV CA	ADULT HAITIAN BORN HIV CASES													
Exposure Category	MALE-TO-	MALE	INJECT	TION	[MSM\ & [IDU]	HETEROS	SEXUAL	OTHER	*	NO REPO	RTED	Total Hait	tian
GENDER	SEXUAL CO	ONTACT	DRUG US	E [IDU]			CONTA	CT	RISK		RISK [N	IRR]	by Ge	nder
	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %	Cases	Row %
Haitian born Adult Females			12	2.1%			499	85.7%	0	0.0%	71	12.2%	582	100%
Haitian born Adult Males	99	17.8%	7	1.3%	1	0.2%	308	55.5%	0	0.0%	140	25.2%	555	100%
Total Haitian born	99	8.7%	19	1.7%	1	0.1%	807	71.0%	0	0.0%	211	18.6%	1,137	100%

^{*} OTHER includes Adult receiving clotting factor, Hemophiliac, Perinatal exposure w/HIV age at 13+ years

Department of Correction [DOC] Adult HIV (not AIDS) and total people living with HIV by race/ethnicity and gender.

		DC	OC HIV Cas	es			Total Reported People Living with HIV (1)					
HIV Cases by	Femal	е	Male	Male		Total		Female			Total	
Race/Ethnicity & Gender	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %	Cases	Col %
Hispanic/Latino (All Races)	4	28.6%	78	17.6%	82	18.0%	842	23.7%	5,049	51.5%	5,891	44.1%
Black or African American	7	50.0%	286	64.7%	293	64.3%	1,951	55.0%	2,547	26.0%	4,498	33.7%
White	3	21.4%	59	13.3%	62	13.6%	182	5.1%	1,603	16.3%	1,785	13.4%
Haitian	0	0.0%	12	2.7%	12	2.6%	537	15.1%	486	5.0%	1,023	7.7%
Other (2)	0	0.0%	7	1.6%	7	1.5%	36	1.0%	126	1.3%	162	1.2%
Total HIV	14	100%	442	100%	456	100%	3,548	100%	9,811	100%	13,359	100%

⁽¹⁾ PLW/HIV cases has been updated by FL Department of Health, Bureau of Communicable Disease, HIV/AIDS & Hepatitis Section, in June 2013,

using National Death Index [NDI] latest information for death cases. Total reported people living with HIV are those reported cases regardless of where they are currently living.

Adjustments are performed on a monthly basis to compensate for duplicate reports state and nation wide and case validation projects.

Source: Electronic HIV/AIDS Reporting System [e-HARS]

Version 2.2 HIV / 2014-11.xlsx 16 of 23

⁽²⁾ Other Includes American Indian/Alaska Native, Asian, Native Hawaiian, Pacific Islander, Legacy Asian & Multi Race

HIV/AIDS Surveillance Perinatal HIV Exposed Cases



All EXPOSED Perinatal pediatric cases born in Miami-Dade by year of birth and diagnosis status since November 20th, 2006. (1)

Year of Birth	Perinatal HIV Exposure	Pediatric HIV	Pediatric AIDS	Pediatric seroreverter	Unknown	TOTAL
>=November 20 th , 2006	3	0	0	16	0	19
2007	32	1	0	106	0	139
2008	39	1	1	91	0	132
2009	31	2	0	86	0	119
2010	39	3	0	83	0	125
2011	13	1	0	105	0	119
2012	10	1	0	90	0	101
2013	26	2	1	67	0	96
2014	27	1	0	44	0	72
Total	220	12	2	688	0	922

All EXPOSED Perinatal pediatric cases born in Miami-Dade by year of birth and race/ethnicity since November 20th, 2006. (1)

Year of Birth	Hispanic	Not Hispanic, Black	Not Hispanic, White	Not Hispanic, Other ⁽²⁾	TOTAL
>=November 20 th , 2006	3	15	1	0	19
2007	22	110	5	2	139
2008	19	111	2	0	132
2009	24	91	3	1	119
2010	31	87	5	2	125
2011	21	90	7	1	119
2012	23	68	8	2	101
2013	16	75	4	1	96
2014	13	55	4	0	72
Total	172	702	39	9	922

⁽¹⁾ NOTE: An expanded HIV reporting law was implemented on November 2dth, 2006. Expansion included reportability of cases with virologic evidence of HIV infection. Previously, only Western Blot-confirmed (+) cases were reportable. In addition, reporting is retroactive. Previously, only HIV cases diagnosed after July st, 1997, were reportable. A detectable viral load (VL) (or equivalent viral test) is reportable, and is considered evidence of HIV. Other reportable virologic test considered to be evidence of HIV are: P24, ANTIGEN, Nucleic Acid test (NAT/NAAT), viral culture. CD4 counts/percents are reportable, but follow-up is conducted only if it is <200 uL, or <14%.

(Continue next Page)

Source: Electronic HIV/AIDS Reporting System [e-HARS] Version 2.2

PERINATAL EXPOSED / 2014-11.xlsx

⁽²⁾ Other Includes American Indian/Alaska Native, Asian, Native Hawaiian, Pacific Islander, Legacy Asian & Multi Race

FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY HIV/AIDS Surveillance Perinatal HIV Exposed Cases



All EXPOSED Perinatal pediatric cases born in Miami-Dade by year of birth and Mother HIV status since November 20th, 2006. (1)

Year of Birth	Know HIV (+) before pregnancy	Know HIV (+) during pregnancy	Know HIV (+) at time of delivery	Know HIV (+) sometime before birth	Know HIV (+) sometime after birth	HIV (+) with time unknown	TOTAL
>=November 20 th , 2006	16	2	0	0	0	1	19
2007	93	34	9	1	2	0	139
2008	94	35	2	0	0	1	132
2009	85	24	8	1	0	1	119
2010	88	25	5	3	1	3	125
2011	90	23	3	2	1	0	119
2012	75	24	2	0	0	0	101
2013	79	11	2	3	0	1	96
2014	61	10	0	1	0	0	72
Total	681	188	31	11	4	7	922

All EXPOSED Perinatal pediatric cases born in Miami-Dade by diagnosis and Mother HIV status since November 20th, 2006. (1)

Diagnosis Status	Know HIV (+) before pregnancy	Know HIV (+) during pregnancy	Know HIV (+) at time of delivery	I SOMETIME DETOTE	Know HIV (+) sometime after birth	HIV (+) with time unknown	TOTAL
Perinatal HIV Exposure	154	46	12	5	1	2	220
Pediatric HIV	8	1	2	0	1	0	12
Pediatric AIDS	2	0	0	0	0	0	2
Pediatric Seroreverter	517	141	17	6	2	5	688
Unknown	0	0	0	0	0	0	0
Total	681	188	31	11	4	7	922

All EXPOSED Perinatal pediatric cases born in Miami-Dade by diagnosis status and HIV category since November 20th. 2006.

Diagnosis Status	HIV (+) Definitive	HIV (+) Presumptive	HIV Indeterminate	HIV (-) Definitive	HIV (-) Presumptive	Unknown	TOTAL
Perinatal HIV Exposure	0	0	220	0	0	0	220
Pediatric HIV	12	0	0	0	0	0	12
Pediatric AIDS	2	0	0	0	0	0	2
Pediatric Seroreverter	0	0	0	487	201	0	688
Unknown	0	0	0	0	0	0	0
Total	14	0	220	487	201	0	922

⁽¹⁾ NOTE: An expanded HIV reporting law was implemented on November 20th, 2006. Expansion included reportability of cases with virologic evidence of HIV infection. Previously, only Western Blot-confirmed (+) cases were reportable. In addition, reporting is retroactive. Previously, only HIV cases diagnosed after July st, 1997, were reportable. A detectable viral load (VL) (or equivalent viral test) is reportable, and is considered evidence of HIV. Other reportable virologic test considered to be evidence of HIV are: P24, ANTIGEN, Nucleic Acid test (NAT/NAAT), viral culture. CD4 counts/percents are reportable, but follow-up is conducted only if it is <200 uL, or <14%.

(Continue next Page)

Source: Electronic HIV/AIDS Reporting System [e-HARS] Version 2.2

HIV/AIDS Surveillance Perinatal HIV Exposed Cases



CONFIRMED Infected Perinatal Cases, know HIV or AIDS born in Miami-Dade by year of birth, 2000-2014.

Perinatal HIV/AIDS	Pediatric HIV		Pediatric AIDS		TOTAL		
Cases by Year of Birth	Cases	Row %	Cases	Row %	Cases	Col %	Row %
2000	3	60.0%	2	40.0%	5	10.9%	100%
2001	3	42.9%	4	57.1%	7	15.2%	100%
2002	3	50.0%	3	50.0%	6	13.0%	100%
2003	3	75.0%	1	25.0%	4	8.7%	100%
2004	1	50.0%	1	50.0%	2	4.3%	100%
2005	3	60.0%	2	40.0%	5	10.9%	100%
2006	2	66.7%	1	33.3%	3	6.5%	100%
2007	1	100.0%	0	0.0%	1	2.2%	100%
2008	1	50.0%	1	50.0%	2	4.3%	100%
2009	2	100.0%	0	0.0%	2	4.3%	100%
2010	3	100.0%	0	0.0%	3	6.5%	100%
2011	1	100.0%	0	0.0%	1	2.2%	100%
2012	1	100.0%	0	0.0%	1	2.2%	100%
2013	2	66.7%	1	33.3%	3	6.5%	100%
2014	1	100.0%	0	0.0%	1	2.2%	100%
Total Confirmed Perinatal Cases	30	65%	16	35%	46	100%	100%

(Continue next Page)

Source: Electronic HIV/AIDS Reporting System [e-HARS] Version 2.2

PERINATAL EXPOSED / 2014-11.xlsx

FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY HIV/AIDS Surveillance Perinatal HIV Exposed Cases



All EXPOSED Perinatal pediatric cases born in Miami-Dade by hospital of birth and diagnosis status since November 20th, 2006. (1)

Hospital of Birth	Perinatal HIV Exposure	Pediatric HIV	Pediatric AIDS	Perinatal Seroreverter	Unknown	TOTAL	TOTAL %
BAPTIST HOSPITAL-MIAMI	3	0	0	1		4	0.4%
BROWARD GENERAL MEDICAL CTR.	2	0	0	2		4	0.4%
CORAL SPRINGS MEDICAL CTR.	1	0	0	0		1	0.1%
HIALEAH HOSPITAL	3	0	0	0		3	0.3%
HOMESTEAD HOSPITAL	5	1	0	1		7	0.8%
JACKSON N MATERNITY CTR.	0	0	0	2		2	0.2%
JACKSON NORTH MEDICAL CTR.	8	2	0	14		24	2.6%
JACKSON SOUTH MEDICAL CTR.	3	0	0	14		17	1.8%
JACKSON MEMORIAL HOSPITAL	153	5	0	621		779	84.5%
KENDALL RMC	1	0	0	1		2	0.2%
MEMORIAL HOSPITAL-MIRAMAR	1	0	1	0		2	0.2%
MEMORIAL HOSPITAL-SOUTH	1	0	0	0		1	0.1%
MEMORIAL HOSPITAL-WEST	0	0	0	1		1	0.1%
MEMORIAL HOSPITAL-PEMBROKE PINES	3	0	0	1		4	0.4%
MEMORIAL HOSPITAL-HOLLYWOOD	11	0	0	4		15	1.6%
MERCY HOSPITAL	2	0	0	0		2	0.2%
MIAMI CHILDREN'S HOSPITAL	1	0	0	0		1	0.1%
MIAMI-DADE PVT PHYSICIAN-MIAMI	2	0	0	0		2	0.2%
MOUNT SINAI MC	0	0	0	1		1	0.1%
NORTH SHORE MEDICAL CTR.	13	0	0	15		28	3.0%
PLANTATION GENERAL HOSPITAL	1	0	0	1		2	0.2%
SOUTH MIAMI HOSPITAL	1	0	0	0		1	0.1%
UF HEALTH AT JACKSONVILLE	1	0	0	0		1	0.1%
WELLINGTON RMS	1	0	0	0		1	0.1%
UNKNOWN	3	4	1	9		17	1.8%
TOTAL	220	12	2	688	0	922	100%

⁽¹⁾ NOTE: An expanded HIV reporting law was implemented on November 20th, 2006. Expansion included reportability of cases with virologic evidence of HIV infection. Previously, only Western Blot-confirmed (+) cases were reportable. In addition, reporting is retroactive. Previously, only HIV cases diagnosed after July st, 1997, were reportable. A detectable viral load (VL) (or equivalent viral test) is reportable, and is considered evidence of HIV. Other reportable virologic test considered to be evidence of HIV are: P24, ANTIGEN, Nucleic Acid test (NAT/NAAT), viral culture. CD4 counts/percents are reportable, but follow-up is conducted only if it is <200 uL, or <14%

FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY ONE-IN STATEMENTS

ONE-IN Statements for Adults (>=13) Living with HIV or AIDS [PLWHA] through 2013 in Miami-Dade & Florida,

ADULT MALE LIVING WITH HIV OR AIDS			
MIAMI-DADE	FLORIDA		
 One in 57 White adult male in Miami-Dade is living with HIV or AIDS 	 One in 187 White adult male 		
One in 25 Black adult male in Miami-Dade is living with HIV or AIDS	 One in 40 Black adult male 		
 One in 75 Hispanic adult male in Miami-Dade is living with HIV or AIDS 	 One in 106 Hispanic adult male 		
 One in 84 other race adult male in Miami-Dade is living with HIV or AIDS 	 One in 219 Other adult male 		
One in 55 adult male in Miami-Dade is living with HIV or AIDS	One in 111 adult male in Florida		

ADULT FEMALE LIVING WITH HIV OR AIDS				
MIAMI-DADE	FLORIDA			
 One in 446 White adult female in Miami-Dade is living with HIV or AIDS 	 One in 1,080 White adult female 			
 One in 35 Black adult female in Miami-Dade is living with HIV or AIDS 	 One in 61 Black adult female 			
 One in 449 Hispanic adult female in Miami-Dade is living with HIV or AIDS 				
 One in 237 other race adult female in Miami-Dade is living with HIV or AIDS 	 One in 606 Other adult female 			
One in 152 adult female in Miami-Dade is living with HIV or AIDS	One in 283 adult female in Florida			

TOTAL ADULTS OF ALL SEXES LIVING WITH HIV OR AIDS				
MIAMI-DADE	FLORIDA			
 One in 99 White adult in Miami-Dade is living with HIV or AIDS 	 One in 325 White adult 			
 One in 30 Black adult in Miami-Dade is living with HIV or AIDS 	 One in 49 Black adult 			
 One in 133 Hispanic adult in Miami-Dade is living with HIV or AIDS 	 One in 175 Hispanic adult 			
 One in 127 other race adult in Miami-Dade is living with HIV or AIDS 	 One in 333 Other adult race 			
One in 83 adult resident in Miami-Dade is living with HIV or AIDS	One in 161 adult Floridian			

Note: Excluding Department of Correction [DOC] cases at county level. Florida totals include DOC cases.

These statements are updated by the Florida Bureau of Communicable Disease, HIV/AIDS Section, every June of following year.

FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY ONE-IN STATEMENTS

ONE-IN Statements for Total Persons (all ages) Living with HIV or AIDS [PLWHA] through 2013 in Miami-Dade & Florida

TOTAL MALE LIVING WITH HIV OR AIDS				
MIAMI-DADE	FLORIDA			
 One in 68 White male in Miami-Dade is living with HIV or AIDS 	 One in 212 White male 			
One in 32 Black male in Miami-Dade is living with HIV or AIDS	 One in 50 Black male 			
 One in 89 Hispanic male in Miami-Dade is living with HIV or AIDS 	 One in 132 Hispanic male 			
One in 102 other race male in Miami-Dade is living with HIV or AIDS	 One in 287 Other male 			
One in 66 male in Miami-Dade is living with HIV or AIDS	One in 130 male in Florida			

TOTAL FEMALE LIVING WITH HIV OR AIDS				
MIAMI-DADE	FLORIDA			
 One in 534 White female in Miami-Dade is living with HIV or AIDS 	 One in 1,210 White female 			
One in 43 Black female in Miami-Dade is living with HIV or AIDS	 One in 75 Black female 			
 One in 516 Hispanic female in Miami-Dade is living with HIV or AIDS 	 One in 562 Hispanic female 			
 One in 282 other race female in Miami-Dade is living with HIV or AIDS 	 One in 763 Other female 			
One in 178 female in Miami-Dade is living with HIV or AIDS	One in 330 female in Florida			

TOTAL ALL SEXES LIVING WITH HIV OR AIDS				
MIAMI-DADE	FLORIDA			
 One in 118 White in Miami-Dade is living with HIV or AIDS 	 One in 366 White 			
One in 37 Black in Miami-Dade is living with HIV or AIDS	One in 61 Black			
One in 155 Hispanic in Miami-Dade is living with HIV or AIDS	 One in 215 Hispanic 			
 One in 153 other race in Miami-Dade is living with HIV or AIDS 	 One in 427 Other race 			
One in 98 Miami-Dade resident is living with HIV or AIDS	One in 189 Floridian			

Note: Excluding Department of Correction [DOC] cases at county level. Florida totals include DOC cases.

These statements are updated by the Florida Bureau of Communicable Disease, HIV/AIDS Section, every June of following year.

FLORIDA DEPARTMENT OF HEALTH IN MIAMI-DADE COUNTY USEFUL WEBSITE LINKS

Below are several website that may be useful for HIV/AIDS related information.

USEFUL WEBSITE LINKS				
ORGANIZATIONS / SITES	ELECTRONIC ADDRESS			
Data from the HIV Counseling and Testing (Florida & all Counties)	http://www.floridahealth.gov/diseases-and-conditions/aids/prevention/2013-testing-data.html			
Center for Disease Control and Prevention [CDC]	http://www.cdc.gov			
Center for Disease Control and Prevention. HIV/AIDS Statistics and Surveillance	http://www.cdc.gov/hiv/topics/surveillance/			
Center for Disease Control and Prevention. Morbidity and Mortality Weekly Report	http://www.cdc.gov/mmwr/			
Florida Community Health Assessment Resource Tool Set [Florida CHARTS]	http://www.floridacharts.com/charts/default.aspx			
Florida Department of Health in Miami-Dade County	http://miamidade.floridahealth.gov			
Florida Department of Health, Bureau of Communicable Disease, HIV/AIDS and Hepatitis Section.	http://www.floridahealth.gov/diseases-and-conditions/aids/index.html			
Organización Panamericana de la Salud [PAHO] (Pan American Health Organization)	http://www.paho.org			
The Test Miami Initiative	http://www.testmiami.org/index.aspx			
United Nations Program on HIV/AIDS [UNAIDS]	http://www.unaids.org/			
US Census Bureau.	http://www.census.gov			
US Census Bureau. HIV/AIDS Surveillance	http://www.census.gov/ipc/www/hivaidsn.html			
World Health Organization [WHO]	http://www.who.int			